



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 19, 2026 – 03:49 AM UTC

PDB ID : 6NLI / pdb_00006nli
Title : 1.90 Å resolution structure of WT BfrB from *Pseudomonas aeruginosa* in complex with a protein-protein interaction inhibitor (analog 11)
Authors : Lovell, S.; Punchi-Hewage, A.; Battaile, K.P.; Yao, H.; Nammalwar, B.; Gnanasekaran, K.K.; Bunce, R.A.; Reitz, A.B.; Rivera, M.
Deposited on : 2019-01-08
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7789 (1.90-1.90)
Clashscore	190562	8410 (1.90-1.90)
Ramachandran outliers	187476	8333 (1.90-1.90)
Sidechain outliers	187428	8333 (1.90-1.90)
RSRZ outliers	180081	7790 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	158	% 95%
1	B	158	% 95%
1	C	158	% 96%
1	D	158	% 96%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	E	158	% 94%
1	F	158	% 97%
1	G	158	% 94%
1	H	158	95%
1	I	158	% 96%
1	J	158	% 96%
1	K	158	2% 97%
1	L	158	% 98%

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 17392 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Ferroxidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	156	Total	C	N	O	S	0	2	0
			1267	804	213	243	7			
1	B	156	Total	C	N	O	S	0	3	0
			1273	807	217	242	7			
1	C	156	Total	C	N	O	S	0	2	0
			1274	806	217	244	7			
1	D	156	Total	C	N	O	S	0	2	0
			1277	808	218	244	7			
1	E	156	Total	C	N	O	S	0	1	0
			1269	804	217	241	7			
1	F	156	Total	C	N	O	S	0	2	0
			1272	806	214	245	7			
1	G	156	Total	C	N	O	S	0	3	0
			1274	808	218	241	7			
1	H	156	Total	C	N	O	S	0	2	0
			1278	808	217	246	7			
1	I	156	Total	C	N	O	S	0	2	0
			1270	805	214	244	7			
1	J	156	Total	C	N	O	S	0	2	0
			1280	810	219	244	7			
1	K	156	Total	C	N	O	S	0	3	0
			1286	816	219	244	7			
1	L	156	Total	C	N	O	S	0	2	0
			1281	811	219	244	7			

- Molecule 2 is FE (II) ION (CCD ID: FE2) (formula: Fe).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Fe	0	0
			1	1		
2	B	1	Total	Fe	0	0
			1	1		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	D	1	Total	Fe			0	0
			1	1				

- Molecule 3 is PROTOPORPHYRIN IX CONTAINING FE (CCD ID: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	Fe	N	O	
			86	68	2	8	8	1
3	C	1	Total	C	Fe	N	O	
			43	34	1	4	4	0
3	D	1	Total	C	Fe	N	O	
			43	34	1	4	4	0
3	E	1	Total	C	Fe	N	O	
			43	34	1	4	4	0
3	F	1	Total	C	Fe	N	O	
			43	34	1	4	4	0
3	J	1	Total	C	Fe	N	O	
			43	34	1	4	4	0
3	L	1	Total	C	Fe	N	O	
			43	34	1	4	4	0

- Molecule 4 is 4-[(2-hydroxyphenyl)methyl]amino}-1H-isoindole-1,3(2H)-dione (CCD ID: KTM) (formula: $C_{15}H_{12}N_2O_3$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	1
			40	30	4	6		
4	B	1	Total	C	N	O	0	1
			40	30	4	6		
4	C	1	Total	C	N	O	0	0
			20	15	2	3		
4	D	1	Total	C	N	O	0	0
			20	15	2	3		
4	E	1	Total	C	N	O	0	1
			40	30	4	6		
4	G	1	Total	C	N	O	0	1
			40	30	4	6		
4	H	1	Total	C	N	O	0	1
			40	30	4	6		
4	I	1	Total	C	N	O	0	1
			40	30	4	6		
4	J	1	Total	C	N	O	0	0
			20	15	2	3		

- Molecule 5 is TETRAETHYLENE GLYCOL (CCD ID: PG4) (formula: C₈H₁₈O₅).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			10	6	4		
5	B	1	Total	C	O	0	0
			11	7	4		
5	C	1	Total	C	O	0	0
			11	7	4		
5	D	1	Total	C	O	0	0
			10	6	4		
5	D	1	Total	C	O	0	0
			9	6	3		
5	E	1	Total	C	O	0	0
			13	8	5		
5	F	1	Total	C	O	0	0
			11	7	4		
5	F	1	Total	C	O	0	0
			11	7	4		
5	G	1	Total	C	O	0	0
			13	8	5		
5	H	1	Total	C	O	0	0
			11	7	4		
5	J	1	Total	C	O	0	0
			11	7	4		
5	K	1	Total	C	O	0	0
			11	7	4		
5	L	1	Total	C	O	0	0
			13	8	5		

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	112	Total 112	O 112	0	0
6	B	98	Total 98	O 98	0	0
6	C	103	Total 103	O 103	0	0
6	D	110	Total 110	O 110	0	0
6	E	116	Total 116	O 116	0	0
6	F	105	Total 105	O 105	0	0
6	G	110	Total 110	O 110	0	0
6	H	113	Total 113	O 113	0	0
6	I	118	Total 118	O 118	0	0
6	J	143	Total 143	O 143	0	0
6	K	90	Total 90	O 90	0	0
6	L	81	Total 81	O 81	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Ferroxidase



- Molecule 1: Ferroxidase



- Molecule 1: Ferroxidase



- Molecule 1: Ferroxidase



- Molecule 1: Ferroxidase



- Molecule 1: Ferroxidase



- Molecule 1: Ferroxidase




- Molecule 1: Ferroxidase




- Molecule 1: Ferroxidase




- Molecule 1: Ferroxidase



- Molecule 1: Ferroxidase



- Molecule 1: Ferroxidase



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	129.55Å 194.23Å 202.76Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.22 – 1.90 47.22 – 1.90	Depositor EDS
% Data completeness (in resolution range)	100.0 (47.22-1.90) 100.0 (47.22-1.90)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.08 (at 1.90Å)	Xtriage
Refinement program	PHENIX	Depositor
R, R_{free}	0.166 , 0.205 0.176 , 0.213	Depositor DCC
R_{free} test set	9936 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å ²)	25.3	Xtriage
Anisotropy	0.586	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 44.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	17392	wwPDB-VP
Average B, all atoms (Å ²)	29.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.76% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FE2, HEM, KTM, PG4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.38	0/1291	0.49	0/1742
1	B	0.42	0/1300	0.51	0/1754
1	C	0.45	0/1298	0.54	0/1751
1	D	0.40	0/1301	0.49	0/1754
1	E	0.49	0/1293	0.55	0/1743
1	F	0.45	0/1296	0.51	0/1748
1	G	0.39	0/1301	0.49	0/1755
1	H	0.43	0/1302	0.51	0/1756
1	I	0.47	0/1294	0.54	0/1746
1	J	0.45	0/1304	0.52	0/1757
1	K	0.44	0/1314	0.54	0/1770
1	L	0.37	0/1305	0.48	0/1758
All	All	0.43	0/15599	0.52	0/21034

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1267	0	1223	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	1273	0	1234	5	0
1	C	1274	0	1234	3	0
1	D	1277	0	1243	4	0
1	E	1269	0	1240	6	0
1	F	1272	0	1232	2	0
1	G	1274	0	1238	5	0
1	H	1278	0	1238	6	0
1	I	1270	0	1224	4	0
1	J	1280	0	1252	4	0
1	K	1286	0	1261	2	0
1	L	1281	0	1254	1	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	D	1	0	0	0	0
3	A	86	0	60	2	0
3	C	43	0	30	0	0
3	D	43	0	30	1	0
3	E	43	0	30	1	0
3	F	43	0	30	0	0
3	J	43	0	30	2	0
3	L	43	0	30	0	0
4	A	40	0	0	2	0
4	B	40	0	0	2	0
4	C	20	0	0	1	0
4	D	20	0	0	1	0
4	E	40	0	0	2	0
4	G	40	0	0	2	0
4	H	40	0	0	2	0
4	I	40	0	0	2	0
4	J	20	0	0	1	0
5	A	10	0	13	0	0
5	B	11	0	13	0	0
5	C	11	0	13	0	0
5	D	19	0	21	0	0
5	E	13	0	18	0	0
5	F	22	0	26	0	0
5	G	13	0	18	0	0
5	H	11	0	13	0	0
5	J	11	0	13	0	0
5	K	11	0	13	0	0
5	L	13	0	18	0	0
6	A	112	0	0	1	1

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	B	98	0	0	0	0
6	C	103	0	0	1	0
6	D	110	0	0	2	0
6	E	116	0	0	2	0
6	F	105	0	0	1	0
6	G	110	0	0	0	1
6	H	113	0	0	3	0
6	I	118	0	0	1	0
6	J	143	0	0	1	0
6	K	90	0	0	1	0
6	L	81	0	0	1	0
All	All	17392	0	15292	49	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (49) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:110:GLN:OE1	6:E:301:HOH:O	2.12	0.68
1:I:130:HIS:NE2	6:I:302:HOH:O	2.28	0.66
1:C:130:HIS:NE2	6:C:301:HOH:O	2.30	0.64
1:L:72:GLN:OE1	6:L:301:HOH:O	2.15	0.64
1:E:12:ASN:O	6:E:302:HOH:O	2.15	0.62
1:J:69:PRO:O	4:J:202:KTM:N03	2.32	0.62
1:B:69:PRO:O	4:B:202[B]:KTM:N03	2.34	0.61
1:H:69:PRO:O	4:H:201[B]:KTM:N03	2.34	0.60
1:D:69:PRO:O	4:D:203:KTM:N03	2.35	0.60
1:C:69:PRO:O	4:C:202:KTM:N03	2.34	0.60
1:H:69:PRO:O	4:H:201[A]:KTM:N03	2.34	0.60
1:E:69:PRO:O	4:E:202[B]:KTM:N03	2.35	0.60
1:G:69:PRO:O	4:G:201[A]:KTM:N03	2.34	0.60
1:G:69:PRO:O	4:G:201[B]:KTM:N03	2.34	0.59
1:B:69:PRO:O	4:B:202[A]:KTM:N03	2.34	0.59
1:A:69:PRO:O	4:A:203[A]:KTM:N03	2.35	0.59
1:A:69:PRO:O	4:A:203[B]:KTM:N03	2.35	0.59
1:E:82:ASN:OD1	1:E:84:GLN:HG2	2.02	0.59
1:I:69:PRO:O	4:I:201[A]:KTM:N03	2.35	0.59
1:I:69:PRO:O	4:I:201[B]:KTM:N03	2.35	0.58
1:E:69:PRO:O	4:E:202[A]:KTM:N03	2.35	0.58
1:K:136:THR:OG1	6:K:301:HOH:O	2.17	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:202[B]:HEM:O2A	6:A:301:HOH:O	2.18	0.57
1:K:20:ILE:HD11	1:K:75:GLY:HA3	1.87	0.56
1:A:52:MET:HB3	3:A:202[B]:HEM:CHB	2.42	0.49
1:H:84:GLN:HG3	6:H:363:HOH:O	2.12	0.48
1:D:153:HIS:NE2	6:D:301:HOH:O	2.29	0.48
1:B:52:MET:HB3	3:E:201:HEM:CHB	2.44	0.46
1:D:130:HIS:NE2	6:D:303:HOH:O	2.36	0.46
1:H:53:LYS:NZ	6:H:303:HOH:O	2.40	0.44
1:G:20:ILE:HD11	1:G:75:GLY:HA3	1.98	0.44
1:J:134:LEU:HD21	6:J:312:HOH:O	2.16	0.44
3:J:201:HEM:HMC2	3:J:201:HEM:HBC2	2.00	0.44
1:D:52:MET:HB3	3:D:202:HEM:CHD	2.48	0.44
1:B:133:TYR:O	1:B:137:GLN:HG2	2.18	0.43
1:I:20:ILE:HD11	1:I:75:GLY:HA3	2.00	0.43
1:G:44:GLU:OE1	1:G:90:ASP:OD2	2.36	0.43
1:B:20:ILE:HG23	1:B:77:LEU:HD23	2.00	0.42
1:G:43:HIS:CD2	1:G:133:TYR:CZ	3.08	0.42
1:J:52:MET:HB3	3:J:201:HEM:CHB	2.48	0.42
1:F:44:GLU:OE1	1:F:90:ASP:OD2	2.38	0.42
1:C:10:HIS:O	1:C:14:ILE:HG12	2.20	0.42
1:A:44:GLU:OE1	1:A:90:ASP:OD2	2.38	0.41
1:H:20:ILE:HD11	1:H:75:GLY:HA3	2.03	0.41
1:H:13:LYS:NZ	6:H:307:HOH:O	2.53	0.41
1:E:44:GLU:OE1	1:E:90:ASP:OD2	2.40	0.40
1:J:44:GLU:OE1	1:J:90:ASP:OD2	2.40	0.40
1:A:1:MET:O	1:A:65:LEU:HA	2.22	0.40
1:F:46:HIS:HD2	6:F:395:HOH:O	2.05	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:A:308:HOH:O	6:G:348:HOH:O[3_554]	2.13	0.07

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	156/158 (99%)	155 (99%)	1 (1%)	0	100	100
1	B	157/158 (99%)	156 (99%)	1 (1%)	0	100	100
1	C	156/158 (99%)	155 (99%)	1 (1%)	0	100	100
1	D	156/158 (99%)	155 (99%)	1 (1%)	0	100	100
1	E	155/158 (98%)	154 (99%)	1 (1%)	0	100	100
1	F	156/158 (99%)	155 (99%)	1 (1%)	0	100	100
1	G	157/158 (99%)	157 (100%)	0	0	100	100
1	H	156/158 (99%)	156 (100%)	0	0	100	100
1	I	156/158 (99%)	155 (99%)	1 (1%)	0	100	100
1	J	156/158 (99%)	156 (100%)	0	0	100	100
1	K	157/158 (99%)	156 (99%)	1 (1%)	0	100	100
1	L	156/158 (99%)	155 (99%)	1 (1%)	0	100	100
All	All	1874/1896 (99%)	1865 (100%)	9 (0%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	134/144 (93%)	134 (100%)	0	100	100
1	B	135/144 (94%)	135 (100%)	0	100	100
1	C	136/144 (94%)	136 (100%)	0	100	100
1	D	137/144 (95%)	137 (100%)	0	100	100
1	E	136/144 (94%)	136 (100%)	0	100	100
1	F	136/144 (94%)	136 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	G	135/144 (94%)	135 (100%)	0	100	100
1	H	137/144 (95%)	137 (100%)	0	100	100
1	I	134/144 (93%)	134 (100%)	0	100	100
1	J	138/144 (96%)	138 (100%)	0	100	100
1	K	139/144 (96%)	139 (100%)	0	100	100
1	L	138/144 (96%)	138 (100%)	0	100	100
All	All	1635/1728 (95%)	1635 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	88	GLN
1	A	155	HIS
1	B	43	HIS
1	C	43	HIS
1	C	84	GLN
1	C	88	GLN
1	D	43	HIS
1	E	88	GLN
1	E	137	GLN
1	F	155	HIS
1	G	88	GLN
1	G	110	GLN
1	G	137	GLN
1	H	88	GLN
1	H	142	GLN
1	I	88	GLN
1	J	46	HIS
1	J	88	GLN
1	K	84	GLN
1	K	137	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 39 ligands modelled in this entry, 3 are monoatomic - leaving 36 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	KTM	C	202	-	22,22,22	1.90	6 (27%)	31,31,31	1.43	4 (12%)
4	KTM	E	202[A]	-	22,22,22	1.94	6 (27%)	31,31,31	1.45	4 (12%)
4	KTM	I	201[A]	-	22,22,22	1.84	5 (22%)	31,31,31	1.05	3 (9%)
3	HEM	J	201	1	50,50,50	1.40	8 (16%)	67,82,82	1.45	12 (17%)
4	KTM	H	201[B]	-	22,22,22	1.77	6 (27%)	31,31,31	1.17	3 (9%)
5	PG4	K	201	-	10,10,12	0.53	0	9,9,11	0.34	0
5	PG4	C	203	-	10,10,12	0.48	0	9,9,11	0.34	0
4	KTM	G	201[A]	-	22,22,22	1.78	6 (27%)	31,31,31	1.07	3 (9%)
3	HEM	A	202[B]	1	50,50,50	1.46	8 (16%)	67,82,82	1.28	8 (11%)
5	PG4	D	205	-	8,8,12	0.53	0	7,7,11	0.26	0
4	KTM	D	203	-	22,22,22	1.85	6 (27%)	31,31,31	1.40	5 (16%)
4	KTM	J	202	-	22,22,22	1.99	5 (22%)	31,31,31	1.27	5 (16%)
3	HEM	L	201	1	50,50,50	1.48	7 (14%)	67,82,82	1.20	5 (7%)
5	PG4	G	202	-	12,12,12	0.47	0	11,11,11	0.51	0
4	KTM	A	203[B]	-	22,22,22	1.93	5 (22%)	31,31,31	1.23	3 (9%)
5	PG4	F	202	-	10,10,12	0.51	0	9,9,11	0.27	0
3	HEM	F	201	1	50,50,50	1.42	7 (14%)	67,82,82	1.30	7 (10%)
5	PG4	J	203	-	10,10,12	0.56	0	9,9,11	0.46	0
5	PG4	A	204	-	9,9,12	0.47	0	8,8,11	0.45	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	KTM	B	202[A]	-	22,22,22	1.89	5 (22%)	31,31,31	1.17	3 (9%)
4	KTM	E	202[B]	-	22,22,22	1.96	6 (27%)	31,31,31	1.43	4 (12%)
4	KTM	I	201[B]	-	22,22,22	1.93	5 (22%)	31,31,31	1.11	3 (9%)
3	HEM	E	201	1	50,50,50	1.55	8 (16%)	67,82,82	1.59	13 (19%)
3	HEM	C	201	1	50,50,50	1.49	10 (20%)	67,82,82	1.41	11 (16%)
3	HEM	D	202	1	50,50,50	1.44	10 (20%)	67,82,82	1.30	9 (13%)
4	KTM	G	201[B]	-	22,22,22	1.80	6 (27%)	31,31,31	1.35	5 (16%)
4	KTM	H	201[A]	-	22,22,22	1.74	6 (27%)	31,31,31	1.23	4 (12%)
5	PG4	L	202	-	12,12,12	0.50	0	11,11,11	0.43	0
5	PG4	D	204	-	9,9,12	0.50	0	8,8,11	0.33	0
3	HEM	A	202[A]	1	50,50,50	1.42	7 (14%)	67,82,82	1.30	9 (13%)
5	PG4	F	203	-	10,10,12	0.50	0	9,9,11	0.35	0
5	PG4	B	203	-	10,10,12	0.48	0	9,9,11	0.25	0
5	PG4	H	202	-	10,10,12	0.51	0	9,9,11	0.28	0
4	KTM	A	203[A]	-	22,22,22	1.94	6 (27%)	31,31,31	1.40	4 (12%)
4	KTM	B	202[B]	-	22,22,22	1.89	5 (22%)	31,31,31	1.17	3 (9%)
5	PG4	E	203	-	12,12,12	0.47	0	11,11,11	0.51	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	KTM	C	202	-	-	0/5/17/17	0/3/3/3
4	KTM	E	202[A]	-	-	0/5/17/17	0/3/3/3
4	KTM	I	201[A]	-	-	0/5/17/17	0/3/3/3
3	HEM	J	201	1	-	4/14/54/54	-
4	KTM	H	201[B]	-	-	0/5/17/17	0/3/3/3
5	PG4	K	201	-	-	1/8/8/10	-
5	PG4	C	203	-	-	3/8/8/10	-
4	KTM	G	201[A]	-	-	0/5/17/17	0/3/3/3
3	HEM	A	202[B]	1	-	2/14/54/54	-
5	PG4	D	205	-	-	2/6/6/10	-
4	KTM	D	203	-	-	1/5/17/17	0/3/3/3
4	KTM	J	202	-	-	1/5/17/17	0/3/3/3
3	HEM	L	201	1	-	4/14/54/54	-
5	PG4	G	202	-	-	5/10/10/10	-
4	KTM	A	203[B]	-	-	2/5/17/17	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	PG4	F	202	-	-	0/8/8/10	-
3	HEM	F	201	1	-	4/14/54/54	-
5	PG4	J	203	-	-	0/8/8/10	-
5	PG4	A	204	-	-	1/7/7/10	-
4	KTM	B	202[A]	-	-	0/5/17/17	0/3/3/3
4	KTM	E	202[B]	-	-	2/5/17/17	0/3/3/3
4	KTM	I	201[B]	-	-	2/5/17/17	0/3/3/3
3	HEM	E	201	1	-	4/14/54/54	-
3	HEM	C	201	1	-	4/14/54/54	-
3	HEM	D	202	1	-	4/14/54/54	-
4	KTM	G	201[B]	-	-	2/5/17/17	0/3/3/3
4	KTM	H	201[A]	-	-	0/5/17/17	0/3/3/3
5	PG4	L	202	-	-	2/10/10/10	-
5	PG4	D	204	-	-	0/7/7/10	-
3	HEM	A	202[A]	1	-	2/14/54/54	-
5	PG4	F	203	-	-	2/8/8/10	-
5	PG4	B	203	-	-	0/8/8/10	-
5	PG4	H	202	-	-	0/8/8/10	-
4	KTM	A	203[A]	-	-	0/5/17/17	0/3/3/3
4	KTM	B	202[B]	-	-	2/5/17/17	0/3/3/3
5	PG4	E	203	-	-	1/10/10/10	-

All (149) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	L	201	HEM	FE-ND	5.35	2.11	1.94
4	I	201[B]	KTM	C19-C02	5.02	1.55	1.48
3	F	201	HEM	FE-NA	4.93	2.11	1.95
4	C	202	KTM	C19-C02	4.80	1.55	1.48
3	E	201	HEM	FE-NC	4.77	2.10	1.95
4	I	201[A]	KTM	C19-C02	4.76	1.55	1.48
4	A	203[B]	KTM	C19-C02	4.66	1.55	1.48
4	J	202	KTM	C04-N03	4.56	1.45	1.38
4	D	203	KTM	C19-C02	4.49	1.54	1.48
4	J	202	KTM	C19-C02	4.44	1.54	1.48
4	A	203[A]	KTM	C19-C02	4.43	1.54	1.48
4	B	202[A]	KTM	C19-C02	4.42	1.54	1.48
3	A	202[A]	HEM	FE-ND	4.42	2.08	1.94
4	B	202[B]	KTM	C19-C02	4.40	1.54	1.48
4	E	202[B]	KTM	C19-C02	4.31	1.54	1.48

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	E	202[B]	KTM	C04-N03	4.30	1.45	1.38
4	A	203[A]	KTM	C04-N03	4.28	1.45	1.38
4	E	202[A]	KTM	C19-C02	4.27	1.54	1.48
4	E	202[A]	KTM	C04-N03	4.25	1.45	1.38
4	H	201[B]	KTM	C19-C02	4.25	1.54	1.48
4	C	202	KTM	C02-N03	4.24	1.45	1.38
3	E	201	HEM	FE-NB	4.23	2.07	1.94
4	E	202[B]	KTM	C02-N03	4.18	1.45	1.38
3	D	202	HEM	FE-ND	4.18	2.07	1.94
3	E	201	HEM	FE-ND	4.17	2.07	1.94
3	A	202[B]	HEM	FE-ND	4.16	2.07	1.94
4	E	202[A]	KTM	C02-N03	4.16	1.45	1.38
4	G	201[B]	KTM	C19-C02	4.09	1.54	1.48
4	B	202[B]	KTM	C04-N03	4.04	1.44	1.38
4	H	201[A]	KTM	C19-C02	4.03	1.54	1.48
4	B	202[A]	KTM	C04-N03	4.02	1.44	1.38
4	J	202	KTM	C02-N03	4.01	1.44	1.38
4	A	203[B]	KTM	C04-N03	4.00	1.44	1.38
4	G	201[A]	KTM	C19-C02	3.99	1.54	1.48
4	A	203[A]	KTM	C02-N03	3.96	1.44	1.38
4	A	203[B]	KTM	C02-N03	3.83	1.44	1.38
3	C	201	HEM	FE-ND	3.74	2.06	1.94
3	C	201	HEM	FE-NB	3.67	2.06	1.94
4	I	201[B]	KTM	C02-N03	3.67	1.44	1.38
3	J	201	HEM	FE-NA	3.66	2.07	1.95
4	D	203	KTM	C04-N03	3.62	1.44	1.38
4	D	203	KTM	C02-N03	3.61	1.44	1.38
4	I	201[B]	KTM	C04-N03	3.60	1.44	1.38
3	A	202[A]	HEM	FE-NC	3.59	2.07	1.95
4	B	202[B]	KTM	C02-N03	3.58	1.44	1.38
3	L	201	HEM	FE-NC	3.56	2.06	1.95
4	B	202[A]	KTM	C02-N03	3.53	1.44	1.38
3	A	202[B]	HEM	FE-NA	3.50	2.06	1.95
4	I	201[A]	KTM	C02-N03	3.49	1.44	1.38
4	B	202[B]	KTM	C06-N07	3.48	1.46	1.37
4	G	201[B]	KTM	C02-N03	3.47	1.44	1.38
3	D	202	HEM	FE-NC	3.46	2.06	1.95
3	J	201	HEM	FE-ND	3.45	2.05	1.94
4	B	202[A]	KTM	C06-N07	3.45	1.46	1.37
4	G	201[A]	KTM	C04-N03	3.44	1.43	1.38
4	G	201[A]	KTM	C02-N03	3.44	1.43	1.38
3	J	201	HEM	FE-NB	3.41	2.05	1.94

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	I	201[A]	KTM	C04-N03	3.38	1.43	1.38
4	G	201[A]	KTM	C06-N07	3.37	1.46	1.37
4	G	201[B]	KTM	C04-N03	3.35	1.43	1.38
4	A	203[B]	KTM	C06-N07	3.35	1.46	1.37
4	J	202	KTM	C06-N07	3.33	1.46	1.37
4	H	201[A]	KTM	C06-N07	3.32	1.46	1.37
4	H	201[B]	KTM	C06-N07	3.32	1.46	1.37
4	E	202[B]	KTM	C06-N07	3.30	1.46	1.37
4	I	201[B]	KTM	C06-N07	3.29	1.46	1.37
4	H	201[B]	KTM	C02-N03	3.27	1.43	1.38
4	I	201[A]	KTM	C06-N07	3.22	1.46	1.37
4	H	201[A]	KTM	C04-N03	3.22	1.43	1.38
3	F	201	HEM	FE-NB	3.21	2.04	1.94
3	C	201	HEM	FE-NA	3.20	2.05	1.95
3	C	201	HEM	CAB-C3B	3.18	1.55	1.47
4	E	202[A]	KTM	C06-N07	3.18	1.45	1.37
4	A	203[A]	KTM	C06-N07	3.18	1.45	1.37
4	H	201[A]	KTM	C02-N03	3.18	1.43	1.38
3	A	202[B]	HEM	FE-NB	3.16	2.04	1.94
4	C	202	KTM	C04-N03	3.16	1.43	1.38
4	D	203	KTM	C06-N07	3.11	1.45	1.37
4	C	202	KTM	C06-N07	3.09	1.45	1.37
4	G	201[B]	KTM	C06-N07	3.08	1.45	1.37
4	H	201[B]	KTM	C04-N03	3.07	1.43	1.38
3	D	202	HEM	FE-NA	3.04	2.05	1.95
3	L	201	HEM	CAC-C3C	2.97	1.55	1.47
3	D	202	HEM	CAC-C3C	2.93	1.55	1.47
3	A	202[B]	HEM	CAC-C3C	2.92	1.55	1.47
3	D	202	HEM	CAB-C3B	2.87	1.55	1.47
3	L	201	HEM	CAB-C3B	2.86	1.55	1.47
3	A	202[B]	HEM	CAB-C3B	2.81	1.54	1.47
3	A	202[A]	HEM	CAC-C3C	2.81	1.54	1.47
3	C	201	HEM	CAC-C3C	2.80	1.54	1.47
3	D	202	HEM	FE-NB	2.73	2.03	1.94
3	A	202[A]	HEM	CAB-C3B	2.70	1.54	1.47
3	J	201	HEM	FE-NC	2.70	2.04	1.95
3	E	201	HEM	CAB-C3B	2.69	1.54	1.47
3	F	201	HEM	CAB-C3B	2.60	1.54	1.47
3	A	202[A]	HEM	FE-NA	2.58	2.03	1.95
4	B	202[A]	KTM	O15-C14	2.54	1.41	1.36
3	C	201	HEM	FE-NC	2.50	2.03	1.95
3	E	201	HEM	FE-NA	2.49	2.03	1.95

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	F	201	HEM	CAC-C3C	2.49	1.54	1.47
4	D	203	KTM	O15-C14	2.46	1.41	1.36
3	C	201	HEM	CMC-C2C	2.44	1.55	1.50
3	A	202[B]	HEM	FE-NC	2.43	2.03	1.95
4	E	202[A]	KTM	O15-C14	2.40	1.41	1.36
4	J	202	KTM	O15-C14	2.39	1.41	1.36
4	I	201[B]	KTM	O15-C14	2.38	1.41	1.36
3	A	202[B]	HEM	CMC-C2C	2.34	1.55	1.50
3	E	201	HEM	CMB-C2B	2.34	1.55	1.50
3	L	201	HEM	CMD-C2D	2.32	1.55	1.50
4	G	201[B]	KTM	O01-C02	-2.32	1.17	1.23
3	J	201	HEM	CAB-C3B	2.32	1.53	1.47
4	B	202[B]	KTM	O15-C14	2.32	1.41	1.36
3	J	201	HEM	CMB-C2B	2.31	1.55	1.50
3	C	201	HEM	C1B-NB	-2.29	1.36	1.40
4	H	201[A]	KTM	O15-C14	2.28	1.40	1.36
3	A	202[A]	HEM	FE-NB	2.25	2.01	1.94
3	C	201	HEM	CMA-C3A	2.24	1.55	1.50
4	A	203[B]	KTM	O15-C14	2.23	1.40	1.36
4	A	203[A]	KTM	O15-C14	2.22	1.40	1.36
4	H	201[B]	KTM	O15-C14	2.22	1.40	1.36
4	E	202[B]	KTM	O15-C14	2.22	1.40	1.36
3	J	201	HEM	CMA-C3A	2.21	1.55	1.50
3	F	201	HEM	CMB-C2B	2.21	1.55	1.50
3	E	201	HEM	CMC-C2C	2.19	1.55	1.50
3	L	201	HEM	CMC-C2C	2.17	1.55	1.50
4	G	201[B]	KTM	O15-C14	2.16	1.40	1.36
4	H	201[A]	KTM	O01-C02	-2.16	1.18	1.23
3	A	202[A]	HEM	CMC-C2C	2.16	1.55	1.50
3	F	201	HEM	CMC-C2C	2.14	1.55	1.50
3	L	201	HEM	CMA-C3A	2.13	1.55	1.50
3	J	201	HEM	CAC-C3C	2.12	1.53	1.47
4	G	201[A]	KTM	O15-C14	2.12	1.40	1.36
4	H	201[B]	KTM	O01-C02	-2.11	1.18	1.23
4	E	202[B]	KTM	O01-C02	-2.11	1.18	1.23
3	C	201	HEM	CMB-C2B	2.10	1.55	1.50
4	E	202[A]	KTM	O01-C02	-2.09	1.18	1.23
3	D	202	HEM	CMA-C3A	2.09	1.55	1.50
4	D	203	KTM	C05-C04	2.07	1.55	1.49
3	D	202	HEM	CMD-C2D	2.07	1.55	1.50
3	E	201	HEM	CAC-C3C	2.06	1.52	1.47
4	C	202	KTM	O15-C14	2.06	1.40	1.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	I	201[A]	KTM	O15-C14	2.05	1.40	1.36
3	A	202[B]	HEM	CMA-C3A	2.04	1.55	1.50
3	D	202	HEM	CMC-C2C	2.04	1.54	1.50
3	D	202	HEM	CMB-C2B	2.04	1.54	1.50
4	A	203[A]	KTM	O01-C02	-2.03	1.18	1.23
4	G	201[A]	KTM	O01-C02	-2.02	1.18	1.23
4	C	202	KTM	C05-C04	2.01	1.55	1.49
3	F	201	HEM	CMA-C3A	2.01	1.54	1.50

All (130) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	202	KTM	C05-C06-N07	-4.86	115.54	121.34
4	E	202[B]	KTM	C04-N03-C02	-4.75	108.46	112.59
4	D	203	KTM	C19-C05-C06	-4.71	119.44	121.88
4	E	202[A]	KTM	C04-N03-C02	-4.68	108.52	112.59
4	A	203[A]	KTM	C04-N03-C02	-4.42	108.75	112.59
4	G	201[B]	KTM	C19-C05-C06	-4.12	119.74	121.88
4	E	202[B]	KTM	C19-C05-C06	-3.94	119.84	121.88
4	H	201[A]	KTM	C19-C05-C06	-3.87	119.88	121.88
4	A	203[B]	KTM	C04-N03-C02	-3.78	109.30	112.59
4	E	202[A]	KTM	C19-C05-C06	-3.68	119.97	121.88
3	J	201	HEM	C4D-ND-C1D	3.68	109.56	105.21
3	E	201	HEM	C4D-ND-C1D	3.65	109.53	105.21
4	J	202	KTM	C04-N03-C02	-3.59	109.47	112.59
4	A	203[A]	KTM	C05-C06-N07	-3.55	117.11	121.34
3	C	201	HEM	C1B-NB-C4B	3.55	109.41	105.21
4	I	201[B]	KTM	C04-N03-C02	-3.55	109.51	112.59
4	B	202[A]	KTM	C19-C05-C06	-3.38	120.12	121.88
4	H	201[B]	KTM	C19-C05-C06	-3.34	120.15	121.88
3	E	201	HEM	CMB-C2B-C1B	-3.30	119.88	125.03
3	A	202[A]	HEM	C4D-ND-C1D	3.28	109.09	105.21
4	C	202	KTM	C19-C05-C06	-3.24	120.20	121.88
3	E	201	HEM	C3B-C4B-NB	-3.23	107.15	109.47
4	B	202[B]	KTM	C05-C06-N07	-3.18	117.54	121.34
3	F	201	HEM	CHC-C4B-NB	3.17	127.83	124.42
3	E	201	HEM	C1B-NB-C4B	3.06	108.83	105.21
4	B	202[B]	KTM	C19-C05-C06	-3.06	120.29	121.88
3	F	201	HEM	C2A-C1A-NA	-3.06	106.76	110.15
3	C	201	HEM	C4D-ND-C1D	3.01	108.77	105.21
3	F	201	HEM	CAC-C3C-C4C	-3.00	117.67	124.82
4	G	201[A]	KTM	C19-C05-C06	-2.98	120.33	121.88

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	G	201[B]	KTM	C04-N03-C02	-2.94	110.03	112.59
3	J	201	HEM	C3D-C4D-ND	-2.92	106.97	110.17
4	B	202[A]	KTM	C04-N03-C02	-2.91	110.06	112.59
3	C	201	HEM	CHC-C4B-NB	2.91	127.56	124.42
3	A	202[B]	HEM	C4D-ND-C1D	2.90	108.64	105.21
4	H	201[B]	KTM	C05-C06-N07	-2.89	117.89	121.34
3	D	202	HEM	C4D-ND-C1D	2.89	108.63	105.21
4	A	203[B]	KTM	C05-C06-N07	-2.87	117.92	121.34
4	I	201[B]	KTM	C05-C06-N07	-2.85	117.95	121.34
4	B	202[B]	KTM	C04-N03-C02	-2.84	110.12	112.59
3	E	201	HEM	C2A-C1A-NA	-2.84	107.00	110.15
4	H	201[A]	KTM	C05-C06-N07	-2.84	117.96	121.34
4	I	201[A]	KTM	C05-C06-N07	-2.81	117.98	121.34
3	E	201	HEM	C3D-C4D-ND	-2.80	107.10	110.17
3	J	201	HEM	C1B-NB-C4B	2.78	108.49	105.21
4	A	203[B]	KTM	C19-C05-C06	-2.77	120.44	121.88
4	D	203	KTM	C05-C06-N07	-2.74	118.07	121.34
3	E	201	HEM	C2D-C1D-ND	-2.73	106.75	109.90
4	B	202[A]	KTM	C05-C06-N07	-2.71	118.10	121.34
4	A	203[A]	KTM	C19-C05-C06	-2.71	120.47	121.88
3	L	201	HEM	C2A-C1A-NA	-2.69	107.17	110.15
4	I	201[A]	KTM	C19-C05-C06	-2.63	120.52	121.88
4	J	202	KTM	C05-C06-N07	-2.63	118.21	121.34
4	G	201[B]	KTM	C05-C06-N07	-2.62	118.22	121.34
4	G	201[A]	KTM	C04-N03-C02	-2.61	110.32	112.59
3	J	201	HEM	C2D-C1D-ND	-2.61	106.88	109.90
3	A	202[A]	HEM	C3D-C4D-ND	-2.61	107.31	110.17
3	E	201	HEM	CHC-C4B-NB	2.60	127.22	124.42
3	C	201	HEM	C3B-C4B-NB	-2.57	107.62	109.47
3	E	201	HEM	C4C-C3C-C2C	2.56	109.03	106.81
3	D	202	HEM	CMC-C2C-C1C	-2.56	120.22	124.73
3	C	201	HEM	C3D-C4D-ND	-2.55	107.37	110.17
4	E	202[A]	KTM	C05-C06-N07	-2.54	118.31	121.34
3	A	202[B]	HEM	C3B-C2B-C1B	2.53	108.31	106.41
3	C	201	HEM	CAC-C3C-C4C	-2.52	118.80	124.82
3	L	201	HEM	C4D-ND-C1D	2.51	108.18	105.21
4	D	203	KTM	C04-N03-C02	-2.51	110.41	112.59
3	A	202[A]	HEM	CMB-C2B-C1B	-2.50	121.13	125.03
4	I	201[A]	KTM	C04-N03-C02	-2.48	110.44	112.59
3	L	201	HEM	C3D-C4D-ND	-2.47	107.46	110.17
4	E	202[A]	KTM	C19-C02-N03	2.46	108.00	105.88
3	D	202	HEM	C3B-C2B-C1B	2.46	108.26	106.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	202[B]	HEM	C2A-C1A-NA	-2.45	107.43	110.15
3	A	202[B]	HEM	C1B-NB-C4B	2.45	108.11	105.21
4	E	202[B]	KTM	C19-C02-N03	2.45	107.99	105.88
3	D	202	HEM	C1B-NB-C4B	2.45	108.10	105.21
3	A	202[A]	HEM	C2A-C1A-NA	-2.44	107.44	110.15
4	G	201[A]	KTM	C05-C06-N07	-2.43	118.44	121.34
4	D	203	KTM	C06-C05-C04	2.41	132.06	129.42
4	H	201[B]	KTM	C04-N03-C02	-2.41	110.50	112.59
3	F	201	HEM	C3D-C4D-ND	-2.40	107.54	110.17
3	C	201	HEM	CAA-CBA-CGA	-2.39	107.33	113.67
3	J	201	HEM	CAC-C3C-C4C	-2.38	119.13	124.82
3	A	202[A]	HEM	CHB-C1B-NB	2.35	127.27	124.37
3	C	201	HEM	C2A-C1A-NA	-2.34	107.56	110.15
4	J	202	KTM	C10-C09-C14	2.33	120.69	118.16
3	J	201	HEM	C4C-C3C-C2C	2.33	108.83	106.81
3	J	201	HEM	CMC-C2C-C1C	-2.33	120.63	124.73
4	E	202[B]	KTM	C06-C05-C04	2.33	131.96	129.42
3	A	202[B]	HEM	C2D-C1D-ND	-2.32	107.22	109.90
3	J	201	HEM	CHD-C1D-ND	2.32	126.92	124.42
3	D	202	HEM	C3D-C4D-ND	-2.31	107.64	110.17
3	E	201	HEM	CBD-CAD-C3D	-2.30	106.17	112.53
3	L	201	HEM	CAD-CBD-CGD	-2.30	107.57	113.67
4	C	202	KTM	C09-C08-N07	-2.30	105.99	113.35
4	H	201[A]	KTM	C04-N03-C02	-2.29	110.60	112.59
4	J	202	KTM	C19-C05-C06	-2.29	120.69	121.88
3	J	201	HEM	CAA-CBA-CGA	-2.26	107.66	113.67
3	E	201	HEM	CHA-C4D-ND	2.25	127.16	124.37
3	D	202	HEM	C2A-C1A-NA	-2.25	107.65	110.15
3	C	201	HEM	CAD-CBD-CGD	-2.25	107.70	113.67
3	L	201	HEM	C1B-NB-C4B	2.23	107.85	105.21
4	J	202	KTM	C09-C08-N07	-2.23	106.20	113.35
3	A	202[A]	HEM	C3B-C2B-C1B	2.22	108.08	106.41
3	J	201	HEM	C2A-C1A-NA	-2.22	107.69	110.15
3	J	201	HEM	CAD-CBD-CGD	-2.22	107.79	113.67
3	D	202	HEM	C2D-C1D-ND	-2.21	107.35	109.90
4	A	203[A]	KTM	C19-C02-N03	2.19	107.77	105.88
3	D	202	HEM	CMB-C2B-C1B	-2.17	121.64	125.03
3	F	201	HEM	C4D-ND-C1D	2.16	107.77	105.21
3	A	202[A]	HEM	C1B-NB-C4B	2.16	107.76	105.21
4	C	202	KTM	C04-N03-C02	-2.16	110.72	112.59
3	A	202[A]	HEM	C2D-C1D-ND	-2.15	107.41	109.90
3	J	201	HEM	C3B-C4B-NB	-2.14	107.93	109.47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	I	201[B]	KTM	C18-C19-C02	2.13	133.44	129.32
3	E	201	HEM	C4A-NA-C1A	2.11	109.26	105.82
4	H	201[A]	KTM	C06-C05-C04	2.11	131.73	129.42
3	A	202[B]	HEM	CMC-C2C-C1C	-2.09	121.04	124.73
4	G	201[B]	KTM	C09-C08-N07	-2.09	106.64	113.35
3	C	201	HEM	C2B-C1B-NB	-2.09	107.44	109.84
3	A	202[B]	HEM	CHD-C1D-C2D	2.07	128.30	125.03
3	D	202	HEM	C3B-C4B-NB	-2.06	107.99	109.47
4	D	203	KTM	C10-C09-C14	2.05	120.39	118.16
4	G	201[B]	KTM	C06-C05-C04	2.05	131.66	129.42
3	C	201	HEM	CHA-C1A-NA	2.04	127.56	123.86
3	A	202[A]	HEM	CMC-C2C-C1C	-2.02	121.18	124.73
3	A	202[B]	HEM	C3B-C4B-NB	-2.01	108.02	109.47
3	F	201	HEM	CMC-C2C-C1C	-2.01	121.19	124.73
3	F	201	HEM	CBD-CAD-C3D	-2.00	107.00	112.53
3	E	201	HEM	C4C-NC-C1C	2.00	109.08	105.82

There are no chirality outliers.

All (57) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	G	202	PG4	O1-C1-C2-O2
4	I	201[B]	KTM	C05-C06-N07-C08
4	E	202[B]	KTM	C05-C06-N07-C08
4	B	202[B]	KTM	C05-C06-N07-C08
4	I	201[B]	KTM	C16-C06-N07-C08
4	E	202[B]	KTM	C16-C06-N07-C08
5	C	203	PG4	O3-C5-C6-O4
4	B	202[B]	KTM	C16-C06-N07-C08
4	G	201[B]	KTM	C05-C06-N07-C08
4	G	201[B]	KTM	C16-C06-N07-C08
5	L	202	PG4	C1-C2-O2-C3
5	E	203	PG4	O4-C7-C8-O5
5	G	202	PG4	C3-C4-O3-C5
5	L	202	PG4	O1-C1-C2-O2
5	D	205	PG4	O3-C5-C6-O4
5	D	205	PG4	C6-C5-O3-C4
5	G	202	PG4	C4-C3-O2-C2
5	F	203	PG4	O3-C5-C6-O4
5	G	202	PG4	O2-C3-C4-O3
5	G	202	PG4	C1-C2-O2-C3
5	A	204	PG4	O4-C7-C8-O5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	F	203	PG4	C3-C4-O3-C5
4	D	203	KTM	C09-C08-N07-C06
3	L	201	HEM	CAD-CBD-CGD-O2D
3	D	202	HEM	CAA-CBA-CGA-O2A
4	A	203[B]	KTM	C05-C06-N07-C08
3	D	202	HEM	CAA-CBA-CGA-O1A
3	F	201	HEM	CAD-CBD-CGD-O2D
3	E	201	HEM	CAD-CBD-CGD-O1D
3	L	201	HEM	CAD-CBD-CGD-O1D
3	A	202[A]	HEM	CAD-CBD-CGD-O2D
3	A	202[B]	HEM	CAD-CBD-CGD-O1D
3	J	201	HEM	CAD-CBD-CGD-O1D
3	A	202[B]	HEM	CAD-CBD-CGD-O2D
3	E	201	HEM	CAD-CBD-CGD-O2D
3	F	201	HEM	CAA-CBA-CGA-O1A
3	A	202[A]	HEM	CAD-CBD-CGD-O1D
3	C	201	HEM	CAA-CBA-CGA-O1A
3	J	201	HEM	CAD-CBD-CGD-O2D
3	F	201	HEM	CAA-CBA-CGA-O2A
3	F	201	HEM	CAD-CBD-CGD-O1D
4	J	202	KTM	C09-C08-N07-C06
3	C	201	HEM	CAA-CBA-CGA-O2A
5	C	203	PG4	C8-C7-O4-C6
3	C	201	HEM	CAD-CBD-CGD-O1D
3	C	201	HEM	CAD-CBD-CGD-O2D
4	A	203[B]	KTM	C16-C06-N07-C08
5	K	201	PG4	O4-C7-C8-O5
3	L	201	HEM	CAA-CBA-CGA-O2A
3	E	201	HEM	CAA-CBA-CGA-O2A
3	E	201	HEM	CAA-CBA-CGA-O1A
3	J	201	HEM	CAA-CBA-CGA-O1A
3	J	201	HEM	CAA-CBA-CGA-O2A
3	L	201	HEM	CAA-CBA-CGA-O1A
3	D	202	HEM	CAD-CBD-CGD-O2D
3	D	202	HEM	CAD-CBD-CGD-O1D
5	C	203	PG4	C3-C4-O3-C5

There are no ring outliers.

19 monomers are involved in 21 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	C	202	KTM	1	0

Continued on next page...


Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	E	202[A]	KTM	1	0
4	I	201[A]	KTM	1	0
3	J	201	HEM	2	0
4	H	201[B]	KTM	1	0
4	G	201[A]	KTM	1	0
3	A	202[B]	HEM	2	0
4	D	203	KTM	1	0
4	J	202	KTM	1	0
4	A	203[B]	KTM	1	0
4	B	202[A]	KTM	1	0
4	E	202[B]	KTM	1	0
4	I	201[B]	KTM	1	0
3	E	201	HEM	1	0
3	D	202	HEM	1	0
4	G	201[B]	KTM	1	0
4	H	201[A]	KTM	1	0
4	A	203[A]	KTM	1	0
4	B	202[B]	KTM	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand KTM I 201 (A)




Ligand HEM J 201




Ligand KTM H 201 (B)




Ligand KTM G 201 (A)




Ligand HEM A 202 (B)




Ligand KTM D 203




Ligand KTM J 202




Ligand HEM L 201




Ligand KTM A 203 (B)




Ligand HEM F 201




Ligand KTM B 202 (A)




Ligand KTM E 202 (B)






Ligand KTM I 201 (B)




Ligand HEM E 201









Ligand KTM H 201 (A)



Ligand HEM A 202 (A)





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	156/158 (98%)	-0.11	2 (1%) 75 78	13, 28, 39, 58	2 (1%)
1	B	156/158 (98%)	0.19	1 (0%) 85 87	14, 30, 41, 59	3 (1%)
1	C	156/158 (98%)	0.04	1 (0%) 85 87	11, 27, 38, 66	2 (1%)
1	D	156/158 (98%)	0.05	2 (1%) 75 78	12, 28, 40, 61	2 (1%)
1	E	156/158 (98%)	-0.02	1 (0%) 85 87	16, 27, 37, 61	1 (0%)
1	F	156/158 (98%)	-0.07	2 (1%) 75 78	12, 26, 37, 63	2 (1%)
1	G	156/158 (98%)	-0.19	1 (0%) 85 87	11, 27, 37, 54	3 (1%)
1	H	156/158 (98%)	-0.28	0 100 100	12, 25, 37, 62	2 (1%)
1	I	156/158 (98%)	-0.17	2 (1%) 75 78	11, 24, 35, 64	2 (1%)
1	J	156/158 (98%)	-0.39	2 (1%) 75 78	11, 23, 34, 57	2 (1%)
1	K	156/158 (98%)	-0.18	3 (1%) 66 70	12, 26, 37, 59	3 (1%)
1	L	156/158 (98%)	0.36	2 (1%) 75 78	14, 33, 44, 73	2 (1%)
All	All	1872/1896 (98%)	-0.06	19 (1%) 79 82	11, 27, 39, 73	26 (1%)

All (19) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	156	GLU	3.5
1	I	156	GLU	3.3
1	F	155	HIS	2.9
1	G	156	GLU	2.8
1	K	155	HIS	2.7
1	I	155	HIS	2.5
1	D	156	GLU	2.5
1	A	155	HIS	2.5
1	A	156	GLU	2.5
1	L	156	GLU	2.4
1	F	156	GLU	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	L	155	HIS	2.4
1	C	156	GLU	2.2
1	J	156	GLU	2.2
1	K	68	LEU	2.2
1	J	155	HIS	2.2
1	E	156	GLU	2.1
1	K	156	GLU	2.1
1	D	155	HIS	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	KTM	B	202[A]	20/20	0.60	0.21	37,44,58,58	20
4	KTM	B	202[B]	20/20	0.60	0.21	37,44,56,59	20
4	KTM	A	203[A]	20/20	0.66	0.21	44,52,60,60	20
4	KTM	A	203[B]	20/20	0.66	0.21	40,51,60,60	20
4	KTM	H	201[A]	20/20	0.69	0.20	33,43,60,61	20
4	KTM	H	201[B]	20/20	0.69	0.20	32,43,60,62	20
4	KTM	G	201[A]	20/20	0.70	0.20	39,46,56,57	20
4	KTM	G	201[B]	20/20	0.70	0.20	33,46,56,57	20
4	KTM	I	201[A]	20/20	0.71	0.21	32,51,59,59	20
4	KTM	I	201[B]	20/20	0.71	0.21	32,52,58,59	20
4	KTM	J	202	20/20	0.76	0.18	35,54,70,73	0
4	KTM	D	203	20/20	0.78	0.17	40,58,78,79	0
5	PG4	B	203	11/13	0.79	0.18	34,47,54,68	0
4	KTM	E	202[A]	20/20	0.80	0.17	44,50,58,61	20
4	KTM	E	202[B]	20/20	0.80	0.17	42,50,58,60	20

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	KTM	C	202	20/20	0.81	0.17	34,51,77,78	0
5	PG4	C	203	11/13	0.84	0.15	39,47,53,55	0
5	PG4	D	205	9/13	0.84	0.17	44,51,63,67	0
5	PG4	D	204	10/13	0.85	0.16	39,44,54,57	0
5	PG4	K	201	11/13	0.85	0.14	37,45,56,57	0
5	PG4	J	203	11/13	0.86	0.15	28,36,51,52	0
5	PG4	E	203	13/13	0.87	0.14	35,46,58,59	0
5	PG4	F	202	11/13	0.87	0.14	34,40,51,53	0
5	PG4	F	203	11/13	0.88	0.13	32,39,51,52	0
5	PG4	G	202	13/13	0.88	0.14	37,48,56,62	0
5	PG4	L	202	13/13	0.88	0.14	37,44,56,57	0
5	PG4	H	202	11/13	0.91	0.12	38,43,51,52	0
5	PG4	A	204	10/13	0.93	0.12	37,42,60,61	0
3	HEM	A	202[A]	43/43	0.96	0.09	20,26,35,38	43
3	HEM	A	202[B]	43/43	0.96	0.09	22,26,36,41	43
3	HEM	C	201	43/43	0.97	0.09	20,26,43,53	0
3	HEM	D	202	43/43	0.97	0.08	24,27,37,42	43
3	HEM	E	201	43/43	0.97	0.09	22,28,45,52	0
3	HEM	L	201	43/43	0.97	0.08	26,33,44,45	43
3	HEM	J	201	43/43	0.98	0.07	18,22,42,51	0
2	FE2	B	201	1/1	0.98	0.04	25,25,25,25	0
3	HEM	F	201	43/43	0.98	0.07	20,25,44,50	0
2	FE2	D	201	1/1	0.99	0.03	21,21,21,21	0
2	FE2	A	201	1/1	1.00	0.02	20,20,20,20	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around KTM B 202 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around KTM B 202 (B):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around KTM A 203 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around KTM A 203 (B):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around KTM H 201 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around KTM H 201 (B):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around KTM G 201 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around KTM G 201 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around KTM I 201 (A):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around KTM I 201 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around KTM J 202:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around KTM D 203:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around KTM E 202 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around KTM E 202 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



**Electron density around KTM C 202:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM A 202 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM A 202 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM C 201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM D 202:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM E 201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM L 201:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEM J 201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.