



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 03:28 AM UTC

PDB ID : 216L / pdb_0000216L
Title : STRUCTURAL BASIS OF ALPHA-HELIX PROPENSITY AT TWO SITES
IN T4 LYSOZYME
Authors : Blaber, M.; Matthews, B.W.
Deposited on : 1994-05-10
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.


Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	164	
1	B	164	

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 2639 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called T4 LYSOZYME.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	162	Total	C	N	O	S	0	0	0
			1300	822	236	237	5			
1	B	164	Total	C	N	O	S	0	0	0
			1317	832	239	241	5			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	44	TRP	SER	conflict	UNP P00720
A	54	THR	CYS	conflict	UNP P00720
A	97	ALA	CYS	conflict	UNP P00720
B	44	TRP	SER	conflict	UNP P00720
B	54	THR	CYS	conflict	UNP P00720
B	97	ALA	CYS	conflict	UNP P00720

- Molecule 2 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	12	Total	O	0	0
			12	12		
2	B	10	Total	O	0	0
			10	10		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


Note EDS was not executed.


• Molecule 1: T4 LYSOZYME

Chain A: 



• Molecule 1: T4 LYSOZYME

Chain B: 



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	116.50Å 54.40Å 59.50Å 90.00° 102.30° 90.00°	Depositor
Resolution (Å)	(Not available) – 2.10	Depositor
% Data completeness (in resolution range)	(Not available) ((Not available)-2.10)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	TNT	Depositor
R, R_{free}	0.194 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	2639	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	1.55	7/1322 (0.5%)	1.81	25/1782 (1.4%)
1	B	1.41	5/1339 (0.4%)	1.79	17/1804 (0.9%)
All	All	1.48	12/2661 (0.5%)	1.80	42/3586 (1.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	1	0

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	85	LYS	C-N	-7.35	1.25	1.34
1	A	105	GLN	C-O	-6.76	1.16	1.24
1	B	33	LEU	C-N	-6.03	1.26	1.33
1	A	99	LEU	N-CA	5.97	1.53	1.46
1	A	78	ILE	CA-CB	-5.60	1.47	1.54
1	B	34	THR	CA-C	-5.34	1.45	1.52
1	A	149	VAL	CA-CB	-5.33	1.48	1.54
1	A	66	LEU	CB-CG	-5.22	1.43	1.53
1	A	2	ASN	CA-C	-5.19	1.46	1.52
1	B	158	TRP	C-N	-5.16	1.27	1.33
1	B	139	TYR	CA-C	5.15	1.59	1.52
1	B	70	ASP	CA-C	5.04	1.59	1.52

All (42) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	61	ASP	CA-CB-CG	-9.27	103.33	112.60
1	A	61	ASP	CA-CB-CG	-7.92	104.69	112.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	81	ASN	N-CA-CB	7.46	121.32	110.06
1	B	127	ASP	CA-CB-CG	-7.43	105.17	112.60
1	A	159	ASP	CA-CB-CG	-7.21	105.39	112.60
1	A	95	ARG	CD-NE-CZ	-6.91	114.73	124.40
1	A	95	ARG	N-CA-CB	6.80	121.69	110.39
1	A	105	GLN	CA-C-O	-6.78	113.70	120.82
1	B	71	VAL	N-CA-C	6.59	116.75	110.42
1	A	31	HIS	CA-CB-CG	-6.58	107.22	113.80
1	B	135	LYS	CB-CA-C	-6.46	101.28	111.17
1	A	126	TRP	N-CA-C	6.32	117.86	110.97
1	A	105	GLN	CB-CA-C	-6.30	100.99	110.88
1	B	3	ILE	CA-CB-CG1	6.17	120.88	110.40
1	B	71	VAL	N-CA-CB	6.12	117.71	110.55
1	B	47	ASP	CA-CB-CG	-6.09	106.50	112.60
1	A	85	LYS	CA-C-O	6.08	124.15	118.44
1	A	9	ILE	CB-CA-C	-6.05	103.87	112.22
1	A	89	ASP	CA-CB-CG	-6.04	106.56	112.60
1	A	144	ASN	N-CA-CB	-6.02	100.97	109.94
1	B	143	PRO	N-CA-CB	5.83	109.50	103.15
1	A	24	TYR	CA-C-N	5.68	129.43	121.24
1	A	24	TYR	C-N-CA	5.68	129.43	121.24
1	A	153	PHE	N-CA-C	-5.67	105.18	111.71
1	B	1	MET	CG-SD-CE	-5.60	88.57	100.90
1	B	60	LYS	N-CA-C	-5.60	105.17	112.23
1	A	78	ILE	CB-CA-C	-5.52	104.91	111.97
1	B	145	ARG	CD-NE-CZ	-5.48	116.73	124.40
1	B	34	THR	O-C-N	5.47	129.36	123.56
1	A	53	ASN	N-CA-CB	5.46	119.17	110.16
1	A	97	ALA	N-CA-C	-5.44	105.25	111.07
1	A	129	ALA	O-C-N	5.41	127.64	122.07
1	A	95	ARG	NE-CZ-NH1	-5.29	116.21	121.50
1	B	40	ASN	CA-C-O	5.25	126.11	120.55
1	B	58	ILE	CB-CA-C	-5.20	104.06	111.34
1	B	127	ASP	CA-C-N	5.08	127.08	120.28
1	B	127	ASP	C-N-CA	5.08	127.08	120.28
1	B	143	PRO	N-CA-C	5.07	122.00	113.78
1	A	85	LYS	CA-C-N	5.04	124.35	118.85
1	A	85	LYS	C-N-CA	5.04	124.35	118.85
1	A	137	ARG	O-C-N	5.04	127.46	122.12
1	A	35	LYS	CB-CA-C	5.02	117.50	109.07

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	A	95	ARG	CA

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1300	0	1324	100	0
1	B	1317	0	1341	105	0
2	A	12	0	0	1	0
2	B	10	0	0	3	0
All	All	2639	0	2665	203	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 38.

All (203) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:24:TYR:CE1	1:A:35:LYS:HG2	2.06	0.89
1:A:88:TYR:HE1	1:A:96:ARG:HB3	1.37	0.89
1:A:50:ILE:HG22	1:A:52:ARG:HG2	1.54	0.87
1:B:32:LEU:HD12	1:B:33:LEU:N	1.89	0.87
1:A:98:ALA:HB2	1:A:152:THR:HG21	1.57	0.86
1:B:32:LEU:HD12	1:B:33:LEU:H	1.41	0.84
1:A:120:MET:SD	1:A:125:ARG:HD3	2.18	0.83
1:B:1:MET:HE1	1:B:158:TRP:HB3	1.57	0.83
1:B:24:TYR:CE2	1:B:35:LYS:HE2	2.14	0.82
1:A:141:GLN:NE2	1:A:142:THR:HG23	1.95	0.81
1:B:34:THR:HG23	1:B:36:SER:H	1.44	0.81
1:A:138:TRP:HA	1:A:141:GLN:OE1	1.82	0.80
1:A:33:LEU:HD22	1:A:42:ALA:O	1.83	0.79
1:B:81:ASN:HB2	1:B:108:GLU:OE2	1.84	0.78
1:B:127:ASP:O	1:B:131:VAL:HG23	1.83	0.78
1:A:102:MET:HE3	1:A:138:TRP:CZ3	2.19	0.78
1:A:92:ASP:O	1:A:96:ARG:HG3	1.84	0.78

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:88:TYR:CE1	1:A:96:ARG:HB3	2.19	0.76
1:A:139:TYR:CE2	1:A:147:LYS:HG3	2.21	0.75
1:B:27:ILE:HG13	1:B:28:GLY:H	1.52	0.75
1:B:18:TYR:CE1	1:B:26:THR:HG22	2.23	0.73
1:A:115:THR:HG22	1:A:116:ASN:ND2	2.04	0.73
1:A:24:TYR:CD1	1:A:35:LYS:HG2	2.25	0.72
1:A:98:ALA:HB2	1:A:152:THR:CG2	2.19	0.72
1:A:13:LEU:C	1:A:14:ARG:HG2	2.16	0.70
1:A:25:TYR:CD2	1:A:42:ALA:HB2	2.26	0.70
1:B:19:LYS:HD3	1:B:23:GLY:O	1.92	0.70
1:B:113:GLY:O	1:B:115:THR:HG23	1.92	0.69
1:A:137:ARG:O	1:A:141:GLN:HG3	1.93	0.69
1:B:143:PRO:HB2	1:B:147:LYS:HZ1	1.56	0.69
1:A:88:TYR:CE1	1:A:96:ARG:HD3	2.28	0.69
1:A:85:LYS:N	1:A:86:PRO:HD2	2.08	0.68
1:B:44:TRP:CH2	1:B:48:LYS:HD2	2.29	0.68
1:B:80:ARG:CB	1:B:80:ARG:HH11	2.07	0.67
1:A:102:MET:HE3	1:A:138:TRP:CH2	2.30	0.67
1:A:139:TYR:HE2	1:A:147:LYS:HG3	1.60	0.67
1:B:1:MET:HG2	1:B:5:GLU:HB2	1.77	0.66
1:B:158:TRP:O	1:B:162:LYS:HD3	1.96	0.66
1:A:22:GLU:HB2	1:A:24:TYR:CD2	2.31	0.66
1:A:52:ARG:HH21	1:A:62:GLU:CD	2.03	0.66
1:A:50:ILE:CG2	1:A:52:ARG:HG2	2.24	0.65
1:A:50:ILE:HD13	1:A:50:ILE:N	2.10	0.65
1:A:39:LEU:O	1:A:39:LEU:HG	1.95	0.65
1:A:81:ASN:OD1	1:A:83:LYS:N	2.30	0.64
1:A:25:TYR:OH	1:A:39:LEU:HB2	1.98	0.64
1:A:47:ASP:OD2	1:A:53:ASN:HA	1.97	0.64
1:A:115:THR:HG22	1:A:116:ASN:N	2.13	0.64
1:B:34:THR:HG23	1:B:36:SER:N	2.12	0.63
1:B:106:MET:HE1	1:B:138:TRP:CD1	2.33	0.63
1:B:16:LYS:C	1:B:27:ILE:HD12	2.24	0.62
1:A:25:TYR:CE2	1:A:39:LEU:HA	2.34	0.62
1:B:143:PRO:HB2	1:B:147:LYS:NZ	2.14	0.62
1:B:52:ARG:HH22	1:B:58:ILE:HA	1.63	0.62
1:B:76:ARG:HB2	1:B:76:ARG:NH1	2.15	0.61
1:A:16:LYS:HG3	1:A:17:ILE:N	2.13	0.61
1:B:27:ILE:HG13	1:B:28:GLY:N	2.16	0.61
1:A:71:VAL:O	1:A:74:ALA:HB3	2.01	0.61
1:B:92:ASP:O	1:B:96:ARG:HG3	1.99	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:141:GLN:HE21	1:A:142:THR:HG23	1.66	0.59
1:B:162:LYS:NZ	2:B:201:HOH:O	2.35	0.59
1:B:16:LYS:HG3	1:B:17:ILE:N	2.17	0.59
1:A:101:ASN:OD1	1:A:145:ARG:NH2	2.33	0.59
1:B:14:ARG:O	1:B:28:GLY:HA2	2.02	0.59
1:A:25:TYR:CZ	1:A:39:LEU:HB2	2.38	0.58
1:B:16:LYS:HE2	1:B:56:GLY:O	2.03	0.58
1:A:120:MET:HA	1:A:120:MET:HE2	1.86	0.58
1:A:13:LEU:HD12	1:A:14:ARG:H	1.68	0.57
1:B:1:MET:CE	1:B:158:TRP:HB3	2.31	0.57
1:B:76:ARG:CB	1:B:76:ARG:HH11	2.16	0.57
1:B:113:GLY:O	1:B:115:THR:N	2.34	0.57
1:B:1:MET:HE3	1:B:158:TRP:CD2	2.40	0.57
1:B:76:ARG:HB2	1:B:76:ARG:HH11	1.70	0.57
1:A:52:ARG:NH2	1:A:62:GLU:OE1	2.38	0.56
1:A:119:ARG:O	1:A:123:GLN:HG3	2.05	0.56
1:B:46:LEU:HD23	1:B:56:GLY:HA2	1.87	0.56
1:B:65:LYS:O	1:B:69:GLN:HG3	2.06	0.56
1:B:87:VAL:HG12	1:B:91:LEU:HD11	1.88	0.56
1:B:81:ASN:OD1	1:B:84:LEU:N	2.34	0.56
1:B:14:ARG:O	1:B:15:LEU:HD23	2.06	0.55
1:A:146:ALA:O	1:A:150:ILE:HD12	2.06	0.55
1:B:17:ILE:N	1:B:27:ILE:HD12	2.21	0.55
1:B:27:ILE:HG12	1:B:58:ILE:CD1	2.37	0.55
1:B:52:ARG:HG3	1:B:53:ASN:N	2.21	0.55
1:A:2:ASN:OD1	1:A:4:PHE:HB2	2.07	0.55
1:A:45:GLU:OE1	1:A:48:LYS:HE2	2.06	0.55
1:A:13:LEU:O	1:A:14:ARG:HG2	2.07	0.54
1:A:65:LYS:O	1:A:65:LYS:HG2	2.04	0.54
1:A:65:LYS:O	1:A:69:GLN:HG3	2.07	0.54
1:A:26:THR:HG22	1:A:27:ILE:N	2.23	0.54
1:B:71:VAL:O	1:B:75:VAL:HG23	2.08	0.54
1:A:51:GLY:O	1:A:52:ARG:HB3	2.08	0.54
1:B:52:ARG:NH2	1:B:62:GLU:OE1	2.29	0.53
1:B:80:ARG:HH11	1:B:80:ARG:HB2	1.72	0.53
1:A:158:TRP:HB2	2:A:203:HOH:O	2.08	0.53
1:B:1:MET:HE3	1:B:158:TRP:CE3	2.43	0.53
1:A:96:ARG:O	1:A:100:ILE:HG13	2.09	0.53
1:A:158:TRP:HB2	1:A:162:LYS:HE3	1.90	0.53
1:A:46:LEU:O	1:A:49:ALA:N	2.41	0.52
1:A:8:ARG:NH1	1:A:67:PHE:CE2	2.77	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:106:MET:HE1	1:B:138:TRP:CG	2.44	0.52
1:B:127:ASP:O	1:B:130:ALA:HB3	2.09	0.52
1:A:37:PRO:HG2	1:B:24:TYR:CD1	2.45	0.52
1:B:118:LEU:O	1:B:121:LEU:HB2	2.10	0.52
1:B:114:PHE:CD1	1:B:114:PHE:N	2.77	0.51
1:B:52:ARG:CZ	1:B:54:THR:HG22	2.39	0.51
1:B:27:ILE:HG12	1:B:58:ILE:HD13	1.92	0.51
1:B:114:PHE:H	1:B:114:PHE:HD1	1.59	0.51
1:A:143:PRO:O	1:A:147:LYS:HE3	2.10	0.50
1:B:52:ARG:NH2	1:B:58:ILE:HA	2.26	0.50
1:A:27:ILE:CG1	1:A:28:GLY:H	2.24	0.50
1:A:45:GLU:OE1	1:A:45:GLU:HA	2.12	0.50
1:B:142:THR:O	1:B:142:THR:OG1	2.30	0.50
1:A:85:LYS:HB3	1:A:86:PRO:HD3	1.93	0.50
1:A:106:MET:HE2	1:A:138:TRP:CD1	2.47	0.50
1:A:127:ASP:O	1:A:130:ALA:HB3	2.12	0.50
1:B:127:ASP:HB2	2:B:207:HOH:O	2.12	0.49
1:A:43:LYS:O	1:A:46:LEU:HB3	2.12	0.49
1:A:70:ASP:O	1:A:73:ALA:HB3	2.13	0.49
1:A:88:TYR:CZ	1:A:96:ARG:HD3	2.49	0.48
1:A:103:VAL:HA	1:A:111:VAL:HG21	1.94	0.48
1:B:34:THR:CG2	1:B:36:SER:HB3	2.44	0.47
1:B:44:TRP:CZ2	1:B:48:LYS:HD2	2.49	0.47
1:B:124:LYS:HB3	1:B:126:TRP:CE2	2.50	0.47
1:B:143:PRO:CB	1:B:147:LYS:HZ1	2.24	0.47
1:B:84:LEU:HD23	1:B:84:LEU:HA	1.64	0.47
1:B:31:HIS:ND1	1:B:70:ASP:OD2	2.46	0.47
1:A:25:TYR:CE2	1:A:39:LEU:CA	2.98	0.47
1:A:148:ARG:HB3	1:A:161:TYR:CE1	2.49	0.47
1:B:1:MET:HE3	1:B:1:MET:HB3	1.39	0.47
1:B:111:VAL:O	1:B:111:VAL:HG12	2.15	0.47
1:A:151:THR:HG22	1:A:151:THR:O	2.15	0.46
1:B:21:THR:C	1:B:23:GLY:H	2.24	0.46
1:A:37:PRO:HG2	1:B:24:TYR:CE1	2.51	0.46
1:B:144:ASN:O	1:B:148:ARG:HG3	2.15	0.46
1:A:79:LEU:HD23	1:A:79:LEU:HA	1.68	0.46
1:B:103:VAL:O	1:B:103:VAL:HG12	2.16	0.46
1:B:106:MET:CE	1:B:138:TRP:CD1	2.99	0.46
1:A:66:LEU:HA	1:A:66:LEU:HD23	1.29	0.45
1:B:1:MET:CE	1:B:158:TRP:CG	2.99	0.45
1:B:44:TRP:CZ3	1:B:48:LYS:HE2	2.51	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:51:GLY:O	1:B:52:ARG:HB3	2.16	0.45
1:B:26:THR:CG2	1:B:27:ILE:N	2.80	0.45
1:B:50:ILE:HD12	1:B:62:GLU:HG2	1.99	0.45
1:B:124:LYS:HB3	1:B:126:TRP:CZ2	2.51	0.45
1:A:139:TYR:OH	1:A:147:LYS:HD3	2.16	0.45
1:B:1:MET:HE2	1:B:1:MET:HB2	1.22	0.45
1:B:20:ASP:OD1	1:B:24:TYR:N	2.45	0.45
1:A:27:ILE:CG1	1:A:28:GLY:N	2.80	0.45
1:A:141:GLN:C	1:A:143:PRO:HD3	2.42	0.45
1:B:88:TYR:CE1	1:B:96:ARG:HB3	2.51	0.45
1:A:16:LYS:HE2	1:A:17:ILE:H	1.82	0.45
1:B:71:VAL:O	1:B:71:VAL:HG12	2.17	0.45
1:A:91:LEU:HD22	1:A:95:ARG:HB2	1.98	0.45
1:A:22:GLU:HB2	1:A:24:TYR:CE2	2.52	0.44
1:B:1:MET:CE	1:B:158:TRP:CD2	2.99	0.44
1:B:34:THR:HG23	1:B:36:SER:HB3	1.99	0.44
1:B:148:ARG:NH1	1:B:148:ARG:CG	2.79	0.44
1:B:46:LEU:CD2	1:B:56:GLY:HA2	2.46	0.44
1:B:27:ILE:CG1	1:B:28:GLY:N	2.79	0.44
1:B:16:LYS:HE3	1:B:57:VAL:CG2	2.47	0.44
1:A:16:LYS:HD2	1:A:57:VAL:HG22	1.99	0.44
1:B:85:LYS:NZ	1:B:89:ASP:OD2	2.51	0.44
1:B:85:LYS:NZ	1:B:89:ASP:OD1	2.50	0.44
1:B:127:ASP:N	2:B:207:HOH:O	2.46	0.44
1:A:123:GLN:OE1	1:A:125:ARG:NH1	2.49	0.43
1:A:1:MET:HA	1:A:5:GLU:OE1	2.17	0.43
1:B:80:ARG:HB2	1:B:80:ARG:NH1	2.33	0.43
1:B:6:MET:O	1:B:9:ILE:HB	2.19	0.43
1:A:47:ASP:CG	1:A:53:ASN:HA	2.44	0.43
1:B:40:ASN:N	1:B:40:ASN:OD1	2.52	0.43
1:A:114:PHE:HB3	1:A:117:SER:HB2	2.01	0.43
1:B:44:TRP:CH2	1:B:48:LYS:CD	3.00	0.43
1:A:141:GLN:HE21	1:A:141:GLN:HB2	1.69	0.43
1:B:99:LEU:HD12	1:B:99:LEU:HA	1.77	0.43
1:B:119:ARG:HG2	1:B:123:GLN:NE2	2.34	0.42
1:A:142:THR:N	1:A:143:PRO:CD	2.82	0.42
1:A:1:MET:HE3	1:A:1:MET:HB2	1.88	0.42
1:A:16:LYS:HE2	1:A:56:GLY:O	2.20	0.42
1:A:47:ASP:CG	1:A:54:THR:H	2.27	0.42
1:A:59:THR:OG1	1:A:62:GLU:HG3	2.20	0.42
1:A:139:TYR:HE2	1:A:147:LYS:CG	2.29	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:148:ARG:HG3	1:B:148:ARG:NH1	2.33	0.42
1:B:1:MET:CE	1:B:158:TRP:CE3	3.02	0.42
1:A:8:ARG:NH1	1:A:67:PHE:HE2	2.18	0.41
1:A:85:LYS:N	1:A:86:PRO:CD	2.78	0.41
1:A:8:ARG:NH1	1:A:67:PHE:CD2	2.88	0.41
1:A:36:SER:OG	1:A:38:SER:N	2.48	0.41
1:A:106:MET:HE2	1:A:138:TRP:CG	2.55	0.41
1:A:149:VAL:O	1:A:152:THR:HB	2.21	0.41
1:B:44:TRP:O	1:B:48:LYS:HB2	2.20	0.41
1:B:148:ARG:CG	1:B:148:ARG:HH11	2.33	0.41
1:B:87:VAL:O	1:B:90:SER:OG	2.35	0.41
1:B:50:ILE:HD13	1:B:50:ILE:HA	1.89	0.41
1:B:144:ASN:HA	1:B:147:LYS:HD2	2.03	0.41
1:A:27:ILE:HG13	1:A:28:GLY:H	1.86	0.41
1:A:34:THR:OG1	1:A:35:LYS:N	2.53	0.41
1:A:140:ASN:C	1:A:140:ASN:ND2	2.80	0.40
1:B:114:PHE:O	1:B:118:LEU:HG	2.21	0.40
1:B:111:VAL:C	1:B:113:GLY:N	2.78	0.40
1:A:46:LEU:HD23	1:A:56:GLY:HA2	2.03	0.40
1:A:102:MET:HE2	1:A:106:MET:CE	2.52	0.40
1:B:1:MET:CE	1:B:158:TRP:CB	3.00	0.40
1:B:69:GLN:HE21	1:B:69:GLN:HB2	1.45	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	160/164 (98%)	146 (91%)	12 (8%)	2 (1%)	9	6
1	B	162/164 (99%)	150 (93%)	12 (7%)	0	100	100
All	All	322/328 (98%)	296 (92%)	24 (8%)	2 (1%)	21	18

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	21	THR
1	A	115	THR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	135/137 (98%)	111 (82%)	24 (18%)	2	1
1	B	137/137 (100%)	118 (86%)	19 (14%)	3	2
All	All	272/274 (99%)	229 (84%)	43 (16%)	2	1

All (43) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	6	MET
1	A	8	ARG
1	A	16	LYS
1	A	22	GLU
1	A	35	LYS
1	A	36	SER
1	A	48	LYS
1	A	50	ILE
1	A	53	ASN
1	A	60	LYS
1	A	65	LYS
1	A	66	LEU
1	A	69	GLN
1	A	95	ARG
1	A	115	THR
1	A	118	LEU
1	A	122	GLN
1	A	125	ARG
1	A	132	ASN
1	A	133	LEU
1	A	137	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	140	ASN
1	A	141	GLN
1	A	154	ARG
1	B	1	MET
1	B	3	ILE
1	B	16	LYS
1	B	22	GLU
1	B	27	ILE
1	B	32	LEU
1	B	34	THR
1	B	36	SER
1	B	38	SER
1	B	40	ASN
1	B	48	LYS
1	B	58	ILE
1	B	69	GLN
1	B	80	ARG
1	B	83	LYS
1	B	109	THR
1	B	114	PHE
1	B	128	GLU
1	B	154	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	69	GLN
1	A	116	ASN
1	A	140	ASN
1	A	141	GLN
1	B	69	GLN
1	B	123	GLN
1	B	132	ASN
1	B	140	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates ⓘ

EDS was not executed - this section is therefore empty.

6.4 Ligands ⓘ

EDS was not executed - this section is therefore empty.

6.5 Other polymers ⓘ

EDS was not executed - this section is therefore empty.