



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 12, 2026 – 12:17 PM UTC

PDB ID : 189L / pdb_0000189L
Title : ENHANCEMENT OF PROTEIN STABILITY BY THE COMBINATION OF
POINT MUTATIONS IN T4 LYSOZYME IS ADDITIVE
Authors : Zhang, X.-J.; Matthews, B.W.
Deposited on : 1995-05-09
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	164	

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 1349 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called T4 LYSOZYME.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	164	Total	C	N	O	S	0	0	0
			1313	826	236	244	7			

There are 7 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	3	LEU	ILE	conflict	UNP P00720
A	38	ASP	SER	conflict	UNP P00720
A	41	VAL	ALA	conflict	UNP P00720
A	82	PRO	ALA	conflict	UNP P00720
A	116	ASP	ASN	conflict	UNP P00720
A	131	ALA	VAL	conflict	UNP P00720
A	144	ASP	ASN	conflict	UNP P00720


- Molecule 2 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	36	Total	O	0	0
			36	36		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: T4 LYSOZYME

Chain A: 



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	34.60Å 56.80Å 94.40Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.50 20.00 – 2.50	Depositor EDS
% Data completeness (in resolution range)	(Not available) (20.00-2.50) 87.9 (20.00-2.50)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.36 (at 2.44Å)	Xtriage
Refinement program	TNT	Depositor
R, R_{free}	0.200 , (Not available) 0.177 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	44.0	Xtriage
Anisotropy	0.656	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 239.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	1349	wwPDB-VP
Average B, all atoms (Å ²)	46.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 9.97% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.49	4/1334 (0.3%)	1.99	38/1796 (2.1%)

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	83	LYS	CA-C	5.94	1.60	1.52
1	A	125	ARG	CA-C	-5.50	1.45	1.52
1	A	9	ILE	CA-CB	5.33	1.60	1.54
1	A	104	PHE	C-N	-5.19	1.26	1.34

All (38) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	103	VAL	CB-CA-C	-7.92	101.57	111.70
1	A	114	PHE	N-CA-C	-7.66	99.05	109.54
1	A	103	VAL	N-CA-C	-6.92	103.04	110.23
1	A	162	LYS	N-CA-C	6.81	121.68	113.23
1	A	132	ASN	CA-CB-CG	-6.73	105.87	112.60
1	A	125	ARG	O-C-N	6.70	131.50	122.59
1	A	31	HIS	CA-CB-CG	-6.24	107.56	113.80
1	A	149	VAL	CA-C-N	-6.12	112.85	120.56
1	A	149	VAL	C-N-CA	-6.12	112.85	120.56
1	A	67	PHE	CA-CB-CG	-6.05	107.75	113.80
1	A	29	ILE	N-CA-CB	-5.98	106.30	112.28
1	A	137	ARG	N-CA-C	-5.96	104.36	111.69
1	A	104	PHE	CB-CA-C	-5.86	101.43	110.81
1	A	103	VAL	CA-CB-CG1	-5.76	100.61	110.40
1	A	121	LEU	CA-C-O	5.76	126.66	120.55
1	A	107	GLY	O-C-N	5.70	130.10	122.70
1	A	128	GLU	N-CA-CB	-5.60	101.86	109.98
1	A	154	ARG	N-CA-CB	-5.60	101.03	110.49
1	A	21	THR	N-CA-C	-5.55	105.23	111.28
1	A	104	PHE	CA-C-N	-5.52	111.92	120.31

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	104	PHE	C-N-CA	-5.52	111.92	120.31
1	A	151	THR	CA-CB-CG2	-5.49	101.17	110.50
1	A	107	GLY	CA-C-N	5.49	129.46	120.63
1	A	107	GLY	C-N-CA	5.49	129.46	120.63
1	A	116	ASP	CA-CB-CG	5.41	118.01	112.60
1	A	38	ASP	N-CA-C	5.40	117.50	107.99
1	A	37	PRO	CB-CA-C	-5.37	102.70	111.56
1	A	66	LEU	N-CA-C	-5.37	104.67	111.11
1	A	125	ARG	CA-CB-CG	-5.33	103.45	114.10
1	A	42	ALA	N-CA-C	-5.31	105.39	111.07
1	A	129	ALA	CA-C-O	5.30	126.57	120.90
1	A	131	ALA	N-CA-CB	-5.23	102.43	110.12
1	A	53	ASN	CA-C-N	5.20	127.51	120.65
1	A	53	ASN	C-N-CA	5.20	127.51	120.65
1	A	104	PHE	O-C-N	-5.16	116.73	122.09
1	A	78	ILE	N-CA-CB	5.13	116.56	110.55
1	A	95	ARG	CB-CA-C	5.11	119.54	110.85
1	A	144	ASP	N-CA-CB	5.06	117.66	110.06

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1313	0	1331	154	0
2	A	36	0	0	4	0
All	All	1349	0	1331	154	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 58.

All (154) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:8:ARG:HH12	1:A:60:LYS:NZ	1.55	1.05
1:A:8:ARG:HH12	1:A:60:LYS:HZ1	0.96	0.95
1:A:6:MET:HE3	1:A:161:TYR:CE2	2.03	0.93
1:A:1:MET:HG2	1:A:2:ASN:H	1.39	0.87
1:A:1:MET:HE1	1:A:161:TYR:HB3	1.57	0.86
1:A:8:ARG:HH22	1:A:60:LYS:HZ2	1.24	0.84
1:A:87:VAL:HG21	1:A:118:LEU:HD22	1.61	0.83
1:A:14:ARG:HG3	1:A:14:ARG:HH11	1.43	0.82
1:A:8:ARG:NH1	1:A:60:LYS:NZ	2.28	0.82
1:A:161:TYR:HA	1:A:164:LEU:HD21	1.61	0.81
1:A:154:ARG:HG2	1:A:154:ARG:HH11	1.46	0.81
1:A:8:ARG:NH2	1:A:60:LYS:HZ2	1.78	0.80
1:A:92:ASP:OD1	1:A:95:ARG:HG3	1.84	0.77
1:A:85:LYS:O	1:A:89:ASP:HB2	1.84	0.77
1:A:145:ARG:O	1:A:149:VAL:HG23	1.84	0.77
1:A:8:ARG:NH1	1:A:60:LYS:HZ1	1.80	0.76
1:A:17:ILE:HD13	1:A:42:ALA:HB1	1.65	0.76
1:A:154:ARG:HG2	1:A:154:ARG:NH1	2.01	0.74
1:A:144:ASP:O	1:A:148:ARG:HG3	1.86	0.74
1:A:16:LYS:O	1:A:17:ILE:C	2.31	0.71
1:A:128:GLU:HG3	2:A:235:HOH:O	1.91	0.71
1:A:46:LEU:HD12	1:A:50:ILE:HG12	1.74	0.70
1:A:6:MET:HE3	1:A:161:TYR:HE2	1.56	0.69
1:A:1:MET:HG2	1:A:2:ASN:N	2.07	0.68
1:A:3:LEU:HD12	1:A:7:LEU:HD23	1.75	0.67
1:A:78:ILE:HD11	1:A:103:VAL:HG21	1.77	0.66
1:A:13:LEU:HD11	1:A:63:ALA:CB	2.26	0.66
1:A:103:VAL:O	1:A:107:GLY:N	2.25	0.66
1:A:5:GLU:O	1:A:8:ARG:HB3	1.96	0.66
1:A:145:ARG:HD2	2:A:237:HOH:O	1.96	0.65
1:A:4:PHE:HE1	1:A:29:ILE:HD12	1.60	0.65
1:A:59:THR:O	1:A:62:GLU:N	2.27	0.63
1:A:24:TYR:CE2	1:A:35:LYS:HD3	2.33	0.63
1:A:4:PHE:CE1	1:A:29:ILE:HD12	2.33	0.63
1:A:116:ASP:HA	1:A:119:ARG:NH2	2.15	0.62
1:A:46:LEU:O	1:A:49:ALA:N	2.33	0.62
1:A:120:MET:HE1	1:A:132:ASN:HD21	1.65	0.62
1:A:66:LEU:O	1:A:69:GLN:HB2	2.00	0.61
1:A:78:ILE:CD1	1:A:103:VAL:HG21	2.32	0.60
1:A:29:ILE:HG21	1:A:67:PHE:CE1	2.36	0.60
1:A:16:LYS:C	1:A:27:ILE:HD12	2.26	0.60
1:A:8:ARG:CZ	1:A:60:LYS:HZ2	2.15	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:59:THR:O	1:A:62:GLU:HB2	2.02	0.59
1:A:106:MET:CE	1:A:111:VAL:HG22	2.32	0.59
1:A:3:LEU:HD12	1:A:7:LEU:CD2	2.32	0.59
1:A:3:LEU:O	1:A:7:LEU:HD23	2.03	0.59
1:A:95:ARG:NE	1:A:153:PHE:O	2.28	0.59
1:A:43:LYS:O	1:A:46:LEU:HB3	2.03	0.58
1:A:120:MET:HE1	1:A:132:ASN:ND2	2.19	0.58
1:A:5:GLU:O	1:A:9:ILE:HD12	2.04	0.58
1:A:125:ARG:O	1:A:128:GLU:HB2	2.05	0.57
1:A:158:TRP:O	1:A:159:ASP:C	2.46	0.57
1:A:27:ILE:O	1:A:31:HIS:HB3	2.05	0.56
1:A:17:ILE:CD1	1:A:33:LEU:HD13	2.36	0.56
1:A:92:ASP:OD2	1:A:95:ARG:HD2	2.06	0.56
1:A:99:LEU:O	1:A:102:MET:HB2	2.06	0.55
1:A:47:ASP:O	1:A:48:LYS:C	2.45	0.55
1:A:8:ARG:NH1	1:A:60:LYS:HZ2	2.03	0.55
1:A:52:ARG:HG3	1:A:53:ASN:N	2.21	0.55
1:A:64:GLU:O	1:A:68:ASN:ND2	2.40	0.55
1:A:87:VAL:O	1:A:88:TYR:C	2.49	0.55
1:A:77:GLY:HA3	1:A:108:GLU:OE1	2.08	0.54
1:A:29:ILE:HG21	1:A:67:PHE:CD1	2.42	0.54
1:A:46:LEU:CD1	1:A:50:ILE:HG12	2.36	0.54
1:A:83:LYS:NZ	1:A:115:THR:HA	2.22	0.54
1:A:50:ILE:HG21	1:A:54:CYS:SG	2.48	0.54
1:A:78:ILE:HD11	1:A:103:VAL:CG2	2.38	0.54
1:A:17:ILE:CD1	1:A:42:ALA:HB1	2.36	0.53
1:A:14:ARG:HH11	1:A:14:ARG:CG	2.14	0.53
1:A:39:LEU:O	1:A:43:LYS:HG2	2.08	0.53
1:A:41:VAL:HA	1:A:44:SER:OG	2.08	0.53
1:A:103:VAL:HG12	1:A:104:PHE:N	2.09	0.52
1:A:6:MET:HE2	1:A:101:ASN:HD22	1.74	0.52
1:A:87:VAL:HG11	1:A:118:LEU:HD23	1.91	0.52
1:A:3:LEU:HD21	1:A:100:ILE:HG21	1.91	0.51
1:A:87:VAL:O	1:A:90:SER:N	2.40	0.51
1:A:2:ASN:OD1	1:A:5:GLU:HB2	2.10	0.51
1:A:15:LEU:C	1:A:16:LYS:HG3	2.36	0.51
1:A:123:GLN:O	1:A:124:LYS:HB2	2.11	0.51
1:A:6:MET:HE2	1:A:101:ASN:ND2	2.25	0.51
1:A:20:ASP:HB3	1:A:23:GLY:H	1.76	0.51
1:A:46:LEU:O	1:A:49:ALA:HB3	2.11	0.51
1:A:31:HIS:HD1	1:A:70:ASP:CG	2.18	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:132:ASN:O	1:A:135:LYS:HG3	2.12	0.50
1:A:6:MET:HE3	1:A:161:TYR:CZ	2.43	0.50
1:A:92:ASP:O	1:A:96:ARG:HG3	2.12	0.49
1:A:129:ALA:O	1:A:133:LEU:HG	2.11	0.49
1:A:17:ILE:N	1:A:27:ILE:CD1	2.76	0.49
1:A:67:PHE:CE2	1:A:71:VAL:HG21	2.47	0.49
1:A:7:LEU:N	1:A:7:LEU:HD22	2.27	0.49
1:A:80:ARG:HD2	2:A:255:HOH:O	2.11	0.49
1:A:4:PHE:O	1:A:8:ARG:N	2.37	0.49
1:A:83:LYS:HZ3	1:A:115:THR:HA	1.77	0.49
1:A:31:HIS:ND1	1:A:70:ASP:OD2	2.38	0.48
1:A:28:GLY:HA3	2:A:179:HOH:O	2.13	0.48
1:A:120:MET:CE	1:A:132:ASN:ND2	2.77	0.48
1:A:16:LYS:HG2	1:A:57:VAL:HG22	1.95	0.48
1:A:52:ARG:CG	1:A:53:ASN:N	2.77	0.48
1:A:17:ILE:N	1:A:27:ILE:HD12	2.29	0.48
1:A:24:TYR:HB3	1:A:32:LEU:HD11	1.96	0.47
1:A:58:ILE:HD11	1:A:63:ALA:HB2	1.96	0.47
1:A:7:LEU:HA	1:A:7:LEU:HD13	1.58	0.47
1:A:29:ILE:HG22	1:A:29:ILE:O	2.14	0.47
1:A:67:PHE:O	1:A:68:ASN:C	2.58	0.47
1:A:105:GLN:O	1:A:105:GLN:HG2	2.14	0.47
1:A:150:ILE:O	1:A:151:THR:C	2.56	0.47
1:A:14:ARG:HG3	1:A:14:ARG:NH1	2.19	0.46
1:A:8:ARG:HH22	1:A:60:LYS:NZ	2.03	0.46
1:A:120:MET:SD	1:A:132:ASN:ND2	2.89	0.46
1:A:3:LEU:CD1	1:A:7:LEU:HD23	2.44	0.46
1:A:95:ARG:NH2	1:A:154:ARG:O	2.45	0.46
1:A:4:PHE:CE1	1:A:29:ILE:CD1	2.97	0.46
1:A:36:SER:C	1:A:38:ASP:H	2.23	0.46
1:A:17:ILE:HD13	1:A:33:LEU:CD1	2.46	0.45
1:A:85:LYS:N	1:A:86:PRO:CD	2.78	0.45
1:A:13:LEU:HD11	1:A:63:ALA:HB1	1.98	0.45
1:A:29:ILE:CG2	1:A:67:PHE:CD1	2.99	0.45
1:A:17:ILE:HD13	1:A:33:LEU:HD13	1.98	0.45
1:A:18:TYR:CE1	1:A:27:ILE:HA	2.52	0.45
1:A:161:TYR:HA	1:A:164:LEU:CD2	2.42	0.45
1:A:129:ALA:O	1:A:132:ASN:HB2	2.16	0.45
1:A:24:TYR:CD2	1:A:35:LYS:HD3	2.52	0.44
1:A:87:VAL:H	1:A:87:VAL:HG23	1.52	0.44
1:A:133:LEU:HG	1:A:133:LEU:H	1.68	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:75:VAL:O	1:A:79:LEU:HG	2.17	0.44
1:A:91:LEU:HA	1:A:91:LEU:HD23	1.52	0.44
1:A:103:VAL:HA	1:A:111:VAL:HG21	2.00	0.44
1:A:131:ALA:O	1:A:134:ALA:HB3	2.17	0.44
1:A:3:LEU:CD1	1:A:7:LEU:CD2	2.96	0.44
1:A:114:PHE:O	1:A:118:LEU:HB2	2.18	0.44
1:A:20:ASP:HB2	1:A:24:TYR:H	1.83	0.44
1:A:25:TYR:CE1	1:A:39:LEU:HD13	2.53	0.43
1:A:39:LEU:HD12	1:A:39:LEU:HA	1.76	0.43
1:A:20:ASP:HB2	1:A:24:TYR:N	2.33	0.43
1:A:81:ASN:OD1	1:A:82:PRO:HD2	2.19	0.43
1:A:1:MET:CE	1:A:161:TYR:HB3	2.38	0.43
1:A:59:THR:O	1:A:60:LYS:C	2.60	0.43
1:A:18:TYR:HE1	1:A:27:ILE:HA	1.84	0.43
1:A:111:VAL:O	1:A:114:PHE:HD2	2.00	0.43
1:A:46:LEU:HD12	1:A:46:LEU:C	2.44	0.42
1:A:77:GLY:O	1:A:80:ARG:HG2	2.19	0.42
1:A:60:LYS:O	1:A:61:ASP:C	2.60	0.42
1:A:116:ASP:O	1:A:119:ARG:N	2.53	0.42
1:A:124:LYS:HG2	1:A:126:TRP:CZ2	2.55	0.41
1:A:99:LEU:HD12	1:A:99:LEU:HA	1.64	0.41
1:A:102:MET:HE3	1:A:138:TRP:CH2	2.54	0.41
1:A:139:TYR:CD1	1:A:139:TYR:C	2.99	0.41
1:A:149:VAL:O	1:A:150:ILE:C	2.62	0.41
1:A:50:ILE:HD13	1:A:50:ILE:HA	1.84	0.41
1:A:17:ILE:CD1	1:A:33:LEU:CD1	2.98	0.41
1:A:54:CYS:O	1:A:55:ASN:HB2	2.21	0.41
1:A:103:VAL:O	1:A:104:PHE:C	2.64	0.41
1:A:67:PHE:C	1:A:69:GLN:N	2.77	0.40
1:A:121:LEU:O	1:A:122:GLN:C	2.64	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	162/164 (99%)	130 (80%)	26 (16%)	6 (4%)	2	3

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	136	SER
1	A	60	LYS
1	A	124	LYS
1	A	87	VAL
1	A	55	ASN
1	A	143	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	139/139 (100%)	109 (78%)	30 (22%)	1	2

All (30) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	LEU
1	A	13	LEU
1	A	14	ARG
1	A	19	LYS
1	A	20	ASP
1	A	27	ILE
1	A	29	ILE
1	A	44	SER
1	A	46	LEU
1	A	52	ARG
1	A	53	ASN
1	A	76	ARG
1	A	78	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	80	ARG
1	A	83	LYS
1	A	99	LEU
1	A	103	VAL
1	A	104	PHE
1	A	106	MET
1	A	109	THR
1	A	117	SER
1	A	119	ARG
1	A	132	ASN
1	A	135	LYS
1	A	140	ASN
1	A	144	ASP
1	A	145	ARG
1	A	147	LYS
1	A	154	ARG
1	A	164	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	68	ASN
1	A	69	GLN
1	A	122	GLN
1	A	132	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

There are no ligands in this entry.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	164/164 (100%)	-0.60	0 100 100	17, 42, 78, 97	0

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.