



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 08:54 PM UTC

PDB ID : 3A14 / pdb_00003a14
Title : Crystal structure of DXR from *Thermotoga maritima*, in complex with NADPH
Authors : Takenoya, M.; Ohtaki, A.; Noguchi, K.; Sasaki, Y.; Ohsawa, K.; Yohda, M.; Yajima, S.
Deposited on : 2009-03-25
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	376	
1	B	376	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	MPD	A	800	-	-	X	-
4	MPD	B	801	-	-	X	-

2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 6077 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 1-deoxy-D-xylulose 5-phosphate reductoisomerase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	362	Total	C	N	O	S	0	1	0
			2863	1845	482	527	9			
1	B	367	Total	C	N	O	S	0	1	0
			2896	1864	488	534	10			

- Molecule 2 is NADPH DIHYDRO-NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (CCD ID: NDP) (formula: $C_{21}H_{30}N_7O_{17}P_3$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	A	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	B	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total Mg 1 1	0	0
3	B	1	Total Mg 1 1	0	0

- Molecule 4 is (4S)-2-METHYL-2,4-PENTANEDIOL (CCD ID: MPD) (formula: C₆H₁₄O₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 8 6 2	0	0
4	B	1	Total C O 8 6 2	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	77	Total O 77 77	0	0
5	B	100	Total O 100 100	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: 1-deoxy-D-xylulose 5-phosphate reductoisomerase



- Molecule 1: 1-deoxy-D-xylulose 5-phosphate reductoisomerase



4 Data and refinement statistics

Property	Value	Source
Space group	P 43	Depositor
Cell constants a, b, c, α , β , γ	108.53Å 108.53Å 74.18Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	76.70 – 2.00 76.70 – 2.00	Depositor EDS
% Data completeness (in resolution range)	98.0 (76.70-2.00) 99.0 (76.70-2.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.49 (at 2.00Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.208 , 0.236 (Not available) , 0.254	Depositor DCC
R_{free} test set	2928 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å ²)	36.4	Xtriage
Anisotropy	0.218	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 40.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.027 for h,-k,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	6077	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.42% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NDP, MG, MPD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.78	0/2921	0.90	2/3942 (0.1%)
1	B	0.75	0/2955	0.87	0/3986
All	All	0.76	0/5876	0.89	2/7928 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	46	ILE	CB-CA-C	-6.24	103.98	111.97
1	A	231	GLU	N-CA-C	5.60	119.37	112.54

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2863	0	2941	85	0
1	B	2896	0	2978	61	0
2	A	75	0	37	3	0
2	B	48	0	26	1	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	8	0	14	24	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	B	8	0	14	13	0
5	A	77	0	0	2	0
5	B	100	0	0	11	0
All	All	6077	0	6010	145	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (145) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:205:ASN:HB3	4:A:800:MPD:O4	1.29	1.25
1:B:205:ASN:HB3	4:B:801:MPD:O4	1.40	1.20
1:B:206:LYS:HE2	4:B:801:MPD:H31	1.29	1.11
1:A:65:ASP:HB3	1:A:68:ILE:HD12	1.31	1.07
1:B:206:LYS:CE	4:B:801:MPD:H31	1.87	1.05
1:A:206:LYS:HB2	4:A:800:MPD:H53	1.41	0.99
1:A:200:SER:HA	4:A:800:MPD:H4	1.50	0.92
4:A:800:MPD:H52	5:A:499:HOH:O	1.68	0.91
1:A:180:ARG:HG2	1:A:181:PRO:HD2	1.54	0.90
1:B:206:LYS:HE2	4:B:801:MPD:C3	2.02	0.89
1:A:205:ASN:CB	4:A:800:MPD:O4	2.21	0.89
1:B:205:ASN:CB	4:B:801:MPD:O4	2.22	0.88
1:B:174:SER:O	5:B:505:HOH:O	1.93	0.86
1:A:205:ASN:HB3	4:A:800:MPD:HO4	1.39	0.85
1:B:206:LYS:HG2	4:B:801:MPD:H53	1.59	0.83
1:A:352:ASP:O	1:A:356:ILE:HD13	1.79	0.83
1:A:330:ILE:O	1:A:334:ILE:HD13	1.80	0.82
4:A:800:MPD:H11	5:A:499:HOH:O	1.77	0.81
1:B:365:GLU:HG3	5:B:383:HOH:O	1.78	0.81
1:B:320:PHE:HB2	1:B:330:ILE:HD11	1.63	0.80
1:A:200:SER:HB3	4:A:800:MPD:H12	1.63	0.80
1:A:206:LYS:NZ	4:A:800:MPD:HM1	1.96	0.80
1:B:357:HIS:HD2	5:B:406:HOH:O	1.65	0.78
1:B:163:ALA:HA	4:B:801:MPD:H12	1.68	0.75
1:A:9:LEU:HD22	1:A:77:ILE:HD12	1.67	0.74
1:A:35:SER:CB	1:A:77:ILE:HD11	2.17	0.74
1:A:65:ASP:HB3	1:A:68:ILE:CD1	2.16	0.72
1:B:278:ILE:HG23	5:B:438:HOH:O	1.90	0.71
1:A:299:ILE:HD13	1:A:306:ARG:HG2	1.75	0.67
1:B:196:ILE:H	1:B:196:ILE:HD12	1.60	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:274:PHE:O	5:B:457:HOH:O	2.13	0.66
1:B:276:ARG:NH1	5:B:457:HOH:O	2.28	0.66
1:B:331:HIS:HD2	1:B:335:GLU:OE2	1.77	0.66
1:A:206:LYS:HZ1	4:A:800:MPD:HM1	1.59	0.66
1:A:35:SER:HB2	1:A:77:ILE:HD11	1.77	0.66
1:B:6:LEU:HD21	1:B:8:ILE:HD11	1.77	0.66
1:B:274:PHE:N	5:B:457:HOH:O	2.28	0.65
1:B:206:LYS:HG2	4:B:801:MPD:C5	2.26	0.65
1:A:203:MET:HA	4:A:800:MPD:H51	1.79	0.63
1:A:163:ALA:HA	4:A:800:MPD:HM2	1.81	0.63
1:A:64:GLU:HG3	1:A:65:ASP:H	1.62	0.63
1:B:173:ILE:H	1:B:173:ILE:HD12	1.65	0.62
1:A:200:SER:HA	4:A:800:MPD:C4	2.26	0.62
1:A:164:SER:OG	4:A:800:MPD:H13	2.00	0.62
1:A:68:ILE:O	1:A:68:ILE:HD13	1.99	0.62
1:A:171:TRP:CH2	1:A:183:ASP:HB3	2.34	0.61
1:A:320:PHE:HB2	1:A:330:ILE:HD11	1.81	0.61
1:A:371:LEU:O	1:A:372:SER:CB	2.47	0.61
1:B:5:THR:HB	1:B:32:ILE:HD12	1.83	0.61
1:A:163:ALA:HA	4:A:800:MPD:CM	2.31	0.61
1:A:357:HIS:NE2	1:A:361:ILE:HD11	2.17	0.60
1:A:155:GLU:HG2	1:A:155:GLU:O	2.02	0.60
1:A:105:SER:O	1:A:109:SER:HB3	2.02	0.59
1:A:274:PHE:HE2	1:B:158:LYS:HG3	1.66	0.59
1:A:24:LYS:HD3	2:A:3003:NDP:O4B	2.02	0.58
1:A:229:HIS:CE1	1:A:234:VAL:H	2.20	0.58
1:A:200:SER:CA	4:A:800:MPD:H4	2.30	0.57
1:A:180:ARG:HG2	1:A:181:PRO:CD	2.33	0.57
1:A:180:ARG:CG	1:A:181:PRO:HD2	2.32	0.57
1:A:256:ILE:HD12	1:B:242:ASP:O	2.04	0.56
1:B:132:LYS:NZ	1:B:132:LYS:HB3	2.20	0.56
1:B:206:LYS:HE3	4:B:801:MPD:H31	1.81	0.56
1:A:326:ARG:HA	1:A:326:ARG:HE	1.71	0.56
1:B:176:ILE:HD11	1:B:289:LYS:HE2	1.87	0.55
1:B:199:ASP:HB3	1:B:205:ASN:HB2	1.88	0.55
1:B:253:ASP:HB3	1:B:256:ILE:HD13	1.86	0.55
1:B:299:ILE:HD13	1:B:306:ARG:HG2	1.89	0.55
1:A:24:LYS:HD3	2:A:3003:NDP:C4B	2.37	0.54
1:B:100:ARG:HG3	5:B:423:HOH:O	2.07	0.54
1:A:371:LEU:O	1:A:372:SER:HB3	2.07	0.54
1:B:339:GLU:O	1:B:342:GLN:HG3	2.08	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:20:LEU:CD1	1:A:46:ILE:HD12	2.38	0.53
1:A:173:ILE:H	1:A:173:ILE:HD12	1.73	0.53
1:A:42:LEU:O	1:A:46:ILE:HG12	2.10	0.52
1:A:256:ILE:HB	1:A:257:PRO:CD	2.39	0.52
1:B:173:ILE:HD12	1:B:173:ILE:N	2.24	0.52
1:A:229:HIS:HE1	1:A:234:VAL:H	1.58	0.51
1:A:206:LYS:HZ2	4:A:800:MPD:HM1	1.75	0.51
1:A:299:ILE:C	1:A:299:ILE:HD12	2.37	0.50
1:A:203:MET:HG2	4:A:800:MPD:H51	1.94	0.50
1:B:205:ASN:OD1	4:B:801:MPD:O4	2.29	0.50
1:B:78:GLU:H	1:B:78:GLU:CD	2.19	0.49
1:B:274:PHE:CA	5:B:457:HOH:O	2.60	0.49
1:B:355:ARG:O	1:B:359:GLU:HG3	2.13	0.49
1:B:206:LYS:CE	4:B:801:MPD:C3	2.74	0.49
1:B:172:LYS:HB2	1:B:175:LYS:HD2	1.94	0.49
1:A:35:SER:CB	1:A:77:ILE:CD1	2.88	0.48
1:B:8:ILE:HD13	1:B:90:MET:HB3	1.94	0.48
1:A:153:GLU:HB2	1:A:154:PRO:CD	2.44	0.48
1:A:206:LYS:HE2	4:A:800:MPD:H31	1.97	0.47
1:B:8:ILE:CD1	1:B:90:MET:HB3	2.44	0.47
1:B:176:ILE:CD1	1:B:289:LYS:HE2	2.43	0.47
1:B:331:HIS:HE1	5:B:419:HOH:O	1.96	0.47
1:B:200:SER:HA	4:B:801:MPD:H4	1.96	0.47
1:A:299:ILE:HD13	1:A:306:ARG:CG	2.45	0.47
1:B:205:ASN:CG	4:B:801:MPD:O4	2.57	0.47
1:B:327:PHE:O	1:B:330:ILE:HD13	2.14	0.47
1:A:35:SER:HB3	1:A:77:ILE:CD1	2.46	0.46
1:B:330:ILE:HD12	1:B:330:ILE:N	2.30	0.46
1:A:68:ILE:HD13	1:A:68:ILE:C	2.41	0.46
1:A:158:LYS:HD2	1:A:225:GLU:OE1	2.15	0.46
1:A:180:ARG:HD3	1:A:182:GLU:H	1.80	0.46
1:A:199:ASP:HB3	1:A:205:ASN:HB2	1.97	0.46
1:A:320:PHE:CB	1:A:330:ILE:HD11	2.46	0.46
1:A:341:PHE:CE2	1:A:363:LYS:HD2	2.50	0.46
1:A:274:PHE:CE2	1:B:158:LYS:HG3	2.49	0.46
1:A:206:LYS:N	4:A:800:MPD:O4	2.50	0.45
1:A:292:ALA:HA	1:A:295:LEU:HD12	1.99	0.45
1:A:20:LEU:HD11	1:A:46:ILE:HD12	1.98	0.45
1:A:171:TRP:CZ2	1:A:183:ASP:HB3	2.51	0.45
1:B:336:LYS:NZ	5:B:440:HOH:O	2.50	0.45
1:B:75:HIS:O	1:B:79:GLU:HG3	2.16	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:263:PHE:O	1:B:264:TYR:C	2.60	0.44
1:A:129:LYS:O	1:A:133:GLU:HG3	2.16	0.44
1:A:64:GLU:CG	1:A:65:ASP:H	2.30	0.44
1:A:173:ILE:HA	1:A:176:ILE:HD12	2.00	0.44
1:A:224:ILE:HD12	1:A:224:ILE:N	2.33	0.44
1:B:344:TYR:CD2	1:B:345:PRO:HD2	2.52	0.44
1:A:138:LEU:C	1:A:138:LEU:HD23	2.43	0.43
1:A:313:ASP:HA	1:A:334:ILE:HD11	2.00	0.43
1:B:19:THR:HG23	1:B:262:LEU:HD11	1.99	0.43
1:A:205:ASN:CB	4:A:800:MPD:HO4	2.18	0.43
1:A:229:HIS:CE1	1:A:233:LEU:H	2.36	0.43
1:B:20:LEU:HD13	1:B:46:ILE:HD12	2.00	0.43
1:B:299:ILE:HD12	1:B:299:ILE:C	2.43	0.43
1:A:203:MET:HG2	4:A:800:MPD:C5	2.48	0.43
1:A:331:HIS:HD2	1:A:335:GLU:OE2	2.02	0.43
1:B:173:ILE:H	1:B:173:ILE:CD1	2.30	0.43
1:A:256:ILE:HB	1:A:257:PRO:HD3	2.01	0.43
1:B:96:PHE:HE2	1:B:354:GLU:HG2	1.83	0.43
1:A:81:LEU:HD13	1:A:105:SER:HA	2.00	0.42
1:B:96:PHE:CE2	1:B:354:GLU:HG2	2.54	0.42
1:A:229:HIS:HE1	1:A:233:LEU:H	1.67	0.42
1:A:273:PHE:CD2	1:A:273:PHE:O	2.72	0.42
1:A:13:GLY:HA3	2:A:3001:NDP:O5B	2.19	0.42
1:A:176:ILE:HD11	1:A:289:LYS:HE2	2.02	0.42
1:A:205:ASN:HD22	4:A:800:MPD:C3	2.33	0.42
1:B:93:VAL:CG2	1:B:98:GLY:HA2	2.50	0.41
1:B:144[B]:GLU:OE1	1:B:206:LYS:NZ	2.53	0.41
1:B:254:MET:HE2	2:B:3002:NDP:H42N	2.01	0.41
1:A:205:ASN:HD22	4:A:800:MPD:H32	1.85	0.41
1:A:54:ASN:ND2	1:A:69:ASN:HD22	2.19	0.41
1:A:117:LYS:HD3	1:A:212:GLU:OE2	2.21	0.40
1:B:331:HIS:CD2	1:B:335:GLU:OE2	2.67	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	359/376 (96%)	351 (98%)	6 (2%)	2 (1%)	21	17
1	B	364/376 (97%)	359 (99%)	5 (1%)	0	100	100
All	All	723/752 (96%)	710 (98%)	11 (2%)	2 (0%)	36	35

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	64	GLU
1	A	65	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	314/326 (96%)	301 (96%)	13 (4%)	27	26
1	B	318/326 (98%)	308 (97%)	10 (3%)	35	37
All	All	632/652 (97%)	609 (96%)	23 (4%)	30	31

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	26	VAL
1	A	40	LEU
1	A	65	ASP
1	A	68	ILE
1	A	78	GLU
1	A	175	LYS
1	A	180	ARG
1	A	276	ARG
1	A	281	SER
1	A	322	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	326	ARG
1	A	334	ILE
1	A	356	ILE
1	B	4	ARG
1	B	25	LYS
1	B	32	ILE
1	B	64	GLU
1	B	72	LYS
1	B	78	GLU
1	B	128	LYS
1	B	131	LEU
1	B	132	LYS
1	B	278	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	18	GLN
1	A	69	ASN
1	A	205	ASN
1	A	229	HIS
1	A	235	HIS
1	A	244	ASN
1	A	331	HIS
1	B	18	GLN
1	B	37	HIS
1	B	75	HIS
1	B	108	HIS
1	B	235	HIS
1	B	244	ASN
1	B	331	HIS
1	B	342	GLN
1	B	357	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 7 ligands modelled in this entry, 2 are monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NDP	B	3002	-	51,52,52	1.69	11 (21%)	71,80,80	1.40	8 (11%)
4	MPD	A	800	-	7,7,7	0.49	0	9,10,10	1.36	2 (22%)
2	NDP	A	3001	-	51,52,52	1.61	8 (15%)	71,80,80	1.54	11 (15%)
2	NDP	A	3003	-	29,29,52	1.26	5 (17%)	44,45,80	2.28	14 (31%)
4	MPD	B	801	-	7,7,7	0.58	0	9,10,10	0.77	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NDP	B	3002	-	-	9/34/77/77	0/5/5/5
4	MPD	A	800	-	-	3/5/5/5	-
2	NDP	A	3001	-	-	7/34/77/77	0/5/5/5
2	NDP	A	3003	-	-	3/15/31/77	0/3/3/5
4	MPD	B	801	-	-	2/5/5/5	-

All (24) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	3002	NDP	PN-O3	5.82	1.65	1.59
2	B	3002	NDP	PA-O3	5.32	1.65	1.59
2	A	3001	NDP	PN-O3	4.64	1.64	1.59
2	A	3001	NDP	PA-O3	4.42	1.64	1.59
2	B	3002	NDP	C4N-C5N	-3.33	1.40	1.49
2	B	3002	NDP	C5A-N7A	-3.24	1.33	1.39
2	A	3001	NDP	C4N-C5N	-3.16	1.40	1.49
2	A	3001	NDP	C5A-N7A	-3.08	1.33	1.39
2	A	3003	NDP	C5A-N7A	-3.06	1.33	1.39
2	A	3001	NDP	P2B-O2B	3.01	1.64	1.59
2	A	3001	NDP	C4N-C3N	2.90	1.55	1.50
2	B	3002	NDP	C4N-C3N	2.55	1.54	1.50
2	B	3002	NDP	C7N-C3N	2.42	1.53	1.48
2	A	3001	NDP	C7N-C3N	2.39	1.53	1.48
2	A	3001	NDP	C6N-C5N	2.37	1.40	1.33
2	A	3003	NDP	O4B-C4B	2.36	1.50	1.45
2	B	3002	NDP	C4A-N9A	-2.25	1.33	1.37
2	B	3002	NDP	C6N-C5N	2.21	1.39	1.33
2	B	3002	NDP	PA-O2A	2.18	1.65	1.55
2	B	3002	NDP	P2B-O2B	2.17	1.63	1.59
2	A	3003	NDP	PA-O2A	2.08	1.62	1.54
2	A	3003	NDP	C8A-N9A	-2.05	1.34	1.37
2	B	3002	NDP	O4B-C1B	2.04	1.46	1.42
2	A	3003	NDP	PA-O3	2.03	1.62	1.54

All (35) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	3003	NDP	C5A-C4A-N3A	-5.80	118.73	126.72
2	A	3003	NDP	O4B-C1B-N9A	5.58	118.80	108.09
2	A	3001	NDP	N3A-C2A-N1A	-5.34	120.50	128.58
2	A	3003	NDP	O4B-C1B-C2B	-5.19	97.65	106.59
2	A	3001	NDP	C5A-C4A-N3A	-4.72	120.21	126.72
2	B	3002	NDP	C5A-C4A-N3A	-4.65	120.31	126.72
2	B	3002	NDP	N3A-C2A-N1A	-4.65	121.54	128.58
2	A	3003	NDP	N3A-C2A-N1A	-4.62	121.59	128.58
2	A	3003	NDP	N3A-C4A-N9A	3.97	133.91	127.17
2	A	3001	NDP	N3A-C4A-N9A	3.88	133.77	127.17
2	A	3003	NDP	C2A-N3A-C4A	3.67	120.80	111.83
2	A	3003	NDP	C2B-C1B-N9A	-3.65	107.74	113.75
2	A	3001	NDP	N9A-C8A-N7A	-3.59	108.84	113.94
2	B	3002	NDP	N9A-C8A-N7A	-3.48	109.00	113.94
2	A	3001	NDP	C2A-N3A-C4A	3.38	120.09	111.83

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	3002	NDP	N3A-C4A-N9A	3.29	132.76	127.17
2	B	3002	NDP	C2A-N3A-C4A	3.29	119.86	111.83
2	A	3001	NDP	C4A-N9A-C8A	3.09	108.99	105.74
2	A	3003	NDP	C5A-N7A-C8A	3.04	108.23	103.45
2	A	3003	NDP	N9A-C8A-N7A	-3.02	109.65	113.94
2	A	3003	NDP	C4A-C5A-N7A	-2.97	107.18	110.58
2	A	3001	NDP	C5A-N7A-C8A	2.89	107.99	103.45
2	B	3002	NDP	C5A-N7A-C8A	2.80	107.85	103.45
2	A	3003	NDP	O5B-PA-O1A	2.64	113.59	106.44
2	A	3003	NDP	O4B-C4B-C5B	2.50	117.33	109.33
2	A	3003	NDP	P2B-O2B-C2B	-2.48	116.80	123.43
2	B	3002	NDP	C4A-N9A-C8A	2.45	108.31	105.74
2	B	3002	NDP	C4A-C5A-N7A	-2.34	107.91	110.58
2	A	3003	NDP	C4B-O4B-C1B	-2.32	104.34	109.47
2	A	3001	NDP	O2N-PN-O3	2.22	113.28	107.27
4	A	800	MPD	CM-C2-C1	-2.20	105.70	110.63
4	A	800	MPD	O4-C4-C5	-2.14	100.23	109.45
2	A	3001	NDP	C4A-C5A-N7A	-2.11	108.17	110.58
2	A	3001	NDP	C2A-N1A-C6A	2.10	122.18	118.73
2	A	3001	NDP	O4D-C1D-N1N	2.09	112.07	108.08

There are no chirality outliers.

All (24) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	3003	NDP	C5B-O5B-PA-O1A
2	A	3003	NDP	C5B-O5B-PA-O2A
2	A	3003	NDP	C5B-O5B-PA-O3
2	A	3001	NDP	C5B-O5B-PA-O1A
2	B	3002	NDP	C5D-O5D-PN-O3
4	A	800	MPD	C1-C2-C3-C4
2	B	3002	NDP	O4D-C4D-C5D-O5D
2	A	3001	NDP	O4B-C4B-C5B-O5B
2	A	3001	NDP	C3B-C4B-C5B-O5B
2	B	3002	NDP	C3D-C4D-C5D-O5D
2	A	3001	NDP	C2B-C1B-N9A-C8A
2	B	3002	NDP	C2B-C1B-N9A-C8A
2	A	3001	NDP	O4D-C1D-N1N-C6N
4	A	800	MPD	CM-C2-C3-C4
2	B	3002	NDP	O4D-C1D-N1N-C6N
2	B	3002	NDP	C5D-O5D-PN-O2N
4	A	800	MPD	C2-C3-C4-C5

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
4	B	801	MPD	C2-C3-C4-C5
2	A	3001	NDP	C2B-O2B-P2B-O3X
2	A	3001	NDP	C2N-C3N-C7N-N7N
2	B	3002	NDP	C2N-C3N-C7N-N7N
4	B	801	MPD	C2-C3-C4-O4
2	B	3002	NDP	O4B-C4B-C5B-O5B
2	B	3002	NDP	O4B-C1B-N9A-C8A

There are no ring outliers.


5 monomers are involved in 41 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	3002	NDP	1	0
4	A	800	MPD	24	0
2	A	3001	NDP	1	0
2	A	3003	NDP	2	0
4	B	801	MPD	13	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



Ligand NDP A 3001



Ligand NDP A 3003



5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	362/376 (96%)	0.52	31 (8%) 16 15	17, 35, 54, 64	7 (1%)
1	B	367/376 (97%)	0.52	28 (7%) 20 18	21, 37, 55, 68	7 (1%)
All	All	729/752 (96%)	0.52	59 (8%) 18 17	17, 36, 55, 68	14 (1%)

All (59) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	67	SER	9.5
1	A	63	PHE	8.8
1	A	67	SER	8.2
1	B	65	ASP	8.1
1	B	192	MET	7.8
1	B	63	PHE	7.3
1	B	62	GLU	6.2
1	A	66	SER	6.2
1	A	64	GLU	5.2
1	A	194	ALA	3.8
1	A	44	PHE	3.7
1	A	173	ILE	3.7
1	A	185	LEU	3.6
1	B	36	PHE	3.5
1	A	274	PHE	3.4
1	B	64	GLU	3.3
1	A	61	VAL	3.3
1	A	273	PHE	3.3
1	A	68	ILE	3.1
1	B	44	PHE	3.0
1	B	374	THR	3.0
1	B	275	LEU	3.0
1	A	278	ILE	2.8
1	B	40	LEU	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	273	PHE	2.8
1	B	358	PHE	2.8
1	B	186	LYS	2.7
1	B	185	LEU	2.7
1	A	171	TRP	2.7
1	B	68	ILE	2.6
1	A	275	LEU	2.6
1	A	177	ASP	2.6
1	A	180	ARG	2.6
1	B	78	GLU	2.5
1	A	40	LEU	2.5
1	B	274	PHE	2.5
1	A	181	PRO	2.5
1	B	278	ILE	2.5
1	B	83	ALA	2.4
1	A	62	GLU	2.4
1	A	26	VAL	2.4
1	B	115	ALA	2.3
1	A	60	ASP	2.3
1	A	65	ASP	2.3
1	B	66	SER	2.3
1	B	52	VAL	2.3
1	B	344	TYR	2.3
1	B	41	GLU	2.2
1	A	299	ILE	2.2
1	B	71	TRP	2.2
1	A	38	SER	2.2
1	A	196	ILE	2.2
1	A	283	GLU	2.1
1	A	83	ALA	2.1
1	A	183	ASP	2.1
1	A	197	THR	2.1
1	B	26	VAL	2.1
1	B	365	GLU	2.0
1	A	279	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates

There are no oligosaccharides in this entry.

6.4 Ligands




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	NDP	A	3003	27/48	0.75	0.22	32,39,48,48	27
4	MPD	B	801	8/8	0.76	0.22	40,48,50,50	0
4	MPD	A	800	8/8	0.83	0.16	48,48,50,52	0
2	NDP	B	3002	48/48	0.84	0.17	43,50,53,55	18
2	NDP	A	3001	48/48	0.85	0.13	45,53,58,58	0
3	MG	B	901	1/1	0.92	0.09	52,52,52,52	0
3	MG	A	900	1/1	0.95	0.06	41,41,41,41	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around NDP A 3003:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NDP B 3002:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around NDP A 3001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.