



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 02:57 PM UTC

PDB ID : 4A2L / pdb_00004a2l
Title : Structure of the periplasmic domain of the heparin and heparan sulphate sensing hybrid two component system BT4663 in apo and ligand bound forms
Authors : Lowe, E.C.; Basle, A.; Czjzek, M.; Firbank, S.J.; Bolam, D.N.
Deposited on : 2011-09-27
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4008 (2.60-2.60)
Clashscore	190562	4347 (2.60-2.60)
Ramachandran outliers	187476	4277 (2.60-2.60)
Sidechain outliers	187428	4277 (2.60-2.60)
RSRZ outliers	180081	4008 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	795	
1	B	795	
1	C	795	
1	D	795	
1	E	795	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	795	% 84% 10% 6%

2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 35839 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called TWO-COMPONENT SYSTEM SENSOR HISTIDINE KINASE/RESPONSE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	747	Total	C	N	O	S	0	0	0
			5869	3734	980	1143	12			
1	B	744	Total	C	N	O	S	0	0	0
			5873	3739	977	1145	12			
1	C	749	Total	C	N	O	S	0	0	0
			5910	3757	988	1153	12			
1	D	745	Total	C	N	O	S	0	0	0
			5880	3739	977	1152	12			
1	E	744	Total	C	N	O	S	0	0	0
			5893	3748	980	1153	12			
1	F	749	Total	C	N	O	S	0	0	0
			5889	3745	983	1149	12			

There are 48 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	788	LEU	-	expression tag	UNP Q89YR8
A	789	GLU	-	expression tag	UNP Q89YR8
A	790	HIS	-	expression tag	UNP Q89YR8
A	791	HIS	-	expression tag	UNP Q89YR8
A	792	HIS	-	expression tag	UNP Q89YR8
A	793	HIS	-	expression tag	UNP Q89YR8
A	794	HIS	-	expression tag	UNP Q89YR8
A	795	HIS	-	expression tag	UNP Q89YR8
B	788	LEU	-	expression tag	UNP Q89YR8
B	789	GLU	-	expression tag	UNP Q89YR8
B	790	HIS	-	expression tag	UNP Q89YR8
B	791	HIS	-	expression tag	UNP Q89YR8
B	792	HIS	-	expression tag	UNP Q89YR8
B	793	HIS	-	expression tag	UNP Q89YR8
B	794	HIS	-	expression tag	UNP Q89YR8
B	795	HIS	-	expression tag	UNP Q89YR8

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
C	788	LEU	-	expression tag	UNP Q89YR8
C	789	GLU	-	expression tag	UNP Q89YR8
C	790	HIS	-	expression tag	UNP Q89YR8
C	791	HIS	-	expression tag	UNP Q89YR8
C	792	HIS	-	expression tag	UNP Q89YR8
C	793	HIS	-	expression tag	UNP Q89YR8
C	794	HIS	-	expression tag	UNP Q89YR8
C	795	HIS	-	expression tag	UNP Q89YR8
D	788	LEU	-	expression tag	UNP Q89YR8
D	789	GLU	-	expression tag	UNP Q89YR8
D	790	HIS	-	expression tag	UNP Q89YR8
D	791	HIS	-	expression tag	UNP Q89YR8
D	792	HIS	-	expression tag	UNP Q89YR8
D	793	HIS	-	expression tag	UNP Q89YR8
D	794	HIS	-	expression tag	UNP Q89YR8
D	795	HIS	-	expression tag	UNP Q89YR8
E	788	LEU	-	expression tag	UNP Q89YR8
E	789	GLU	-	expression tag	UNP Q89YR8
E	790	HIS	-	expression tag	UNP Q89YR8
E	791	HIS	-	expression tag	UNP Q89YR8
E	792	HIS	-	expression tag	UNP Q89YR8
E	793	HIS	-	expression tag	UNP Q89YR8
E	794	HIS	-	expression tag	UNP Q89YR8
E	795	HIS	-	expression tag	UNP Q89YR8
F	788	LEU	-	expression tag	UNP Q89YR8
F	789	GLU	-	expression tag	UNP Q89YR8
F	790	HIS	-	expression tag	UNP Q89YR8
F	791	HIS	-	expression tag	UNP Q89YR8
F	792	HIS	-	expression tag	UNP Q89YR8
F	793	HIS	-	expression tag	UNP Q89YR8
F	794	HIS	-	expression tag	UNP Q89YR8
F	795	HIS	-	expression tag	UNP Q89YR8

- Molecule 2 is TRIETHYLENE GLYCOL (CCD ID: PGE) (formula: C₆H₁₄O₄).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			10	6	4		
2	A	1	Total	C	O	0	0
			10	6	4		
2	B	1	Total	C	O	0	0
			10	6	4		
2	E	1	Total	C	O	0	0
			7	4	3		
2	F	1	Total	C	O	0	0
			10	6	4		

- Molecule 3 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	C	1	Total C O 4 2 2	0	0
3	D	1	Total C O 4 2 2	0	0

- Molecule 4 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: $C_4H_{10}O_3$).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 7 4 3	0	0
4	B	1	Total C O 4 2 2	0	0
4	C	1	Total C O 4 2 2	0	0
4	C	1	Total C O 7 4 3	0	0
4	C	1	Total C O 7 4 3	0	0
4	D	1	Total C O 4 2 2	0	0
4	D	1	Total C O 7 4 3	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	D	1	Total	C	O	0	0
			4	2	2		
4	D	1	Total	C	O	0	0
			4	2	2		
4	E	1	Total	C	O	0	0
			7	4	3		
4	F	1	Total	C	O	0	0
			7	4	3		

- Molecule 5 is TETRAETHYLENE GLYCOL (CCD ID: PG4) (formula: $C_8H_{18}O_5$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	B	1	Total	C	O	0	0
			13	8	5		

- Molecule 6 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (CCD ID: MES) (formula: $C_6H_{13}NO_4S$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	B	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
6	D	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
6	E	1	Total	C	N	O	S	0	0
			12	6	1	4	1		

- Molecule 7 is OXALOACETATE ION (CCD ID: OAA) (formula: $C_4H_3O_5$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	C	1	Total	C	O	0	0
			9	4	5		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	C	1	Total	C	O	0	0
			9	4	5		
7	E	1	Total	C	O	0	0
			9	4	5		

- Molecule 8 is NONAETHYLENE GLYCOL (CCD ID: 2PE) (formula: $C_{18}H_{38}O_{10}$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	D	1	Total	C	O	0	0
			19	12	7		


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	68	Total	O	0	0
			68	68		
9	B	36	Total	O	0	0
			36	36		
9	C	75	Total	O	0	0
			75	75		
9	D	37	Total	O	0	0
			37	37		
9	E	36	Total	O	0	0
			36	36		
9	F	49	Total	O	0	0
			49	49		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: TWO-COMPONENT SYSTEM SENSOR HISTIDINE KINASE/RESPONSE




• Molecule 1: TWO-COMPONENT SYSTEM SENSOR HISTIDINE KINASE/RESPONSE




• Molecule 1: TWO-COMPONENT SYSTEM SENSOR HISTIDINE KINASE/RESPONSE



- Molecule 1: TWO-COMPONENT SYSTEM SENSOR HISTIDINE KINASE/RESPONSE





- Molecule 1: TWO-COMPONENT SYSTEM SENSOR HISTIDINE KINASE/RESPONSE





● Molecule 1: TWO-COMPONENT SYSTEM SENSOR HISTIDINE KINASE/RESPONSE



4 Data and refinement statistics

Property	Value	Source
Space group	P 3 2 1	Depositor
Cell constants a, b, c, α , β , γ	342.47Å 342.47Å 97.85Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	296.59 – 2.60 296.59 – 2.60	Depositor EDS
% Data completeness (in resolution range)	95.0 (296.59-2.60) 90.3 (296.59-2.60)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.12 (at 2.61Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
R, R_{free}	0.186 , 0.231 0.188 , 0.231	Depositor DCC
R_{free} test set	9134 reflections (4.88%)	wwPDB-VP
Wilson B-factor (Å ²)	46.1	Xtriage
Anisotropy	0.302	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 31.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	0.029 for -h,-k,l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	35839	wwPDB-VP
Average B, all atoms (Å ²)	43.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.91% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PGE, PG4, OAA, PEG, MES, EDO, 2PE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.79	0/6006	0.82	0/8175
1	B	0.78	0/6009	0.83	2/8172 (0.0%)
1	C	0.79	0/6046	0.82	5/8222 (0.1%)
1	D	0.77	0/6015	0.80	1/8183 (0.0%)
1	E	0.76	0/6029	0.81	3/8196 (0.0%)
1	F	0.77	0/6024	0.82	0/8194
All	All	0.78	0/36129	0.82	11/49142 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	385	ILE	N-CA-C	-6.24	105.06	110.74
1	B	29	ILE	N-CA-C	5.74	116.21	108.17
1	C	227	ARG	N-CA-C	5.65	116.66	107.23
1	C	518	GLY	N-CA-C	5.53	117.89	110.43
1	D	108	GLY	N-CA-C	5.45	117.27	110.29
1	C	108	GLY	N-CA-C	5.40	117.33	110.20
1	B	139	ILE	N-CA-C	-5.39	105.84	110.74
1	C	714	VAL	CB-CA-C	-5.28	102.23	110.52
1	E	493	THR	CA-C-N	-5.20	114.40	119.76
1	E	493	THR	C-N-CA	-5.20	114.40	119.76

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	518	GLY	N-CA-C	5.06	116.77	110.29

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	404	GLY	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5869	0	5549	39	0
1	B	5873	0	5582	53	0
1	C	5910	0	5615	50	0
1	D	5880	0	5556	38	0
1	E	5893	0	5609	56	0
1	F	5889	0	5568	41	0
2	A	20	0	28	0	0
2	B	10	0	14	0	0
2	E	7	0	9	0	0
2	F	10	0	14	0	0
3	A	4	0	6	0	0
3	B	8	0	12	0	0
3	C	4	0	6	0	0
3	D	4	0	6	0	0
4	A	7	0	10	0	0
4	B	4	0	5	0	0
4	C	18	0	25	1	0
4	D	19	0	25	1	0
4	E	7	0	10	0	0
4	F	7	0	10	0	0
5	B	13	0	18	0	0
6	B	12	0	12	0	0
6	D	12	0	12	0	0
6	E	12	0	12	2	0
7	C	18	0	4	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	E	9	0	2	0	0
8	D	19	0	25	0	0
9	A	68	0	0	0	0
9	B	36	0	0	1	0
9	C	75	0	0	0	0
9	D	37	0	0	0	0
9	E	36	0	0	1	0
9	F	49	0	0	0	0
All	All	35839	0	33744	271	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (271) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:755:THR:HG22	1:D:779:ILE:HG23	1.45	0.96
1:B:208:VAL:HG12	1:B:209:ILE:HD13	1.59	0.82
1:C:393:THR:C	1:C:403:ILE:HG22	2.06	0.81
1:E:425:HIS:O	1:E:453:ASN:ND2	2.14	0.80
1:F:105:THR:HG22	1:F:107:ASP:H	1.48	0.75
1:E:208:VAL:HG12	1:E:209:ILE:HD12	1.68	0.75
1:E:302:VAL:HG13	1:E:349:PRO:HD2	1.68	0.74
1:F:240:ILE:HG12	1:F:247:ILE:HG22	1.69	0.74
1:D:579:THR:HG22	1:D:583:LEU:O	1.88	0.73
1:F:521:VAL:HG13	1:F:532:ALA:HB3	1.71	0.71
1:E:540:VAL:HG13	1:E:565:TYR:CZ	2.26	0.71
1:E:540:VAL:HG13	1:E:565:TYR:CE1	2.26	0.70
1:E:500:ILE:HD12	1:E:513:ILE:CG2	2.23	0.69
1:D:591:ILE:HG12	1:D:601:LEU:HD22	1.76	0.68
1:C:209:ILE:HG22	1:C:210:PRO:HD2	1.75	0.67
1:C:282:ASN:O	1:C:283:ASP:HB2	1.94	0.67
1:D:557:TRP:CE3	1:D:566:CYS:HB3	2.31	0.66
1:F:641:VAL:O	1:F:656:ARG:NH2	2.28	0.66
1:B:450:VAL:HG23	1:B:451:ASN:N	2.12	0.65
1:C:361:CYS:SG	1:C:411:VAL:HG23	2.37	0.64
1:F:282:ASN:O	1:F:283:ASP:HB2	1.97	0.64
1:E:182:GLN:HG2	1:E:222:GLN:OE1	1.97	0.63
1:F:763:ALA:HB2	1:F:769:TRP:CD2	2.34	0.63
1:B:284:LEU:C	1:B:285:ASN:HD22	2.06	0.63
1:A:282:ASN:O	1:A:283:ASP:HB2	1.99	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:231:ALA:HB1	1:E:265:ILE:HG22	1.81	0.62
1:B:557:TRP:CZ3	1:B:566:CYS:HB3	2.34	0.62
1:E:500:ILE:HD12	1:E:513:ILE:HG23	1.81	0.62
1:E:540:VAL:CG1	1:E:565:TYR:CZ	2.82	0.62
1:E:763:ALA:HB2	1:E:769:TRP:CD2	2.35	0.62
1:A:182:GLN:HG2	1:A:222:GLN:OE1	2.00	0.62
1:E:282:ASN:O	1:E:283:ASP:HB2	1.97	0.61
1:E:451:ASN:HD22	1:E:453:ASN:H	1.47	0.61
1:B:261:SER:HB2	1:B:285:ASN:HD21	1.63	0.61
1:E:500:ILE:CD1	1:E:513:ILE:CG2	2.78	0.61
1:F:29:ILE:HD12	1:F:297:TYR:CZ	2.35	0.61
1:D:240:ILE:HG12	1:D:247:ILE:HG22	1.83	0.61
1:C:386:THR:HG21	1:C:388:ARG:HD3	1.82	0.61
1:F:408:ILE:HD13	1:F:424:THR:HG22	1.84	0.60
1:D:425:HIS:O	1:D:453:ASN:ND2	2.33	0.60
1:C:221:LEU:C	1:C:221:LEU:HD12	2.26	0.60
1:C:154:MET:HE3	1:C:166:SER:OG	2.02	0.59
1:B:763:ALA:HB2	1:B:769:TRP:CD2	2.38	0.58
1:F:149:PRO:O	1:F:175:ILE:HD12	2.03	0.58
1:F:460:ASP:OD2	1:F:475:ARG:NH1	2.36	0.58
1:A:557:TRP:CZ3	1:A:566:CYS:HB3	2.39	0.58
1:A:543:LEU:HD11	1:A:576:ARG:HH11	1.68	0.58
1:B:673:LYS:HE3	1:B:675:GLN:HE21	1.70	0.57
1:E:324:TRP:C	1:E:325:LEU:HD12	2.28	0.57
1:C:227:ARG:NH1	1:C:289:GLU:OE2	2.36	0.57
1:F:105:THR:HG22	1:F:107:ASP:N	2.19	0.57
1:B:282:ASN:O	1:B:283:ASP:HB2	2.05	0.56
1:B:591:ILE:HG12	1:B:601:LEU:HD22	1.87	0.56
1:D:450:VAL:HG23	1:D:451:ASN:N	2.20	0.56
1:F:92:ILE:HG22	1:F:104:GLY:HA3	1.87	0.56
1:C:177:SER:OG	1:C:217:ILE:O	2.22	0.56
1:C:338:ILE:HG22	1:C:339:ARG:N	2.20	0.56
1:F:557:TRP:CE2	1:F:599:LEU:HD11	2.40	0.56
1:B:142:GLU:HA	1:B:157:ILE:HD12	1.85	0.56
1:B:240:ILE:HG12	1:B:247:ILE:HG22	1.88	0.56
1:E:696:GLU:HB2	9:E:2003:HOH:O	2.05	0.56
1:A:473:LEU:HD22	1:A:513:ILE:HD11	1.87	0.56
1:E:221:LEU:HD12	1:E:222:GLN:N	2.21	0.56
1:A:29:ILE:HD12	1:A:297:TYR:CZ	2.41	0.55
1:C:600:TRP:C	1:C:601:LEU:HD23	2.32	0.55
1:F:501:THR:HG23	1:F:515:GLY:HA2	1.88	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:602:SER:HB3	1:F:646:PHE:CD1	2.42	0.55
1:D:426:ALA:HA	1:D:453:ASN:HD22	1.72	0.55
1:A:195:LEU:HD11	1:A:220:ILE:HD13	1.89	0.55
1:B:300:ASN:OD1	1:B:302:VAL:HG22	2.06	0.55
1:C:557:TRP:CZ3	1:C:566:CYS:HB3	2.42	0.55
1:B:676:LEU:HD12	1:B:708:ALA:O	2.06	0.54
1:B:602:SER:HB3	1:B:646:PHE:CD1	2.42	0.54
1:F:444:GLN:HG3	1:F:452:GLU:HG3	1.88	0.54
1:B:282:ASN:O	1:B:283:ASP:CB	2.54	0.54
1:C:324:TRP:C	1:C:325:LEU:HD12	2.33	0.54
1:D:557:TRP:CZ3	1:D:566:CYS:HB3	2.43	0.54
1:E:557:TRP:CZ3	1:E:566:CYS:HB3	2.44	0.53
1:C:28:GLN:O	1:C:340:ASN:ND2	2.41	0.53
1:A:139:ILE:O	1:A:200:ILE:HD13	2.09	0.53
1:B:260:ILE:HD11	1:B:265:ILE:CD1	2.39	0.53
1:E:302:VAL:HG22	1:F:302:VAL:HG12	1.90	0.52
1:E:591:ILE:HG12	1:E:601:LEU:HD22	1.91	0.52
1:F:282:ASN:O	1:F:283:ASP:CB	2.57	0.52
1:A:579:THR:HG22	1:A:583:LEU:O	2.09	0.52
1:A:458:LEU:HD12	1:A:459:PRO:HD2	1.90	0.52
1:C:282:ASN:O	1:C:283:ASP:CB	2.57	0.52
1:C:302:VAL:CG1	1:D:302:VAL:HG22	2.39	0.52
1:A:302:VAL:CG1	1:B:302:VAL:HG12	2.40	0.52
1:E:311:SER:CB	6:E:1787:MES:O3S	2.58	0.52
1:E:475:ARG:NH2	1:E:527:LEU:O	2.43	0.52
1:E:753:GLN:OE1	1:E:782:PRO:HB3	2.09	0.52
1:A:31:PHE:CE2	1:A:307:LEU:HD13	2.45	0.52
1:B:763:ALA:HB2	1:B:769:TRP:CE2	2.45	0.52
1:E:302:VAL:HG22	1:F:302:VAL:CG1	2.40	0.51
1:F:521:VAL:HG11	1:F:534:ILE:HG12	1.92	0.51
1:D:763:ALA:HB2	1:D:769:TRP:CD2	2.45	0.51
1:F:93:VAL:HG23	1:F:103:ILE:HD13	1.93	0.51
1:B:450:VAL:CG2	1:B:451:ASN:N	2.73	0.51
1:B:600:TRP:C	1:B:601:LEU:HD23	2.35	0.51
1:D:426:ALA:HA	1:D:453:ASN:ND2	2.26	0.51
1:F:271:ASP:OD1	1:F:271:ASP:C	2.54	0.51
1:A:282:ASN:O	1:A:283:ASP:CB	2.59	0.51
1:B:557:TRP:CE2	1:B:599:LEU:HD11	2.46	0.51
1:C:132:GLN:O	1:C:149:PRO:HD3	2.11	0.51
1:E:681:VAL:HG12	1:E:690:LEU:HD12	1.93	0.50
1:B:260:ILE:HD11	1:B:265:ILE:HD13	1.93	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:763:ALA:HB2	1:C:769:TRP:CD2	2.47	0.50
1:E:583:LEU:HD12	1:E:584:PRO:HD2	1.92	0.50
1:E:282:ASN:O	1:E:283:ASP:CB	2.60	0.50
1:A:229:TRP:CE2	1:A:239:LEU:HD13	2.46	0.50
1:C:89:ILE:HD12	1:C:106:ARG:HD2	1.93	0.50
1:F:318:ASP:C	1:F:318:ASP:OD1	2.54	0.50
1:B:557:TRP:CE3	1:B:566:CYS:HB3	2.47	0.50
1:D:475:ARG:NH2	1:D:527:LEU:O	2.45	0.50
1:B:187:TYR:OH	1:B:228:ILE:HD11	2.12	0.50
1:D:302:VAL:O	1:D:302:VAL:CG1	2.57	0.50
1:A:149:PRO:O	1:A:175:ILE:HD12	2.12	0.49
1:A:473:LEU:HD22	1:A:513:ILE:CD1	2.40	0.49
1:E:70:TYR:CD2	1:E:744:ARG:HD2	2.47	0.49
1:B:142:GLU:C	1:B:157:ILE:HD12	2.38	0.49
1:B:475:ARG:NH2	1:B:527:LEU:O	2.45	0.49
1:C:393:THR:O	1:C:403:ILE:HG22	2.11	0.49
1:A:302:VAL:HG11	1:B:302:VAL:HG12	1.95	0.49
1:B:51:ASP:HB2	9:B:2004:HOH:O	2.12	0.49
1:A:475:ARG:NH2	1:A:527:LEU:O	2.45	0.49
1:D:366:LYS:HA	4:D:1785:PEG:H22	1.94	0.49
1:F:241:ASN:ND2	1:F:244:THR:H	2.09	0.49
1:B:412:TYR:CZ	1:B:459:PRO:HG3	2.47	0.49
1:C:325:LEU:HD12	1:C:325:LEU:N	2.28	0.49
1:C:672:THR:CG2	1:C:714:VAL:HG22	2.42	0.49
1:F:105:THR:CG2	1:F:106:ARG:N	2.75	0.49
1:C:579:THR:HG23	1:C:586:ASN:OD1	2.13	0.49
1:D:282:ASN:O	1:D:283:ASP:HB2	2.13	0.49
1:E:31:PHE:CE2	1:E:307:LEU:HD13	2.46	0.49
1:B:261:SER:CB	1:B:285:ASN:HD21	2.24	0.48
1:C:175:ILE:CD1	1:C:175:ILE:N	2.76	0.48
1:D:382:TYR:CD1	1:D:382:TYR:C	2.91	0.48
1:C:302:VAL:HG11	1:D:302:VAL:HG22	1.94	0.48
1:A:378:GLY:C	1:A:408:ILE:HD13	2.38	0.48
1:C:475:ARG:NH2	1:C:527:LEU:O	2.46	0.48
1:C:386:THR:HG21	1:C:388:ARG:CD	2.44	0.48
1:F:51:ASP:OD1	1:F:51:ASP:C	2.57	0.48
1:F:475:ARG:NH2	1:F:527:LEU:O	2.47	0.48
1:C:339:ARG:NH2	1:C:623:SER:O	2.46	0.48
1:F:31:PHE:CE2	1:F:307:LEU:HD13	2.49	0.48
1:B:208:VAL:HG12	1:B:209:ILE:CD1	2.38	0.47
1:E:557:TRP:CE2	1:E:599:LEU:HD11	2.49	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:260:ILE:HD12	1:A:265:ILE:HD11	1.96	0.47
1:D:540:VAL:HB	1:D:565:TYR:CE2	2.49	0.47
1:F:763:ALA:HB2	1:F:769:TRP:CE2	2.49	0.47
1:A:543:LEU:HD11	1:A:576:ARG:NH1	2.29	0.47
1:D:384:PRO:O	1:D:387:GLN:NE2	2.47	0.47
1:F:105:THR:CG2	1:F:107:ASP:H	2.21	0.47
1:F:635:SER:OG	1:F:647:GLY:HA3	2.14	0.47
1:F:300:ASN:OD1	1:F:302:VAL:HG22	2.14	0.47
1:F:324:TRP:C	1:F:325:LEU:HD12	2.40	0.47
1:E:231:ALA:CB	1:E:265:ILE:HG22	2.45	0.46
1:D:244:THR:OG1	1:D:246:GLU:HG2	2.15	0.46
1:A:102:TRP:O	1:A:103:ILE:HD13	2.14	0.46
1:A:464:ASN:OD1	1:A:477:ASN:ND2	2.42	0.46
1:C:248:LYS:NZ	1:C:292:ASP:OD2	2.48	0.46
1:C:386:THR:HG22	1:C:388:ARG:HG3	1.98	0.46
1:D:34:ILE:HD12	1:D:324:TRP:CZ3	2.50	0.46
1:C:208:VAL:HG12	1:C:209:ILE:HG13	1.97	0.46
1:E:735:LYS:C	1:E:736:GLU:HG3	2.40	0.46
1:D:751:LEU:O	1:D:780:VAL:HG11	2.15	0.46
1:F:241:ASN:ND2	1:F:244:THR:HG23	2.31	0.46
1:C:577:TYR:HA	1:C:581:ASN:OD1	2.16	0.46
1:E:209:ILE:HD13	1:E:240:ILE:HD13	1.97	0.46
1:A:302:VAL:HG11	1:A:349:PRO:HB2	1.99	0.45
1:F:133:VAL:HG13	1:F:146:ILE:HG23	1.97	0.45
1:C:70:TYR:CD2	1:C:744:ARG:HD2	2.51	0.45
1:D:302:VAL:HG13	1:D:349:PRO:HD2	1.98	0.45
1:E:763:ALA:HB2	1:E:769:TRP:CE2	2.52	0.45
1:A:29:ILE:CD1	1:A:286:ILE:HD12	2.47	0.45
1:B:248:LYS:NZ	1:B:292:ASP:OD2	2.49	0.45
1:C:714:VAL:HG13	1:C:744:ARG:NH2	2.32	0.45
1:D:154:MET:HG2	1:D:155:PHE:N	2.32	0.45
1:D:317:MET:HA	1:D:322:GLY:O	2.17	0.45
1:A:386:THR:HG22	1:A:388:ARG:HB2	1.99	0.45
1:B:142:GLU:CA	1:B:157:ILE:HD12	2.47	0.45
1:F:142:GLU:HA	1:F:157:ILE:HD12	1.98	0.45
1:F:472:ALA:HB1	1:F:485:THR:HG23	1.99	0.45
1:D:113:ASP:HB2	1:D:120:GLN:NE2	2.32	0.45
1:C:505:ARG:NE	4:C:1787:PEG:H22	2.32	0.44
1:C:394:LEU:HD13	1:C:404:GLY:C	2.42	0.44
1:E:284:LEU:C	1:E:285:ASN:HD22	2.26	0.44
1:C:672:THR:HG23	1:C:714:VAL:HG22	2.00	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:34:ILE:HD12	1:A:324:TRP:CZ3	2.52	0.44
1:B:783:ILE:HD12	1:B:783:ILE:N	2.33	0.44
1:B:187:TYR:HB3	1:B:195:LEU:HD11	1.99	0.44
1:E:500:ILE:CD1	1:E:513:ILE:HG21	2.48	0.44
1:D:29:ILE:HB	1:D:297:TYR:CE1	2.53	0.44
1:F:105:THR:HG23	1:F:106:ARG:N	2.33	0.43
1:E:541:THR:O	1:E:541:THR:HG22	2.17	0.43
1:C:512:TRP:CD2	1:C:521:VAL:HG22	2.53	0.43
1:B:182:GLN:HG2	1:B:222:GLN:OE1	2.17	0.43
1:E:102:TRP:O	1:E:103:ILE:HD13	2.18	0.43
1:F:496:VAL:HG23	1:F:496:VAL:O	2.17	0.43
1:D:282:ASN:O	1:D:283:ASP:CB	2.67	0.43
1:E:512:TRP:CE3	1:E:521:VAL:HG22	2.53	0.43
1:E:557:TRP:CE3	1:E:566:CYS:HB3	2.54	0.43
1:C:591:ILE:HG12	1:C:601:LEU:HD22	2.00	0.43
1:A:500:ILE:HD12	1:A:513:ILE:HG22	2.00	0.43
1:A:557:TRP:CE2	1:A:599:LEU:HD11	2.53	0.43
1:A:451:ASN:HB3	1:A:469:THR:HB	2.00	0.43
1:A:500:ILE:HD12	1:A:513:ILE:CG2	2.49	0.43
1:B:260:ILE:CD1	1:B:265:ILE:HD11	2.49	0.43
1:F:434:ARG:O	1:F:435:ASN:C	2.61	0.43
1:A:144:LEU:HG	1:A:157:ILE:HD11	2.00	0.43
1:A:240:ILE:HG12	1:A:247:ILE:HG22	2.01	0.43
1:B:56:MET:HE2	1:B:324:TRP:CE2	2.54	0.43
1:B:57:TRP:HB3	1:B:93:VAL:HG21	2.00	0.43
1:D:70:TYR:CD2	1:D:744:ARG:HD2	2.54	0.43
1:C:83:ASN:HB3	1:C:118:ILE:HB	2.01	0.42
1:B:231:ALA:HB1	1:B:265:ILE:HB	2.01	0.42
1:C:537:VAL:O	1:C:537:VAL:CG1	2.67	0.42
1:C:585:ASN:HB2	1:C:605:ARG:HB2	2.01	0.42
1:E:89:ILE:HD12	1:E:106:ARG:HD2	2.00	0.42
1:B:70:TYR:CD2	1:B:744:ARG:HD2	2.55	0.42
1:E:231:ALA:HB1	1:E:265:ILE:CG2	2.49	0.42
1:E:311:SER:OG	6:E:1787:MES:O3S	2.34	0.42
1:B:449:LEU:HD13	1:B:483:PHE:CD2	2.54	0.42
1:B:184:ASP:O	1:B:200:ILE:HD12	2.20	0.42
1:E:632:ASN:HB2	1:E:648:GLY:HA2	2.02	0.42
1:B:251:LEU:C	1:B:260:ILE:HG22	2.45	0.42
1:C:102:TRP:CZ3	1:C:111:ARG:HB2	2.55	0.42
1:C:676:LEU:HD21	1:C:706:GLN:HG2	2.01	0.42
1:E:460:ASP:OD2	1:E:475:ARG:NH1	2.53	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:470:LEU:O	1:E:499:GLN:HA	2.20	0.42
1:C:557:TRP:CE2	1:C:599:LEU:HD11	2.55	0.42
1:D:182:GLN:HG2	1:D:222:GLN:OE1	2.20	0.42
1:E:618:ARG:HH22	1:E:662:ASP:CG	2.27	0.42
1:D:302:VAL:HG11	1:D:349:PRO:HB2	2.01	0.42
1:E:133:VAL:HG13	1:E:146:ILE:HG23	2.02	0.42
1:E:208:VAL:HG12	1:E:209:ILE:CD1	2.44	0.42
1:E:240:ILE:HG12	1:E:247:ILE:HG22	2.02	0.42
1:A:783:ILE:N	1:A:783:ILE:HD12	2.35	0.41
1:E:421:TYR:CD1	1:E:431:ILE:HG12	2.55	0.41
1:A:227:ARG:NH2	1:A:289:GLU:OE2	2.51	0.41
1:E:600:TRP:C	1:E:601:LEU:HD23	2.45	0.41
1:A:379:LEU:O	1:A:391:SER:HA	2.20	0.41
1:C:231:ALA:HB1	1:C:265:ILE:HG22	2.02	0.41
1:B:491:ASP:HB2	1:B:493:THR:H	1.85	0.41
1:D:472:ALA:HB1	1:D:485:THR:HG23	2.01	0.41
1:E:516:GLU:HG2	1:E:544:PHE:CZ	2.56	0.41
1:A:34:ILE:HD12	1:A:324:TRP:HZ3	1.85	0.41
1:D:145:LEU:HD23	1:D:186:ILE:HG21	2.02	0.41
1:B:425:HIS:O	1:B:426:ALA:HB3	2.20	0.41
1:B:147:SER:HA	1:B:152:LEU:HD23	2.03	0.41
1:B:386:THR:HB	1:B:388:ARG:HG3	2.03	0.41
1:B:450:VAL:CG2	1:B:451:ASN:H	2.33	0.41
1:B:753:GLN:CD	1:B:782:PRO:HB3	2.46	0.41
1:D:229:TRP:CE2	1:D:276:LEU:HD22	2.55	0.41
1:D:324:TRP:C	1:D:325:LEU:HD12	2.45	0.41
1:A:348:ILE:O	1:A:349:PRO:C	2.62	0.41
1:C:557:TRP:CE3	1:C:566:CYS:HB3	2.56	0.41
1:D:269:ALA:HB3	1:D:315:ILE:CG2	2.51	0.41
1:D:421:TYR:CD1	1:D:431:ILE:HG12	2.56	0.41
1:A:496:VAL:O	1:A:498:LYS:N	2.54	0.40
1:E:532:ALA:HB1	1:E:534:ILE:HG23	2.02	0.40
1:F:512:TRP:CZ2	1:F:556:ILE:HD12	2.56	0.40
1:C:221:LEU:HD12	1:C:222:GLN:N	2.36	0.40
1:C:573:GLN:HE21	1:C:573:GLN:HB3	1.69	0.40
1:E:318:ASP:OD1	1:E:318:ASP:C	2.64	0.40
1:E:676:LEU:O	1:E:677:PHE:C	2.64	0.40
1:B:116:LYS:HB2	1:B:118:ILE:HG12	2.04	0.40
1:B:117:ASP:O	1:B:682:ARG:NH2	2.55	0.40
1:B:464:ASN:HB3	1:B:476:PHE:O	2.21	0.40
1:C:182:GLN:HG2	1:C:222:GLN:OE1	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	741/795 (93%)	713 (96%)	25 (3%)	3 (0%)	30	51
1	B	738/795 (93%)	709 (96%)	27 (4%)	2 (0%)	36	58
1	C	743/795 (94%)	721 (97%)	19 (3%)	3 (0%)	30	51
1	D	737/795 (93%)	720 (98%)	16 (2%)	1 (0%)	48	70
1	E	738/795 (93%)	716 (97%)	20 (3%)	2 (0%)	36	58
1	F	743/795 (94%)	710 (96%)	30 (4%)	3 (0%)	30	51
All	All	4440/4770 (93%)	4289 (97%)	137 (3%)	14 (0%)	36	58

All (14) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	497	SER
1	B	283	ASP
1	E	497	SER
1	A	283	ASP
1	C	283	ASP
1	D	283	ASP
1	E	283	ASP
1	F	427	GLY
1	F	497	SER
1	A	427	GLY
1	C	427	GLY
1	F	283	ASP
1	B	497	SER
1	C	497	SER

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	632/712 (89%)	616 (98%)	16 (2%)	42	69
1	B	635/712 (89%)	620 (98%)	15 (2%)	43	70
1	C	640/712 (90%)	619 (97%)	21 (3%)	33	61
1	D	634/712 (89%)	621 (98%)	13 (2%)	47	73
1	E	641/712 (90%)	624 (97%)	17 (3%)	39	67
1	F	631/712 (89%)	613 (97%)	18 (3%)	37	65
All	All	3813/4272 (89%)	3713 (97%)	100 (3%)	40	68

All (100) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	32	SER
1	A	114	GLU
1	A	191	SER
1	A	209	ILE
1	A	262	SER
1	A	291	THR
1	A	302	VAL
1	A	307	LEU
1	A	309	GLN
1	A	310	ARG
1	A	448	GLN
1	A	496	VAL
1	A	533	SER
1	A	641	VAL
1	A	686	GLU
1	A	761	LYS
1	B	32	SER
1	B	131	LEU
1	B	246	GLU
1	B	265	ILE
1	B	298	SER
1	B	338	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	387	GLN
1	B	393	THR
1	B	471	SER
1	B	496	VAL
1	B	533	SER
1	B	539	ASN
1	B	540	VAL
1	B	656	ARG
1	B	741	THR
1	C	52	LYS
1	C	115	GLU
1	C	169	THR
1	C	175	ILE
1	C	191	SER
1	C	209	ILE
1	C	221	LEU
1	C	253	SER
1	C	309	GLN
1	C	338	ILE
1	C	405	SER
1	C	415	GLU
1	C	436	SER
1	C	525	GLU
1	C	531	LYS
1	C	541	THR
1	C	573	GLN
1	C	686	GLU
1	C	707	THR
1	C	714	VAL
1	C	736	GLU
1	D	92	ILE
1	D	132	GLN
1	D	253	SER
1	D	304	ASN
1	D	333	ASN
1	D	537	VAL
1	D	539	ASN
1	D	633	THR
1	D	641	VAL
1	D	658	GLU
1	D	701	THR
1	D	707	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	783	ILE
1	E	92	ILE
1	E	221	LEU
1	E	296	SER
1	E	302	VAL
1	E	307	LEU
1	E	341	ARG
1	E	390	THR
1	E	405	SER
1	E	418	SER
1	E	422	ILE
1	E	451	ASN
1	E	540	VAL
1	E	579	THR
1	E	605	ARG
1	E	618	ARG
1	E	623	SER
1	E	658	GLU
1	F	32	SER
1	F	105	THR
1	F	148	THR
1	F	191	SER
1	F	206	GLU
1	F	265	ILE
1	F	309	GLN
1	F	390	THR
1	F	396	GLU
1	F	418	SER
1	F	467	LEU
1	F	487	GLU
1	F	520	SER
1	F	530	GLN
1	F	618	ARG
1	F	658	GLU
1	F	745	THR
1	F	749	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (55) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	132	GLN
1	A	134	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	172	HIS
1	A	387	GLN
1	A	724	ASN
1	A	750	ASN
1	B	127	ASN
1	B	182	GLN
1	B	216	GLN
1	B	273	GLN
1	B	274	ASN
1	B	347	ASN
1	B	433	HIS
1	B	675	GLN
1	B	750	ASN
1	C	121	ASN
1	C	249	ASN
1	C	347	ASN
1	C	448	GLN
1	C	530	GLN
1	C	573	GLN
1	C	722	GLN
1	C	750	ASN
1	D	55	ASN
1	D	121	ASN
1	D	185	GLN
1	D	202	GLN
1	D	216	GLN
1	D	274	ASN
1	D	340	ASN
1	E	77	HIS
1	E	202	GLN
1	E	249	ASN
1	E	304	ASN
1	E	369	ASN
1	E	375	ASN
1	E	406	ASN
1	E	480	GLN
1	E	499	GLN
1	E	539	ASN
1	F	28	GLN
1	F	55	ASN
1	F	132	GLN
1	F	134	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	F	182	GLN
1	F	241	ASN
1	F	273	GLN
1	F	347	ASN
1	F	395	GLN
1	F	499	GLN
1	F	530	GLN
1	F	546	ASN
1	F	619	ASN
1	F	675	GLN
1	F	757	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

29 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	OAA	C	1788	-	8,8,8	3.78	1 (12%)	8,10,10	3.51	3 (37%)
8	2PE	D	1788	-	18,18,27	0.57	0	17,17,26	0.42	0
4	PEG	D	1785	-	6,6,6	0.45	0	5,5,5	0.41	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	MES	D	1790	-	12,12,12	2.02	1 (8%)	15,16,16	6.00	10 (66%)
7	OAA	C	1789	-	8,8,8	3.83	1 (12%)	8,10,10	3.90	4 (50%)
4	PEG	E	1784	-	6,6,6	0.51	0	5,5,5	0.31	0
3	EDO	B	1787	-	3,3,3	0.50	0	2,2,2	0.35	0
3	EDO	A	1787	-	3,3,3	0.52	0	2,2,2	0.26	0
4	PEG	D	1789	-	3,3,6	0.52	0	2,2,5	0.32	0
3	EDO	D	1787	-	3,3,3	0.46	0	2,2,2	0.37	0
5	PG4	B	1785	-	12,12,12	0.58	0	11,11,11	0.35	0
2	PGE	F	1784	-	9,9,9	0.65	0	8,8,8	0.43	0
4	PEG	B	1784	-	3,3,6	0.57	0	2,2,5	0.14	0
2	PGE	B	1786	-	9,9,9	0.55	0	8,8,8	0.36	0
4	PEG	D	1784	-	3,3,6	0.55	0	2,2,5	0.11	0
2	PGE	A	1785	-	9,9,9	0.54	0	8,8,8	0.53	0
4	PEG	C	1785	-	6,6,6	0.55	0	5,5,5	0.29	0
6	MES	B	1789	-	12,12,12	2.30	2 (16%)	15,16,16	5.42	10 (66%)
2	PGE	A	1786	-	9,9,9	0.65	0	8,8,8	0.40	0
4	PEG	D	1786	-	3,3,6	0.46	0	2,2,5	0.25	0
4	PEG	F	1785	-	6,6,6	0.52	0	5,5,5	0.19	0
3	EDO	C	1786	-	3,3,3	0.49	0	2,2,2	0.32	0
4	PEG	C	1787	-	6,6,6	0.64	0	5,5,5	0.58	0
2	PGE	E	1785	-	6,6,9	0.59	0	5,5,8	0.35	0
4	PEG	A	1788	-	6,6,6	0.58	0	5,5,5	0.46	0
3	EDO	B	1788	-	3,3,3	0.50	0	2,2,2	0.28	0
4	PEG	C	1784	-	3,3,6	0.37	0	2,2,5	0.38	0
7	OAA	E	1786	-	8,8,8	3.90	1 (12%)	8,10,10	1.31	1 (12%)
6	MES	E	1787	-	12,12,12	2.42	1 (8%)	15,16,16	6.18	10 (66%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	OAA	C	1788	-	-	4/8/8/8	-
8	2PE	D	1788	-	-	9/16/16/25	-
4	PEG	D	1785	-	-	3/4/4/4	-
6	MES	D	1790	-	-	3/6/14/14	0/1/1/1
7	OAA	C	1789	-	-	3/8/8/8	-
4	PEG	E	1784	-	-	1/4/4/4	-
3	EDO	B	1787	-	-	1/1/1/1	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EDO	A	1787	-	-	0/1/1/1	-
4	PEG	D	1789	-	-	1/1/1/4	-
3	EDO	D	1787	-	-	1/1/1/1	-
5	PG4	B	1785	-	-	4/10/10/10	-
2	PGE	F	1784	-	-	5/7/7/7	-
4	PEG	B	1784	-	-	1/1/1/4	-
2	PGE	B	1786	-	-	6/7/7/7	-
4	PEG	D	1784	-	-	0/1/1/4	-
2	PGE	A	1785	-	-	3/7/7/7	-
4	PEG	C	1785	-	-	2/4/4/4	-
6	MES	B	1789	-	-	3/6/14/14	0/1/1/1
2	PGE	A	1786	-	-	3/7/7/7	-
4	PEG	D	1786	-	-	1/1/1/4	-
4	PEG	F	1785	-	-	3/4/4/4	-
3	EDO	C	1786	-	-	1/1/1/1	-
4	PEG	C	1787	-	-	3/4/4/4	-
2	PGE	E	1785	-	-	2/4/4/7	-
4	PEG	A	1788	-	-	3/4/4/4	-
3	EDO	B	1788	-	-	0/1/1/1	-
4	PEG	C	1784	-	-	1/1/1/4	-
7	OAA	E	1786	-	-	4/8/8/8	-
6	MES	E	1787	-	-	4/6/14/14	0/1/1/1

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	E	1786	OAA	O3-C3	10.53	1.44	1.23
7	C	1789	OAA	O3-C3	10.41	1.44	1.23
7	C	1788	OAA	O3-C3	10.04	1.43	1.23
6	E	1787	MES	C8-S	-7.87	1.66	1.77
6	B	1789	MES	C8-S	-7.09	1.67	1.77
6	D	1790	MES	C8-S	-6.34	1.68	1.77
6	B	1789	MES	O1S-S	2.11	1.51	1.45

All (38) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	E	1787	MES	O2S-S-C8	13.89	127.72	106.73
6	D	1790	MES	O1S-S-C8	-13.59	86.19	106.73

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	E	1787	MES	O1S-S-C8	-10.94	90.20	106.73
6	E	1787	MES	O2S-S-O1S	-10.38	80.06	113.82
6	B	1789	MES	O2S-S-C8	10.26	122.23	106.73
6	D	1790	MES	O3S-S-O1S	-10.21	85.85	111.40
6	B	1789	MES	O2S-S-O1S	-9.83	81.84	113.82
6	B	1789	MES	O1S-S-C8	-9.17	92.87	106.73
6	D	1790	MES	O2S-S-O1S	-9.03	84.45	113.82
6	D	1790	MES	O3S-S-C8	8.07	121.78	106.00
7	C	1789	OAA	O3-C3-C2	-7.79	108.42	120.41
7	C	1788	OAA	O3-C3-C4	-7.53	108.91	119.67
6	B	1789	MES	O3S-S-O1S	-7.24	93.30	111.40
6	E	1787	MES	O3S-S-O1S	-7.04	93.78	111.40
7	C	1789	OAA	O3-C3-C4	-6.61	110.23	119.67
6	D	1790	MES	O2S-S-C8	5.99	115.78	106.73
7	C	1788	OAA	O3-C3-C2	-5.84	111.43	120.41
6	E	1787	MES	C5-N4-C3	5.83	121.39	108.84
6	E	1787	MES	O3S-S-O2S	5.75	125.78	111.40
6	B	1789	MES	C5-N4-C3	5.06	119.75	108.84
6	B	1789	MES	O3S-S-C8	5.01	115.81	106.00
6	D	1790	MES	C5-N4-C3	4.64	118.83	108.84
6	B	1789	MES	O3S-S-O2S	4.20	121.91	111.40
6	D	1790	MES	C7-N4-C5	3.88	121.58	111.24
6	E	1787	MES	C7-N4-C3	3.78	121.32	111.24
6	B	1789	MES	C7-N4-C3	3.71	121.13	111.24
6	D	1790	MES	O3S-S-O2S	3.68	120.61	111.40
6	D	1790	MES	C7-N4-C3	2.88	118.91	111.24
7	C	1789	OAA	O4-C4-C3	-2.72	118.42	121.81
6	B	1789	MES	C7-N4-C5	2.70	118.42	111.24
6	E	1787	MES	C2-C3-N4	2.64	114.13	110.12
7	C	1789	OAA	O5-C4-C3	2.62	120.85	113.59
6	B	1789	MES	C6-C5-N4	2.59	114.06	110.12
6	E	1787	MES	C7-N4-C5	2.27	117.28	111.24
6	D	1790	MES	C6-O1-C2	2.24	117.13	109.88
7	C	1788	OAA	O4-C4-C3	-2.17	119.11	121.81
6	E	1787	MES	O1-C6-C5	-2.16	107.13	111.77
7	E	1786	OAA	O5-C4-C3	2.01	119.17	113.59

There are no chirality outliers.

All (75) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	B	1789	MES	C8-C7-N4-C3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	D	1790	MES	C7-C8-S-O3S
6	E	1787	MES	C8-C7-N4-C3
6	E	1787	MES	C7-C8-S-O3S
7	C	1788	OAA	C2-C3-C4-O5
7	C	1789	OAA	C1-C2-C3-O3
7	E	1786	OAA	C1-C2-C3-O3
7	E	1786	OAA	O3-C3-C4-O4
7	E	1786	OAA	C2-C3-C4-O4
7	E	1786	OAA	C2-C3-C4-O5
2	A	1786	PGE	O2-C3-C4-O3
8	D	1788	2PE	O10-C11-C12-O13
8	D	1788	2PE	O13-C14-C15-O16
2	B	1786	PGE	O2-C3-C4-O3
2	A	1785	PGE	O1-C1-C2-O2
2	E	1785	PGE	O1-C1-C2-O2
4	C	1785	PEG	O1-C1-C2-O2
4	C	1787	PEG	O2-C3-C4-O4
6	B	1789	MES	C7-C8-S-O3S
8	D	1788	2PE	O7-C8-C9-O10
2	E	1785	PGE	O2-C3-C4-O3
2	F	1784	PGE	O1-C1-C2-O2
2	F	1784	PGE	O3-C5-C6-O4
4	A	1788	PEG	O2-C3-C4-O4
5	B	1785	PG4	O1-C1-C2-O2
5	B	1785	PG4	O4-C7-C8-O5
2	B	1786	PGE	O1-C1-C2-O2
4	C	1787	PEG	O1-C1-C2-O2
2	A	1785	PGE	O3-C5-C6-O4
2	A	1786	PGE	O3-C5-C6-O4
2	B	1786	PGE	O3-C5-C6-O4
4	D	1785	PEG	O2-C3-C4-O4
4	D	1786	PEG	O1-C1-C2-O2
5	B	1785	PG4	O3-C5-C6-O4
4	F	1785	PEG	O2-C3-C4-O4
2	A	1785	PGE	C4-C3-O2-C2
4	A	1788	PEG	O1-C1-C2-O2
4	D	1785	PEG	O1-C1-C2-O2
4	F	1785	PEG	O1-C1-C2-O2
4	C	1784	PEG	O1-C1-C2-O2
6	B	1789	MES	C7-C8-S-O1S
6	E	1787	MES	C7-C8-S-O1S
4	C	1785	PEG	O2-C3-C4-O4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
8	D	1788	2PE	C12-C11-O10-C9
7	C	1788	OAA	O3-C3-C4-O4
7	C	1789	OAA	O3-C3-C4-O4
2	B	1786	PGE	C1-C2-O2-C3
4	C	1787	PEG	C1-C2-O2-C3
2	B	1786	PGE	C3-C4-O3-C5
6	D	1790	MES	N4-C7-C8-S
6	E	1787	MES	N4-C7-C8-S
8	D	1788	2PE	C18-C17-O16-C15
8	D	1788	2PE	C2-C3-O4-C5
4	E	1784	PEG	O2-C3-C4-O4
8	D	1788	2PE	C8-C9-O10-C11
2	F	1784	PGE	C1-C2-O2-C3
4	A	1788	PEG	C1-C2-O2-C3
2	B	1786	PGE	C4-C3-O2-C2
8	D	1788	2PE	O4-C5-C6-O7
7	C	1789	OAA	O3-C3-C4-O5
6	D	1790	MES	C8-C7-N4-C5
2	F	1784	PGE	C3-C4-O3-C5
4	F	1785	PEG	C1-C2-O2-C3
2	F	1784	PGE	O2-C3-C4-O3
2	A	1786	PGE	C4-C3-O2-C2
5	B	1785	PG4	O2-C3-C4-O3
4	D	1785	PEG	C4-C3-O2-C2
3	C	1786	EDO	O1-C1-C2-O2
3	D	1787	EDO	O1-C1-C2-O2
4	B	1784	PEG	O1-C1-C2-O2
7	C	1788	OAA	C1-C2-C3-O3
4	D	1789	PEG	O1-C1-C2-O2
7	C	1788	OAA	C1-C2-C3-C4
3	B	1787	EDO	O1-C1-C2-O2
8	D	1788	2PE	C14-C15-O16-C17


There are no ring outliers.

3 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	D	1785	PEG	1	0
4	C	1787	PEG	1	0
6	E	1787	MES	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths,

bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	747/795 (93%)	-0.32	11 (1%) 72 68	22, 41, 76, 95	0
1	B	744/795 (93%)	-0.28	9 (1%) 76 73	25, 42, 69, 97	0
1	C	749/795 (94%)	-0.39	6 (0%) 82 80	23, 39, 67, 93	0
1	D	745/795 (93%)	-0.28	10 (1%) 75 71	26, 42, 70, 101	0
1	E	744/795 (93%)	-0.30	7 (0%) 81 78	26, 43, 66, 89	0
1	F	749/795 (94%)	-0.39	8 (1%) 78 74	23, 40, 71, 87	0
All	All	4478/4770 (93%)	-0.33	51 (1%) 78 74	22, 41, 70, 101	0

All (51) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	385	ILE	5.9
1	F	214	THR	5.2
1	D	402	GLY	4.7
1	F	213	GLY	4.3
1	D	783	ILE	4.2
1	E	783	ILE	4.2
1	E	210	PRO	3.8
1	A	537	VAL	3.7
1	B	210	PRO	3.7
1	B	28	GLN	3.6
1	A	395	GLN	3.6
1	C	210	PRO	3.4
1	A	496	VAL	3.4
1	A	209	ILE	3.4
1	D	395	GLN	3.3
1	B	384	PRO	3.2
1	D	496	VAL	3.2
1	E	404	GLY	3.2
1	B	783	ILE	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	234	GLY	3.0
1	D	403	ILE	3.0
1	A	214	THR	2.9
1	D	210	PRO	2.8
1	F	208	VAL	2.8
1	A	28	GLN	2.8
1	F	243	LYS	2.7
1	D	404	GLY	2.7
1	F	496	VAL	2.5
1	F	400	ALA	2.5
1	A	573	GLN	2.5
1	E	573	GLN	2.5
1	A	328	TYR	2.5
1	C	214	THR	2.4
1	D	782	PRO	2.4
1	B	208	VAL	2.4
1	E	214	THR	2.4
1	D	406	ASN	2.4
1	E	384	PRO	2.3
1	C	401	ARG	2.3
1	C	496	VAL	2.3
1	B	213	GLY	2.3
1	C	328	TYR	2.2
1	A	784	TRP	2.2
1	C	129	LYS	2.2
1	F	129	LYS	2.2
1	A	172	HIS	2.2
1	E	496	VAL	2.2
1	F	396	GLU	2.1
1	A	208	VAL	2.1
1	B	497	SER	2.0
1	D	707	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	EDO	B	1787	4/4	0.75	0.20	56,58,58,62	0
2	PGE	E	1785	7/10	0.81	0.18	60,62,68,69	0
4	PEG	C	1785	7/7	0.81	0.17	67,73,77,78	0
7	OAA	C	1789	9/9	0.84	0.11	69,71,72,73	0
3	EDO	C	1786	4/4	0.85	0.17	60,60,60,61	0
4	PEG	B	1784	4/7	0.87	0.11	49,49,50,50	0
3	EDO	B	1788	4/4	0.87	0.18	65,69,70,70	0
4	PEG	D	1784	4/7	0.87	0.13	49,52,55,59	0
4	PEG	D	1785	7/7	0.87	0.12	69,70,79,80	0
4	PEG	A	1788	7/7	0.87	0.15	52,54,55,57	0
7	OAA	E	1786	9/9	0.87	0.11	74,75,78,79	0
7	OAA	C	1788	9/9	0.88	0.14	63,67,71,77	0
6	MES	B	1789	12/12	0.88	0.15	71,75,95,99	0
6	MES	E	1787	12/12	0.88	0.17	60,63,75,84	0
6	MES	D	1790	12/12	0.89	0.15	66,70,74,78	0
4	PEG	D	1789	4/7	0.89	0.21	50,51,54,54	0
4	PEG	E	1784	7/7	0.89	0.12	60,62,65,66	0
5	PG4	B	1785	13/13	0.89	0.11	47,49,51,52	0
4	PEG	D	1786	4/7	0.89	0.12	58,61,63,64	0
2	PGE	A	1785	10/10	0.90	0.10	50,52,55,57	0
4	PEG	F	1785	7/7	0.90	0.14	61,67,72,72	0
4	PEG	C	1787	7/7	0.90	0.17	54,56,58,60	0
2	PGE	F	1784	10/10	0.91	0.09	43,47,49,52	0
2	PGE	A	1786	10/10	0.92	0.11	49,55,58,59	0
8	2PE	D	1788	19/28	0.92	0.11	44,48,57,60	0
3	EDO	A	1787	4/4	0.93	0.10	47,48,51,51	0
3	EDO	D	1787	4/4	0.93	0.14	54,56,57,60	0
2	PGE	B	1786	10/10	0.95	0.08	43,49,51,53	0
4	PEG	C	1784	4/7	0.96	0.12	51,51,52,53	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.