



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 06:24 PM UTC

PDB ID : 4A3S / pdb_00004a3s
Title : Crystal structure of PFK from *Bacillus subtilis*
Authors : Newman, J.A.; Hewitt, L.; Rodrigues, C.; Solovyova, A.S.; Harwood, C.R.;
Lewis, R.J.
Deposited on : 2011-10-04
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6319 (2.30-2.30)
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)
RSRZ outliers	180081	6325 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	319	8% 71% 26% .
1	B	319	7% 73% 25% .

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 4992 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 6-PHOSPHOFRUCTOKINASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	319	Total	C	N	O	S	0	0	0
			2407	1508	429	461	9			
1	B	319	Total	C	N	O	S	0	0	0
			2407	1508	429	461	9			


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	94	Total	O	0	0
			94	94		
2	B	84	Total	O	0	0
			84	84		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: 6-PHOSPHOFRUCTOKINASE



• Molecule 1: 6-PHOSPHOFRUCTOKINASE



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	102.43Å 77.01Å 101.63Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	45.74 – 2.30 45.74 – 2.30	Depositor EDS
% Data completeness (in resolution range)	97.1 (45.74-2.30) 97.1 (45.74-2.30)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.26 (at 2.00Å)	Xtriage
Refinement program	PHENIX (PHENIX.REFINE)	Depositor
R, R_{free}	0.229 , 0.276 (Not available) , 0.268	Depositor DCC
R_{free} test set	2255 reflections (5.17%)	wwPDB-VP
Wilson B-factor (Å ²)	24.9	Xtriage
Anisotropy	0.878	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 50.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.36$, $\langle L^2 \rangle = 0.19$	Xtriage
Estimated twinning fraction	0.084 for l,-k,h	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	4992	wwPDB-VP
Average B, all atoms (Å ²)	40.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 20.64 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 8.3156e-03.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.59	0/2441	0.90	2/3286 (0.1%)
1	B	0.62	0/2441	0.91	3/3286 (0.1%)
All	All	0.61	0/4882	0.90	5/6572 (0.1%)

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	63	ARG	CB-CG-CD	6.07	125.27	111.30
1	B	63	ARG	CB-CG-CD	6.01	125.13	111.30
1	B	84	LYS	N-CA-C	-5.51	105.27	111.28
1	A	84	LYS	N-CA-C	-5.29	105.51	111.28
1	B	229	GLU	CA-CB-CG	5.23	124.56	114.10

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2407	0	2444	55	0
1	B	2407	0	2444	50	0
2	A	94	0	0	5	0
2	B	84	0	0	2	0
All	All	4992	0	4888	105	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (105) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:129:ASP:HA	1:A:304:HIS:CD2	2.03	0.94
1:B:129:ASP:HA	1:B:304:HIS:CD2	2.06	0.90
1:B:198:MET:HE2	1:B:233:ARG:HG2	1.61	0.83
1:B:38:TYR:HB2	1:B:48:LYS:HG2	1.61	0.82
1:A:38:TYR:HB2	1:A:48:LYS:HG2	1.64	0.78
1:A:198:MET:HE2	1:A:233:ARG:HG2	1.64	0.78
1:A:204:ARG:NH1	1:A:318:SER:OG	2.24	0.70
1:A:154:ARG:NH2	1:A:184:GLY:O	2.29	0.66
1:A:129:ASP:HA	1:A:304:HIS:HD2	1.60	0.65
1:A:161:GLU:OE2	1:A:214:LYS:HG3	1.96	0.65
1:B:161:GLU:OE2	1:B:214:LYS:HG3	1.97	0.65
1:B:154:ARG:NH2	1:B:184:GLY:O	2.30	0.65
1:B:204:ARG:NH1	1:B:318:SER:OG	2.31	0.64
1:A:171:ARG:HB3	2:A:2046:HOH:O	1.99	0.61
1:A:221:ALA:O	1:A:224:VAL:HG22	2.02	0.60
1:B:129:ASP:HA	1:B:304:HIS:HD2	1.65	0.60
1:A:129:ASP:HA	1:A:304:HIS:NE2	2.17	0.59
1:A:171:ARG:HD2	2:A:2046:HOH:O	2.02	0.58
1:A:309:ASN:HB2	2:A:2094:HOH:O	2.05	0.56
1:B:161:GLU:HB3	1:B:214:LYS:HB3	1.86	0.56
1:B:129:ASP:HA	1:B:304:HIS:NE2	2.21	0.56
1:A:7:LEU:C	1:A:7:LEU:HD12	2.32	0.55
1:B:128:ASN:OD1	1:B:135:PHE:HA	2.06	0.55
1:A:9:SER:HA	1:A:70:THR:OG1	2.06	0.55
1:A:128:ASN:OD1	1:A:135:PHE:HA	2.06	0.55
1:B:53:GLU:O	1:B:56:SER:HB2	2.07	0.55
1:A:161:GLU:HB3	1:A:214:LYS:HB3	1.89	0.54
1:B:221:ALA:O	1:B:224:VAL:HG22	2.08	0.53
1:B:9:SER:HA	1:B:70:THR:OG1	2.09	0.53
1:B:62:HIS:CE1	1:B:63:ARG:CZ	2.92	0.53
1:A:233:ARG:O	1:A:233:ARG:HG3	2.10	0.52
1:B:1:MET:N	2:B:2001:HOH:O	2.27	0.52
1:B:7:LEU:C	1:B:7:LEU:HD12	2.35	0.51
1:A:63:ARG:NH1	2:A:2027:HOH:O	2.44	0.51
1:B:128:ASN:HA	1:B:136:THR:OG1	2.10	0.51
1:A:129:ASP:CA	1:A:304:HIS:HD2	2.23	0.51
1:B:228:VAL:O	1:B:232:LYS:HG3	2.11	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:187:GLU:HG2	1:B:216:SER:HB3	1.91	0.51
1:A:8:THR:HA	1:A:100:ILE:O	2.10	0.51
1:A:128:ASN:HB2	1:A:139:PHE:CD1	2.46	0.50
1:A:62:HIS:CE1	1:A:63:ARG:CZ	2.95	0.50
1:A:275:LEU:C	1:A:277:GLU:H	2.19	0.49
1:B:226:SER:O	1:B:229:GLU:HB2	2.12	0.49
1:A:209:HIS:HB2	2:A:2077:HOH:O	2.12	0.49
1:A:187:GLU:HG2	1:A:216:SER:HB3	1.95	0.48
1:A:164:TYR:CE2	1:A:243:ARG:HB2	2.49	0.48
1:A:35:TYR:CZ	1:A:51:LYS:HG3	2.49	0.48
1:A:128:ASN:HA	1:A:136:THR:OG1	2.14	0.48
1:B:233:ARG:HG3	1:B:233:ARG:O	2.13	0.47
1:A:228:VAL:O	1:A:232:LYS:HG3	2.15	0.47
1:B:82:ARG:CZ	1:B:115:HIS:HE1	2.28	0.47
1:A:273:GLU:O	1:A:277:GLU:HB2	2.15	0.47
1:B:35:TYR:CZ	1:B:51:LYS:HG3	2.50	0.47
1:B:2:LYS:HA	1:B:2:LYS:HD2	1.74	0.47
1:B:275:LEU:C	1:B:277:GLU:H	2.23	0.46
1:A:53:GLU:O	1:A:56:SER:HB2	2.15	0.46
1:B:202:ILE:O	1:B:205:LEU:HB3	2.15	0.46
1:A:169:MET:HE3	1:A:248:GLY:C	2.40	0.46
1:B:44:LEU:O	1:B:85:GLY:HA2	2.16	0.46
1:A:202:ILE:O	1:A:205:LEU:HB3	2.16	0.46
1:A:82:ARG:CZ	1:A:115:HIS:HE1	2.28	0.46
1:B:8:THR:HA	1:B:100:ILE:O	2.16	0.46
1:B:240:LEU:O	1:B:241:GLU:C	2.58	0.46
1:B:128:ASN:HB2	1:B:139:PHE:CD1	2.51	0.45
1:A:95:GLU:O	1:A:118:PRO:HD2	2.17	0.45
1:A:240:LEU:O	1:A:241:GLU:C	2.59	0.45
1:B:3:ARG:HD3	1:B:35:TYR:CE1	2.51	0.45
1:A:171:ARG:HB3	1:A:172:HIS:H	1.59	0.44
1:B:129:ASP:CA	1:B:304:HIS:HD2	2.29	0.44
1:B:273:GLU:O	1:B:277:GLU:HB2	2.17	0.44
1:A:286:ILE:HG23	1:A:286:ILE:O	2.18	0.44
1:A:202:ILE:HD12	1:A:237:GLU:HB2	2.00	0.44
1:A:304:HIS:ND1	1:A:305:THR:N	2.65	0.44
1:B:198:MET:N	2:B:2062:HOH:O	2.41	0.44
1:A:97:LEU:HB2	1:A:119:CYS:SG	2.57	0.43
1:A:250:ILE:HG13	1:A:251:GLN:N	2.32	0.43
1:B:164:TYR:CE2	1:B:243:ARG:HB2	2.52	0.43
1:A:44:LEU:O	1:A:85:GLY:HA2	2.17	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:250:ILE:HG13	1:B:251:GLN:N	2.33	0.43
1:A:198:MET:HE1	1:A:234:ILE:HG12	2.01	0.43
1:B:109:ALA:O	1:B:119:CYS:HB2	2.19	0.43
1:A:198:MET:O	1:A:202:ILE:HG12	2.19	0.42
1:B:318:SER:O	1:B:319:ILE:C	2.62	0.42
1:B:304:HIS:ND1	1:B:305:THR:N	2.67	0.42
1:B:62:HIS:CD2	1:B:62:HIS:H	2.37	0.42
1:B:202:ILE:HD12	1:B:237:GLU:HB2	2.02	0.42
1:B:62:HIS:HE1	1:B:63:ARG:NH2	2.17	0.42
1:A:190:LEU:HD12	1:A:190:LEU:N	2.35	0.42
1:A:203:ALA:C	1:A:205:LEU:H	2.27	0.42
1:A:3:ARG:HD3	1:A:35:TYR:CE1	2.55	0.42
1:A:62:HIS:H	1:A:62:HIS:CD2	2.38	0.42
1:A:230:PHE:O	1:A:234:ILE:HG13	2.20	0.42
1:A:297:ILE:HD12	1:A:297:ILE:HA	1.74	0.42
1:B:82:ARG:CZ	1:B:115:HIS:CE1	3.03	0.42
1:B:97:LEU:HB2	1:B:119:CYS:SG	2.61	0.41
1:B:283:CYS:SG	1:B:299:ILE:HD11	2.60	0.41
1:B:286:ILE:O	1:B:286:ILE:HG23	2.21	0.41
1:A:7:LEU:HB3	1:A:37:ILE:HB	2.03	0.41
1:A:82:ARG:CZ	1:A:115:HIS:CE1	3.03	0.41
1:B:62:HIS:HE1	1:B:63:ARG:CZ	2.34	0.41
1:B:198:MET:HE1	1:B:234:ILE:HG12	2.02	0.41
1:A:109:ALA:O	1:A:119:CYS:HB2	2.21	0.40
1:B:169:MET:HE3	1:B:248:GLY:C	2.46	0.40
1:A:189:ILE:HG22	1:A:191:ILE:HG23	2.03	0.40
1:B:116:GLY:O	1:B:118:PRO:HD3	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	199/319 (62%)	189 (95%)	9 (4%)	1 (0%)	24	31
1	B	317/319 (99%)	299 (94%)	17 (5%)	1 (0%)	36	46
All	All	516/638 (81%)	488 (95%)	26 (5%)	2 (0%)	30	38

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	241	GLU
1	B	241	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	251/251 (100%)	227 (90%)	24 (10%)	8	10
1	B	251/251 (100%)	226 (90%)	25 (10%)	7	9
All	All	502/502 (100%)	453 (90%)	49 (10%)	7	10

All (49) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	75	GLU
1	A	80	GLU
1	A	110	LYS
1	A	111	LYS
1	A	163	THR
1	A	195	ASP
1	A	202	ILE
1	A	217	ILE
1	A	220	VAL
1	A	229	GLU
1	A	233	ARG
1	A	234	ILE
1	A	235	GLU
1	A	239	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	242	THR
1	A	245	SER
1	A	279	LYS
1	A	297	ILE
1	A	300	LEU
1	A	303	LYS
1	A	309	ASN
1	A	312	GLN
1	A	317	LEU
1	A	319	ILE
1	B	51	LYS
1	B	75	GLU
1	B	80	GLU
1	B	110	LYS
1	B	111	LYS
1	B	163	THR
1	B	195	ASP
1	B	202	ILE
1	B	217	ILE
1	B	220	VAL
1	B	229	GLU
1	B	233	ARG
1	B	234	ILE
1	B	235	GLU
1	B	239	ASN
1	B	242	THR
1	B	245	SER
1	B	279	LYS
1	B	297	ILE
1	B	300	LEU
1	B	303	LYS
1	B	309	ASN
1	B	312	GLN
1	B	317	LEU
1	B	319	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	62	HIS
1	A	115	HIS
1	A	287	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	308	GLN
1	A	312	GLN
1	B	62	HIS
1	B	115	HIS
1	B	287	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	319/319 (100%)	0.51	27 (8%)	16 18	15, 34, 79, 96	0
1	B	319/319 (100%)	0.49	22 (6%)	23 25	18, 35, 79, 96	0
All	All	638/638 (100%)	0.50	49 (7%)	19 21	15, 35, 79, 96	0

All (49) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	319	ILE	7.2
1	A	103	ASP	6.1
1	A	240	LEU	5.4
1	B	103	ASP	5.2
1	B	240	LEU	4.5
1	B	319	ILE	4.2
1	A	102	GLY	3.7
1	A	212	GLY	3.6
1	A	304	HIS	3.6
1	B	302	THR	3.5
1	A	107	MET	3.5
1	B	199	HIS	3.4
1	A	213	LYS	3.3
1	B	212	GLY	3.3
1	B	80	GLU	3.2
1	A	211	ARG	3.2
1	B	102	GLY	3.2
1	A	300	LEU	3.1
1	A	209	HIS	3.1
1	B	297	ILE	3.0
1	B	209	HIS	3.0
1	B	77	LYS	2.9
1	B	304	HIS	2.9
1	B	107	MET	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	303	LYS	2.8
1	A	305	THR	2.8
1	A	63	ARG	2.8
1	B	63	ARG	2.8
1	A	207	ARG	2.6
1	A	214	LYS	2.6
1	B	300	LEU	2.5
1	A	241	GLU	2.4
1	A	198	MET	2.4
1	A	276	LEU	2.4
1	B	303	LYS	2.4
1	A	31	ASP	2.4
1	A	202	ILE	2.4
1	B	211	ARG	2.3
1	A	77	LYS	2.3
1	A	307	GLU	2.3
1	A	80	GLU	2.3
1	A	318	SER	2.3
1	B	232	LYS	2.3
1	A	154	ARG	2.2
1	A	199	HIS	2.2
1	B	207	ARG	2.2
1	B	204	ARG	2.1
1	B	72	ARG	2.0
1	B	233	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.