



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 7, 2026 – 01:58 AM UTC

PDB ID : 3A4N / pdb_00003a4n
Title : Crystal structure of archaeal O-phosphoseryl-tRNA(Sec) kinase
Authors : Araiso, Y.; Ishitani, R.; Soll, D.; Nureki, O.
Deposited on : 2009-07-10
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5829 (2.50-2.50)
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	260	59% 25% 7% 9%
1	B	260	59% 25% 7% 9%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	EDO	A	264	-	-	X	-
4	EDO	B	261	-	-	X	-

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 4144 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called L-seryl-tRNA(Sec) kinase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	237	Total	C	N	O	S	0	1	0
			1988	1292	330	363	3			
1	B	237	Total	C	N	O	S	0	1	0
			1985	1289	329	363	4			

There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	expression tag	UNP Q58933
A	2	GLY	-	expression tag	UNP Q58933
A	3	ASP	-	expression tag	UNP Q58933
A	4	ILE	-	expression tag	UNP Q58933
A	253	LEU	-	expression tag	UNP Q58933
A	254	GLU	-	expression tag	UNP Q58933
A	255	HIS	-	expression tag	UNP Q58933
A	256	HIS	-	expression tag	UNP Q58933
A	257	HIS	-	expression tag	UNP Q58933
A	258	HIS	-	expression tag	UNP Q58933
A	259	HIS	-	expression tag	UNP Q58933
A	260	HIS	-	expression tag	UNP Q58933
B	1	MET	-	expression tag	UNP Q58933
B	2	GLY	-	expression tag	UNP Q58933
B	3	ASP	-	expression tag	UNP Q58933
B	4	ILE	-	expression tag	UNP Q58933
B	253	LEU	-	expression tag	UNP Q58933
B	254	GLU	-	expression tag	UNP Q58933
B	255	HIS	-	expression tag	UNP Q58933
B	256	HIS	-	expression tag	UNP Q58933
B	257	HIS	-	expression tag	UNP Q58933
B	258	HIS	-	expression tag	UNP Q58933
B	259	HIS	-	expression tag	UNP Q58933
B	260	HIS	-	expression tag	UNP Q58933

- Molecule 2 is PHOSPHATE ION (CCD ID: PO4) (formula: O_4P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	P	0	0
			5	4	1		
2	B	1	Total	O	P	0	0
			5	4	1		

- Molecule 3 is IODIDE ION (CCD ID: IOD) (formula: I).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	I	0	0
			1	1		
3	B	1	Total	I	0	0
			1	1		

- Molecule 4 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	72	Total	O	0	0
			72	72		
5	B	63	Total	O	0	0
			63	63		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: L-seryl-tRNA(Sec) kinase



• Molecule 1: L-seryl-tRNA(Sec) kinase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	58.19Å 73.95Å 65.11Å 90.00° 113.90° 90.00°	Depositor
Resolution (Å)	46.37 – 2.50 46.37 – 2.50	Depositor EDS
% Data completeness (in resolution range)	98.1 (46.37-2.50) 98.2 (46.37-2.50)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.47 (at 2.20Å)	Xtriage
Refinement program	PHENIX (phenix.refine)	Depositor
R, R_{free}	0.200 , 0.270 0.197 , 0.260	Depositor DCC
R_{free} test set	1221 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	24.5	Xtriage
Anisotropy	0.599	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 51.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.028 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	4144	wwPDB-VP
Average B, all atoms (Å ²)	30.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.66% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: EDO, IOD, PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.80	0/2018	1.02	5/2697 (0.2%)
1	B	0.79	0/2018	1.01	3/2697 (0.1%)
All	All	0.79	0/4036	1.02	8/5394 (0.1%)

There are no bond length outliers.

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	206	ILE	N-CA-C	-6.02	101.77	109.30
1	A	42	LEU	N-CA-C	-5.61	105.07	111.07
1	A	138	GLU	CA-C-N	5.60	125.92	119.93
1	A	138	GLU	C-N-CA	5.60	125.92	119.93
1	B	147	GLU	CA-C-N	5.15	125.39	119.83
1	B	147	GLU	C-N-CA	5.15	125.39	119.83
1	A	157	ASP	CA-C-N	-5.09	116.47	123.14
1	A	157	ASP	C-N-CA	-5.09	116.47	123.14

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1988	0	2104	77	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	1985	0	2101	75	0
2	A	5	0	0	1	0
2	B	5	0	0	0	0
3	A	1	0	0	0	0
3	B	1	0	0	1	0
4	A	16	0	24	0	5
4	B	8	0	12	0	5
5	A	72	0	0	4	0
5	B	63	0	0	5	0
All	All	4144	0	4241	149	5

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All (149) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:123:LYS:O	1:B:207:LYS:HE2	1.59	1.01
1:B:14:GLY:HA2	1:B:120:ARG:HH11	1.31	0.95
1:B:212:ASP:OD1	1:B:215:LYS:HE2	1.67	0.94
1:A:83:TYR:H	1:A:86:MET:CE	1.86	0.89
1:B:212:ASP:H	1:B:215:LYS:HE3	1.38	0.89
1:A:221:GLU:HG3	1:A:224:LYS:NZ	1.92	0.85
1:B:225:GLU:O	1:B:229:LYS:HD3	1.80	0.82
1:A:83:TYR:H	1:A:86:MET:HE2	1.45	0.81
1:A:83:TYR:HD2	1:A:86:MET:HE2	1.47	0.79
1:A:221:GLU:HG3	1:A:224:LYS:HZ2	1.44	0.79
1:B:230:ILE:HD12	1:B:230:ILE:O	1.83	0.78
1:A:110:LEU:O	1:A:114:ILE:HG12	1.83	0.78
1:A:5:MET:HE1	1:A:170:LYS:HG2	1.69	0.73
1:B:149:PHE:CE2	1:B:170:LYS:HD2	2.23	0.73
1:A:176:LYS:HB2	1:A:176:LYS:NZ	2.01	0.73
1:A:83:TYR:CD2	1:A:86:MET:HE2	2.24	0.73
1:B:14:GLY:HA2	1:B:120:ARG:NH1	2.04	0.72
1:A:5:MET:HE1	1:A:170:LYS:CG	2.22	0.70
1:B:131:LYS:HG3	1:B:199[A]:ARG:HH22	1.57	0.69
1:A:110:LEU:C	1:A:110:LEU:HD13	2.17	0.68
1:B:206:ILE:O	1:B:207:LYS:HB2	1.93	0.68
1:B:217:LYS:HD3	5:B:275:HOH:O	1.93	0.68
1:B:197:GLU:O	1:B:201:ILE:HG13	1.95	0.67
1:B:116:ARG:O	1:B:120:ARG:HG3	1.95	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:14:GLY:O	1:B:116:ARG:HD2	1.96	0.66
1:B:3:ASP:N	1:B:3:ASP:OD1	2.28	0.66
1:A:230:ILE:HD13	1:A:241:VAL:HG13	1.78	0.65
1:B:111:ASP:O	1:B:115:ARG:HG3	1.97	0.65
1:A:48:PRO:HG3	1:B:25:ALA:HB1	1.78	0.65
1:B:212:ASP:CG	1:B:215:LYS:HE2	2.21	0.65
1:A:196:LYS:HE3	1:A:197:GLU:OE2	1.96	0.64
1:A:209:LYS:HB2	1:A:211:LEU:HD13	1.78	0.64
1:B:190:ILE:HD11	1:B:238:ALA:HB2	1.78	0.64
1:B:202:VAL:HG23	1:B:245:PHE:HZ	1.63	0.64
1:B:213:LYS:O	1:B:217:LYS:HG2	1.99	0.63
1:B:203:SER:O	1:B:206:ILE:O	2.18	0.62
1:B:206:ILE:O	1:B:207:LYS:CB	2.47	0.62
1:A:158:ILE:CD1	1:A:163:ILE:HD12	2.29	0.62
1:A:83:TYR:HD2	1:A:86:MET:CE	2.14	0.60
1:B:231:LYS:C	1:B:231:LYS:HZ2	2.10	0.60
1:B:88:ARG:CZ	5:B:273:HOH:O	2.50	0.59
1:B:109:SER:OG	1:B:112:VAL:HG23	2.02	0.59
1:B:112:VAL:O	1:B:116:ARG:HG3	2.03	0.59
1:A:137:ASP:HB3	1:A:141:LYS:HE3	1.85	0.58
1:B:224:LYS:HZ1	1:B:228:LYS:HE3	1.68	0.58
1:B:143:TYR:CD1	1:B:145:TRP:CZ2	2.93	0.57
1:B:212:ASP:H	1:B:215:LYS:CE	2.16	0.57
1:A:153:ASP:OD2	1:A:156:LYS:HD2	2.06	0.56
1:A:176:LYS:HB2	1:A:176:LYS:HZ1	1.71	0.55
1:A:14:GLY:HA3	5:A:281:HOH:O	2.06	0.55
1:A:120:ARG:O	1:A:123:LYS:HD2	2.07	0.55
1:B:105:TYR:CZ	1:B:107:LYS:HG2	2.42	0.54
1:A:110:LEU:O	1:A:110:LEU:HD13	2.08	0.54
1:B:237:ASP:O	1:B:241:VAL:HG23	2.07	0.54
1:B:226:PHE:O	1:B:230:ILE:HG23	2.08	0.54
1:A:189:ASN:ND2	1:A:191:SER:OG	2.41	0.54
1:A:221:GLU:HG3	1:A:224:LYS:HZ1	1.73	0.53
1:A:116:ARG:HG3	5:A:304:HOH:O	2.08	0.52
1:A:17:LYS:HE3	1:A:80:THR:HA	1.90	0.52
1:A:27:ILE:HD11	1:A:161:ASN:OD1	2.09	0.52
1:A:25:ALA:HB1	1:B:48:PRO:HG3	1.91	0.52
1:B:199[A]:ARG:HG3	3:B:402:IOD:I	2.80	0.52
1:A:196:LYS:NZ	1:A:200:LYS:HE3	2.26	0.51
1:B:80:THR:HG22	1:B:82:TYR:H	1.75	0.51
1:B:153:ASP:OD1	1:B:155:THR:HG22	2.10	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:224:LYS:NZ	1:B:228:LYS:HE3	2.26	0.50
1:B:101:TYR:O	1:B:170:LYS:HE3	2.12	0.50
1:B:226:PHE:CE1	1:B:245:PHE:HB2	2.47	0.50
1:B:14:GLY:CA	1:B:120:ARG:HH11	2.15	0.49
1:A:52:GLU:OE1	1:A:197:GLU:OE1	2.30	0.49
1:A:60:LYS:HD2	1:A:64:ARG:NH2	2.28	0.49
1:A:189:ASN:HD22	1:A:192:ASP:H	1.61	0.49
1:B:5:MET:HE1	1:B:167:LEU:HB3	1.94	0.49
1:A:60:LYS:CD	1:A:64:ARG:NH2	2.76	0.49
1:A:244:GLU:OE2	5:A:306:HOH:O	2.20	0.49
1:A:5:MET:HE1	1:A:170:LYS:HG3	1.95	0.48
1:A:242:LEU:O	1:A:246:LYS:HG3	2.14	0.48
1:A:196:LYS:HZ2	1:A:200:LYS:HE3	1.78	0.48
1:B:43:ILE:O	1:B:46:SER:HB2	2.14	0.47
1:A:217:LYS:HD3	1:A:221:GLU:OE1	2.15	0.47
1:A:209:LYS:O	1:A:210:LYS:C	2.58	0.47
1:B:202:VAL:HG23	1:B:245:PHE:CZ	2.49	0.47
1:B:248:LEU:CD2	1:B:248:LEU:C	2.88	0.47
1:A:217:LYS:NZ	1:A:217:LYS:HB2	2.31	0.46
1:A:52:GLU:OE2	1:A:197:GLU:HG3	2.15	0.46
1:B:80:THR:HG22	1:B:82:TYR:N	2.30	0.46
1:A:206:ILE:HA	1:A:211:LEU:HD22	1.98	0.46
1:B:224:LYS:HE2	1:B:224:LYS:HB2	1.66	0.46
1:A:48:PRO:HD3	1:B:35:VAL:O	2.16	0.46
1:B:224:LYS:HD2	5:B:280:HOH:O	2.15	0.45
1:A:141:LYS:O	1:A:141:LYS:HG3	2.16	0.45
1:A:221:GLU:O	1:A:225:GLU:HG3	2.16	0.45
1:B:110:LEU:HD11	1:B:130:LYS:HG2	1.98	0.45
1:A:68:SER:HA	1:A:71:LYS:HE2	1.98	0.45
1:A:226:PHE:CE1	1:A:230:ILE:HD12	2.52	0.45
1:B:131:LYS:CG	1:B:199[A]:ARG:HH22	2.26	0.45
1:B:123:LYS:O	1:B:207:LYS:CE	2.47	0.44
1:A:95:LYS:HA	1:A:177:PHE:CZ	2.52	0.44
1:B:5:MET:HE2	1:B:74:TRP:CH2	2.52	0.44
1:B:212:ASP:C	1:B:212:ASP:OD2	2.60	0.44
1:B:230:ILE:HD12	1:B:230:ILE:C	2.42	0.44
1:A:83:TYR:N	1:A:86:MET:HE2	2.24	0.44
1:B:112:VAL:HG12	1:B:116:ARG:HE	1.83	0.44
1:A:209:LYS:CB	1:A:211:LEU:HD13	2.47	0.44
1:B:206:ILE:HD13	1:B:216:ILE:HG23	1.99	0.44
1:A:226:PHE:CZ	1:A:230:ILE:CD1	3.00	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:188:ASN:ND2	1:B:190:ILE:HG22	2.33	0.44
1:A:110:LEU:C	1:A:110:LEU:CD1	2.90	0.43
1:A:158:ILE:CD1	1:A:163:ILE:CD1	2.96	0.43
1:B:150:LEU:HA	1:B:150:LEU:HD23	1.75	0.43
1:A:130:LYS:HD2	1:A:134:GLU:OE2	2.19	0.43
1:A:140:GLY:C	1:A:142:LYS:H	2.27	0.43
1:A:82:TYR:N	1:A:86:MET:HE1	2.34	0.43
1:B:30:LYS:HB3	1:B:30:LYS:HE3	1.57	0.42
1:A:84:ASN:OD1	1:A:84:ASN:C	2.63	0.42
1:A:2:GLY:O	1:A:3:ASP:HB3	2.18	0.42
1:A:127:GLU:HG2	1:A:220:VAL:HG21	2.02	0.42
1:B:214:ASP:HA	1:B:217:LYS:CG	2.49	0.42
1:B:123:LYS:HD2	5:B:311:HOH:O	2.20	0.42
1:B:206:ILE:HA	1:B:211:LEU:HD22	2.02	0.42
1:A:55:GLU:HA	1:A:58:ILE:HD12	2.02	0.42
1:A:71:LYS:H	1:A:71:LYS:HG2	1.72	0.42
1:A:155:THR:HG21	5:A:324:HOH:O	2.20	0.42
1:B:177:PHE:C	5:B:330:HOH:O	2.63	0.42
1:B:26:LYS:HE2	1:B:30:LYS:HD3	2.01	0.42
1:B:105:TYR:CE2	1:B:138:GLU:HB2	2.55	0.41
1:A:143:TYR:O	1:A:144:LYS:C	2.61	0.41
1:B:38:LEU:HD23	1:B:38:LEU:HA	1.91	0.41
1:A:162:GLU:OE1	1:A:162:GLU:HA	2.21	0.41
1:A:230:ILE:CD1	1:A:241:VAL:HG13	2.47	0.41
1:B:174:ILE:HA	1:B:175:PRO:HD3	1.86	0.41
1:A:60:LYS:HG2	1:A:64:ARG:CZ	2.50	0.41
1:A:158:ILE:HD11	1:A:163:ILE:HD12	2.00	0.41
1:A:196:LYS:HZ2	1:A:200:LYS:CE	2.33	0.41
1:A:215:LYS:HA	1:A:215:LYS:HD3	1.94	0.41
1:B:71:LYS:HD3	1:B:97:TYR:CE1	2.55	0.41
1:B:71:LYS:HD3	1:B:97:TYR:CZ	2.56	0.41
1:B:110:LEU:HD13	1:B:114:ILE:CG1	2.50	0.41
1:B:147:GLU:HA	1:B:148:PRO:HD3	1.87	0.41
1:A:120:ARG:NH2	2:A:301:PO4:O3	2.49	0.40
1:A:226:PHE:CE1	1:A:230:ILE:CD1	3.05	0.40
1:B:166:LYS:H	1:B:166:LYS:HG2	1.63	0.40
1:B:221:GLU:OE2	1:B:224:LYS:HD3	2.21	0.40
1:A:82:TYR:N	1:A:86:MET:CE	2.84	0.40
1:A:207:LYS:HA	1:A:207:LYS:HD3	1.88	0.40
1:A:212:ASP:OD2	1:A:212:ASP:C	2.63	0.40
1:A:237:ASP:O	1:A:238:ALA:C	2.64	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:17:LYS:HB2	1:B:17:LYS:HE2	1.90	0.40
1:A:121:GLY:O	1:A:122:GLU:C	2.64	0.40

All (5) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:264:EDO:O1	4:B:261:EDO:O1[2_556]	1.50	0.70
4:A:264:EDO:O1	4:B:261:EDO:O2[2_556]	1.56	0.64
4:A:264:EDO:O2	4:B:261:EDO:O2[2_556]	1.98	0.22
4:A:264:EDO:O1	4:B:261:EDO:C2[2_556]	2.16	0.04
4:A:264:EDO:O1	4:B:261:EDO:C1[2_556]	2.18	0.02

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	232/260 (89%)	223 (96%)	7 (3%)	2 (1%)	14	27
1	B	232/260 (89%)	226 (97%)	5 (2%)	1 (0%)	30	49
All	All	464/520 (89%)	449 (97%)	12 (3%)	3 (1%)	21	38

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	207	LYS
1	A	3	ASP
1	A	210	LYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	224/246 (91%)	199 (89%)	25 (11%)	6	12
1	B	224/246 (91%)	200 (89%)	24 (11%)	6	13
All	All	448/492 (91%)	399 (89%)	49 (11%)	6	13

All (49) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	27	ILE
1	A	32	ASN
1	A	71	LYS
1	A	84	ASN
1	A	110	LEU
1	A	116	ARG
1	A	120	ARG
1	A	123	LYS
1	A	130	LYS
1	A	135	LYS
1	A	142	LYS
1	A	147	GLU
1	A	150	LEU
1	A	158	ILE
1	A	165	LYS
1	A	176	LYS
1	A	208	SER
1	A	210	LYS
1	A	211	LEU
1	A	214	ASP
1	A	217	LYS
1	A	224	LYS
1	A	230	ILE
1	A	237	ASP
1	A	240	ARG
1	B	1	MET
1	B	3	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	5	MET
1	B	26	LYS
1	B	27	ILE
1	B	36	ILE
1	B	37	VAL
1	B	56	GLU
1	B	84	ASN
1	B	106	LEU
1	B	107	LYS
1	B	110	LEU
1	B	111	ASP
1	B	155	THR
1	B	166	LYS
1	B	174	ILE
1	B	202	VAL
1	B	211	LEU
1	B	217	LYS
1	B	222	LEU
1	B	229	LYS
1	B	230	ILE
1	B	231	LYS
1	B	248	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	31	ASN
1	A	32	ASN
1	A	98	ASN
1	A	189	ASN
1	A	250	ASN
1	B	81	ASN
1	B	98	ASN
1	B	117	ASN
1	B	161	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 10 ligands modelled in this entry, 2 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	EDO	A	264	-	3,3,3	0.44	0	2,2,2	0.67	0
4	EDO	A	262	-	3,3,3	0.65	0	2,2,2	0.04	0
4	EDO	B	261	-	3,3,3	0.52	0	2,2,2	0.69	0
4	EDO	A	261	-	3,3,3	0.27	0	2,2,2	0.91	0
4	EDO	A	263	-	3,3,3	0.25	0	2,2,2	1.00	0
4	EDO	B	262	-	3,3,3	0.24	0	2,2,2	0.66	0
2	PO4	B	301	-	4,4,4	1.00	0	6,6,6	1.08	1 (16%)
2	PO4	A	301	-	4,4,4	1.14	1 (25%)	6,6,6	0.77	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	A	264	-	-	1/1/1/1	-
4	EDO	A	262	-	-	1/1/1/1	-
4	EDO	B	261	-	-	1/1/1/1	-
4	EDO	A	261	-	-	0/1/1/1	-
4	EDO	A	263	-	-	0/1/1/1	-
4	EDO	B	262	-	-	0/1/1/1	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	301	PO4	P-O3	-2.01	1.48	1.54

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	301	PO4	O3-P-O2	2.18	114.70	107.91

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	B	261	EDO	O1-C1-C2-O2
4	A	264	EDO	O1-C1-C2-O2
4	A	262	EDO	O1-C1-C2-O2

There are no ring outliers.

3 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	264	EDO	0	5
4	B	261	EDO	0	5
2	A	301	PO4	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	237/260 (91%)	-0.24	2 (0%) 82 80	12, 28, 44, 54	1 (0%)
1	B	237/260 (91%)	-0.07	0 100 100	15, 30, 47, 60	1 (0%)
All	All	474/520 (91%)	-0.15	2 (0%) 88 86	12, 29, 46, 60	2 (0%)

All (2) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	214	ASP	2.2
1	A	232	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	EDO	A	262	4/4	0.64	0.26	37,40,40,49	0
4	EDO	A	263	4/4	0.85	0.14	19,21,22,28	0
4	EDO	B	262	4/4	0.94	0.15	21,27,28,33	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	EDO	B	261	4/4	0.95	0.23	20,26,29,31	0
4	EDO	A	261	4/4	0.96	0.13	19,19,19,22	0
4	EDO	A	264	4/4	0.97	0.15	12,31,34,35	0
2	PO4	B	301	5/5	0.98	0.05	21,23,24,26	0
2	PO4	A	301	5/5	0.99	0.04	17,18,21,21	0
3	IOD	B	402	1/1	0.99	0.02	36,36,36,36	0
3	IOD	A	402	1/1	1.00	0.04	38,38,38,38	0

6.5 Other polymers [i](#)

There are no such residues in this entry.