



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 08:19 PM UTC

PDB ID : 4A4Z / pdb_00004a4z
Title : CRYSTAL STRUCTURE OF THE S. CEREVISIAE DEXH HELICASE SKI2
BOUND TO AMPPNP
Authors : Halbach, F.; Rode, M.; Conti, E.
Deposited on : 2011-10-20
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4912 (2.40-2.40)
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)
RSRZ outliers	180081	4916 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	997	15% 73% 14% 12%

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 6683 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called ANTIVIRAL HELICASE SKI2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	874	6503	4155	1123	1196	29	0	0	0

There are 5 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	291	GLY	-	expression tag	UNP P35207
A	292	PRO	-	expression tag	UNP P35207
A	293	ASP	-	expression tag	UNP P35207
A	294	SER	-	expression tag	UNP P35207
A	295	MET	-	expression tag	UNP P35207

- Molecule 2 is PHOSPHOAMINOPHOSPHONIC ACID-ADENYLATE ESTER (CCD ID: ANP) (formula: $C_{10}H_{17}N_6O_{12}P_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			31	10	6	12	3		

- Molecule 3 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	133	Total	O	0	0
			133	133		

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	82.79Å 118.55Å 129.47Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	39.43 – 2.40 39.43 – 2.40	Depositor EDS
% Data completeness (in resolution range)	99.8 (39.43-2.40) 99.7 (39.43-2.40)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.75 (at 2.39Å)	Xtriage
Refinement program	PHENIX (PHENIX.REFINE: 1.7.1_743)	Depositor
R, R_{free}	0.238 , 0.275 0.231 , 0.272	Depositor DCC
R_{free} test set	2566 reflections (5.09%)	wwPDB-VP
Wilson B-factor (Å ²)	50.3	Xtriage
Anisotropy	0.535	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 55.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	6683	wwPDB-VP
Average B, all atoms (Å ²)	66.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.95% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: EDO, ANP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.29	0/6620	0.66	0/8997

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6503	0	6077	95	0
2	A	31	0	13	1	0
3	A	16	0	24	0	0
4	A	133	0	0	9	0
All	All	6683	0	6114	95	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (95) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:387:GLN:NE2	1:A:730:ASN:OD1	2.16	0.78
1:A:1206:ARG:O	4:A:2121:HOH:O	2.06	0.72
1:A:1140:SER:OG	4:A:2108:HOH:O	2.07	0.71
1:A:819:ALA:O	4:A:2092:HOH:O	2.09	0.70
1:A:1216:TYR:CE2	1:A:1220:ARG:HD2	2.27	0.70
1:A:751:GLU:HG2	1:A:788:THR:HG23	1.74	0.69
1:A:459:GLU:O	1:A:462:ILE:HG22	1.95	0.66
1:A:1226:GLU:OE1	4:A:2123:HOH:O	2.15	0.65
1:A:454:ARG:NH2	1:A:1122:ASN:O	2.29	0.64
1:A:762:GLY:O	4:A:2079:HOH:O	2.15	0.63
1:A:745:ASP:O	1:A:748:GLY:N	2.33	0.61
1:A:1155:TYR:CE2	1:A:1157:GLY:HA2	2.35	0.61
1:A:670:ARG:NH1	1:A:1283:ALA:O	2.34	0.61
1:A:353:THR:O	1:A:354:SER:OG	2.18	0.61
1:A:425:ARG:HG3	1:A:464:MET:HE1	1.83	0.60
1:A:428:LEU:HD23	1:A:435:ILE:HD13	1.83	0.60
1:A:355:ALA:HA	1:A:505:PRO:HG2	1.85	0.59
1:A:390:ARG:NH2	1:A:391:ASP:OD1	2.38	0.57
1:A:818:GLU:HB3	1:A:821:ARG:HG2	1.85	0.57
1:A:384:LEU:HD12	1:A:387:GLN:HB3	1.86	0.56
1:A:1268:MET:HA	1:A:1268:MET:HE2	1.86	0.55
1:A:681:ILE:O	1:A:685:ARG:HG3	2.07	0.55
1:A:1062:VAL:N	1:A:1063:PRO:HD2	2.22	0.55
1:A:353:THR:O	1:A:354:SER:CB	2.55	0.54
1:A:909:ASP:HB2	1:A:910:PRO:HD2	1.89	0.54
1:A:419:MET:HE3	1:A:423:ILE:HG22	1.89	0.54
1:A:513:TRP:CZ2	1:A:516:LYS:HA	2.43	0.54
1:A:404:ILE:HG21	1:A:427:MET:HE3	1.91	0.53
1:A:619:ASN:O	1:A:623:LYS:HG2	2.07	0.53
1:A:744:HIS:ND1	1:A:744:HIS:C	2.66	0.53
1:A:451:ASP:OD1	1:A:452:GLN:N	2.44	0.51
1:A:434:LEU:C	1:A:434:LEU:HD12	2.35	0.50
1:A:745:ASP:O	1:A:747:ASN:N	2.45	0.50
1:A:503:LYS:O	4:A:2027:HOH:O	2.19	0.50
1:A:466:PRO:HG2	1:A:469:VAL:HG23	1.94	0.48
1:A:378:THR:OG1	4:A:2007:HOH:O	2.20	0.48
1:A:1097:ALA:HB1	1:A:1192:HIS:CE1	2.48	0.48
1:A:1167:VAL:HG13	1:A:1168:THR:HG23	1.94	0.48
1:A:743:LYS:NZ	1:A:756:GLU:OE2	2.46	0.48
1:A:463:ILE:HD11	1:A:829:SER:HA	1.95	0.47
1:A:389:PHE:CD1	1:A:403:LEU:HB2	2.50	0.47
1:A:363:TYR:O	1:A:364:ALA:C	2.57	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:401:ILE:HG22	1:A:416:CYS:HB3	1.95	0.47
1:A:411:ASN:N	1:A:412:PRO:HD3	2.29	0.47
1:A:629:MET:HE3	1:A:737:ILE:HD12	1.96	0.47
1:A:1089:LEU:HB2	1:A:1090:PRO:HD3	1.96	0.46
1:A:353:THR:HB	1:A:504:ARG:NH1	2.31	0.46
1:A:460:GLU:HG2	1:A:464:MET:HE2	1.97	0.46
1:A:745:ASP:O	1:A:746:GLY:C	2.57	0.46
1:A:353:THR:HG23	2:A:2288:ANP:O1G	2.15	0.46
1:A:818:GLU:HG2	4:A:2091:HOH:O	2.15	0.45
1:A:909:ASP:HB2	1:A:910:PRO:CD	2.47	0.45
1:A:332:THR:O	1:A:336:GLU:HG2	2.17	0.45
1:A:419:MET:HE2	1:A:424:LEU:CA	2.46	0.45
1:A:933:THR:O	1:A:970:PHE:HA	2.16	0.45
1:A:632:PHE:CZ	1:A:726:ALA:HB2	2.51	0.45
1:A:352:HIS:CE1	1:A:477:THR:HG21	2.51	0.44
1:A:364:ALA:O	1:A:365:ILE:C	2.60	0.44
1:A:1117:VAL:HG13	1:A:1255:ALA:HB1	1.98	0.44
1:A:536:HIS:CG	1:A:537:LYS:N	2.85	0.44
1:A:363:TYR:O	1:A:366:ALA:HB3	2.18	0.44
1:A:1225:LYS:HD2	4:A:2124:HOH:O	2.18	0.44
1:A:333:PHE:CE1	1:A:334:GLN:HG3	2.53	0.43
1:A:419:MET:HE3	1:A:423:ILE:CG2	2.47	0.43
1:A:424:LEU:HD23	1:A:461:VAL:HG11	1.99	0.43
1:A:532:ASN:O	1:A:535:LYS:HB3	2.18	0.43
1:A:1277:ARG:NH1	1:A:1278:ASP:OD2	2.52	0.43
1:A:352:HIS:CG	1:A:477:THR:HG21	2.54	0.43
1:A:1154:VAL:HB	1:A:1244:TRP:CE3	2.54	0.42
1:A:1152:VAL:HG23	1:A:1208:ARG:HB3	2.01	0.42
1:A:462:ILE:HD11	1:A:471:PHE:CD1	2.54	0.42
1:A:420:THR:OG1	1:A:423:ILE:HG12	2.19	0.42
1:A:838:LEU:O	1:A:839:GLN:C	2.62	0.42
1:A:1214:VAL:HG13	1:A:1227:ILE:HG23	2.00	0.42
1:A:378:THR:HA	1:A:419:MET:O	2.20	0.42
1:A:839:GLN:CB	1:A:840:PRO:CD	2.98	0.42
1:A:694:VAL:O	1:A:707:ILE:HD13	2.20	0.41
1:A:646:LEU:O	1:A:690:ARG:NH2	2.53	0.41
1:A:638:ARG:HD2	1:A:642:TYR:OH	2.21	0.41
1:A:404:ILE:HD13	1:A:409:GLN:HG3	2.01	0.41
1:A:694:VAL:HA	1:A:720:PHE:O	2.20	0.41
1:A:1202:GLU:O	1:A:1203:PHE:C	2.63	0.41
1:A:419:MET:HE2	1:A:424:LEU:HB2	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1217:GLU:HB3	1:A:1222:LEU:HD12	2.02	0.41
1:A:434:LEU:HD12	1:A:435:ILE:N	2.36	0.41
1:A:491:THR:HG23	1:A:828:TYR:CD2	2.55	0.41
1:A:1104:PHE:CZ	1:A:1127:LEU:HD22	2.56	0.41
1:A:377:TYR:HB3	1:A:418:ILE:HD13	2.02	0.41
1:A:712:SER:HB3	1:A:731:LEU:CD2	2.50	0.41
1:A:919:VAL:HA	1:A:931:ILE:HD13	2.03	0.41
1:A:744:HIS:HA	1:A:748:GLY:O	2.21	0.40
1:A:923:SER:O	1:A:927:ALA:N	2.54	0.40
1:A:1062:VAL:HB	1:A:1063:PRO:CD	2.52	0.40
1:A:696:HIS:O	1:A:704:LYS:HE3	2.22	0.40
1:A:898:ILE:C	1:A:899:LEU:HD12	2.46	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	852/997 (86%)	801 (94%)	48 (6%)	3 (0%)	30	43

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	354	SER
1	A	746	GLY
1	A	1017	LYS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar

resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	623/881 (71%)	619 (99%)	4 (1%)	78 89

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	536	HIS
1	A	744	HIS
1	A	975	VAL
1	A	1196	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	304	HIS
1	A	386	ASN
1	A	409	GLN
1	A	486	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	EDO	A	2290	-	3,3,3	0.42	0	2,2,2	0.36	0
3	EDO	A	2292	-	3,3,3	0.41	0	2,2,2	0.40	0
3	EDO	A	2289	-	3,3,3	0.42	0	2,2,2	0.35	0
2	ANP	A	2288	-	33,33,33	1.74	10 (30%)	45,52,52	2.16	13 (28%)
3	EDO	A	2291	-	3,3,3	0.43	0	2,2,2	0.34	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EDO	A	2290	-	-	0/1/1/1	-
3	EDO	A	2292	-	-	0/1/1/1	-
3	EDO	A	2289	-	-	0/1/1/1	-
2	ANP	A	2288	-	-	5/18/38/38	0/3/3/3
3	EDO	A	2291	-	-	0/1/1/1	-

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	2288	ANP	C6-N6	4.29	1.45	1.34
2	A	2288	ANP	C8-N7	2.85	1.37	1.31
2	A	2288	ANP	PG-O3G	-2.68	1.49	1.56
2	A	2288	ANP	PB-O1B	2.64	1.50	1.46
2	A	2288	ANP	PG-O2G	-2.56	1.50	1.56
2	A	2288	ANP	PB-O2B	-2.41	1.50	1.56
2	A	2288	ANP	PA-O3A	-2.33	1.57	1.59
2	A	2288	ANP	O3'-C3'	-2.10	1.37	1.43
2	A	2288	ANP	PG-O1G	2.07	1.49	1.46
2	A	2288	ANP	O4'-C4'	-2.02	1.40	1.45

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	2288	ANP	C5-C4-N3	-5.05	119.77	126.72

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	2288	ANP	N3-C2-N1	-4.73	121.42	128.58
2	A	2288	ANP	N9-C8-N7	-4.37	107.73	113.94
2	A	2288	ANP	N3-C4-N9	4.12	134.17	127.17
2	A	2288	ANP	O3G-PG-O1G	-4.04	103.32	113.45
2	A	2288	ANP	C4-N9-C8	3.87	109.80	105.74
2	A	2288	ANP	O2B-PB-O1B	-3.81	101.70	109.87
2	A	2288	ANP	C5-N7-C8	3.47	108.91	103.45
2	A	2288	ANP	C2-N3-C4	3.44	120.22	111.83
2	A	2288	ANP	O2G-PG-O1G	-3.42	104.87	113.45
2	A	2288	ANP	C4-C5-N7	-2.70	107.50	110.58
2	A	2288	ANP	O2A-PA-O1A	-2.13	102.54	112.44
2	A	2288	ANP	O3A-PB-N3B	2.08	112.35	106.59

There are no chirality outliers.

All (5) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	2288	ANP	PB-N3B-PG-O1G
2	A	2288	ANP	PG-N3B-PB-O1B
2	A	2288	ANP	C3'-C4'-C5'-O5'
2	A	2288	ANP	O4'-C4'-C5'-O5'
2	A	2288	ANP	PG-N3B-PB-O3A

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	2288	ANP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	874/997 (87%)	0.81	146 (16%) 4 3	27, 59, 136, 182	0

All (146) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	965	PHE	6.5
1	A	1022	ALA	5.8
1	A	1014	LEU	5.3
1	A	961	ASN	5.1
1	A	1062	VAL	4.6
1	A	1044	ASP	4.5
1	A	607	ASP	4.4
1	A	747	ASN	4.3
1	A	876	LEU	4.3
1	A	874	LEU	4.3
1	A	1058	SER	4.2
1	A	955	ASP	4.1
1	A	935	THR	4.0
1	A	1063	PRO	4.0
1	A	399	VAL	3.9
1	A	968	THR	3.8
1	A	851	GLU	3.8
1	A	1042	ILE	3.8
1	A	929	CYS	3.7
1	A	962	PHE	3.7
1	A	1006	PHE	3.7
1	A	1087	SER	3.7
1	A	966	GLN	3.7
1	A	1010	THR	3.7
1	A	950	TYR	3.7
1	A	989	ALA	3.7
1	A	922	VAL	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	872	LEU	3.6
1	A	1061	ILE	3.6
1	A	730	ASN	3.5
1	A	1160	ARG	3.5
1	A	384	LEU	3.5
1	A	871	PHE	3.5
1	A	1031	LYS	3.5
1	A	932	MET	3.4
1	A	914	LEU	3.4
1	A	996	ILE	3.4
1	A	408	VAL	3.3
1	A	1017	LYS	3.3
1	A	939	LYS	3.3
1	A	320	PRO	3.2
1	A	849	LEU	3.2
1	A	988	PHE	3.2
1	A	880	GLU	3.2
1	A	746	GLY	3.2
1	A	1070	ILE	3.2
1	A	1068	HIS	3.1
1	A	887	GLN	3.1
1	A	1161	GLU	3.0
1	A	407	ASP	3.0
1	A	302	TRP	3.0
1	A	957	TYR	3.0
1	A	918	PHE	3.0
1	A	432	ALA	3.0
1	A	372	MET	3.0
1	A	960	ARG	3.0
1	A	1088	LEU	3.0
1	A	1083	ASP	3.0
1	A	1074	ILE	2.9
1	A	920	PHE	2.9
1	A	976	PRO	2.9
1	A	924	LEU	2.9
1	A	396	PHE	2.9
1	A	1012	ASN	2.9
1	A	1033	HIS	2.9
1	A	902	GLY	2.9
1	A	982	VAL	2.8
1	A	963	PRO	2.8
1	A	991	PRO	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	727	MET	2.8
1	A	1059	GLN	2.8
1	A	1018	THR	2.8
1	A	900	LYS	2.8
1	A	999	ASP	2.8
1	A	894	SER	2.8
1	A	1089	LEU	2.7
1	A	1078	TYR	2.7
1	A	1034	GLN	2.7
1	A	980	ILE	2.7
1	A	1080	LEU	2.7
1	A	986	ARG	2.7
1	A	970	PHE	2.7
1	A	1029	GLY	2.6
1	A	462	ILE	2.6
1	A	870	LYS	2.6
1	A	449	VAL	2.6
1	A	937	PRO	2.6
1	A	854	GLN	2.6
1	A	892	SER	2.6
1	A	890	VAL	2.6
1	A	855	THR	2.6
1	A	1244	TRP	2.5
1	A	1067	ALA	2.5
1	A	319	ILE	2.5
1	A	1035	ILE	2.5
1	A	321	ASN	2.5
1	A	313	GLU	2.5
1	A	415	ASN	2.5
1	A	1039	ARG	2.5
1	A	1081	MET	2.5
1	A	883	VAL	2.4
1	A	882	THR	2.4
1	A	299	LYS	2.4
1	A	938	TYR	2.4
1	A	952	PRO	2.4
1	A	956	GLY	2.4
1	A	1000	VAL	2.4
1	A	853	LEU	2.4
1	A	926	ASP	2.4
1	A	875	MET	2.4
1	A	936	LYS	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	994	LYS	2.3
1	A	969	ASP	2.3
1	A	972	MET	2.3
1	A	1001	ALA	2.3
1	A	312	ILE	2.3
1	A	852	GLU	2.3
1	A	764	ALA	2.3
1	A	906	ALA	2.3
1	A	608	GLY	2.2
1	A	879	LYS	2.2
1	A	1002	ALA	2.2
1	A	1136	ASN	2.2
1	A	1060	HIS	2.2
1	A	908	ARG	2.2
1	A	933	THR	2.2
1	A	1064	LYS	2.2
1	A	878	TYR	2.2
1	A	1040	THR	2.2
1	A	1016	GLY	2.2
1	A	1030	LEU	2.2
1	A	886	MET	2.1
1	A	647	GLU	2.1
1	A	771	SER	2.1
1	A	995	VAL	2.1
1	A	992	LEU	2.1
1	A	503	LYS	2.1
1	A	315	PHE	2.1
1	A	951	PHE	2.1
1	A	742	ARG	2.1
1	A	1013	ILE	2.1
1	A	369	HIS	2.1
1	A	1072	LYS	2.1
1	A	827	LYS	2.0
1	A	338	VAL	2.0
1	A	959	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	EDO	A	2292	4/4	0.81	0.21	56,56,56,56	0
3	EDO	A	2289	4/4	0.83	0.18	58,58,59,59	0
3	EDO	A	2291	4/4	0.84	0.16	72,72,73,73	0
2	ANP	A	2288	31/31	0.84	0.14	75,82,85,87	3
3	EDO	A	2290	4/4	0.89	0.21	55,55,56,56	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.