



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 05:08 PM UTC

PDB ID : 1A5H / pdb_00001a5h
Title : CATALYTIC DOMAIN OF HUMAN TWO-CHAIN TISSUE PLASMINO-
GEN ACTIVATOR COMPLEX OF A BIS-BENZAMIDINE
Authors : Renatus, M.; Bode, W.; Stubbs, M.T.
Deposited on : 1998-02-17
Resolution : 2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	2690 (2.90-2.90)
Ramachandran outliers	187476	2623 (2.90-2.90)
Sidechain outliers	187428	2625 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	C	7	29% 71%
1	D	7	57% 43%
2	A	252	71% 27% .
2	B	252	67% 30% .

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 5341 atoms, of which 1128 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called TISSUE PLASMINOGEN ACTIVATOR.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	C	7	Total	C	H	N	O	S	31	0	0
			76	35	18	11	11	1			
1	D	7	Total	C	H	N	O	S	31	0	0
			76	35	18	11	11	1			

- Molecule 2 is a protein called TISSUE PLASMINOGEN ACTIVATOR.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
2	A	252	Total	C	H	N	O	S	601	0	0
			2422	1238	447	352	371	14			
2	B	252	Total	C	H	N	O	S	595	0	0
			2422	1238	447	352	371	14			

- Molecule 3 is 2,7-BIS-(4-AMIDINO BENZYLIDENE)-CYCLOHEPTAN-1-ONE (CCD ID: BBA) (formula: C₂₃H₂₈N₄O).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	H	N	O	8	0
			36	23	8	4	1		
3	B	1	Total	C	H	N	O	8	0
			36	23	8	4	1		

- Molecule 4 is water.


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	C	2	Total	H	O	4	0
			6	4	2		
4	A	46	Total	H	O	92	0
			138	92	46		
4	D	1	Total	H	O	2	0
			3	2	1		
4	B	42	Total	H	O	84	0
			126	84	42		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: TISSUE PLASMINOGEN ACTIVATOR

Chain C: 



• Molecule 1: TISSUE PLASMINOGEN ACTIVATOR

Chain D: 




• Molecule 2: TISSUE PLASMINOGEN ACTIVATOR

Chain A: 



• Molecule 2: TISSUE PLASMINOGEN ACTIVATOR

Chain B: 



G211	I212	I213	S214	W215	G216	L217	P225	G226	V227	V231	T232	L235	P244
------	------	------	------	------	------	------	------	------	------	------	------	------	------

4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	151.83Å 60.50Å 62.61Å 90.00° 110.50° 90.00°	Depositor
Resolution (Å)	7.00 – 2.90	Depositor
% Data completeness (in resolution range)	81.0 (7.00-2.90)	Depositor
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	X-PLOR 3.1	Depositor
R, R_{free}	0.178 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	5341	wwPDB-VP
Average B, all atoms (Å ²)	14.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: BBA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	C	0.38	0/58	0.85	0/75
1	D	0.38	0/58	0.81	0/75
2	A	0.45	0/2024	0.93	6/2745 (0.2%)
2	B	0.44	0/2024	0.94	7/2745 (0.3%)
All	All	0.44	0/4164	0.93	13/5640 (0.2%)

There are no bond length outliers.

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	75	VAL	CA-C-N	6.33	126.70	119.93
2	B	75	VAL	C-N-CA	6.33	126.70	119.93
2	A	75	VAL	CA-C-N	5.98	126.33	119.93
2	A	75	VAL	C-N-CA	5.98	126.33	119.93
2	B	27	HIS	CA-C-N	5.60	126.84	119.84
2	B	27	HIS	C-N-CA	5.60	126.84	119.84
2	A	190	ALA	N-CA-C	-5.49	103.45	110.53
2	B	145	GLU	N-CA-C	-5.47	100.41	108.99
2	A	27	HIS	CA-C-N	5.40	126.59	119.84
2	A	27	HIS	C-N-CA	5.40	126.59	119.84
2	A	92	LYS	N-CA-C	5.33	117.78	111.33
2	B	60(D)	PRO	N-CA-C	-5.26	104.28	110.70
2	B	92	LYS	N-CA-C	5.15	117.56	111.33

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	58	18	57	6	0
1	D	58	18	57	7	0
2	A	1975	447	1903	51	0
2	B	1975	447	1903	54	0
3	A	28	8	25	4	0
3	B	28	8	25	3	0
4	A	46	92	0	1	0
4	B	42	84	0	1	0
4	C	2	4	0	1	0
4	D	1	2	0	0	0
All	All	4213	1128	3970	109	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (109) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:88:TYR:HB3	2:A:106:LEU:HD13	1.67	0.76
2:A:110:SER:HB2	2:A:111:CYS:SG	2.28	0.72
2:B:29:TRP:CB	2:B:121:VAL:HG22	2.20	0.72
2:B:88:TYR:HB3	2:B:106:LEU:HD13	1.72	0.72
2:A:29:TRP:CB	2:A:121:VAL:HG22	2.23	0.69
2:A:16:ILE:HB	2:A:156:LYS:HD3	1.76	0.68
3:A:250:BBA:H32	4:A:1130:HOH:O	1.94	0.67
2:A:147:LEU:H	2:A:147:LEU:HD23	1.62	0.65
2:B:172:LEU:HD12	2:B:217:LEU:HD13	1.79	0.65
2:A:201:CYS:SG	2:A:210:VAL:HG21	2.38	0.64
2:A:146:ALA:HB2	2:A:220:CYS:SG	2.37	0.64
2:A:39:ARG:HH22	2:A:60(C):PHE:HZ	1.45	0.64
2:B:36:LYS:HB3	2:B:38:GLU:HG2	1.81	0.63
1:D:1(A):THR:HG22	1:D:1:CYS:H	1.65	0.62
1:D:1(A):THR:HB	2:B:206:ARG:HH12	1.65	0.62
2:B:192:GLN:HG2	3:B:250:BBA:H22	1.81	0.62
2:B:201:CYS:SG	2:B:210:VAL:HG21	2.39	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:88:TYR:CB	2:A:106:LEU:HD13	2.29	0.62
2:B:88:TYR:CB	2:B:106:LEU:HD13	2.29	0.62
2:B:29:TRP:HB2	2:B:121:VAL:HG22	1.81	0.61
2:A:192:GLN:HG2	3:A:250:BBA:H22	1.82	0.61
2:A:29:TRP:HB2	2:A:121:VAL:HG22	1.83	0.60
2:B:147:LEU:H	2:B:147:LEU:HD12	1.68	0.59
2:A:172:LEU:HD12	2:A:217:LEU:HD13	1.85	0.58
1:C:1(A):THR:HG22	1:C:1:CYS:H	1.67	0.58
2:A:52:ILE:HG13	2:A:106:LEU:HB2	1.85	0.58
2:A:203:ASN:HB3	2:A:208:THR:OG1	2.03	0.57
2:B:154:ARG:HG2	2:B:155:LEU:N	2.19	0.56
2:A:30:GLN:OE1	2:A:198:PRO:HD2	2.06	0.56
2:B:163:TYR:CE2	2:B:225:PRO:HB3	2.40	0.56
2:A:99:TYR:CE2	3:A:250:BBA:H24	2.40	0.56
2:B:39:ARG:HH22	2:B:60(C):PHE:HZ	1.51	0.55
2:B:203:ASN:HB3	2:B:208:THR:OG1	2.06	0.55
2:A:163:TYR:CE2	2:A:225:PRO:HB3	2.41	0.55
2:B:16:ILE:HB	2:B:156:LYS:HD3	1.89	0.55
1:D:1(A):THR:HB	2:B:206:ARG:NH1	2.22	0.55
2:B:52:ILE:HG13	2:B:106:LEU:HB2	1.90	0.54
2:B:110:SER:HB2	2:B:111:CYS:SG	2.48	0.54
2:A:147:LEU:HD23	2:A:147:LEU:N	2.22	0.54
2:B:45:ILE:HG23	2:B:198:PRO:HB3	1.90	0.53
1:C:1(A):THR:HB	2:A:206:ARG:HH12	1.74	0.52
2:A:27:HIS:N	2:A:28:PRO:HD3	2.25	0.51
2:B:143:LYS:HB3	2:B:145:GLU:O	2.10	0.51
2:B:27:HIS:N	2:B:28:PRO:HD3	2.26	0.51
2:A:18:GLY:O	2:A:156:LYS:HE2	2.11	0.51
2:A:163:TYR:HB2	2:A:182:CYS:O	2.12	0.50
2:B:21:PHE:HB3	2:B:154:ARG:NH1	2.27	0.50
2:B:185:ASP:HB3	2:B:187:LEU:HD22	1.93	0.50
2:A:94:PHE:HA	2:A:101:ASN:HB2	1.93	0.50
2:A:154:ARG:HG2	2:A:155:LEU:N	2.26	0.50
1:C:3:LEU:HB3	4:C:1004:HOH:O	2.12	0.49
2:B:132:ASP:HB3	2:B:164:PRO:HG3	1.95	0.49
2:A:110:SER:CB	2:A:111:CYS:SG	3.00	0.49
1:C:1(A):THR:HB	2:A:206:ARG:NH1	2.28	0.49
1:C:1:CYS:C	2:A:122:CYS:SG	2.96	0.49
2:A:45:ILE:HG23	2:A:198:PRO:HB3	1.96	0.48
2:B:86:GLU:HB2	2:B:109:LYS:HG3	1.94	0.48
2:B:99:TYR:CE2	3:B:250:BBA:H24	2.49	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:94:PHE:HA	2:B:101:ASN:HB2	1.95	0.48
2:B:30:GLN:NE2	2:B:140:GLY:HA2	2.29	0.47
2:A:132:ASP:HB3	2:A:164:PRO:HG3	1.96	0.47
2:A:29:TRP:HB3	2:A:121:VAL:HG22	1.95	0.47
2:A:35:ALA:O	2:A:39:ARG:N	2.47	0.47
2:B:29:TRP:HB3	2:B:121:VAL:HG22	1.96	0.47
2:B:59:PHE:CZ	2:B:106:LEU:HD21	2.49	0.47
2:A:100:ASP:O	2:A:101:ASN:HB2	2.15	0.47
2:B:232:THR:HG23	4:B:1029:HOH:O	2.14	0.46
2:B:39:ARG:NH2	2:B:60(C):PHE:HZ	2.13	0.46
1:C:4:ARG:HD2	2:A:26:SER:O	2.16	0.46
2:B:194:ASP:HB3	2:B:213:ILE:HD13	1.97	0.46
2:B:57:HIS:HB2	2:B:60:GLN:OE1	2.16	0.46
2:A:74:VAL:O	2:A:76:PRO:HD3	2.16	0.46
2:A:45:ILE:HG22	2:A:121:VAL:HG21	1.98	0.45
2:A:45:ILE:CG2	2:A:198:PRO:HB3	2.47	0.45
2:B:211:GLY:HA2	2:B:231:VAL:HG23	1.98	0.45
2:A:45:ILE:HG12	2:A:198:PRO:HD3	1.99	0.45
1:D:1(A):THR:O	2:B:119:ARG:HD3	2.16	0.45
2:B:124:PRO:HA	2:B:125:PRO:HD3	1.87	0.45
2:A:21:PHE:HB3	2:A:154:ARG:NH1	2.32	0.44
2:B:140:GLY:HA3	2:B:194:ASP:OD1	2.17	0.44
2:B:74:VAL:O	2:B:74:VAL:HG12	2.17	0.44
2:A:172:LEU:O	2:A:174:ARG:NH1	2.50	0.44
2:B:45:ILE:CG2	2:B:198:PRO:HB3	2.47	0.44
2:B:181:LEU:O	2:B:227:VAL:HA	2.18	0.44
2:A:124:PRO:HA	2:A:125:PRO:HD3	1.89	0.44
2:B:68:LEU:O	2:B:80:GLU:HB2	2.18	0.44
2:A:61:PRO:C	2:A:63:HIS:H	2.26	0.43
2:A:234:TYR:O	2:A:238:ILE:HG13	2.18	0.43
2:A:140:GLY:HA3	2:A:194:ASP:OD1	2.18	0.43
2:B:133:TRP:O	2:B:161:ARG:HD3	2.17	0.43
1:D:4:ARG:HD2	2:B:26:SER:O	2.18	0.43
2:B:171:LEU:HD13	2:B:176:VAL:HG21	2.00	0.43
2:B:98:THR:O	3:B:250:BBA:N26	2.52	0.43
2:A:36:LYS:HE2	2:A:63:HIS:CD2	2.53	0.42
2:A:181:LEU:O	2:A:227:VAL:HA	2.19	0.42
2:B:18:GLY:O	2:B:156:LYS:HE2	2.19	0.42
2:A:211:GLY:HA2	2:A:231:VAL:HG23	2.00	0.42
2:B:131:PRO:HD2	2:B:134:THR:HG21	2.02	0.42
2:A:59:PHE:CZ	2:A:106:LEU:HD21	2.55	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:99:TYR:CZ	3:A:250:BBA:H24	2.55	0.41
2:A:194:ASP:HB3	2:A:213:ILE:HD13	2.01	0.41
2:A:68:LEU:O	2:A:80:GLU:HB2	2.21	0.41
2:B:100:ASP:O	2:B:101:ASN:HB2	2.20	0.41
1:D:1(A):THR:CB	2:B:206:ARG:HH12	2.33	0.41
2:B:85:VAL:HG21	2:B:106:LEU:HD12	2.03	0.41
2:B:215:TRP:CZ2	2:B:227:VAL:HG21	2.56	0.41
2:A:46:LEU:HG	2:A:120:THR:HG22	2.02	0.41
1:D:1:CYS:C	2:B:122:CYS:SG	3.04	0.40
2:B:232:THR:HA	2:B:235:LEU:HG	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	5/7 (71%)	4 (80%)	1 (20%)	0	100	100
1	D	5/7 (71%)	5 (100%)	0	0	100	100
2	A	250/252 (99%)	230 (92%)	20 (8%)	0	100	100
2	B	250/252 (99%)	231 (92%)	19 (8%)	0	100	100
All	All	510/518 (98%)	470 (92%)	40 (8%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	6/6 (100%)	5 (83%)	1 (17%)	2	7
1	D	6/6 (100%)	6 (100%)	0	100	100
2	A	216/216 (100%)	206 (95%)	10 (5%)	24	57
2	B	216/216 (100%)	207 (96%)	9 (4%)	26	60
All	All	444/444 (100%)	424 (96%)	20 (4%)	24	58

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	6	TYR
2	A	23	ASP
2	A	30	GLN
2	A	52	ILE
2	A	61	PRO
2	A	121	VAL
2	A	147	LEU
2	A	169	THR
2	A	169(A)	SER
2	A	169(B)	GLN
2	A	236	ASP
2	B	30	GLN
2	B	52	ILE
2	B	61	PRO
2	B	121	VAL
2	B	129	GLN
2	B	147	LEU
2	B	169	THR
2	B	169(A)	SER
2	B	169(B)	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
2	A	107	GLN
2	A	179	ASN
2	A	192	GLN
2	A	233	ASN
2	B	192	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	221(A)	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	BBA	B	250	-	30,30,30	1.98	7 (23%)	26,41,41	2.53	4 (15%)
3	BBA	A	250	-	30,30,30	2.02	10 (33%)	26,41,41	2.43	4 (15%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	BBA	B	250	-	-	6/16/31/31	1/3/3/3
3	BBA	A	250	-	-	6/16/31/31	1/3/3/3

All (17) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	250	BBA	C8-C1	-5.43	1.35	1.53
3	A	250	BBA	C8-C1	-5.28	1.35	1.53
3	B	250	BBA	C18-C5	-5.08	1.36	1.53
3	A	250	BBA	C18-C5	-4.53	1.38	1.53
3	B	250	BBA	C21-C22	3.23	1.44	1.39
3	A	250	BBA	C11-C12	3.01	1.44	1.39
3	A	250	BBA	C21-C22	2.95	1.43	1.39
3	A	250	BBA	C11-C10	2.95	1.43	1.38
3	B	250	BBA	C11-C12	2.57	1.43	1.39
3	A	250	BBA	C20-C19	2.45	1.43	1.38
3	B	250	BBA	C10-C9	2.42	1.43	1.38
3	B	250	BBA	C11-C10	2.37	1.42	1.38
3	A	250	BBA	C14-C9	2.33	1.43	1.38
3	A	250	BBA	C24-C19	2.15	1.43	1.38
3	A	250	BBA	C23-C24	2.09	1.42	1.38
3	A	250	BBA	C21-C20	2.07	1.42	1.38
3	B	250	BBA	C14-C9	2.05	1.43	1.38

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	250	BBA	C19-C18-C5	8.84	130.56	113.74
3	A	250	BBA	C19-C18-C5	8.66	130.22	113.74
3	B	250	BBA	C9-C8-C1	7.52	128.05	113.74
3	A	250	BBA	C9-C8-C1	7.35	127.72	113.74
3	B	250	BBA	C12-C15-N16	2.71	122.12	118.01
3	B	250	BBA	C22-C25-N26	2.69	122.10	118.01
3	A	250	BBA	C12-C15-N16	2.54	121.87	118.01
3	A	250	BBA	O7-C6-C1	2.08	122.22	119.85

There are no chirality outliers.

All (12) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	250	BBA	C2-C1-C8-C9
3	A	250	BBA	C6-C1-C8-C9
3	B	250	BBA	C2-C1-C8-C9
3	B	250	BBA	C6-C1-C8-C9
3	B	250	BBA	C5-C18-C19-C24
3	A	250	BBA	C5-C18-C19-C24
3	B	250	BBA	C5-C18-C19-C20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	A	250	BBA	C5-C18-C19-C20
3	B	250	BBA	C1-C8-C9-C14
3	A	250	BBA	C1-C8-C9-C14
3	B	250	BBA	C1-C8-C9-C10
3	A	250	BBA	C1-C8-C9-C10



All (2) ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	250	BBA	C-C1-C2-C3-C4-C5-C6
3	B	250	BBA	C-C1-C2-C3-C4-C5-C6

2 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	250	BBA	3	0
3	A	250	BBA	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.