



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 03:57 AM UTC

PDB ID : 2A5A / pdb_00002a5a
Title : Crystal structure of unbound SARS coronavirus main peptidase in the space group C2
Authors : Lee, T.-W.; Cherney, M.M.; Huitema, C.; Liu, J.; James, K.E.; Powers, J.C.; Eltis, L.D.; James, M.N.
Deposited on : 2005-06-30
Resolution : 2.08 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.08 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	8172 (2.10-2.06)
Clashscore	190562	8714 (2.10-2.06)
Ramachandran outliers	187476	8641 (2.10-2.06)
Sidechain outliers	187428	8642 (2.10-2.06)
RSRZ outliers	180081	8177 (2.10-2.06)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	306	25% 55% 32% 11%

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 2582 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 3C-like peptidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	306	Total	C	N	O	S	0	14	0
			2431	1541	409	454	27			

- Molecule 2 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total	Cl	0	0
			2	2		

- Molecule 3 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			4	2	2		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	145	Total 145	O 145	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: 3C-like peptidase



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	107.76Å 82.14Å 53.13Å 90.00° 104.87° 90.00°	Depositor
Resolution (Å)	40.00 – 2.08 40.00 – 2.08	Depositor EDS
% Data completeness (in resolution range)	95.9 (40.00-2.08) 95.8 (40.00-2.08)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.68 (at 2.06Å)	Xtriage
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.192 , 0.246 0.272 , 0.307	Depositor DCC
R_{free} test set	1308 reflections (4.74%)	wwPDB-VP
Wilson B-factor (Å ²)	38.4	Xtriage
Anisotropy	0.803	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 57.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	2582	wwPDB-VP
Average B, all atoms (Å ²)	56.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.28% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CL, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.69	30/2539 (1.2%)	1.73	53/3440 (1.5%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (30) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	206	ALA	CA-CB	8.92	1.68	1.53
1	A	129	ALA	CA-CB	8.72	1.69	1.53
1	A	88	ARG	C-O	-8.18	1.14	1.24
1	A	80	HIS	N-CA	7.52	1.55	1.46
1	A	12	LYS	C-O	-7.50	1.14	1.24
1	A	148	VAL	CA-CB	-7.46	1.43	1.54
1	A	134	HIS	N-CA	7.30	1.55	1.46
1	A	145	CYS	CA-C	-7.13	1.43	1.52
1	A	240	GLU	CA-C	-6.55	1.45	1.53
1	A	68	VAL	C-O	6.53	1.31	1.24
1	A	25	THR	N-CA	6.43	1.54	1.46
1	A	31	TRP	CD1-NE1	6.39	1.51	1.37
1	A	114	VAL	C-O	-6.08	1.17	1.24
1	A	28	ASN	CA-CB	5.96	1.62	1.53
1	A	175	THR	CA-CB	5.90	1.64	1.54
1	A	275	GLY	C-N	5.55	1.40	1.33
1	A	205	LEU	C-O	-5.45	1.17	1.24
1	A	94	SER	CA-C	5.45	1.60	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	101	TYR	N-CA	5.42	1.52	1.46
1	A	79	GLY	CA-C	5.38	1.57	1.51
1	A	148	VAL	CB-CG1	5.35	1.70	1.52
1	A	60	ARG	NE-CZ	5.35	1.39	1.33
1	A	45	THR	N-CA	-5.30	1.39	1.45
1	A	195	GLY	N-CA	5.29	1.51	1.45
1	A	212	VAL	CA-CB	5.23	1.62	1.54
1	A	134	HIS	CA-CB	-5.17	1.46	1.53
1	A	29	GLY	N-CA	5.07	1.50	1.44
1	A	36	VAL	CA-C	-5.05	1.46	1.52
1	A	255	ALA	C-O	-5.03	1.18	1.24
1	A	19	GLN	C-O	5.02	1.30	1.24

All (53) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	277	ASN	O-C-N	8.66	134.11	122.59
1	A	277	ASN	CA-C-N	-7.91	110.09	122.51
1	A	277	ASN	C-N-CA	-7.91	110.09	122.51
1	A	55	GLU	N-CA-C	-7.75	102.91	111.36
1	A	95	ASN	CA-C-N	-7.56	111.74	120.89
1	A	95	ASN	C-N-CA	-7.56	111.74	120.89
1	A	291	PHE	N-CA-C	7.37	120.54	108.52
1	A	79	GLY	CA-C-O	-7.34	113.71	121.56
1	A	157	VAL	CB-CA-C	-7.16	102.30	110.96
1	A	285	THR	N-CA-C	-7.12	97.64	108.96
1	A	61	LYS	N-CA-C	7.09	120.52	109.52
1	A	146	GLY	N-CA-C	7.04	124.36	115.42
1	A	300	CYS	N-CA-C	7.03	119.60	110.53
1	A	240	GLU	CA-C-N	-6.93	112.64	119.78
1	A	240	GLU	C-N-CA	-6.93	112.64	119.78
1	A	182	TYR	N-CA-C	-6.61	98.45	108.96
1	A	301	SER	N-CA-C	-6.46	102.01	110.53
1	A	60	ARG	CB-CA-C	-6.10	98.44	110.27
1	A	218	TRP	N-CA-C	5.92	119.77	112.54
1	A	192	GLN	N-CA-C	-5.86	99.50	108.76
1	A	122	PRO	CA-C-N	-5.76	113.27	122.08
1	A	122	PRO	C-N-CA	-5.76	113.27	122.08
1	A	302	GLY	N-CA-C	-5.74	106.70	115.66
1	A	89	LEU	N-CA-C	-5.74	99.17	108.52
1	A	173	ALA	N-CA-C	-5.65	100.48	109.23
1	A	148	VAL	CA-C-N	5.59	126.41	122.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	148	VAL	C-N-CA	5.59	126.41	122.33
1	A	214	ASN	N-CA-C	-5.58	105.59	112.90
1	A	88	ARG	CA-C-O	-5.50	113.33	120.25
1	A	100	LYS	N-CA-C	-5.47	102.30	110.23
1	A	4	ARG	NE-CZ-NH1	-5.44	116.06	121.50
1	A	251	GLY	CA-C-N	5.42	124.88	119.24
1	A	251	GLY	C-N-CA	5.42	124.88	119.24
1	A	79	GLY	N-CA-C	-5.33	101.71	110.56
1	A	60	ARG	CD-NE-CZ	5.31	131.84	124.40
1	A	48[A]	ASP	N-CA-C	-5.30	104.54	112.54
1	A	48[B]	ASP	N-CA-C	-5.30	104.54	112.54
1	A	106	ILE	N-CA-CB	-5.29	102.51	111.23
1	A	259	ILE	N-CA-C	5.29	115.71	107.99
1	A	271	LEU	CA-C-N	5.28	127.62	120.44
1	A	271	LEU	C-N-CA	5.28	127.62	120.44
1	A	295	ASP	CA-C-N	-5.23	112.99	120.42
1	A	295	ASP	C-N-CA	-5.23	112.99	120.42
1	A	15	GLY	N-CA-C	-5.23	107.41	115.73
1	A	154	TYR	CA-CB-CG	-5.21	104.53	113.90
1	A	190	THR	N-CA-CB	-5.14	103.34	111.05
1	A	291	PHE	CB-CA-C	-5.13	101.78	110.19
1	A	60	ARG	CA-C-N	-5.09	114.60	122.59
1	A	60	ARG	C-N-CA	-5.09	114.60	122.59
1	A	97	LYS	CB-CA-C	-5.08	102.84	111.02
1	A	289	ASP	CA-C-N	-5.08	114.55	122.73
1	A	289	ASP	C-N-CA	-5.08	114.55	122.73
1	A	80	HIS	N-CA-C	-5.04	101.07	108.79

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	47	GLU	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2431	0	2381	91	0
2	A	2	0	0	1	0
3	A	4	0	6	0	0
4	A	145	0	0	10	0
All	All	2582	0	2387	92	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 19.

All (92) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:45:THR:HG22	1:A:48[A]:ASP:CG	1.74	1.11
1:A:231:ASN:O	1:A:235[A]:MET:HG2	1.62	0.98
1:A:41:HIS:HB2	1:A:49:MET:HE1	1.51	0.90
1:A:146:GLY:O	1:A:162[A]:MET:HE2	1.72	0.90
2:A:308:CL:CL	4:A:410:HOH:O	2.28	0.87
1:A:45:THR:O	1:A:47:GLU:N	2.14	0.80
1:A:45:THR:HG22	1:A:48[A]:ASP:OD1	1.85	0.76
1:A:106:ILE:HD13	1:A:110:GLN:HB2	1.70	0.74
1:A:291:PHE:HB2	4:A:314:HOH:O	1.87	0.74
1:A:45:THR:HG22	1:A:48[A]:ASP:CB	2.18	0.73
1:A:162[B]:MET:HE3	1:A:164:HIS:NE2	2.03	0.72
1:A:48[B]:ASP:C	1:A:50:LEU:H	1.97	0.72
1:A:48[B]:ASP:C	1:A:50:LEU:N	2.44	0.71
1:A:188:ARG:HD3	4:A:404:HOH:O	1.92	0.69
1:A:56:ASP:O	1:A:60:ARG:HD3	1.93	0.68
1:A:304:THR:HB	1:A:306[B]:GLN:HE22	1.58	0.67
1:A:269:LYS:O	1:A:273:GLN:HG3	1.95	0.66
1:A:48[A]:ASP:OD2	1:A:48[A]:ASP:O	2.16	0.64
1:A:276:MET:O	1:A:278:GLY:N	2.31	0.63
1:A:285:THR:O	1:A:285:THR:OG1	2.17	0.62
1:A:222:ARG:NH1	4:A:310:HOH:O	2.33	0.62
1:A:45:THR:CG2	1:A:48[A]:ASP:OD1	2.47	0.61
1:A:304:THR:HB	1:A:306[B]:GLN:NE2	2.14	0.61
1:A:55:GLU:HB2	4:A:335:HOH:O	2.00	0.61
1:A:41:HIS:CB	1:A:49:MET:HE1	2.28	0.60
1:A:190:THR:HG23	1:A:191:ALA:O	2.02	0.59
1:A:289:ASP:OD2	1:A:289:ASP:C	2.45	0.58
1:A:45:THR:OG1	1:A:46:ALA:N	2.36	0.57
1:A:45:THR:CG2	1:A:48[A]:ASP:HB3	2.35	0.57
1:A:76:ARG:HH21	1:A:78:ILE:HG22	1.68	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:190:THR:CG2	1:A:192:GLN:HB3	2.36	0.56
1:A:298:ARG:HG3	4:A:399:HOH:O	2.04	0.56
1:A:206:ALA:HB2	1:A:293:PRO:HG3	1.86	0.56
1:A:40:ARG:HA	1:A:87:LEU:HG	1.88	0.55
1:A:190:THR:HG23	1:A:191:ALA:C	2.31	0.55
1:A:276:MET:HE2	1:A:279:ARG:O	2.06	0.55
1:A:34:ASP:OD1	1:A:90[B]:LYS:HE3	2.07	0.54
1:A:48[A]:ASP:OD2	1:A:48[A]:ASP:C	2.49	0.54
1:A:219:PHE:HE1	1:A:264[A]:MET:HE1	1.71	0.54
1:A:41:HIS:HB2	1:A:49:MET:CE	2.33	0.53
1:A:44:CYS:SG	1:A:54:TYR:CE2	3.02	0.53
1:A:176:ASP:HB2	4:A:329:HOH:O	2.09	0.53
1:A:132:PRO:HD2	1:A:197:ASP:OD2	2.08	0.53
1:A:140:PHE:HD1	1:A:172:HIS:CD2	2.27	0.53
1:A:233:VAL:O	1:A:234:ALA:C	2.50	0.53
1:A:45:THR:CG2	1:A:48[A]:ASP:CB	2.88	0.52
1:A:285:THR:O	1:A:286:ILE:CG1	2.58	0.52
1:A:271:LEU:HD13	1:A:287:LEU:HD21	1.92	0.52
1:A:140:PHE:HD1	1:A:172:HIS:CG	2.28	0.51
1:A:61:LYS:HB2	1:A:65:SER:OG	2.11	0.51
1:A:42:VAL:HG22	1:A:42:VAL:O	2.10	0.51
1:A:190:THR:HG21	4:A:384:HOH:O	2.12	0.50
1:A:245:ASP:O	1:A:249:ILE:HG13	2.12	0.49
1:A:208:LEU:HB3	1:A:264[A]:MET:HE2	1.93	0.49
1:A:268:LEU:O	1:A:269:LYS:C	2.53	0.49
1:A:253:LEU:HD21	1:A:297:VAL:HG23	1.95	0.49
1:A:106:ILE:CD1	1:A:110:GLN:HB2	2.43	0.47
1:A:226:THR:HB	4:A:333:HOH:O	2.14	0.47
1:A:41:HIS:CG	1:A:49:MET:HE1	2.49	0.47
1:A:107:GLN:O	1:A:108:PRO:C	2.56	0.47
1:A:165[B]:MET:HE3	1:A:167:LEU:HD21	1.97	0.46
1:A:45:THR:C	1:A:47:GLU:N	2.74	0.46
1:A:167:LEU:HB3	1:A:168:PRO:CD	2.45	0.46
1:A:148:VAL:HG12	1:A:162[A]:MET:HE3	1.98	0.46
1:A:280:THR:HG22	1:A:285:THR:HG22	1.98	0.46
1:A:148:VAL:CG1	1:A:162[A]:MET:HE3	2.47	0.45
1:A:212:VAL:HA	1:A:216:ASP:O	2.16	0.45
1:A:19:GLN:NE2	1:A:119:ASN:HB3	2.32	0.45
1:A:272:LEU:HA	1:A:272:LEU:HD23	1.78	0.45
1:A:233:VAL:HG11	1:A:269:LYS:HG3	1.99	0.44
1:A:306[B]:GLN:HE21	1:A:306[B]:GLN:HB2	1.65	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:199:THR:HG23	1:A:289:ASP:OD1	2.17	0.43
1:A:45:THR:CG2	1:A:48[A]:ASP:CG	2.66	0.43
1:A:86[B]:LEU:HB2	1:A:162[B]:MET:HE1	2.00	0.43
1:A:188:ARG:HG3	1:A:189:GLN:N	2.33	0.43
1:A:95:ASN:OD1	1:A:96:PRO:CD	2.67	0.43
1:A:84:ASN:HA	4:A:410:HOH:O	2.19	0.43
1:A:76:ARG:HE	1:A:76:ARG:HB3	1.55	0.42
1:A:118:TYR:CD2	1:A:118:TYR:N	2.87	0.42
1:A:53:ASN:O	1:A:57:LEU:HG	2.18	0.42
1:A:227:LEU:HD23	1:A:227:LEU:HA	1.90	0.42
1:A:100:LYS:HB2	1:A:100:LYS:HE2	1.85	0.42
1:A:218:TRP:CE3	1:A:218:TRP:C	2.98	0.41
1:A:164:HIS:CD2	1:A:175:THR:HG23	2.56	0.41
1:A:162[B]:MET:HE3	1:A:164:HIS:CE1	2.54	0.41
1:A:35:THR:HG22	1:A:36:VAL:N	2.35	0.40
1:A:57:LEU:HD23	1:A:57:LEU:HA	1.88	0.40
1:A:83:GLN:O	1:A:84:ASN:C	2.64	0.40
1:A:190:THR:HG23	1:A:191:ALA:N	2.35	0.40
1:A:213:ILE:HG21	1:A:300:CYS:HB3	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	317/306 (104%)	293 (92%)	18 (6%)	6 (2%)	6 2

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	46	ALA
1	A	286	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	34	ASP
1	A	49	MET
1	A	33	ASP
1	A	47	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	277/263 (105%)	255 (92%)	22 (8%)	11 8

All (22) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	50	LEU
1	A	65	SER
1	A	67	LEU
1	A	86[A]	LEU
1	A	86[B]	LEU
1	A	106	ILE
1	A	121	SER
1	A	122	PRO
1	A	153	ASP
1	A	180[A]	LYS
1	A	180[B]	LYS
1	A	188	ARG
1	A	190	THR
1	A	212	VAL
1	A	214	ASN
1	A	227	LEU
1	A	268	LEU
1	A	279	ARG
1	A	284	SER
1	A	286	ILE
1	A	306[A]	GLN
1	A	306[B]	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	19	GLN
1	A	41	HIS
1	A	246	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 3 ligands modelled in this entry, 2 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	EDO	A	309	-	3,3,3	0.52	0	2,2,2	0.27	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EDO	A	309	-	-	0/1/1/1	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	306/306 (100%)	1.54	77 (25%) 1 1	29, 54, 70, 94	14 (4%)

All (77) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	79	GLY	6.2
1	A	48[A]	ASP	4.3
1	A	294[A]	PHE	4.2
1	A	223	PHE	4.2
1	A	215	GLY	4.0
1	A	286	ILE	3.7
1	A	128[A]	CYS	3.7
1	A	255	ALA	3.6
1	A	260	ALA	3.6
1	A	46	ALA	3.6
1	A	212	VAL	3.4
1	A	263	ASP	3.3
1	A	59	ILE	3.1
1	A	270	GLU	3.1
1	A	154	TYR	3.1
1	A	106	ILE	3.1
1	A	258	GLY	3.1
1	A	305	PHE	3.1
1	A	259	ILE	3.1
1	A	182	TYR	3.0
1	A	121	SER	2.9
1	A	228	ASN	2.9
1	A	91	VAL	2.9
1	A	78	ILE	2.9
1	A	129	ALA	2.9
1	A	271	LEU	2.9
1	A	235[A]	MET	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	276	MET	2.8
1	A	262	LEU	2.8
1	A	304	THR	2.8
1	A	274	ASN	2.7
1	A	209	TYR	2.7
1	A	58	LEU	2.7
1	A	108	PRO	2.7
1	A	233	VAL	2.7
1	A	93	THR	2.6
1	A	63	ASN	2.6
1	A	189	GLN	2.6
1	A	246	HIS	2.6
1	A	160	CYS	2.6
1	A	208	LEU	2.5
1	A	191	ALA	2.5
1	A	64	HIS	2.5
1	A	130	MET	2.4
1	A	73	VAL	2.4
1	A	218	TRP	2.4
1	A	220	LEU	2.3
1	A	227	LEU	2.3
1	A	219	PHE	2.3
1	A	200	ILE	2.3
1	A	47	GLU	2.3
1	A	296	VAL	2.3
1	A	175	THR	2.3
1	A	115	LEU	2.3
1	A	80	HIS	2.2
1	A	104	VAL	2.2
1	A	211	ALA	2.2
1	A	112	PHE	2.2
1	A	266	ALA	2.2
1	A	221	ASN	2.2
1	A	31	TRP	2.2
1	A	110	GLN	2.1
1	A	306[A]	GLN	2.1
1	A	33	ASP	2.1
1	A	204	VAL	2.1
1	A	269	LYS	2.1
1	A	279	ARG	2.1
1	A	125	VAL	2.1
1	A	222	ARG	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	3	PHE	2.1
1	A	148	VAL	2.1
1	A	88	ARG	2.0
1	A	68	VAL	2.0
1	A	303	VAL	2.0
1	A	207	TRP	2.0
1	A	272	LEU	2.0
1	A	161	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	EDO	A	309	4/4	0.91	0.15	35,39,41,42	4
2	CL	A	307	1/1	0.92	0.14	73,73,73,73	0
2	CL	A	308	1/1	0.94	0.06	82,82,82,82	0

6.5 Other polymers [i](#)

There are no such residues in this entry.