



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 08:47 AM UTC

PDB ID : 8A5W / pdb_00008a5w
Title : Crystal structure of the human phosphoserine aminotransferase (PSAT) in complex with O-phosphoserine
Authors : Costanzi, E.; Demitri, N.; Ullah, R.; Marchesan, F.; Peracchi, A.; Zangelmi, E.; Storici, P.; Campanini, B.
Deposited on : 2022-06-16
Resolution : 2.78 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.78 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5248 (2.80-2.76)
Clashscore	190562	5693 (2.80-2.76)
Ramachandran outliers	187476	5590 (2.80-2.76)
Sidechain outliers	187428	5592 (2.80-2.76)
RSRZ outliers	180081	5251 (2.80-2.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	365	% 88% 12% .
1	D	365	% 88% 11% .
1	F	365	% 85% 14% .
2	B	393	% 82% 10% • 7%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	C	393	 % 81% 11% • 7%
2	E	393	 % 81% 11% • 7%
2	G	393	 % 81% 11% • 7%
2	H	393	 % 80% 12% 7%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	SEP	B	502	-	-	X	-
4	SEP	C	501	-	-	X	-
5	PMP	A	801	-	-	X	-

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 22746 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Phosphoserine aminotransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	D	365	Total	C	N	O	S	0	0	0
			2803	1798	470	520	15			
1	F	365	Total	C	N	O	S	0	0	0
			2803	1798	470	520	15			
1	A	365	Total	C	N	O	S	0	0	0
			2803	1798	470	520	15			

- Molecule 2 is a protein called Phosphoserine aminotransferase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
2	E	366	Total	C	N	O	P	S	0	0	0
			2829	1812	475	526	1	15			
2	C	365	Total	C	N	O	P	S	0	0	0
			2818	1806	471	525	1	15			
2	B	365	Total	C	N	O	P	S	0	0	0
			2818	1806	471	525	1	15			
2	G	365	Total	C	N	O	P	S	0	0	0
			2818	1806	471	525	1	15			
2	H	365	Total	C	N	O	P	S	0	0	0
			2818	1806	471	525	1	15			

There are 115 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	-22	MET	-	initiating methionine	UNP Q9Y617
E	-21	GLY	-	expression tag	UNP Q9Y617
E	-20	SER	-	expression tag	UNP Q9Y617
E	-19	SER	-	expression tag	UNP Q9Y617
E	-18	HIS	-	expression tag	UNP Q9Y617
E	-17	HIS	-	expression tag	UNP Q9Y617
E	-16	HIS	-	expression tag	UNP Q9Y617
E	-15	HIS	-	expression tag	UNP Q9Y617

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	-14	HIS	-	expression tag	UNP Q9Y617
E	-13	HIS	-	expression tag	UNP Q9Y617
E	-12	SER	-	expression tag	UNP Q9Y617
E	-11	SER	-	expression tag	UNP Q9Y617
E	-10	GLY	-	expression tag	UNP Q9Y617
E	-9	LEU	-	expression tag	UNP Q9Y617
E	-8	VAL	-	expression tag	UNP Q9Y617
E	-7	PRO	-	expression tag	UNP Q9Y617
E	-6	ARG	-	expression tag	UNP Q9Y617
E	-5	GLY	-	expression tag	UNP Q9Y617
E	-4	SER	-	expression tag	UNP Q9Y617
E	-3	HIS	-	expression tag	UNP Q9Y617
E	-2	ILE	-	expression tag	UNP Q9Y617
E	-1	GLY	-	expression tag	UNP Q9Y617
E	0	PRO	-	expression tag	UNP Q9Y617
C	-22	MET	-	initiating methionine	UNP Q9Y617
C	-21	GLY	-	expression tag	UNP Q9Y617
C	-20	SER	-	expression tag	UNP Q9Y617
C	-19	SER	-	expression tag	UNP Q9Y617
C	-18	HIS	-	expression tag	UNP Q9Y617
C	-17	HIS	-	expression tag	UNP Q9Y617
C	-16	HIS	-	expression tag	UNP Q9Y617
C	-15	HIS	-	expression tag	UNP Q9Y617
C	-14	HIS	-	expression tag	UNP Q9Y617
C	-13	HIS	-	expression tag	UNP Q9Y617
C	-12	SER	-	expression tag	UNP Q9Y617
C	-11	SER	-	expression tag	UNP Q9Y617
C	-10	GLY	-	expression tag	UNP Q9Y617
C	-9	LEU	-	expression tag	UNP Q9Y617
C	-8	VAL	-	expression tag	UNP Q9Y617
C	-7	PRO	-	expression tag	UNP Q9Y617
C	-6	ARG	-	expression tag	UNP Q9Y617
C	-5	GLY	-	expression tag	UNP Q9Y617
C	-4	SER	-	expression tag	UNP Q9Y617
C	-3	HIS	-	expression tag	UNP Q9Y617
C	-2	ILE	-	expression tag	UNP Q9Y617
C	-1	GLY	-	expression tag	UNP Q9Y617
C	0	PRO	-	expression tag	UNP Q9Y617
B	-22	MET	-	initiating methionine	UNP Q9Y617
B	-21	GLY	-	expression tag	UNP Q9Y617
B	-20	SER	-	expression tag	UNP Q9Y617
B	-19	SER	-	expression tag	UNP Q9Y617

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	-18	HIS	-	expression tag	UNP Q9Y617
B	-17	HIS	-	expression tag	UNP Q9Y617
B	-16	HIS	-	expression tag	UNP Q9Y617
B	-15	HIS	-	expression tag	UNP Q9Y617
B	-14	HIS	-	expression tag	UNP Q9Y617
B	-13	HIS	-	expression tag	UNP Q9Y617
B	-12	SER	-	expression tag	UNP Q9Y617
B	-11	SER	-	expression tag	UNP Q9Y617
B	-10	GLY	-	expression tag	UNP Q9Y617
B	-9	LEU	-	expression tag	UNP Q9Y617
B	-8	VAL	-	expression tag	UNP Q9Y617
B	-7	PRO	-	expression tag	UNP Q9Y617
B	-6	ARG	-	expression tag	UNP Q9Y617
B	-5	GLY	-	expression tag	UNP Q9Y617
B	-4	SER	-	expression tag	UNP Q9Y617
B	-3	HIS	-	expression tag	UNP Q9Y617
B	-2	ILE	-	expression tag	UNP Q9Y617
B	-1	GLY	-	expression tag	UNP Q9Y617
B	0	PRO	-	expression tag	UNP Q9Y617
G	-22	MET	-	initiating methionine	UNP Q9Y617
G	-21	GLY	-	expression tag	UNP Q9Y617
G	-20	SER	-	expression tag	UNP Q9Y617
G	-19	SER	-	expression tag	UNP Q9Y617
G	-18	HIS	-	expression tag	UNP Q9Y617
G	-17	HIS	-	expression tag	UNP Q9Y617
G	-16	HIS	-	expression tag	UNP Q9Y617
G	-15	HIS	-	expression tag	UNP Q9Y617
G	-14	HIS	-	expression tag	UNP Q9Y617
G	-13	HIS	-	expression tag	UNP Q9Y617
G	-12	SER	-	expression tag	UNP Q9Y617
G	-11	SER	-	expression tag	UNP Q9Y617
G	-10	GLY	-	expression tag	UNP Q9Y617
G	-9	LEU	-	expression tag	UNP Q9Y617
G	-8	VAL	-	expression tag	UNP Q9Y617
G	-7	PRO	-	expression tag	UNP Q9Y617
G	-6	ARG	-	expression tag	UNP Q9Y617
G	-5	GLY	-	expression tag	UNP Q9Y617
G	-4	SER	-	expression tag	UNP Q9Y617
G	-3	HIS	-	expression tag	UNP Q9Y617
G	-2	ILE	-	expression tag	UNP Q9Y617
G	-1	GLY	-	expression tag	UNP Q9Y617
G	0	PRO	-	expression tag	UNP Q9Y617

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
H	-22	MET	-	initiating methionine	UNP Q9Y617
H	-21	GLY	-	expression tag	UNP Q9Y617
H	-20	SER	-	expression tag	UNP Q9Y617
H	-19	SER	-	expression tag	UNP Q9Y617
H	-18	HIS	-	expression tag	UNP Q9Y617
H	-17	HIS	-	expression tag	UNP Q9Y617
H	-16	HIS	-	expression tag	UNP Q9Y617
H	-15	HIS	-	expression tag	UNP Q9Y617
H	-14	HIS	-	expression tag	UNP Q9Y617
H	-13	HIS	-	expression tag	UNP Q9Y617
H	-12	SER	-	expression tag	UNP Q9Y617
H	-11	SER	-	expression tag	UNP Q9Y617
H	-10	GLY	-	expression tag	UNP Q9Y617
H	-9	LEU	-	expression tag	UNP Q9Y617
H	-8	VAL	-	expression tag	UNP Q9Y617
H	-7	PRO	-	expression tag	UNP Q9Y617
H	-6	ARG	-	expression tag	UNP Q9Y617
H	-5	GLY	-	expression tag	UNP Q9Y617
H	-4	SER	-	expression tag	UNP Q9Y617
H	-3	HIS	-	expression tag	UNP Q9Y617
H	-2	ILE	-	expression tag	UNP Q9Y617
H	-1	GLY	-	expression tag	UNP Q9Y617
H	0	PRO	-	expression tag	UNP Q9Y617

- Molecule 3 is (2S)-2-[(E)-[2-methyl-3-oxidanyl-5-(phosphonooxymethyl)pyridin-4-yl]methylenediamino]-3-phosphonooxy-propanoic acid (CCD ID: E1U) (formula: C₁₁H₁₆N₂O₁₁P₂) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	D	1	Total	C	N	O	P	0	0
			26	11	2	11	2		
3	F	1	Total	C	N	O	P	0	0
			26	11	2	11	2		

- Molecule 4 is PHOSPHOSERINE (CCD ID: SEP) (formula: $C_3H_8NO_6P$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	E	1	Total	C	N	O	P	0	0
			11	3	1	6	1		
4	C	1	Total	C	N	O	P	0	0
			11	3	1	6	1		
4	B	1	Total	C	N	O	P	0	0
			11	3	1	6	1		
4	B	1	Total	C	N	O	P	0	0
			11	3	1	6	1		

- Molecule 5 is 4'-DEOXY-4'-AMINOPYRIDOXAL-5'-PHOSPHATE (CCD ID: PMP) (formula: $C_8H_{13}N_2O_5P$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	N	O	P	0	0
			16	8	2	5	1		

- Molecule 6 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	G	1	Total	O	S	0	0
			5	4	1		
6	H	1	Total	O	S	0	0
			5	4	1		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	D	16	Total 16	O 16	0	0
7	E	16	Total 16	O 16	0	0
7	C	14	Total 14	O 14	0	0
7	B	8	Total 8	O 8	0	0
7	F	21	Total 21	O 21	0	0
7	A	14	Total 14	O 14	0	0
7	G	18	Total 18	O 18	0	0
7	H	7	Total 7	O 7	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Phosphoserine aminotransferase




• Molecule 1: Phosphoserine aminotransferase



• Molecule 1: Phosphoserine aminotransferase





• Molecule 2: Phosphoserine aminotransferase







• Molecule 2: Phosphoserine aminotransferase





• Molecule 2: Phosphoserine aminotransferase



• Molecule 2: Phosphoserine aminotransferase



• Molecule 2: Phosphoserine aminotransferase



1370

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	65.43Å 205.74Å 135.75Å 90.00° 97.88° 90.00°	Depositor
Resolution (Å)	51.44 – 2.78 51.44 – 2.78	Depositor EDS
% Data completeness (in resolution range)	67.6 (51.44-2.78) 67.8 (51.44-2.78)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.83 (at 2.77Å)	Xtriage
Refinement program	PHENIX 1.19.2_4158, PHENIX 1.19.2_4158	Depositor
R, R_{free}	0.182 , 0.228 0.179 , 0.220	Depositor DCC
R_{free} test set	2954 reflections (3.30%)	wwPDB-VP
Wilson B-factor (Å ²)	51.8	Xtriage
Anisotropy	0.061	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 33.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	22746	wwPDB-VP
Average B, all atoms (Å ²)	46.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.77% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PMP, SEP, SO4, LLP, E1U

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.10	0/2861	0.28	0/3874
1	D	0.12	0/2861	0.28	0/3874
1	F	0.18	0/2861	0.32	0/3874
2	B	0.25	0/2851	0.37	0/3860
2	C	0.25	0/2851	0.36	1/3860 (0.0%)
2	E	0.13	0/2862	0.30	1/3874 (0.0%)
2	G	0.18	0/2851	0.33	0/3860
2	H	0.15	0/2851	0.36	2/3860 (0.1%)
All	All	0.18	0/22849	0.33	4/30936 (0.0%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	155	GLU	CA-C-N	5.74	129.04	120.31
2	H	155	GLU	C-N-CA	5.74	129.04	120.31
2	E	367	MET	N-CA-C	5.60	120.39	113.50
2	C	197	GLY	CA-C-O	-5.02	117.06	121.58

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2803	0	2832	27	0
1	D	2803	0	2832	23	0
1	F	2803	0	2832	32	0
2	B	2818	0	2836	30	0
2	C	2818	0	2836	36	0
2	E	2829	0	2848	31	0
2	G	2818	0	2835	32	0
2	H	2818	0	2836	37	0
3	D	26	0	0	2	0
3	F	26	0	0	2	0
4	B	22	0	10	7	0
4	C	11	0	5	5	0
4	E	11	0	3	3	0
5	A	16	0	10	8	0
6	G	5	0	0	0	0
6	H	5	0	0	0	0
7	A	14	0	0	0	0
7	B	8	0	0	1	0
7	C	14	0	0	3	0
7	D	16	0	0	0	0
7	E	16	0	0	1	0
7	F	21	0	0	0	0
7	G	18	0	0	3	0
7	H	7	0	0	1	0
All	All	22746	0	22715	242	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (242) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:200:LLP:H4'1	4:C:501:SEP:N	1.55	1.19
2:C:200:LLP:C4'	4:C:501:SEP:H2	1.57	1.16
2:C:200:LLP:H4'1	4:C:501:SEP:H2	1.10	1.02
2:C:200:LLP:C4'	4:C:501:SEP:N	2.23	0.93
2:G:156:THR:HG21	7:G:916:HOH:O	1.79	0.82
2:C:233:GLN:HG3	2:C:238:SER:HA	1.62	0.82
4:B:502:SEP:H2	1:A:335:HIS:CD2	2.04	0.76
2:G:209:VAL:HG21	2:G:251:MET:HE1	1.71	0.73
2:E:200:LLP:C3	2:E:200:LLP:HE2	2.19	0.72
1:A:290:VAL:HG11	1:A:310:ALA:HA	1.74	0.69

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:233:GLN:HG3	1:F:238:SER:HA	1.74	0.69
2:C:193:VAL:HG22	2:C:212:VAL:HG22	1.75	0.69
7:G:914:HOH:O	2:H:156:THR:HG21	1.93	0.68
1:D:193:VAL:HG22	1:D:212:VAL:HG22	1.76	0.68
2:H:156:THR:HG22	2:H:342:ARG:NH1	2.10	0.67
2:B:294:GLU:OE1	2:B:296:GLN:NE2	2.27	0.66
1:F:45:ARG:HH12	1:F:239:LEU:HB3	1.60	0.66
1:A:199:GLN:NE2	5:A:801:PMP:O1P	2.28	0.66
1:D:10:PHE:HE2	1:D:329:MET:HE2	1.61	0.65
1:A:319:ARG:HE	1:A:323:LYS:HE3	1.62	0.65
1:D:128:LEU:HD21	1:D:135:PRO:HG3	1.78	0.64
2:C:269:LYS:NZ	7:C:603:HOH:O	2.30	0.64
2:G:42:MET:HE1	2:G:52:ILE:HD12	1.79	0.62
2:E:233:GLN:HG3	2:E:238:SER:HA	1.81	0.62
2:E:75:LEU:HD12	2:E:82:GLN:HE22	1.64	0.62
2:H:156:THR:HG22	2:H:342:ARG:HH12	1.63	0.61
2:H:181:PHE:HD2	2:H:202:VAL:HG21	1.65	0.61
3:D:401:E1U:O3	3:D:401:E1U:N	2.33	0.61
2:G:9:ASN:HB3	2:G:16:LYS:HB2	1.81	0.61
2:G:156:THR:HG1	2:G:179:SER:HG	1.39	0.61
2:E:107:TRP:CZ2	4:E:401:SEP:HB2	2.35	0.60
2:B:136:ASP:OD1	2:B:137:PRO:HD2	2.00	0.60
3:F:401:E1U:O3	3:F:401:E1U:N	2.32	0.60
1:F:133:LYS:HB3	1:F:294:GLU:HG3	1.84	0.59
2:B:232:VAL:O	2:B:236:ASN:ND2	2.33	0.59
1:F:82:GLN:HA	1:F:85:ALA:HB3	1.84	0.59
1:D:233:GLN:HG3	1:D:238:SER:HA	1.85	0.59
1:F:143:ASN:HB3	1:F:146:ALA:HB2	1.84	0.58
2:B:140:TRP:HB3	2:B:142:LEU:HD13	1.84	0.58
1:F:174:VAL:HG22	1:F:193:VAL:HB	1.86	0.58
2:G:43:SER:HA	2:H:14:PRO:HD2	1.86	0.57
2:C:202:VAL:HG13	2:C:251:MET:HG3	1.85	0.57
1:A:200:LYS:HE3	5:A:801:PMP:H4A2	1.86	0.57
2:B:134:ILE:HG22	2:B:134:ILE:O	2.04	0.57
2:H:174:VAL:HG22	2:H:193:VAL:HB	1.87	0.57
2:E:107:TRP:HZ2	4:E:401:SEP:HB2	1.70	0.56
2:G:79:GLY:N	2:G:200:LLP:OP3	2.38	0.56
2:H:14:PRO:HA	2:H:199:GLN:O	2.06	0.56
2:B:156:THR:OG1	2:B:200:LLP:O3	2.23	0.56
2:E:28:GLU:HB2	2:E:32:TYR:HA	1.88	0.55
2:B:90:LEU:HD11	2:B:193:VAL:HG21	1.89	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:202:VAL:HG11	2:C:251:MET:HE3	1.87	0.55
2:B:50:ALA:O	2:B:54:ASN:ND2	2.30	0.55
2:E:117:LYS:NZ	7:E:502:HOH:O	2.37	0.55
4:B:502:SEP:P	4:B:502:SEP:N	2.80	0.55
2:H:107:TRP:HE1	2:H:156:THR:HB	1.71	0.54
2:C:16:LYS:NZ	2:C:353:ASP:OD2	2.40	0.54
1:D:143:ASN:HB3	1:D:146:ALA:HB2	1.88	0.54
2:B:241:ASN:HD22	5:A:801:PMP:P	2.31	0.54
4:B:502:SEP:H2	1:A:335:HIS:HD2	1.53	0.54
2:B:136:ASP:OD1	2:B:137:PRO:CD	2.55	0.54
2:H:86:VAL:HG11	2:H:174:VAL:HG11	1.89	0.54
2:E:203:GLY:HA2	2:E:254:VAL:HG21	1.89	0.54
2:B:241:ASN:ND2	5:A:801:PMP:O3P	2.41	0.54
2:H:202:VAL:HG12	2:H:251:MET:HG3	1.89	0.54
1:D:244:PRO:HB2	1:D:247:SER:HB2	1.88	0.54
2:H:177:MET:HE1	2:H:186:VAL:HG21	1.90	0.54
2:C:209:VAL:HB	2:C:251:MET:HE1	1.90	0.53
4:B:502:SEP:N	4:B:502:SEP:O2P	2.41	0.53
2:E:90:LEU:HD11	2:E:193:VAL:HG21	1.91	0.53
2:B:193:VAL:HG22	2:B:212:VAL:HG13	1.91	0.53
1:A:80:CYS:N	5:A:801:PMP:O2P	2.29	0.53
1:A:277:THR:O	1:A:281:ILE:HG12	2.09	0.53
2:E:290:VAL:HG11	2:E:310:ALA:HA	1.92	0.52
1:D:73:ILE:HD12	1:D:75:LEU:HD21	1.90	0.52
2:E:7:VAL:HG21	1:F:36:GLY:HA3	1.91	0.52
2:C:9:ASN:HB3	2:C:16:LYS:HB2	1.92	0.52
1:A:79:GLY:N	5:A:801:PMP:O2P	2.43	0.51
2:C:200:LLP:NZ	4:C:501:SEP:N	2.49	0.51
2:B:14:PRO:HD2	1:A:43:SER:HA	1.93	0.51
1:A:168:VAL:HG21	1:A:173:LEU:HD13	1.93	0.51
2:G:176:ASP:OD2	2:G:200:LLP:H2'3	2.11	0.50
4:B:502:SEP:HB2	5:A:801:PMP:HNA2	1.76	0.50
3:D:401:E1U:O7P	2:C:45:ARG:NE	2.44	0.50
2:C:50:ALA:HB2	7:C:607:HOH:O	2.10	0.50
1:A:106:ALA:HB2	1:A:158:HIS:HE1	1.77	0.50
2:H:66:VAL:HG13	2:H:188:VAL:HG11	1.93	0.50
2:B:217:LEU:HD13	2:B:231:LYS:HA	1.94	0.50
2:B:258:ILE:HG12	2:B:267:MET:HE3	1.93	0.50
2:G:241:ASN:HB2	2:H:200:LLP:OP1	2.12	0.50
2:H:319:ARG:NH2	7:H:803:HOH:O	2.40	0.49
2:E:154:ASN:OD1	2:E:299:SER:HB2	2.11	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:131:TYR:HD2	2:E:158:HIS:CE1	2.30	0.49
4:B:502:SEP:P	4:B:502:SEP:H	2.36	0.49
1:F:90:LEU:HD11	1:F:193:VAL:HG21	1.95	0.49
1:A:279:TYR:CZ	1:A:298:ARG:HG2	2.47	0.49
2:H:84:SER:OG	2:H:114:GLU:OE2	2.31	0.49
1:F:136:ASP:O	1:F:139:THR:HG22	2.13	0.49
2:E:200:LLP:HE2	2:E:200:LLP:O3	2.12	0.49
1:A:244:PRO:HB2	1:A:247:SER:HB2	1.95	0.49
2:G:269:LYS:NZ	7:G:903:HOH:O	2.34	0.48
2:H:274:LYS:HB3	2:H:354:VAL:HG11	1.95	0.48
1:D:36:GLY:HA3	2:C:7:VAL:HG21	1.94	0.48
1:D:319:ARG:HG2	1:D:364:PHE:HE1	1.78	0.48
2:G:91:ILE:HG23	2:G:97:ARG:HD2	1.94	0.48
2:C:148:TYR:HA	2:C:172:VAL:HG23	1.96	0.48
2:B:82:GLN:HA	2:B:85:ALA:HB3	1.96	0.48
4:B:502:SEP:HA	1:A:107:TRP:HZ2	1.78	0.48
2:C:277:THR:O	2:C:281:ILE:HG12	2.14	0.48
2:G:143:ASN:HB3	2:G:146:ALA:HB2	1.96	0.48
2:E:75:LEU:HD12	2:E:82:GLN:NE2	2.28	0.47
2:G:24:GLU:O	2:G:28:GLU:HG2	2.13	0.47
2:E:73:ILE:HD12	2:E:75:LEU:HD21	1.96	0.47
2:E:299:SER:OG	2:E:302:ASN:O	2.32	0.47
1:A:84:SER:OG	1:A:114:GLU:OE2	2.32	0.47
1:A:45:ARG:NH2	1:A:239:LEU:O	2.47	0.47
2:H:116:LYS:HG2	2:H:121:ILE:HB	1.95	0.47
1:F:100:ASP:HB2	1:F:149:VAL:HG22	1.96	0.47
2:H:285:SER:HB2	2:H:288:PHE:HB3	1.96	0.47
2:G:45:ARG:NH1	2:G:239:LEU:HB3	2.30	0.47
2:G:239:LEU:HD23	2:G:243:PRO:HG3	1.95	0.47
5:A:801:PMP:H4A1	5:A:801:PMP:O4P	2.14	0.47
2:G:168:VAL:HG11	2:G:173:LEU:HD13	1.96	0.46
2:H:79:GLY:N	2:H:200:LLP:OP3	2.48	0.46
2:E:86:VAL:HG11	2:E:174:VAL:HG11	1.97	0.46
2:H:294:GLU:OE1	2:H:296:GLN:NE2	2.48	0.46
1:D:282:ILE:O	1:D:285:SER:OG	2.31	0.46
1:F:45:ARG:NH1	1:F:239:LEU:HB3	2.29	0.46
2:G:199:GLN:HB3	2:G:205:ALA:HA	1.98	0.46
1:D:168:VAL:HG11	1:D:173:LEU:HD13	1.97	0.46
2:C:210:VAL:HG12	2:C:212:VAL:HG23	1.98	0.46
2:C:352:GLU:OE1	7:C:601:HOH:O	2.20	0.46
1:F:306:ARG:NH1	1:F:312:GLY:HA3	2.31	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:288:PHE:O	1:A:308:GLY:N	2.30	0.46
1:F:309:ASN:OD1	1:F:312:GLY:N	2.49	0.46
2:H:198:ALA:HB2	2:H:251:MET:HE2	1.97	0.46
1:F:177:MET:HE2	1:F:194:ILE:HG21	1.98	0.46
1:D:7:VAL:HA	1:D:328:ASN:HB3	1.98	0.45
1:D:90:LEU:HD11	1:D:193:VAL:HG21	1.97	0.45
2:G:8:VAL:HG21	2:G:356:LYS:HD2	1.98	0.45
2:G:39:VAL:HG22	2:G:42:MET:HE2	1.98	0.45
2:C:290:VAL:HG21	2:C:310:ALA:HA	1.98	0.45
1:D:258:ILE:HG23	1:D:267:MET:HE3	1.97	0.45
2:C:201:ASN:OD1	2:C:346:TYR:HB3	2.16	0.45
2:G:86:VAL:HG11	2:G:174:VAL:HG11	1.97	0.45
2:C:156:THR:OG1	2:C:200:LLP:O3	2.21	0.45
2:B:177:MET:O	2:B:181:PHE:HB2	2.16	0.45
1:F:71:LYS:HB2	1:F:212:VAL:HG13	1.98	0.45
1:A:82:GLN:HA	1:A:85:ALA:HB3	1.98	0.45
1:D:137:PRO:HA	1:D:140:TRP:CD2	2.52	0.45
2:C:276:GLN:O	2:C:280:GLU:HB2	2.17	0.45
1:F:86:VAL:HG22	1:F:87:PRO:HD3	1.99	0.44
1:A:86:VAL:HG11	1:A:174:VAL:HG11	1.99	0.44
2:E:88:LEU:HD13	2:E:224:CYS:HA	1.98	0.44
2:G:174:VAL:HG22	2:G:193:VAL:HB	1.99	0.44
1:D:199:GLN:HG2	1:D:200:LYS:HZ3	1.82	0.44
2:H:137:PRO:HA	2:H:140:TRP:CD2	2.53	0.44
4:E:401:SEP:O1P	1:F:45:ARG:NE	2.51	0.44
2:B:340:GLY:N	7:B:601:HOH:O	2.50	0.44
2:G:154:ASN:HB3	2:G:179:SER:HB2	2.00	0.44
2:B:73:ILE:HD12	2:B:75:LEU:HD21	1.98	0.44
1:F:153:ALA:HB2	1:F:175:CYS:SG	2.58	0.44
2:E:263:GLY:O	2:E:267:MET:HG2	2.17	0.44
2:B:199:GLN:HB3	2:B:205:ALA:HA	2.00	0.44
1:F:70:TYR:OH	1:F:191:PHE:O	2.28	0.44
2:H:239:LEU:HD23	2:H:243:PRO:HG3	1.99	0.44
1:D:213:ARG:HD2	1:D:215:ASP:OD1	2.18	0.43
1:A:193:VAL:HG22	1:A:212:VAL:HG22	2.00	0.43
2:E:345:LEU:HD22	2:E:354:VAL:HG22	2.00	0.43
1:F:198:ALA:HB2	1:F:251:MET:HE2	2.00	0.43
2:E:222:ARG:O	1:F:117:LYS:HE2	2.18	0.43
2:E:274:LYS:HB3	2:E:354:VAL:HG21	2.00	0.43
2:C:201:ASN:CG	2:C:346:TYR:HB3	2.43	0.43
2:C:63:LEU:HD21	2:C:259:LYS:HB2	2.01	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:105:GLY:HA2	2:C:131:TYR:CG	2.53	0.43
2:G:14:PRO:HA	2:G:199:GLN:O	2.19	0.43
2:G:334:GLY:HA2	2:G:342:ARG:HB3	2.01	0.43
2:H:156:THR:O	2:H:342:ARG:NH1	2.38	0.43
1:A:101:TYR:O	1:A:124:VAL:HG23	2.18	0.43
2:E:209:VAL:HB	2:E:251:MET:HE1	2.01	0.43
2:B:43:SER:HA	1:A:14:PRO:HD2	2.00	0.43
2:H:306:ARG:HD2	2:H:317:GLU:OE2	2.19	0.43
2:E:105:GLY:HA2	2:E:131:TYR:CG	2.53	0.42
1:F:84:SER:C	1:F:87:PRO:HD2	2.44	0.42
1:D:226:SER:OG	2:C:114:GLU:OE1	2.28	0.42
1:F:198:ALA:HA	1:F:202:VAL:HG12	1.99	0.42
2:H:181:PHE:CD2	2:H:202:VAL:HG21	2.49	0.42
2:E:14:PRO:HD2	1:F:43:SER:HA	2.01	0.42
1:F:79:GLY:H	3:F:401:E1U:P	2.41	0.42
1:A:316:LEU:HD12	1:A:316:LEU:HA	1.91	0.42
2:C:177:MET:HG3	2:C:194:ILE:HG23	2.01	0.42
2:E:11:GLY:HA2	2:E:12:PRO:HD3	1.82	0.42
2:B:63:LEU:HD21	2:B:259:LYS:HB2	2.02	0.42
2:B:57:GLU:HG3	2:B:72:VAL:HB	2.00	0.42
1:F:24:GLU:O	1:F:28:GLU:HG2	2.19	0.42
2:G:74:PHE:CD1	2:G:209:VAL:HG22	2.55	0.42
2:H:84:SER:C	2:H:87:PRO:HD2	2.45	0.42
1:F:137:PRO:HA	1:F:140:TRP:CE2	2.55	0.42
1:F:244:PRO:HB2	1:F:247:SER:HB2	2.02	0.42
1:D:93:LEU:HD23	1:D:219:PHE:CG	2.55	0.42
2:C:86:VAL:HB	2:C:87:PRO:HD3	2.02	0.42
2:C:90:LEU:HD11	2:C:193:VAL:HG21	2.02	0.42
1:F:73:ILE:HD12	1:F:75:LEU:HD21	2.02	0.42
2:C:82:GLN:HA	2:C:85:ALA:HB3	2.02	0.41
1:F:63:LEU:HD21	1:F:259:LYS:HB2	2.01	0.41
2:E:64:LEU:HD23	2:E:64:LEU:HA	1.94	0.41
2:G:200:LLP:OP2	2:H:241:ASN:HB2	2.21	0.41
2:E:210:VAL:HG12	2:E:212:VAL:HG23	2.03	0.41
2:B:153:ALA:HB2	2:B:175:CYS:SG	2.61	0.41
2:B:199:GLN:HG3	1:A:242:THR:HG21	2.03	0.41
2:G:352:GLU:O	2:G:356:LYS:HG3	2.20	0.41
2:H:223:GLU:OE1	2:H:223:GLU:N	2.43	0.41
1:F:63:LEU:HD12	1:F:255:LEU:HD22	2.03	0.41
2:G:14:PRO:HD2	2:H:43:SER:HA	2.02	0.41
2:B:203:GLY:HA2	2:B:254:VAL:HG21	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:G:272:SER:O	2:G:276:GLN:HB2	2.20	0.41
1:F:93:LEU:HD11	1:F:216:LEU:HD22	2.02	0.41
2:C:344:SER:HB3	2:C:346:TYR:CE2	2.56	0.41
1:A:199:GLN:HB3	1:A:205:ALA:HA	2.02	0.41
2:H:64:LEU:HD23	2:H:64:LEU:HA	1.95	0.41
2:H:82:GLN:HA	2:H:85:ALA:HB3	2.03	0.41
2:H:177:MET:O	2:H:181:PHE:HB2	2.21	0.41
2:C:202:VAL:CG1	2:C:251:MET:HE3	2.49	0.41
2:B:11:GLY:HA2	2:B:12:PRO:HD3	1.88	0.41
2:C:202:VAL:O	2:C:254:VAL:HB	2.21	0.41
2:G:11:GLY:HA2	2:G:12:PRO:HD3	1.84	0.41
2:H:199:GLN:HB3	2:H:205:ALA:HA	2.03	0.41
2:E:63:LEU:HD21	2:E:259:LYS:HB2	2.03	0.40
2:B:36:GLY:HA3	1:A:7:VAL:HG21	2.02	0.40
2:G:176:ASP:CG	2:G:200:LLP:H2'3	2.47	0.40
2:B:135:PRO:HB2	2:B:140:TRP:HE1	1.86	0.40
2:G:241:ASN:O	2:G:243:PRO:HD3	2.21	0.40
2:H:88:LEU:HD13	2:H:224:CYS:HA	2.03	0.40
1:D:124:VAL:HG13	1:D:141:ASN:O	2.21	0.40
1:D:367:MET:HE3	1:D:367:MET:HB3	2.00	0.40
2:C:174:VAL:HG22	2:C:193:VAL:HB	2.03	0.40
1:D:82:GLN:HA	1:D:85:ALA:HB3	2.03	0.40
2:H:6:GLN:HB3	2:H:7:VAL:H	1.76	0.40
2:H:107:TRP:NE1	2:H:156:THR:HB	2.35	0.40
1:D:153:ALA:HB2	1:D:175:CYS:SG	2.62	0.40
2:E:128:LEU:HD11	2:E:135:PRO:HD3	2.02	0.40
2:B:137:PRO:HA	2:B:140:TRP:CD2	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	363/365 (100%)	348 (96%)	14 (4%)	1 (0%)	36	63
1	D	363/365 (100%)	352 (97%)	10 (3%)	1 (0%)	36	63
1	F	363/365 (100%)	345 (95%)	16 (4%)	2 (1%)	21	47
2	B	362/393 (92%)	349 (96%)	13 (4%)	0	100	100
2	C	362/393 (92%)	351 (97%)	11 (3%)	0	100	100
2	E	363/393 (92%)	349 (96%)	14 (4%)	0	100	100
2	G	362/393 (92%)	352 (97%)	9 (2%)	1 (0%)	36	63
2	H	362/393 (92%)	351 (97%)	10 (3%)	1 (0%)	36	63
All	All	2900/3060 (95%)	2797 (96%)	97 (3%)	6 (0%)	43	70

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	H	201	ASN
1	F	7	VAL
1	F	202	VAL
2	G	202	VAL
1	A	202	VAL
1	D	244	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	306/306 (100%)	301 (98%)	5 (2%)	55	81
1	D	306/306 (100%)	304 (99%)	2 (1%)	76	90
1	F	306/306 (100%)	304 (99%)	2 (1%)	76	90
2	B	305/328 (93%)	303 (99%)	2 (1%)	76	90
2	C	305/328 (93%)	300 (98%)	5 (2%)	55	81
2	E	306/328 (93%)	304 (99%)	2 (1%)	76	90
2	G	305/328 (93%)	302 (99%)	3 (1%)	68	86

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	H	305/328 (93%)	305 (100%)	0	100	100
All	All	2444/2558 (96%)	2423 (99%)	21 (1%)	70	87

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	127	LYS
1	D	200	LYS
2	E	355	GLN
2	E	367	MET
2	C	110	LYS
2	C	172	VAL
2	C	177	MET
2	C	202	VAL
2	C	365	LEU
2	B	134	ILE
2	B	199	GLN
1	F	200	LYS
1	F	202	VAL
1	A	20	SER
1	A	93	LEU
1	A	200	LYS
1	A	294	GLU
1	A	298	ARG
2	G	139	THR
2	G	156	THR
2	G	256	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	D	19	HIS
1	D	276	GLN
1	D	369	GLN
2	E	82	GLN
2	E	355	GLN
2	B	19	HIS
2	B	158	HIS
2	B	180	ASN
2	B	199	GLN
2	B	241	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	F	54	ASN
1	F	261	ASN
1	A	54	ASN
1	A	82	GLN
2	G	54	ASN
2	G	154	ASN
2	H	19	HIS
2	H	276	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

5 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	LLP	E	200	2	23,24,25	2.66	7 (30%)	25,32,34	2.48	8 (32%)
2	LLP	C	200	2	23,24,25	0.93	1 (4%)	25,32,34	0.62	0
2	LLP	B	200	2	23,24,25	2.58	7 (30%)	25,32,34	1.32	3 (12%)
2	LLP	G	200	2	23,24,25	1.01	3 (13%)	25,32,34	0.65	0
2	LLP	H	200	2	23,24,25	2.51	6 (26%)	25,32,34	1.18	2 (8%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	LLP	E	200	2	-	5/16/17/19	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	LLP	C	200	2	-	10/16/17/19	0/1/1/1
2	LLP	B	200	2	-	11/16/17/19	0/1/1/1
2	LLP	G	200	2	-	7/16/17/19	0/1/1/1
2	LLP	H	200	2	-	9/16/17/19	0/1/1/1

All (24) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	E	200	LLP	C2'-C2	-7.71	1.38	1.50
2	H	200	LLP	C4-C4'	7.36	1.62	1.46
2	B	200	LLP	C4-C4'	7.35	1.62	1.46
2	E	200	LLP	C4'-NZ	6.92	1.50	1.27
2	B	200	LLP	C4'-NZ	5.05	1.44	1.27
2	H	200	LLP	C4'-NZ	5.01	1.43	1.27
2	B	200	LLP	C4-C5	-4.67	1.35	1.42
2	H	200	LLP	C4-C5	-4.18	1.36	1.42
2	E	200	LLP	C5'-C5	-3.66	1.41	1.50
2	B	200	LLP	C2'-C2	3.50	1.55	1.50
2	H	200	LLP	C2'-C2	3.46	1.55	1.50
2	E	200	LLP	C6-N1	3.37	1.41	1.34
2	B	200	LLP	C6-N1	3.06	1.40	1.34
2	H	200	LLP	C6-N1	3.05	1.40	1.34
2	C	200	LLP	C3-C2	-2.63	1.38	1.41
2	E	200	LLP	C4-C4'	-2.55	1.41	1.46
2	G	200	LLP	P-OP3	-2.31	1.46	1.54
2	E	200	LLP	C3-C2	-2.28	1.38	1.41
2	G	200	LLP	P-OP2	-2.28	1.46	1.54
2	G	200	LLP	C3-C2	-2.28	1.38	1.41
2	H	200	LLP	C5'-C5	2.26	1.56	1.50
2	B	200	LLP	C5'-C5	2.11	1.56	1.50
2	B	200	LLP	C4-C3	-2.09	1.37	1.41
2	E	200	LLP	P-OP2	-2.06	1.47	1.54

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	200	LLP	C4-C3-C2	8.58	124.97	120.14
2	E	200	LLP	CD-CE-NZ	4.41	122.49	110.83
2	E	200	LLP	CE-NZ-C4'	-3.85	106.40	118.72
2	H	200	LLP	C4-C4'-NZ	-2.73	111.46	124.04
2	E	200	LLP	C3-C4-C5	-2.65	116.15	118.28

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	200	LLP	CE-NZ-C4'	-2.65	110.23	118.72
2	B	200	LLP	C4-C4'-NZ	-2.57	112.20	124.04
2	E	200	LLP	CD-CG-CB	-2.40	104.59	113.62
2	E	200	LLP	OP4-C5'-C5	2.28	113.62	109.36
2	B	200	LLP	C5-C6-N1	-2.26	120.16	123.83
2	E	200	LLP	OP3-P-OP2	2.25	116.23	107.80
2	E	200	LLP	OP2-P-OP4	-2.09	101.23	106.67
2	H	200	LLP	C5-C6-N1	-2.03	120.53	123.83

There are no chirality outliers.

All (42) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	E	200	LLP	C3-C4-C4'-NZ
2	E	200	LLP	C4-C4'-NZ-CE
2	E	200	LLP	C5'-OP4-P-OP2
2	E	200	LLP	C5'-OP4-P-OP3
2	C	200	LLP	C4-C4'-NZ-CE
2	C	200	LLP	C5'-OP4-P-OP1
2	C	200	LLP	C5'-OP4-P-OP2
2	C	200	LLP	C5'-OP4-P-OP3
2	C	200	LLP	C-CA-CB-CG
2	C	200	LLP	CG-CD-CE-NZ
2	B	200	LLP	C3-C4-C4'-NZ
2	B	200	LLP	C4-C4'-NZ-CE
2	B	200	LLP	C5'-OP4-P-OP1
2	B	200	LLP	C5'-OP4-P-OP2
2	B	200	LLP	C5'-OP4-P-OP3
2	B	200	LLP	C-CA-CB-CG
2	G	200	LLP	C5-C4-C4'-NZ
2	G	200	LLP	C4-C4'-NZ-CE
2	G	200	LLP	C5'-OP4-P-OP1
2	G	200	LLP	C5'-OP4-P-OP2
2	G	200	LLP	C5'-OP4-P-OP3
2	H	200	LLP	C4-C4'-NZ-CE
2	H	200	LLP	C5'-OP4-P-OP2
2	H	200	LLP	C5'-OP4-P-OP3
2	H	200	LLP	O-C-CA-CB
2	B	200	LLP	CG-CD-CE-NZ
2	G	200	LLP	CG-CD-CE-NZ
2	C	200	LLP	C3-C4-C4'-NZ
2	H	200	LLP	C3-C4-C4'-NZ

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	B	200	LLP	CA-CB-CG-CD
2	G	200	LLP	C3-C4-C4'-NZ
2	C	200	LLP	CA-CB-CG-CD
2	C	200	LLP	CE-CD-CG-CB
2	H	200	LLP	CA-CB-CG-CD
2	E	200	LLP	C5'-OP4-P-OP1
2	B	200	LLP	CE-CD-CG-CB
2	H	200	LLP	CG-CD-CE-NZ
2	C	200	LLP	CD-CE-NZ-C4'
2	B	200	LLP	CD-CE-NZ-C4'
2	H	200	LLP	C5-C4-C4'-NZ
2	B	200	LLP	C6-C5-C5'-OP4
2	H	200	LLP	C5'-OP4-P-OP1

There are no ring outliers.

5 monomers are involved in 15 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	E	200	LLP	2	0
2	C	200	LLP	6	0
2	B	200	LLP	1	0
2	G	200	LLP	4	0
2	H	200	LLP	2	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

9 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	PMP	A	801	-	16,16,16	1.13	3 (18%)	22,23,23	0.79	0
4	SEP	B	501	-	9,10,10	1.65	2 (22%)	9,14,14	1.64	2 (22%)
6	SO4	G	801	-	4,4,4	0.24	0	6,6,6	0.05	0
4	SEP	B	502	-	9,10,10	1.17	1 (11%)	9,14,14	0.90	1 (11%)
3	E1U	F	401	-	26,26,26	3.58	16 (61%)	34,38,38	2.33	10 (29%)
4	SEP	C	501	-	9,10,10	1.27	1 (11%)	9,14,14	0.79	0
6	SO4	H	701	-	4,4,4	0.23	0	6,6,6	0.13	0
4	SEP	E	401	-	9,10,10	1.34	2 (22%)	9,14,14	2.34	3 (33%)
3	E1U	D	401	-	26,26,26	3.01	6 (23%)	34,38,38	2.12	8 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	PMP	A	801	-	-	7/8/8/8	0/1/1/1
4	SEP	B	501	-	-	6/10/10/10	-
4	SEP	B	502	-	-	2/10/10/10	-
3	E1U	F	401	-	-	7/21/21/21	0/1/1/1
4	SEP	C	501	-	-	3/10/10/10	-
4	SEP	E	401	-	-	4/10/10/10	-
3	E1U	D	401	-	-	4/21/21/21	0/1/1/1

All (31) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	401	E1U	C4A-N	10.90	1.48	1.27
3	F	401	E1U	C4A-N	10.67	1.47	1.27
3	F	401	E1U	C2A-C2	-7.86	1.38	1.50
3	D	401	E1U	C2A-C2	-7.23	1.39	1.50
3	F	401	E1U	P-O4P	-4.49	1.46	1.60
3	D	401	E1U	C5A-C5	-4.32	1.39	1.50
3	F	401	E1U	C5A-C5	-4.30	1.39	1.50
3	F	401	E1U	P-O2P	-3.71	1.41	1.54
4	B	501	SEP	P-O1P	3.51	1.61	1.50
3	F	401	E1U	P2-O7P	-3.46	1.42	1.54
3	F	401	E1U	C3-C2	-3.45	1.37	1.41
3	F	401	E1U	P-O3P	-3.34	1.42	1.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	F	401	E1U	C4-C4A	-3.33	1.39	1.46
3	F	401	E1U	P2-O5P	-3.19	1.43	1.54
3	F	401	E1U	C6-N1	2.91	1.40	1.34
3	F	401	E1U	P-O1P	-2.89	1.41	1.50
3	D	401	E1U	C6-N1	2.80	1.40	1.34
3	F	401	E1U	P2-OG	-2.77	1.51	1.60
3	D	401	E1U	C4-C4A	-2.54	1.41	1.46
5	A	801	PMP	P-O2P	-2.41	1.45	1.54
3	F	401	E1U	C4-C3	-2.36	1.37	1.41
3	F	401	E1U	P2-O6P	-2.30	1.43	1.50
5	A	801	PMP	P-O3P	-2.26	1.46	1.54
4	C	501	SEP	OXT-C	-2.26	1.23	1.30
4	B	502	SEP	OXT-C	-2.25	1.23	1.30
3	D	401	E1U	P2-O7P	-2.24	1.46	1.54
5	A	801	PMP	C3-C2	-2.13	1.38	1.41
4	B	501	SEP	OXT-C	-2.08	1.24	1.30
4	E	401	SEP	P-O2P	-2.07	1.47	1.54
3	F	401	E1U	O-C	-2.06	1.24	1.30
4	E	401	SEP	P-O3P	-2.00	1.47	1.54

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	F	401	E1U	C4-C3-C2	8.12	124.71	120.14
3	D	401	E1U	C4-C4A-N	-6.29	110.37	122.73
4	E	401	SEP	OG-CB-CA	6.02	113.31	108.06
3	F	401	E1U	C4-C4A-N	-5.88	111.18	122.73
3	D	401	E1U	C4-C3-C2	5.19	123.06	120.14
3	D	401	E1U	O7P-P2-OG	-4.18	95.77	106.67
4	B	501	SEP	OG-CB-CA	3.49	111.10	108.06
3	F	401	E1U	O4P-C5A-C5	3.39	115.70	109.36
3	D	401	E1U	O5P-P2-OG	-3.34	97.95	106.67
3	D	401	E1U	OG-P2-O6P	-3.14	97.96	106.44
3	F	401	E1U	O4P-P-O1P	-3.05	98.20	106.44
3	D	401	E1U	O5P-P2-O7P	2.93	118.78	107.80
3	F	401	E1U	O7P-P2-OG	-2.73	99.54	106.67
4	B	501	SEP	OXT-C-O	-2.62	118.15	124.08
3	D	401	E1U	O3P-P-O4P	-2.58	99.94	106.67
3	F	401	E1U	C2A-C2-N1	2.56	122.46	117.64
3	F	401	E1U	O2P-P-O3P	2.39	116.76	107.80
4	E	401	SEP	O2P-P-OG	-2.38	100.48	106.67
3	F	401	E1U	CA-N-C4A	-2.28	113.38	116.77

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	401	E1U	O5P-P2-O6P	2.27	119.68	110.83
3	F	401	E1U	CB-CA-N	2.19	112.60	109.29
4	E	401	SEP	O3P-P-O2P	2.13	115.78	107.80
3	F	401	E1U	C5-C4-C4A	2.10	124.71	121.47
4	B	502	SEP	O3P-P-O2P	2.02	115.37	107.80

There are no chirality outliers.

All (33) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	D	401	E1U	CB-CA-N-C4A
3	D	401	E1U	C-CA-N-C4A
3	F	401	E1U	CB-OG-P2-O7P
3	F	401	E1U	CB-CA-N-C4A
3	F	401	E1U	C-CA-N-C4A
4	E	401	SEP	CB-OG-P-O2P
4	E	401	SEP	CB-OG-P-O3P
4	C	501	SEP	CB-OG-P-O2P
4	C	501	SEP	CB-OG-P-O3P
4	B	501	SEP	N-CA-CB-OG
4	B	501	SEP	C-CA-CB-OG
4	B	501	SEP	CB-OG-P-O3P
4	B	502	SEP	CB-OG-P-O3P
5	A	801	PMP	C3-C4-C4A-N4A
5	A	801	PMP	C5-C4-C4A-N4A
5	A	801	PMP	C4-C5-C5A-O4P
5	A	801	PMP	C6-C5-C5A-O4P
5	A	801	PMP	C5A-O4P-P-O1P
5	A	801	PMP	C5A-O4P-P-O2P
5	A	801	PMP	C5A-O4P-P-O3P
3	F	401	E1U	C4-C4A-N-CA
4	B	501	SEP	OXT-C-CA-N
3	D	401	E1U	CB-OG-P2-O6P
3	F	401	E1U	CB-OG-P2-O6P
4	E	401	SEP	CB-OG-P-O1P
4	C	501	SEP	CB-OG-P-O1P
4	B	501	SEP	O-C-CA-N
3	D	401	E1U	C5A-O4P-P-O2P
3	F	401	E1U	CB-OG-P2-O5P
4	E	401	SEP	N-CA-CB-OG
4	B	501	SEP	CA-CB-OG-P
3	F	401	E1U	C3-C4-C4A-N

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
4	B	502	SEP	CA-CB-OG-P

There are no ring outliers.


6 monomers are involved in 26 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	801	PMP	8	0
4	B	502	SEP	7	0
3	F	401	E1U	2	0
4	C	501	SEP	5	0
4	E	401	SEP	3	0
3	D	401	E1U	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand SEP B 502




Ligand E1U F 401




Ligand SEP C 501



Ligand SEP E 401





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	365/365 (100%)	-0.13	2 (0%) 87 83	30, 50, 79, 98	0
1	D	365/365 (100%)	-0.51	0 100 100	17, 35, 58, 77	0
1	F	365/365 (100%)	-0.25	2 (0%) 87 83	23, 41, 72, 113	0
2	B	364/393 (92%)	-0.23	2 (0%) 87 83	29, 45, 67, 103	0
2	C	364/393 (92%)	-0.25	2 (0%) 87 83	20, 42, 77, 123	0
2	E	365/393 (92%)	-0.47	0 100 100	18, 36, 61, 87	0
2	G	364/393 (92%)	-0.21	3 (0%) 82 77	28, 51, 79, 120	0
2	H	364/393 (92%)	-0.11	3 (0%) 82 77	27, 51, 82, 112	0
All	All	2916/3060 (95%)	-0.27	14 (0%) 87 83	17, 44, 75, 123	0

All (14) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	370	LEU	4.2
1	F	370	LEU	3.6
1	F	124	VAL	2.8
2	C	124	VAL	2.7
2	G	370	LEU	2.6
2	B	128	LEU	2.5
2	H	128	LEU	2.5
2	G	336	ARG	2.5
2	C	370	LEU	2.4
1	A	134	ILE	2.3
2	G	128	LEU	2.2
2	H	125	HIS	2.2
2	H	124	VAL	2.1
2	B	129	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	LLP	H	200	24/25	0.90	0.12	37,56,69,84	0
2	LLP	G	200	24/25	0.92	0.10	42,52,58,58	0
2	LLP	E	200	24/25	0.94	0.10	26,38,46,49	0
2	LLP	C	200	24/25	0.95	0.10	32,41,49,62	0
2	LLP	B	200	24/25	0.95	0.08	39,45,52,56	0

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	SEP	B	502	11/11	0.86	0.11	55,69,91,95	0
4	SEP	B	501	11/11	0.90	0.10	45,54,65,67	0
3	E1U	D	401	26/26	0.90	0.10	27,40,45,51	0
6	SO4	G	801	5/5	0.90	0.10	54,60,70,76	0
3	E1U	F	401	26/26	0.91	0.10	40,54,62,65	0
4	SEP	C	501	11/11	0.92	0.08	45,52,57,59	0
6	SO4	H	701	5/5	0.92	0.09	45,59,69,69	0
4	SEP	E	401	11/11	0.93	0.08	38,44,50,52	0
5	PMP	A	801	16/16	0.93	0.10	46,55,65,68	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around SEP B 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around SEP B 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around E1U D 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around E1U F 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SEP C 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SEP E 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around PMP A 801:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.