



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 25, 2026 – 07:19 PM EDT

PDB ID : 6A6P / pdb_00006a6p
Title : Crystal Structure of Peroxisome Proliferator-Activated Receptor Delta (PPAR δ)LBD in Complex with DN003316
Authors : Chin, J.W.; Cho, S.J.; Song, J.Y.; Ha, J.H.
Deposited on : 2018-06-29
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6658 (2.10-2.10)
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	270	3% 77% 21%
1	B	270	6% 83% 16%

2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 4898 atoms, of which 196 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Peroxisome proliferator-activated receptor delta.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	266	Total	C	N	O	S	0	1	0
			2147	1388	362	387	10			
1	B	267	Total	C	N	O	S	0	1	0
			2150	1391	363	385	11			

- Molecule 2 is {2-methyl-4-[(5-[4-(trifluoromethyl)phenyl]-1,3,4-thiadiazol-2-yl)methyl]sulfanyl}phenoxy}acetic acid (CCD ID: 9RF) (formula: C₁₉H₁₅F₃N₂O₃S₂).




Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	F	H	N	O	S	0
			43	19	3	14	2	3	2	
2	B	1	Total	C	F	H	N	O	S	0
			43	19	3	14	2	3	2	

- Molecule 3 is heptyl beta-D-glucopyranoside (CCD ID: B7G) (formula: C₁₃H₂₆O₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	H	O	0	0
			45	13	26	6		
3	B	1	Total	C	H	O	0	0
			45	13	26	6		

- Molecule 4 is 3,6,9,12,15,18,21,24,27,30,33,36,39-TRIDECAOXAHENTETRACONTANE-1,41-DIOL (CCD ID: PE3) (formula: C₂₈H₅₈O₁₅).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	H	O	0	0
			101	28	58	15		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	B	1	Total	C	H	O	0	0
			101	28	58	15		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	125	Total	O	0	0
			125	125		
5	B	98	Total	O	0	0
			98	98		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Peroxisome proliferator-activated receptor delta



- Molecule 1: Peroxisome proliferator-activated receptor delta



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	39.60Å 95.75Å 96.94Å 90.00° 97.91° 90.00°	Depositor
Resolution (Å)	38.20 – 2.10 38.20 – 2.10	Depositor EDS
% Data completeness (in resolution range)	98.4 (38.20-2.10) 98.3 (38.20-2.10)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.48 (at 2.10Å)	Xtriage
Refinement program	PHENIX (1.13_2998)	Depositor
R, R_{free}	0.194 , 0.228 0.194 , 0.227	Depositor DCC
R_{free} test set	2030 reflections (4.81%)	wwPDB-VP
Wilson B-factor (Å ²)	34.9	Xtriage
Anisotropy	0.601	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 38.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	4898	wwPDB-VP
Average B, all atoms (Å ²)	46.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.89% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: B7G, PE3, 9RF

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.38	0/2193	0.57	0/2964
1	B	0.32	0/2199	0.56	0/2971
All	All	0.35	0/4392	0.56	0/5935

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2147	0	2181	63	0
1	B	2150	0	2193	41	0
2	A	29	14	0	1	0
2	B	29	14	0	0	0
3	A	19	26	26	4	0
3	B	19	26	26	5	0
4	A	43	58	58	15	0
4	B	43	58	56	3	0
5	A	125	0	0	6	0
5	B	98	0	0	6	0
All	All	4702	196	4540	102	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (102) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:438:LYS:O	3:B:502:B7G:O3	1.81	0.96
1:B:358:CYS:SG	5:B:641:HOH:O	2.27	0.91
1:B:429:LEU:HB3	3:B:502:B7G:H132	1.53	0.88
1:A:318:ARG:NH2	5:A:601:HOH:O	2.05	0.87
1:A:220:TRP:CZ2	1:A:224:LYS:HD2	2.15	0.82
1:B:236:PRO:HG2	1:B:247:TYR:CE2	2.17	0.79
1:A:294:LEU:HD11	1:A:303:LEU:HD11	1.64	0.79
1:A:225:GLY:HA2	1:A:228:TRP:O	1.85	0.76
1:A:358:CYS:SG	5:A:604:HOH:O	2.45	0.73
1:B:238:TYR:OH	1:B:241:ILE:HD13	1.89	0.73
1:A:255[B]:GLU:OE1	1:A:258:ARG:NH1	2.24	0.70
1:B:429:LEU:HB3	3:B:502:B7G:C13	2.21	0.69
1:A:435:GLU:OE1	1:A:438:LYS:HE3	1.93	0.68
1:A:288:GLU:OE2	1:A:407:ARG:HG2	1.93	0.68
1:A:280:THR:OG1	5:A:602:HOH:O	2.10	0.68
1:A:283:LYS:HD2	4:A:503:PE3:H21	1.76	0.67
1:A:201:LEU:HD21	1:A:304:LEU:HG	1.78	0.66
1:B:379:ARG:NH1	5:B:601:HOH:O	2.07	0.66
1:A:203:GLY:O	1:A:204:LYS:HD2	1.95	0.66
1:B:236:PRO:HG2	1:B:247:TYR:CD2	2.30	0.65
1:A:279:VAL:HG22	1:B:275:LEU:HD23	1.79	0.64
1:B:326:ASP:C	1:B:416:MET:HE1	2.22	0.63
1:A:227:VAL:HG23	1:A:228:TRP:CE3	2.34	0.63
1:A:435:GLU:HG3	4:A:503:PE3:C3	2.30	0.62
1:A:209:ALA:HB1	1:A:210:PRO:HD2	1.82	0.62
1:A:251:CYS:SG	4:A:503:PE3:H412	2.39	0.61
1:B:211:PHE:CE1	1:B:226:LEU:HD21	2.35	0.61
1:A:294:LEU:HD11	1:A:303:LEU:CD1	2.30	0.61
1:A:240:GLU:OE2	1:A:321:ARG:NH1	2.34	0.60
1:B:326:ASP:O	1:B:416:MET:HE1	2.01	0.60
1:B:428:SER:O	1:B:429:LEU:HD23	2.02	0.60
1:A:222:ALA:HB1	1:A:227:VAL:CG2	2.31	0.60
1:A:435:GLU:HG3	4:A:503:PE3:H32	1.85	0.59
1:B:229:LYS:HZ1	1:B:233:ASN:N	2.01	0.58
1:A:417:MET:HE2	3:A:502:B7G:H133	1.86	0.57
1:A:279:VAL:CG2	1:B:275:LEU:HD23	2.35	0.57
1:B:221:GLN:O	1:B:226:LEU:HB3	2.05	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:288:GLU:OE2	1:B:407:ARG:HG2	2.07	0.55
1:A:238:TYR:OH	1:A:241:ILE:HD13	2.06	0.55
1:B:235:LEU:HB3	1:B:236:PRO:HD2	1.88	0.55
1:A:251:CYS:SG	4:A:503:PE3:C41	2.95	0.55
1:A:222:ALA:HB1	1:A:227:VAL:HG22	1.89	0.54
1:A:236:PRO:HG2	4:A:503:PE3:H361	1.90	0.54
1:A:236:PRO:CG	4:A:503:PE3:H361	2.39	0.53
1:A:211:PHE:CD1	1:A:226:LEU:HD21	2.43	0.53
1:B:320:LEU:O	1:B:325:SER:HB3	2.09	0.53
1:B:251[B]:CYS:HA	4:B:503:PE3:H381	1.91	0.53
1:B:327:ILE:HD13	1:B:416:MET:HE2	1.91	0.52
1:B:251[A]:CYS:HA	4:B:503:PE3:H381	1.91	0.52
1:A:375:ASP:OD2	1:A:379:ARG:NH1	2.41	0.52
1:A:274:PHE:CD2	1:A:365:MET:HE2	2.45	0.52
1:B:225:GLY:HA2	1:B:229:LYS:C	2.35	0.52
1:B:318:ARG:NH1	5:B:605:HOH:O	2.43	0.51
1:A:437:TYR:O	3:A:502:B7G:H41	2.11	0.51
1:B:223:GLU:O	5:B:603:HOH:O	2.19	0.51
1:A:274:PHE:CG	1:A:365:MET:HE2	2.46	0.51
1:A:367:VAL:HB	1:A:368:PRO:HD3	1.93	0.51
1:B:429:LEU:CB	3:B:502:B7G:H132	2.32	0.51
1:B:274:PHE:CG	1:B:365:MET:HE2	2.47	0.50
1:B:238:TYR:OH	1:B:241:ILE:CD1	2.58	0.50
1:A:251:CYS:HG	4:A:503:PE3:C41	2.25	0.49
1:A:275:LEU:HD23	1:B:279:VAL:HG22	1.94	0.48
1:B:220:TRP:CZ2	1:B:224:LYS:HD2	2.48	0.48
1:A:211:PHE:CE1	1:A:226:LEU:HD21	2.48	0.48
1:B:251[B]:CYS:HB2	4:B:503:PE3:C36	2.43	0.48
1:B:274:PHE:HB3	1:B:276:ASN:OD1	2.13	0.48
1:A:321:ARG:HG2	1:A:322:LYS:O	2.12	0.48
1:A:236:PRO:HD3	4:A:503:PE3:H381	1.97	0.47
1:A:421:LYS:HD2	3:A:502:B7G:H72	1.96	0.46
1:A:222:ALA:HB1	1:A:227:VAL:HG21	1.96	0.46
1:B:274:PHE:CD2	1:B:365:MET:HE2	2.50	0.46
1:A:328:ILE:HD13	2:A:501:9RF:S11	2.56	0.46
1:A:327:ILE:HD11	1:A:420:ILE:HD11	1.98	0.45
1:A:239:LYS:HD3	1:A:239:LYS:HA	1.70	0.45
1:A:191:ASN:HB2	1:A:259:GLU:OE2	2.17	0.45
1:A:224:LYS:O	1:A:226:LEU:N	2.50	0.45
1:A:203:GLY:C	1:A:204:LYS:HD2	2.41	0.44
1:A:419:ARG:HA	1:A:419:ARG:HD2	1.81	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:328:ILE:HG13	5:A:642:HOH:O	2.17	0.44
1:A:425:THR:OG1	5:A:603:HOH:O	2.21	0.44
1:B:239:LYS:HD3	1:B:239:LYS:HA	1.79	0.43
1:A:209:ALA:HB1	1:A:210:PRO:CD	2.45	0.43
1:B:206:SER:O	1:B:207:HIS:CG	2.72	0.43
1:A:258:ARG:NE	5:A:606:HOH:O	2.35	0.43
4:A:503:PE3:H201	1:B:274:PHE:CZ	2.54	0.43
1:A:222:ALA:O	1:A:227:VAL:HG22	2.19	0.43
1:A:430:HIS:HA	4:A:503:PE3:H352	2.01	0.43
1:A:227:VAL:CG2	1:A:228:TRP:CE3	3.01	0.42
4:A:503:PE3:C33	4:A:503:PE3:H291	2.48	0.42
1:A:435:GLU:HG3	4:A:503:PE3:H31	2.00	0.42
1:A:220:TRP:CH2	1:A:224:LYS:HD2	2.54	0.42
1:A:343:LEU:HD11	1:A:399:LEU:HD21	2.02	0.42
1:B:437:TYR:O	3:B:502:B7G:H41	2.19	0.42
1:A:224:LYS:C	1:A:226:LEU:H	2.29	0.41
1:A:274:PHE:HB3	1:A:276:ASN:OD1	2.19	0.41
1:B:374:GLN:NE2	5:B:608:HOH:O	2.53	0.41
1:B:198:ARG:HD3	5:B:606:HOH:O	2.20	0.41
1:A:251:CYS:O	1:A:255[A]:GLU:HG3	2.20	0.41
1:A:436:ILE:HG12	4:A:503:PE3:H61	2.02	0.41
1:A:421:LYS:CD	3:A:502:B7G:H72	2.51	0.40
4:A:503:PE3:H201	1:B:274:PHE:CE1	2.57	0.40
1:B:343:LEU:HD11	1:B:399:LEU:HD21	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	263/270 (97%)	259 (98%)	3 (1%)	1 (0%)	30 28

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	264/270 (98%)	258 (98%)	6 (2%)	0	100	100
All	All	527/540 (98%)	517 (98%)	9 (2%)	1 (0%)	43	44

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	225	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	235/238 (99%)	235 (100%)	0	100	100
1	B	236/238 (99%)	233 (99%)	3 (1%)	61	69
All	All	471/476 (99%)	468 (99%)	3 (1%)	78	86

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	176	LYS
1	B	191	ASN
1	B	303	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	233	ASN
1	B	434	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	PE3	A	503	-	42,42,42	0.59	0	41,41,41	0.57	0
4	PE3	B	503	-	42,42,42	0.56	0	41,41,41	0.43	0
3	B7G	B	502	-	19,19,19	1.33	1 (5%)	24,24,24	1.04	1 (4%)
2	9RF	A	501	-	30,31,31	1.19	3 (10%)	39,44,44	2.14	6 (15%)
3	B7G	A	502	-	19,19,19	1.34	1 (5%)	24,24,24	1.45	5 (20%)
2	9RF	B	501	-	30,31,31	1.24	3 (10%)	39,44,44	2.29	9 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	PE3	A	503	-	-	27/40/40/40	-
4	PE3	B	503	-	-	18/40/40/40	-
3	B7G	B	502	-	-	6/10/30/30	0/1/1/1
2	9RF	A	501	-	-	2/20/20/20	0/3/3/3
3	B7G	A	502	-	-	6/10/30/30	0/1/1/1
2	9RF	B	501	-	-	2/20/20/20	0/3/3/3

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	502	B7G	O5-C1	4.19	1.52	1.41
3	B	502	B7G	O5-C1	4.05	1.52	1.41
2	B	501	9RF	C12-C10	3.19	1.52	1.47
2	A	501	9RF	C07-N08	3.18	1.33	1.29
2	B	501	9RF	C07-N08	2.90	1.33	1.29
2	A	501	9RF	C12-C10	2.87	1.51	1.47
2	B	501	9RF	C04-S05	2.46	1.81	1.76
2	A	501	9RF	C04-S05	2.15	1.81	1.76

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	501	9RF	S11-C07-N08	-9.16	106.44	113.98
2	A	501	9RF	S11-C07-N08	-8.70	106.81	113.98
2	B	501	9RF	S11-C10-N09	-6.95	106.15	113.58
2	A	501	9RF	S11-C10-N09	-6.31	106.83	113.58
3	A	502	B7G	O5-C1-C2	3.09	116.72	110.37
2	A	501	9RF	C12-C10-S11	2.99	128.13	122.09
2	B	501	9RF	C10-N09-N08	2.99	116.19	113.01
2	B	501	9RF	F17-C16-C15	-2.98	106.51	112.90
3	A	502	B7G	O1-C1-C2	2.89	112.66	108.27
2	B	501	9RF	C07-N08-N09	2.79	115.93	113.03
2	A	501	9RF	C07-N08-N09	2.72	115.86	113.03
2	A	501	9RF	C10-N09-N08	2.62	115.80	113.01
3	A	502	B7G	C3-C4-C5	2.57	114.90	110.23
3	B	502	B7G	O1-C1-C2	2.39	111.91	108.27
2	B	501	9RF	C12-C10-S11	2.39	126.92	122.09
2	B	501	9RF	O25-C24-C02	2.35	119.99	114.94
2	B	501	9RF	C26-O25-C24	-2.30	112.80	117.60
3	A	502	B7G	O2-C2-C1	-2.26	104.69	110.08
3	A	502	B7G	O4-C4-C5	-2.23	103.83	109.32
2	B	501	9RF	C12-C10-N09	2.09	126.91	122.80
2	A	501	9RF	F18-C16-C15	-2.09	108.43	112.90

There are no chirality outliers.

All (61) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	503	PE3	O31-C32-C33-O34
4	A	503	PE3	O4-C5-C6-O7
4	A	503	PE3	C29-C30-O31-C32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	A	503	PE3	O19-C20-C21-O22
4	A	503	PE3	O16-C17-C18-O19
3	B	502	B7G	C4-C5-C6-O6
3	A	502	B7G	C2-C1-O1-C7
4	A	503	PE3	O13-C14-C15-O16
4	A	503	PE3	O7-C8-C9-O10
3	A	502	B7G	O5-C1-O1-C7
4	B	503	PE3	O4-C5-C6-O7
4	A	503	PE3	O28-C29-C30-O31
4	B	503	PE3	O7-C8-C9-O10
4	B	503	PE3	O10-C11-C12-O13
4	A	503	PE3	C15-C14-O13-C12
3	B	502	B7G	O5-C5-C6-O6
4	A	503	PE3	O37-C38-C39-O40
4	B	503	PE3	O25-C26-C27-O28
4	B	503	PE3	O34-C35-C36-O37
4	A	503	PE3	O10-C11-C12-O13
4	B	503	PE3	O28-C29-C30-O31
4	A	503	PE3	O40-C41-C42-O43
3	A	502	B7G	C7-C8-C9-C10
3	B	502	B7G	C10-C11-C12-C13
3	B	502	B7G	C7-C8-C9-C10
3	B	502	B7G	O1-C7-C8-C9
4	A	503	PE3	O1-C2-C3-O4
3	A	502	B7G	C9-C10-C11-C12
4	A	503	PE3	O22-C23-C24-O25
4	A	503	PE3	C18-C17-O16-C15
4	A	503	PE3	C26-C27-O28-C29
4	B	503	PE3	O40-C41-C42-O43
4	B	503	PE3	O1-C2-C3-O4
4	B	503	PE3	O16-C17-C18-O19
4	A	503	PE3	C21-C20-O19-C18
4	B	503	PE3	C21-C20-O19-C18
4	A	503	PE3	C11-C12-O13-C14
4	B	503	PE3	C29-C30-O31-C32
3	A	502	B7G	C11-C10-C9-C8
4	A	503	PE3	C35-C36-O37-C38
4	B	503	PE3	O37-C38-C39-O40
4	B	503	PE3	C8-C9-O10-C11
4	A	503	PE3	C33-C32-O31-C30
4	B	503	PE3	C14-C15-O16-C17
4	A	503	PE3	C32-C33-O34-C35

Continued on next page...

Continued from previous page...




Mol	Chain	Res	Type	Atoms
4	A	503	PE3	C38-C39-O40-C41
2	B	501	9RF	C03-C04-S05-C06
2	A	501	9RF	C03-C04-S05-C06
2	B	501	9RF	C22-C04-S05-C06
2	A	501	9RF	C22-C04-S05-C06
4	A	503	PE3	C39-C38-O37-C36
4	A	503	PE3	C27-C26-O25-C24
4	B	503	PE3	O19-C20-C21-O22
4	B	503	PE3	O13-C14-C15-O16
4	B	503	PE3	C35-C36-O37-C38
3	B	502	B7G	C11-C10-C9-C8
4	A	503	PE3	C23-C24-O25-C26
4	B	503	PE3	C9-C8-O7-C6
3	A	502	B7G	O1-C7-C8-C9
4	A	503	PE3	C6-C5-O4-C3
4	A	503	PE3	C5-C6-O7-C8



There are no ring outliers.


5 monomers are involved in 28 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	503	PE3	15	0
4	B	503	PE3	3	0
3	B	502	B7G	5	0
2	A	501	9RF	1	0
3	A	502	B7G	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	266/270 (98%)	0.04	8 (3%) 52 55	17, 37, 72, 134	1 (0%)
1	B	267/270 (98%)	0.22	15 (5%) 30 32	25, 42, 84, 130	1 (0%)
All	All	533/540 (98%)	0.13	23 (4%) 40 41	17, 40, 81, 134	2 (0%)

All (23) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	172	VAL	6.1
1	A	205	ALA	4.8
1	B	172	VAL	4.6
1	B	207	HIS	4.6
1	B	205	ALA	3.8
1	B	228	TRP	3.2
1	A	204	LYS	3.0
1	B	173	ALA	2.9
1	B	226	LEU	2.9
1	A	226	LEU	2.9
1	A	208	THR	2.9
1	A	274	PHE	2.9
1	A	207	HIS	2.7
1	A	225	GLY	2.7
1	B	225	GLY	2.7
1	B	227	VAL	2.5
1	B	274	PHE	2.4
1	B	233	ASN	2.3
1	B	208	THR	2.2
1	B	422	LYS	2.2
1	B	241	ILE	2.1
1	B	237	PRO	2.1
1	B	423	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	PE3	B	503	43/43	0.76	0.16	51,70,83,95	0
4	PE3	A	503	43/43	0.78	0.15	50,67,83,88	0
3	B7G	B	502	19/19	0.83	0.14	60,81,91,96	0
3	B7G	A	502	19/19	0.86	0.12	50,65,77,83	0
2	9RF	B	501	29/29	0.93	0.09	36,47,58,60	0
2	9RF	A	501	29/29	0.95	0.08	34,42,50,60	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around PE3 B 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PE3 A 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around B7G B 502:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around B7G A 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 9RF B 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around 9RF A 501:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.