



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 10:30 PM UTC

PDB ID : 7A62 / pdb_00007a62
Title : Structure of human indoleamine-2,3-dioxygenase 1 (hIDO1) with a complete JK loop
Authors : Mirgaux, M.; Wouters, J.
Deposited on : 2020-08-24
Resolution : 2.44 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.44 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2340 (2.46-2.42)
Clashscore	190562	2400 (2.46-2.42)
Ramachandran outliers	187476	2379 (2.46-2.42)
Sidechain outliers	187428	2379 (2.46-2.42)
RSRZ outliers	180081	2340 (2.46-2.42)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	405	2% 82% 10% 8%
1	B	405	3% 82% 11% 7%
1	C	405	8% 83% 13% .
1	D	405	4% 78% 15% 7%

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 12873 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Indoleamine 2,3-dioxygenase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	374	Total	C	N	O	S	0	0	0
			2949	1895	503	534	17			
1	B	378	Total	C	N	O	S	0	0	0
			2971	1906	507	541	17			
1	C	393	Total	C	N	O	S	0	0	0
			3089	1977	527	568	17			
1	D	375	Total	C	N	O	S	0	0	0
			2953	1897	504	535	17			

There are 72 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	MET	-	initiating methionine	UNP P14902
A	0	GLY	-	expression tag	UNP P14902
A	1	SER	-	expression tag	UNP P14902
A	2	SER	-	expression tag	UNP P14902
A	3	HIS	-	expression tag	UNP P14902
A	4	HIS	-	expression tag	UNP P14902
A	5	HIS	-	expression tag	UNP P14902
A	6	HIS	-	expression tag	UNP P14902
A	7	HIS	-	expression tag	UNP P14902
A	8	HIS	-	expression tag	UNP P14902
A	9	SER	-	expression tag	UNP P14902
A	10	SER	-	expression tag	UNP P14902
A	11	GLY	-	expression tag	UNP P14902
A	12	SER	-	expression tag	UNP P14902
A	13	ALA	-	expression tag	UNP P14902
A	14	ALA	-	expression tag	UNP P14902
A	116	ALA	LYS	engineered mutation	UNP P14902
A	117	ALA	LYS	engineered mutation	UNP P14902
B	-1	MET	-	initiating methionine	UNP P14902
B	0	GLY	-	expression tag	UNP P14902
B	1	SER	-	expression tag	UNP P14902

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	2	SER	-	expression tag	UNP P14902
B	3	HIS	-	expression tag	UNP P14902
B	4	HIS	-	expression tag	UNP P14902
B	5	HIS	-	expression tag	UNP P14902
B	6	HIS	-	expression tag	UNP P14902
B	7	HIS	-	expression tag	UNP P14902
B	8	HIS	-	expression tag	UNP P14902
B	9	SER	-	expression tag	UNP P14902
B	10	SER	-	expression tag	UNP P14902
B	11	GLY	-	expression tag	UNP P14902
B	12	SER	-	expression tag	UNP P14902
B	13	ALA	-	expression tag	UNP P14902
B	14	ALA	-	expression tag	UNP P14902
B	116	ALA	LYS	engineered mutation	UNP P14902
B	117	ALA	LYS	engineered mutation	UNP P14902
C	-1	MET	-	initiating methionine	UNP P14902
C	0	GLY	-	expression tag	UNP P14902
C	1	SER	-	expression tag	UNP P14902
C	2	SER	-	expression tag	UNP P14902
C	3	HIS	-	expression tag	UNP P14902
C	4	HIS	-	expression tag	UNP P14902
C	5	HIS	-	expression tag	UNP P14902
C	6	HIS	-	expression tag	UNP P14902
C	7	HIS	-	expression tag	UNP P14902
C	8	HIS	-	expression tag	UNP P14902
C	9	SER	-	expression tag	UNP P14902
C	10	SER	-	expression tag	UNP P14902
C	11	GLY	-	expression tag	UNP P14902
C	12	SER	-	expression tag	UNP P14902
C	13	ALA	-	expression tag	UNP P14902
C	14	ALA	-	expression tag	UNP P14902
C	116	ALA	LYS	engineered mutation	UNP P14902
C	117	ALA	LYS	engineered mutation	UNP P14902
D	-1	MET	-	initiating methionine	UNP P14902
D	0	GLY	-	expression tag	UNP P14902
D	1	SER	-	expression tag	UNP P14902
D	2	SER	-	expression tag	UNP P14902
D	3	HIS	-	expression tag	UNP P14902
D	4	HIS	-	expression tag	UNP P14902
D	5	HIS	-	expression tag	UNP P14902
D	6	HIS	-	expression tag	UNP P14902
D	7	HIS	-	expression tag	UNP P14902

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	8	HIS	-	expression tag	UNP P14902
D	9	SER	-	expression tag	UNP P14902
D	10	SER	-	expression tag	UNP P14902
D	11	GLY	-	expression tag	UNP P14902
D	12	SER	-	expression tag	UNP P14902
D	13	ALA	-	expression tag	UNP P14902
D	14	ALA	-	expression tag	UNP P14902
D	116	ALA	LYS	engineered mutation	UNP P14902
D	117	ALA	LYS	engineered mutation	UNP P14902

- Molecule 2 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C O 6 3 3	0	0
2	B	1	Total C O 6 3 3	0	0
2	B	1	Total C O 6 3 3	0	0
2	C	1	Total C O 6 3 3	0	0
2	C	1	Total C O 6 3 3	0	0
2	D	1	Total C O 6 3 3	0	0

Continued on next page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	D	1	Total	C	O	0	0
			6	3	3		

- # HEM

- Molecule 4 is CHLORIDE ION (CCD ID: CL) (formula: Cl) (labeled as "Ligand of Interest" by depositor).

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	171	Total 171	O 171	0	0
5	B	191	Total 191	O 191	0	0
5	C	188	Total 188	O 188	0	0
5	D	145	Total 145	O 145	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Indoleamine 2,3-dioxygenase 1

Chain A: 




• Molecule 1: Indoleamine 2,3-dioxygenase 1

Chain B: 





• Molecule 1: Indoleamine 2,3-dioxygenase 1

Chain C: 



• Molecule 1: Indoleamine 2,3-dioxygenase 1



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	80.96Å 117.95Å 216.41Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.18 – 2.44 49.18 – 2.44	Depositor EDS
% Data completeness (in resolution range)	84.1 (49.18-2.44) 84.2 (49.18-2.44)	Depositor EDS
R_{merge}	0.17	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.73 (at 2.45Å)	Xtrriage
Refinement program	PHENIX 1.10.1_2155	Depositor
R, R_{free}	0.212 , 0.257 0.213 , 0.260	Depositor DCC
R_{free} test set	3305 reflections (4.23%)	wwPDB-VP
Wilson B-factor (Å ²)	39.0	Xtrriage
Anisotropy	0.002	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 33.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.53$, $\langle L^2 \rangle = 0.37$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	12873	wwPDB-VP
Average B, all atoms (Å ²)	39.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 46.64 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.1117e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: HEM, GOL, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.55	0/3018	0.55	0/4087
1	B	0.56	1/3040 (0.0%)	0.55	0/4114
1	C	0.55	2/3160 (0.1%)	0.60	1/4275 (0.0%)
1	D	0.56	1/3022 (0.0%)	0.57	0/4092
All	All	0.56	4/12240 (0.0%)	0.57	1/16568 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	361	GLN	CB-CG	-6.16	1.33	1.52
1	B	121	PRO	C-N	-6.02	1.19	1.33
1	D	121	PRO	C-N	-5.38	1.21	1.33
1	C	121	PRO	C-N	-5.22	1.21	1.33

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	365	ASN	N-CA-C	5.17	121.82	110.80

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	12	SER	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2949	0	2956	25	0
1	B	2971	0	2971	33	0
1	C	3089	0	3092	51	0
1	D	2953	0	2959	46	0
2	A	6	0	8	1	0
2	B	12	0	16	0	0
2	C	12	0	16	2	0
2	D	12	0	16	2	0
3	A	43	0	30	3	0
3	B	43	0	30	3	0
3	C	43	0	30	4	0
3	D	43	0	30	6	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
5	A	171	0	0	3	0
5	B	191	0	0	13	0
5	C	188	0	0	13	0
5	D	145	0	0	9	0
All	All	12873	0	12154	163	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (163) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:96:HIS:ND1	5:C:601:HOH:O	2.06	0.87
1:A:56:ARG:HD2	2:A:501:GOL:H2	1.61	0.83
3:C:504:HEM:HBB2	3:C:504:HEM:HHC	1.60	0.81
1:C:401:LYS:NZ	5:C:605:HOH:O	2.14	0.80
1:B:227:PHE:O	1:B:231:ARG:NH1	2.18	0.77

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:D:504:HEM:HHC	3:D:504:HEM:HBB2	1.66	0.77
1:D:263:SER:N	5:D:605:HOH:O	2.18	0.76
1:D:149:ASP:OD1	5:D:601:HOH:O	2.04	0.76
1:D:216:GLN:NE2	5:D:603:HOH:O	2.17	0.76
1:C:360:GLN:O	1:C:361:GLN:HB3	1.85	0.75
1:B:401:LYS:NZ	5:B:604:HOH:O	2.21	0.73
1:A:382:THR:O	1:A:386:ASN:ND2	2.22	0.71
1:A:113:GLN:OE1	5:A:601:HOH:O	2.09	0.69
1:A:321:LEU:HD21	1:A:400:LEU:HD22	1.73	0.68
1:B:282:THR:O	1:B:293:GLN:NE2	2.27	0.68
1:D:185:PHE:HA	1:D:188:MET:HE3	1.76	0.68
1:C:265:GLY:O	5:C:602:HOH:O	2.10	0.68
1:A:48:ASP:OD2	5:A:602:HOH:O	2.12	0.67
1:D:189:GLN:HG2	1:D:190:MET:HE2	1.77	0.67
1:B:105:ARG:NH1	5:B:609:HOH:O	2.28	0.66
1:C:68:ASP:OD1	5:C:603:HOH:O	2.14	0.65
1:C:318:GLU:OE1	5:C:604:HOH:O	2.14	0.65
1:A:12:SER:N	5:A:607:HOH:O	2.29	0.65
1:C:216:GLN:NE2	5:C:609:HOH:O	2.30	0.65
1:B:355:LEU:HD11	1:B:385:MET:SD	2.37	0.65
1:C:321:LEU:HD21	1:C:400:LEU:HD22	1.79	0.65
1:C:297:ARG:HD3	2:C:503:GOL:H11	1.80	0.63
1:D:21:VAL:HG13	1:D:24:ALA:HB3	1.82	0.61
1:C:280:GLN:HB3	1:C:283:ALA:HB3	1.83	0.61
1:D:317:ARG:HG2	1:D:321:LEU:HD11	1.83	0.60
1:A:355:LEU:HD11	1:A:385:MET:SD	2.42	0.59
2:D:501:GOL:O1	5:D:604:HOH:O	2.17	0.59
1:D:156:ASP:OD1	5:D:602:HOH:O	2.17	0.59
1:D:313:ASN:HB3	1:D:314:PRO:HD2	1.85	0.58
3:B:503:HEM:HBC2	3:B:503:HEM:HMC2	1.87	0.57
1:B:58:ARG:NH1	5:B:611:HOH:O	2.32	0.57
1:D:253:TRP:CE3	1:D:257:LYS:HD2	2.41	0.56
1:B:403:GLY:O	5:B:601:HOH:O	2.18	0.56
1:C:242:GLN:OE1	5:C:606:HOH:O	2.18	0.55
1:C:361:GLN:CG	1:C:365:ASN:HB3	2.37	0.55
1:B:71:THR:HG22	5:B:666:HOH:O	2.08	0.54
1:A:198:LYS:O	1:A:198:LYS:NZ	2.35	0.54
1:B:21:VAL:HG12	1:B:172:ILE:HG12	1.89	0.54
1:B:380:GLY:O	5:B:602:HOH:O	2.19	0.54
1:C:286:GLY:N	5:C:615:HOH:O	2.41	0.54
1:D:217:ILE:CD1	3:D:504:HEM:HBB1	2.38	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:217:ILE:HD11	3:D:504:HEM:HBB1	1.89	0.53
1:D:333:ASP:O	1:D:337:LYS:HG3	2.08	0.53
1:C:379:THR:O	1:C:382:THR:HG22	2.09	0.53
1:A:222:ASN:OD1	1:D:146:GLU:HG2	2.09	0.53
3:A:502:HEM:HBC2	3:A:502:HEM:HMC2	1.90	0.52
1:B:12:SER:HA	1:B:17:ILE:O	2.10	0.52
1:C:295:MET:HG3	5:C:739:HOH:O	2.08	0.52
1:D:21:VAL:CG1	1:D:24:ALA:HB3	2.39	0.52
1:D:44:LYS:NZ	2:D:503:GOL:O3	2.40	0.52
1:C:297:ARG:HD3	2:C:503:GOL:C1	2.40	0.52
1:B:351:THR:HA	1:B:355:LEU:HD12	1.93	0.51
1:D:317:ARG:O	1:D:321:LEU:HD12	2.10	0.51
5:B:607:HOH:O	1:C:220:HIS:HD2	1.93	0.50
1:D:270:PHE:HB3	1:D:343:ARG:NH2	2.26	0.50
1:C:377:LYS:HB2	1:C:380:GLY:C	2.36	0.50
1:D:291:PHE:CZ	1:D:295:MET:HE2	2.46	0.50
1:C:179:LYS:NZ	5:C:616:HOH:O	2.42	0.50
1:D:189:GLN:HG2	1:D:190:MET:CE	2.41	0.50
1:B:119:GLU:O	1:B:304:ARG:NH2	2.44	0.50
1:C:356:ILE:CG1	1:C:357:PRO:HD3	2.42	0.50
1:C:383:ASP:HA	1:C:386:ASN:OD1	2.13	0.49
1:D:220:HIS:HE1	5:D:603:HOH:O	1.94	0.49
1:B:88:MET:HE1	1:B:123:ILE:HG13	1.93	0.49
1:D:224:LYS:O	1:D:228:SER:OG	2.31	0.49
1:B:295:MET:HG3	5:B:741:HOH:O	2.11	0.49
1:D:242:GLN:O	1:D:243:LEU:HD23	2.13	0.49
1:A:88:MET:HE1	1:A:123:ILE:HG13	1.94	0.48
1:D:355:LEU:HA	1:D:355:LEU:HD23	1.69	0.48
1:A:351:THR:HA	1:A:355:LEU:HD12	1.96	0.48
1:C:361:GLN:HG3	1:C:365:ASN:HB3	1.96	0.48
1:D:40:MET:HB2	1:D:40:MET:HE2	1.58	0.48
1:D:297:ARG:NH2	5:D:606:HOH:O	2.22	0.48
1:D:301:PRO:HA	1:D:304:ARG:HE	1.79	0.48
1:C:356:ILE:HG13	1:C:357:PRO:HD3	1.96	0.47
1:B:227:PHE:C	1:B:231:ARG:HH11	2.22	0.47
1:C:351:THR:O	1:C:356:ILE:HG12	2.15	0.47
1:D:296:ARG:O	1:D:304:ARG:HD3	2.14	0.47
3:A:502:HEM:O1D	3:A:502:HEM:HMD1	2.15	0.47
1:C:361:GLN:HG2	1:C:365:ASN:HA	1.96	0.47
1:A:217:ILE:HD11	3:A:502:HEM:HBB1	1.97	0.46
1:C:328:LEU:HA	1:C:328:LEU:HD23	1.74	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:367:THR:OG1	1:C:368:SER:N	2.48	0.46
1:D:265:GLY:HA2	3:D:504:HEM:C4D	2.50	0.46
1:B:106:ASN:HB2	5:B:658:HOH:O	2.14	0.46
1:C:329:ARG:HE	1:C:402:GLU:HB3	1.80	0.46
1:C:369:GLU:OE2	1:C:377:LYS:HA	2.16	0.46
1:A:18:ASP:OD2	1:A:21:VAL:HG22	2.15	0.46
1:B:217:ILE:HD11	3:B:503:HEM:HBB1	1.98	0.46
1:A:64:MET:HB2	1:A:106:ASN:OD1	2.16	0.46
1:B:400:LEU:HD12	1:B:400:LEU:O	2.16	0.45
1:C:265:GLY:HA2	3:C:504:HEM:C4D	2.50	0.45
1:B:343:ARG:HD3	5:B:669:HOH:O	2.15	0.45
1:B:333:ASP:O	1:B:337:LYS:HG3	2.16	0.45
1:C:226:PHE:HE2	1:C:354:ILE:HD11	1.82	0.45
1:C:361:GLN:CG	1:C:365:ASN:CB	2.95	0.45
1:B:329:ARG:HD2	1:B:400:LEU:CD1	2.46	0.45
1:D:315:SER:HB3	1:D:318:GLU:HB3	1.98	0.45
1:B:139:PRO:HB3	5:B:727:HOH:O	2.17	0.45
1:D:337:LYS:NZ	5:D:616:HOH:O	2.45	0.45
1:A:253:TRP:CE3	1:A:257:LYS:HD2	2.53	0.45
1:C:37:ASN:ND2	5:C:612:HOH:O	2.36	0.44
1:C:343:ARG:HD3	3:C:504:HEM:O2D	2.18	0.44
1:A:361:GLN:HA	1:A:362:PRO:HD3	1.67	0.44
1:C:274:ASP:CG	1:C:343:ARG:HH22	2.25	0.44
1:D:355:LEU:HD21	1:D:381:GLY:HA2	1.99	0.44
1:C:138:ASP:OD2	1:C:141:LYS:HG3	2.17	0.43
1:B:64:MET:HB2	1:B:106:ASN:OD1	2.18	0.43
1:B:360:GLN:O	1:B:362:PRO:HD3	2.18	0.43
1:D:347:LEU:O	1:D:351:THR:HG23	2.18	0.43
1:A:261:GLY:O	1:A:263:SER:N	2.47	0.43
1:C:141:LYS:HB3	1:C:142:PRO:HD2	2.00	0.43
1:C:362:PRO:HB2	1:C:363:LYS:H	1.55	0.43
1:D:58:ARG:NH1	5:D:608:HOH:O	2.26	0.43
1:D:184:VAL:HG12	1:D:188:MET:HE2	2.01	0.43
1:D:205:SER:O	1:D:209:LYS:HG3	2.19	0.43
1:D:380:GLY:O	1:D:384:LEU:N	2.36	0.43
1:B:31:ASN:HB3	5:B:678:HOH:O	2.19	0.43
1:B:64:MET:HE2	1:B:106:ASN:HA	1.99	0.43
1:B:328:LEU:HD23	1:B:328:LEU:HA	1.87	0.43
1:C:329:ARG:CZ	1:C:402:GLU:HG2	2.49	0.43
1:C:357:PRO:HA	1:C:360:GLN:HG2	2.01	0.43
1:D:64:MET:HE2	1:D:106:ASN:HA	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:274:ASP:OD2	1:D:281:GLN:HG3	2.19	0.43
1:D:64:MET:HB2	1:D:106:ASN:OD1	2.18	0.42
1:C:217:ILE:CD1	3:C:504:HEM:HBB1	2.50	0.42
1:D:67:ILE:H	1:D:67:ILE:HG13	1.67	0.42
3:D:504:HEM:O2D	3:D:504:HEM:HMD1	2.19	0.42
1:B:141:LYS:HB3	1:B:142:PRO:HD2	2.02	0.42
1:A:12:SER:HB3	1:A:15:TYR:HD2	1.83	0.42
1:C:101:LYS:NZ	5:C:614:HOH:O	2.38	0.42
1:A:313:ASN:HB3	1:A:314:PRO:HD2	2.01	0.42
1:B:222:ASN:HA	1:B:223:PRO:HD3	1.94	0.42
1:B:379:THR:HG21	5:B:758:HOH:O	2.20	0.42
1:A:214:PHE:HD1	1:A:214:PHE:O	2.03	0.42
1:C:30:GLU:HG3	1:C:151:LEU:HD22	2.01	0.42
1:A:299:MET:O	1:A:304:ARG:NH1	2.53	0.41
1:C:349:ILE:HD13	1:C:349:ILE:HA	1.85	0.41
1:D:115:SER:HB3	1:D:120:LEU:O	2.20	0.41
1:D:328:LEU:HA	1:D:328:LEU:HD23	1.76	0.41
1:A:333:ASP:O	1:A:337:LYS:HG3	2.21	0.41
1:C:333:ASP:O	1:C:337:LYS:HG3	2.21	0.41
3:B:503:HEM:HMB1	3:B:503:HEM:HBB2	2.03	0.41
1:C:361:GLN:HG2	1:C:365:ASN:CA	2.50	0.41
1:B:18:ASP:HB2	1:B:26:PRO:HG3	2.03	0.41
1:C:374:LEU:O	1:C:374:LEU:HD23	2.20	0.41
1:A:115:SER:HB3	1:A:120:LEU:O	2.21	0.41
1:A:393:SER:OG	1:A:397:LYS:HE2	2.21	0.41
1:C:369:GLU:O	1:C:369:GLU:CD	2.64	0.41
1:D:189:GLN:HE21	1:D:190:MET:CE	2.33	0.41
1:A:44:LYS:HE2	1:A:152:PHE:CE1	2.56	0.40
1:D:321:LEU:HD21	1:D:400:LEU:HD22	2.03	0.40
1:C:232:ILE:HD13	1:C:232:ILE:HA	1.99	0.40
1:B:88:MET:HE3	1:B:124:LEU:H	1.87	0.40
1:C:167:SER:O	1:C:170:VAL:HG22	2.21	0.40
1:D:207:LEU:HD23	1:D:207:LEU:HA	1.91	0.40
1:C:363:LYS:HD2	5:C:601:HOH:O	2.22	0.40
3:D:504:HEM:HBB2	3:D:504:HEM:CHC	2.42	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	370/405 (91%)	359 (97%)	11 (3%)	0	100	100
1	B	374/405 (92%)	362 (97%)	12 (3%)	0	100	100
1	C	391/405 (96%)	366 (94%)	22 (6%)	3 (1%)	16	18
1	D	371/405 (92%)	358 (96%)	11 (3%)	2 (0%)	24	29
All	All	1506/1620 (93%)	1445 (96%)	56 (4%)	5 (0%)	36	44

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	365	ASN
1	C	362	PRO
1	D	381	GLY
1	C	361	GLN
1	D	361	GLN

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	320/346 (92%)	320 (100%)	0	100	100
1	B	321/346 (93%)	321 (100%)	0	100	100
1	C	335/346 (97%)	334 (100%)	1 (0%)	86	91
1	D	320/346 (92%)	320 (100%)	0	100	100
All	All	1296/1384 (94%)	1295 (100%)	1 (0%)	88	93

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	229	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (22) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	63	ASN
1	A	96	HIS
1	A	242	GLN
1	B	54	GLN
1	B	69	HIS
1	B	96	HIS
1	B	216	GLN
1	B	280	GLN
1	B	287	HIS
1	C	73	HIS
1	C	96	HIS
1	C	215	HIS
1	C	216	GLN
1	C	220	HIS
1	D	73	HIS
1	D	76	GLN
1	D	96	HIS
1	D	189	GLN
1	D	212	GLN
1	D	220	HIS
1	D	280	GLN
1	D	386	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 13 ligands modelled in this entry, 2 are monoatomic - leaving 11 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	GOL	A	501	-	5,5,5	0.51	0	5,5,5	0.49	0
2	GOL	B	501	-	5,5,5	0.35	0	5,5,5	0.40	0
3	HEM	C	504	1	50,50,50	1.45	7 (14%)	67,82,82	1.15	6 (8%)
2	GOL	D	501	-	5,5,5	0.38	0	5,5,5	0.26	0
3	HEM	D	504	1	50,50,50	1.46	7 (14%)	67,82,82	1.15	5 (7%)
2	GOL	D	503	-	5,5,5	0.54	0	5,5,5	0.44	0
2	GOL	C	502	-	5,5,5	0.48	0	5,5,5	0.45	0
2	GOL	B	502	-	5,5,5	0.47	0	5,5,5	0.39	0
3	HEM	B	503	1	50,50,50	1.33	4 (8%)	67,82,82	1.09	6 (8%)
3	HEM	A	502	1	50,50,50	1.33	5 (10%)	67,82,82	0.97	1 (1%)
2	GOL	C	503	-	5,5,5	0.36	0	5,5,5	0.40	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GOL	A	501	-	-	4/4/4/4	-
2	GOL	B	501	-	-	2/4/4/4	-
3	HEM	C	504	1	-	4/14/54/54	-
2	GOL	D	501	-	-	2/4/4/4	-
3	HEM	D	504	1	-	6/14/54/54	-
2	GOL	D	503	-	-	0/4/4/4	-
2	GOL	C	502	-	-	2/4/4/4	-
2	GOL	B	502	-	-	2/4/4/4	-
3	HEM	B	503	1	-	6/14/54/54	-
3	HEM	A	502	1	-	2/14/54/54	-
2	GOL	C	503	-	-	0/4/4/4	-

All (23) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	504	HEM	FE-ND	4.25	2.08	1.94
3	D	504	HEM	FE-ND	3.84	2.06	1.94
3	D	504	HEM	FE-NC	3.41	2.06	1.95
3	C	504	HEM	FE-NC	3.36	2.06	1.95
3	B	503	HEM	CAC-C3C	3.04	1.55	1.47
3	D	504	HEM	C3B-C2B	-2.92	1.31	1.37
3	A	502	HEM	FE-ND	2.89	2.03	1.94
3	A	502	HEM	CAC-C3C	2.75	1.54	1.47
3	B	503	HEM	CAB-C3B	2.71	1.54	1.47
3	D	504	HEM	CAC-C3C	2.66	1.54	1.47
3	C	504	HEM	CAB-C3B	2.64	1.54	1.47
3	A	502	HEM	CAB-C3B	2.58	1.54	1.47
3	C	504	HEM	CAC-C3C	2.46	1.54	1.47
3	D	504	HEM	CAB-C3B	2.42	1.53	1.47
3	A	502	HEM	C2A-C3A	-2.41	1.32	1.38
3	C	504	HEM	C3B-C2B	-2.29	1.32	1.37
3	A	502	HEM	C1B-NB	-2.23	1.36	1.40
3	D	504	HEM	C3D-C2D	-2.21	1.32	1.36
3	B	503	HEM	C2A-C3A	-2.19	1.33	1.38
3	B	503	HEM	C3B-C2B	-2.10	1.32	1.37
3	D	504	HEM	CMC-C2C	2.09	1.55	1.50
3	C	504	HEM	C3D-C2D	-2.05	1.32	1.36
3	C	504	HEM	C2A-C3A	-2.04	1.33	1.38

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	503	HEM	CAD-C3D-C2D	3.22	133.90	127.87
3	C	504	HEM	CHD-C4C-NC	2.89	127.60	124.45
3	B	503	HEM	CAD-C3D-C4D	-2.89	119.67	124.70
3	C	504	HEM	C3B-C2B-C1B	2.59	108.36	106.41
3	B	503	HEM	O2D-CGD-CBD	2.53	122.00	114.00
3	B	503	HEM	CBD-CAD-C3D	2.52	119.49	112.53
3	A	502	HEM	CHD-C4C-NC	2.47	127.15	124.45
3	C	504	HEM	CHB-C1B-NB	2.34	127.26	124.37
3	D	504	HEM	CAA-CBA-CGA	-2.30	107.57	113.67
3	D	504	HEM	C3B-C2B-C1B	2.27	108.11	106.41
3	D	504	HEM	CHB-C1B-NB	2.22	127.11	124.37
3	C	504	HEM	CAD-CBD-CGD	-2.21	107.80	113.67
3	D	504	HEM	C3B-C4B-NB	-2.20	107.89	109.47
3	C	504	HEM	CAA-CBA-CGA	-2.15	107.96	113.67
3	B	503	HEM	O1D-CGD-CBD	-2.11	116.39	123.09

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	504	HEM	CAB-C3B-C2B	-2.11	121.59	128.43
3	C	504	HEM	C3B-C4B-NB	-2.09	107.97	109.47
3	B	503	HEM	CHD-C4C-NC	2.07	126.71	124.45

There are no chirality outliers.

All (30) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	501	GOL	C1-C2-C3-O3
2	B	501	GOL	O1-C1-C2-C3
2	B	502	GOL	O1-C1-C2-C3
2	C	502	GOL	O1-C1-C2-C3
2	D	501	GOL	O1-C1-C2-O2
2	D	501	GOL	O1-C1-C2-C3
3	B	503	HEM	C2D-C3D-CAD-CBD
3	B	503	HEM	C4D-C3D-CAD-CBD
3	C	504	HEM	C2A-CAA-CBA-CGA
3	D	504	HEM	C2A-CAA-CBA-CGA
2	A	501	GOL	O1-C1-C2-C3
2	A	501	GOL	O1-C1-C2-O2
2	B	501	GOL	O1-C1-C2-O2
2	C	502	GOL	O1-C1-C2-O2
2	A	501	GOL	O2-C2-C3-O3
2	B	502	GOL	O1-C1-C2-O2
3	C	504	HEM	C4B-C3B-CAB-CBB
3	D	504	HEM	C4B-C3B-CAB-CBB
3	B	503	HEM	CAA-CBA-CGA-O1A
3	A	502	HEM	CAA-CBA-CGA-O2A
3	B	503	HEM	CAA-CBA-CGA-O2A
3	A	502	HEM	CAA-CBA-CGA-O1A
3	D	504	HEM	C3D-CAD-CBD-CGD
3	B	503	HEM	CAD-CBD-CGD-O1D
3	C	504	HEM	C3D-CAD-CBD-CGD
3	B	503	HEM	CAD-CBD-CGD-O2D
3	D	504	HEM	CAA-CBA-CGA-O1A
3	D	504	HEM	CAA-CBA-CGA-O2A
3	C	504	HEM	CAA-CBA-CGA-O2A
3	D	504	HEM	CAD-CBD-CGD-O2D


There are no ring outliers.


8 monomers are involved in 21 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	501	GOL	1	0
3	C	504	HEM	4	0
2	D	501	GOL	1	0
3	D	504	HEM	6	0
2	D	503	GOL	1	0
3	B	503	HEM	3	0
3	A	502	HEM	3	0
2	C	503	GOL	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



























5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	B	1
1	D	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	B	121:PRO	C	122:PRO	N	1.19
1	D	254:GLU	C	255:ASP	N	1.18

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	374/405 (92%)	-0.24	8 (2%) 63 64	21, 32, 59, 92	0
1	B	378/405 (93%)	-0.11	13 (3%) 48 46	22, 37, 68, 104	0
1	C	393/405 (97%)	0.04	32 (8%) 18 15	21, 35, 115, 189	0
1	D	375/405 (92%)	0.01	15 (4%) 42 39	22, 37, 74, 101	0
All	All	1520/1620 (93%)	-0.07	68 (4%) 38 35	21, 35, 75, 189	0

All (68) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	374	LEU	5.9
1	C	376	ALA	5.7
1	A	362	PRO	5.0
1	B	379	THR	5.0
1	D	362	PRO	4.3
1	C	283	ALA	4.2
1	A	382	THR	4.1
1	D	282	THR	4.1
1	A	380	GLY	3.9
1	C	373	LYS	3.8
1	B	362	PRO	3.7
1	C	362	PRO	3.7
1	C	366	LYS	3.7
1	C	13	ALA	3.6
1	C	371	PRO	3.6
1	C	379	THR	3.5
1	C	12	SER	3.5
1	B	11	GLY	3.5
1	B	378	GLY	3.5
1	D	11	GLY	3.4
1	B	13	ALA	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	12	SER	3.4
1	C	367	THR	3.3
1	C	372	SER	3.2
1	C	363	LYS	3.2
1	D	190	MET	3.2
1	C	382	THR	3.2
1	C	403	GLY	3.1
1	C	377	LYS	3.1
1	C	262	GLY	3.0
1	D	379	THR	3.0
1	C	287	HIS	3.0
1	D	12	SER	3.0
1	A	12	SER	2.9
1	B	14	ALA	2.9
1	A	379	THR	2.8
1	A	14	ALA	2.8
1	C	384	LEU	2.8
1	D	13	ALA	2.7
1	D	283	ALA	2.7
1	D	380	GLY	2.7
1	C	11	GLY	2.6
1	C	284	GLY	2.6
1	D	284	GLY	2.6
1	C	14	ALA	2.6
1	C	370	ASP	2.6
1	D	355	LEU	2.6
1	C	368	SER	2.5
1	A	264	ALA	2.5
1	B	285	GLY	2.5
1	D	262	GLY	2.4
1	C	285	GLY	2.4
1	C	365	ASN	2.4
1	C	385	MET	2.4
1	B	382	THR	2.3
1	C	186	LYS	2.3
1	D	401	LYS	2.3
1	C	375	GLU	2.3
1	B	286	GLY	2.3
1	C	402	GLU	2.2
1	B	287	HIS	2.2
1	D	287	HIS	2.2
1	C	282	THR	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	263	SER	2.2
1	D	285	GLY	2.1
1	A	285	GLY	2.1
1	B	262	GLY	2.1
1	C	380	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	GOL	B	501	6/6	0.74	0.13	42,44,49,49	0
2	GOL	C	503	6/6	0.74	0.29	50,63,66,69	0
2	GOL	D	501	6/6	0.79	0.12	46,51,55,57	0
2	GOL	B	502	6/6	0.80	0.14	34,42,51,51	0
2	GOL	A	501	6/6	0.81	0.12	35,38,40,42	0
3	HEM	C	504	43/43	0.94	0.11	32,49,64,71	0
2	GOL	D	503	6/6	0.95	0.07	30,32,36,36	0
2	GOL	C	502	6/6	0.95	0.07	30,34,36,38	0
3	HEM	D	504	43/43	0.95	0.09	34,48,65,73	0
3	HEM	A	502	43/43	0.96	0.08	26,38,50,53	0
3	HEM	B	503	43/43	0.96	0.09	33,42,55,69	0
4	CL	D	502	1/1	0.96	0.13	42,42,42,42	0
4	CL	C	501	1/1	0.97	0.11	43,43,43,43	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around GOL B 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GOL C 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around GOL D 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GOL B 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GOL A 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM C 504:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GOL D 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around GOL C 502:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM D 504:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM A 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM B 503:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around CL D 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.