



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 03:56 PM UTC

PDB ID : 7A6J / pdb_00007a6j
Title : Crystal Structure of EGFR-T790M/V948R in Complex with Pozotinib
Authors : Niggenaber, J.; Mueller, M.P.; Rauh, D.
Deposited on : 2020-08-25
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	333	 2% 70% 11% 19%
1	B	333	 3% 70% 11% 19%

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 4457 atoms, of which 24 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Epidermal growth factor receptor.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	270	Total	C	N	O	S	0	2	0
			2094	1360	351	368	15			
1	B	271	Total	C	N	O	S	0	1	0
			2095	1359	353	367	16			

There are 14 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	690	GLY	-	expression tag	UNP P00533
A	691	SER	-	expression tag	UNP P00533
A	692	HIS	-	expression tag	UNP P00533
A	693	MET	-	expression tag	UNP P00533
A	694	ALA	-	expression tag	UNP P00533
A	790	MET	THR	engineered mutation	UNP P00533
A	948	ARG	VAL	engineered mutation	UNP P00533
B	690	GLY	-	expression tag	UNP P00533
B	691	SER	-	expression tag	UNP P00533
B	692	HIS	-	expression tag	UNP P00533
B	693	MET	-	expression tag	UNP P00533
B	694	ALA	-	expression tag	UNP P00533
B	790	MET	THR	engineered mutation	UNP P00533
B	948	ARG	VAL	engineered mutation	UNP P00533

- Molecule 2 is 1-[4-[4-[[3,4-bis(chloranyl)-2-fluoranyl-phenyl]amino]-7-methoxy-quinazolin-6-yl]oxypiperidin-1-yl]propan-1-one (CCD ID: R2E) (formula: C₂₃H₂₃Cl₂FN₄O₃) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	Cl	F	N	O	0	0
			33	23	2	1	4	3		
2	B	1	Total	C	Cl	F	N	O	0	0
			33	23	2	1	4	3		

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	O S	0	0
			5	4 1		
3	A	1	Total	O S	0	0
			5	4 1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	H	O	0	0
			10	2	6	2		
4	A	1	Total	C	H	O	0	0
			10	2	6	2		
4	A	1	Total	C	H	O	0	0
			10	2	6	2		
4	B	1	Total	C	H	O	0	0
			10	2	6	2		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	83	Total	O	0	0
			83	83		
5	B	59	Total	O	0	0
			59	59		

- Molecule 1: Epidermal growth factor receptor



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	76.33Å 81.76Å 89.85Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	44.92 – 2.00 44.92 – 2.00	Depositor EDS
% Data completeness (in resolution range)	99.8 (44.92-2.00) 99.8 (44.92-2.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.98 (at 2.00Å)	Xtriage
Refinement program	PHENIX 1.20_4459	Depositor
R, R_{free}	0.190 , 0.216 0.190 , 0.216	Depositor DCC
R_{free} test set	1930 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	38.1	Xtriage
Anisotropy	0.508	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 48.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	4457	wwPDB-VP
Average B, all atoms (Å ²)	48.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.77% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: EDO, R2E, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.23	0/2148	0.44	0/2924
1	B	0.22	0/2146	0.43	0/2918
All	All	0.23	0/4294	0.44	0/5842

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2094	0	2086	31	0
1	B	2095	0	2087	30	0
2	A	33	0	0	2	0
2	B	33	0	0	1	0
3	A	10	0	0	1	0
3	B	10	0	0	1	0
4	A	12	18	18	0	0
4	B	4	6	6	0	0
5	A	83	0	0	2	0
5	B	59	0	0	3	0
All	All	4433	24	4197	58	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (58) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:763:ALA:HA	1:A:766:MET:HE3	1.46	0.98
1:A:762:GLU:HG3	1:A:766:MET:HE2	1.48	0.93
1:A:776:ARG:O	1:A:790:MET:HE3	1.79	0.83
1:B:751:THR:HG21	1:B:783:THR:O	1.80	0.80
1:A:775:CYS:HB3	1:A:790:MET:CE	2.12	0.79
1:B:705:ARG:HG2	1:B:707:LEU:CD2	2.13	0.79
1:A:776:ARG:C	1:A:790:MET:HE3	2.08	0.78
1:A:775:CYS:HB3	1:A:790:MET:HE1	1.64	0.76
1:B:705:ARG:HG2	1:B:707:LEU:HD23	1.69	0.73
1:A:702:ALA:HB2	1:B:812:GLN:HG2	1.69	0.71
1:B:843:VAL:HG22	1:B:853[B]:ILE:CD1	2.20	0.71
1:A:833:LEU:HD13	1:A:856:PHE:CZ	2.27	0.70
1:A:817:TRP:O	1:A:821[A]:ILE:HG12	1.93	0.68
1:B:924:SER:O	1:B:928:GLU:HG2	1.94	0.67
1:A:750:ALA:HB3	1:A:753:PRO:HB3	1.75	0.67
1:B:843:VAL:HG22	1:B:853[B]:ILE:HD13	1.76	0.65
1:A:702:ALA:CB	1:B:812:GLN:HG2	2.27	0.63
1:A:883:LEU:HD23	1:A:953:ILE:HD12	1.78	0.63
1:B:949:LYS:O	1:B:952:MET:HG3	2.00	0.61
1:B:790:MET:HE3	2:B:1101:R2E:CL1	2.37	0.61
1:B:705:ARG:HG2	1:B:707:LEU:HD21	1.84	0.59
1:A:790:MET:HG3	2:A:1101:R2E:CL2	2.39	0.59
1:A:775:CYS:HB3	1:A:790:MET:HE2	1.85	0.57
1:A:893:HIS:HD2	5:A:1244:HOH:O	1.87	0.57
1:B:921:SER:O	5:B:1201:HOH:O	2.18	0.56
1:B:918:ILE:N	1:B:918:ILE:HD12	2.22	0.55
1:B:893:HIS:HD2	5:B:1233:HOH:O	1.90	0.53
1:A:775:CYS:CB	1:A:790:MET:HE1	2.35	0.53
1:A:766:MET:O	1:A:769[A]:VAL:HG22	2.10	0.52
1:A:926:ILE:HG23	1:A:931:GLU:HB2	1.93	0.50
1:B:821:ILE:HG23	1:B:853[B]:ILE:HD11	1.93	0.49
1:B:766:MET:SD	1:B:858:LEU:HB2	2.53	0.49
3:A:1103:SO4:O1	5:A:1201:HOH:O	2.20	0.48
1:A:811:SER:OG	1:A:975:PRO:HB2	2.14	0.47
1:B:766:MET:SD	1:B:858:LEU:CB	3.02	0.47
1:B:935:GLN:HA	1:B:944:TYR:CE1	2.50	0.46
1:A:821[A]:ILE:HD11	1:A:843:VAL:HG11	1.97	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:812:GLN:HG2	1:B:702:ALA:CB	2.45	0.45
1:B:751:THR:HG22	1:B:784:SER:O	2.17	0.45
1:A:949:LYS:HE3	1:A:949:LYS:HB2	1.80	0.45
1:A:715:ILE:HG12	1:A:729:GLY:HA2	1.99	0.45
1:B:835:HIS:O	1:B:836:ARG:HB2	2.15	0.45
1:A:763:ALA:CA	1:A:766:MET:HE3	2.32	0.45
1:B:811:SER:OG	1:B:975:PRO:HB2	2.17	0.45
1:A:733:PRO:HB2	1:A:736:GLU:HG3	1.99	0.44
1:B:835:HIS:CD2	1:B:856:PHE:HB3	2.52	0.44
1:A:882:ALA:HA	1:A:898:TRP:CD2	2.53	0.44
1:B:791:GLN:NE2	3:B:1102:SO4:O3	2.51	0.44
1:A:918:ILE:HD13	1:A:926:ILE:CD1	2.47	0.43
1:B:723:PHE:CD1	1:B:745:LYS:CE	3.01	0.43
1:A:794:PRO:HG2	1:B:740:ILE:HD12	2.00	0.43
1:A:842:ASN:O	1:A:854:THR:HG22	2.18	0.43
1:B:791:GLN:HG2	5:B:1216:HOH:O	2.18	0.43
1:A:790:MET:SD	2:A:1101:R2E:CL1	3.14	0.42
1:B:795:PHE:HB2	1:B:845:VAL:HB	2.00	0.42
1:B:811:SER:HB2	1:B:979:LEU:HB2	2.02	0.41
1:B:789:ILE:N	1:B:789:ILE:HD12	2.37	0.40
1:A:718:LEU:HB2	1:A:726:VAL:HG13	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	268/333 (80%)	264 (98%)	4 (2%)	0	100	100
1	B	268/333 (80%)	264 (98%)	4 (2%)	0	100	100
All	All	536/666 (80%)	528 (98%)	8 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	220/291 (76%)	220 (100%)	0	100	100
1	B	219/291 (75%)	217 (99%)	2 (1%)	70	78
All	All	439/582 (75%)	437 (100%)	2 (0%)	81	87

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	730	LEU
1	B	806	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	805	HIS
1	B	888	HIS
1	B	894	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry

10 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	SO4	A	1103	-	4,4,4	0.26	0	6,6,6	0.35	0
4	EDO	B	1104	-	3,3,3	0.44	0	2,2,2	0.34	0
4	EDO	A	1104	-	3,3,3	0.46	0	2,2,2	0.28	0
4	EDO	A	1106	-	3,3,3	0.44	0	2,2,2	0.47	0
3	SO4	B	1102	-	4,4,4	0.27	0	6,6,6	0.15	0
4	EDO	A	1105	-	3,3,3	0.45	0	2,2,2	0.38	0
2	R2E	B	1101	1	36,36,36	1.90	8 (22%)	51,51,51	2.74	19 (37%)
3	SO4	A	1102	-	4,4,4	0.24	0	6,6,6	0.46	0
2	R2E	A	1101	1	36,36,36	1.91	10 (27%)	51,51,51	2.58	20 (39%)
3	SO4	B	1103	-	4,4,4	0.22	0	6,6,6	0.16	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	B	1104	-	-	0/1/1/1	-
4	EDO	A	1104	-	-	1/1/1/1	-
4	EDO	A	1106	-	-	0/1/1/1	-
4	EDO	A	1105	-	-	0/1/1/1	-
2	R2E	B	1101	1	-	3/16/26/26	0/4/4/4
2	R2E	A	1101	1	-	3/16/26/26	0/4/4/4

All (18) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	1101	R2E	C6-NAN	6.07	1.45	1.36
2	B	1101	R2E	CAC-NAE	5.45	1.45	1.35
2	A	1101	R2E	C6-NAN	5.40	1.44	1.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1101	R2E	CAC-NAE	5.29	1.45	1.35
2	A	1101	R2E	C5-C4	-3.55	1.36	1.42
2	A	1101	R2E	OAI-CAJ	3.53	1.43	1.37
2	B	1101	R2E	C5-C4	-3.33	1.37	1.42
2	B	1101	R2E	OAI-CAJ	2.65	1.42	1.37
2	A	1101	R2E	CAK-CAJ	2.61	1.41	1.36
2	B	1101	R2E	OBD-CBC	2.52	1.41	1.37
2	A	1101	R2E	CAT-CL2	2.47	1.78	1.72
2	B	1101	R2E	CAT-CL2	2.45	1.78	1.72
2	A	1101	R2E	OBD-CBC	2.24	1.40	1.37
2	B	1101	R2E	CAK-CAJ	2.23	1.40	1.36
2	B	1101	R2E	OAD-CAC	-2.20	1.18	1.23
2	A	1101	R2E	OAD-CAC	-2.13	1.18	1.23
2	A	1101	R2E	CAO-NAN	2.04	1.45	1.39
2	A	1101	R2E	CBB-CBC	2.04	1.40	1.36

All (39) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1101	R2E	CAA-CAB-CAC	-10.35	94.56	112.69
2	A	1101	R2E	CAA-CAB-CAC	-8.83	97.22	112.69
2	A	1101	R2E	N3-C2-N1	-5.93	120.62	128.67
2	A	1101	R2E	C2-N3-C4	5.87	122.11	115.43
2	B	1101	R2E	N3-C2-N1	-5.34	121.42	128.67
2	B	1101	R2E	C2-N3-C4	5.33	121.49	115.43
2	B	1101	R2E	C2-N1-C6	5.00	120.48	116.60
2	A	1101	R2E	C2-N1-C6	4.82	120.34	116.60
2	B	1101	R2E	CAK-C5-C6	-4.75	120.98	124.84
2	B	1101	R2E	C5-C4-N3	-4.06	118.52	122.82
2	B	1101	R2E	C6-C5-C4	3.91	118.17	115.86
2	A	1101	R2E	OBD-CBC-CBB	-3.87	120.25	125.16
2	A	1101	R2E	CBG-NAE-CAF	3.72	120.27	112.68
2	A	1101	R2E	CAO-NAN-C6	-3.67	117.30	128.85
2	B	1101	R2E	OBD-CBC-CBB	-3.65	120.53	125.16
2	B	1101	R2E	CAO-NAN-C6	-3.56	117.65	128.85
2	B	1101	R2E	CAF-CAG-CAH	3.46	114.07	110.32
2	A	1101	R2E	C5-C4-N3	-3.46	119.15	122.82
2	A	1101	R2E	CAK-C5-C6	-3.38	122.09	124.84
2	B	1101	R2E	CBB-C4-N3	3.16	121.64	118.01
2	A	1101	R2E	CBB-C4-N3	3.07	121.54	118.01
2	B	1101	R2E	OBD-CBC-CAJ	2.98	119.45	115.40
2	A	1101	R2E	CBF-CAH-CAG	2.94	117.67	111.67

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1101	R2E	FAW-CAV-CAO	2.90	122.89	118.28
2	A	1101	R2E	OBD-CBC-CAJ	2.86	119.28	115.40
2	B	1101	R2E	CBG-NAE-CAF	2.66	118.12	112.68
2	B	1101	R2E	CAT-CAR-CL1	-2.65	118.08	120.51
2	A	1101	R2E	CAV-CAT-CL2	-2.60	117.22	120.98
2	A	1101	R2E	CAF-CAG-CAH	2.55	113.08	110.32
2	A	1101	R2E	CAR-CAT-CL2	2.49	123.17	120.02
2	A	1101	R2E	FAW-CAV-CAO	2.47	122.21	118.28
2	A	1101	R2E	CBG-CBF-CAH	2.45	112.98	110.32
2	A	1101	R2E	CAP-CAO-CAV	2.45	121.13	117.72
2	A	1101	R2E	CAJ-OAI-CAH	-2.35	112.58	120.14
2	B	1101	R2E	CAR-CAT-CL2	2.28	122.91	120.02
2	B	1101	R2E	NAN-C6-N1	2.22	121.21	118.71
2	B	1101	R2E	CAV-CAT-CL2	-2.18	117.83	120.98
2	A	1101	R2E	CAG-CAF-NAE	-2.15	106.46	110.66
2	B	1101	R2E	CAP-CAO-CAV	2.11	120.66	117.72

There are no chirality outliers.

All (7) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	1104	EDO	O1-C1-C2-O2
2	A	1101	R2E	CAA-CAB-CAC-NAE
2	B	1101	R2E	CAA-CAB-CAC-NAE
2	A	1101	R2E	CAA-CAB-CAC-OAD
2	A	1101	R2E	CAV-CAO-NAN-C6
2	B	1101	R2E	CAP-CAO-NAN-C6
2	B	1101	R2E	CAA-CAB-CAC-OAD


There are no ring outliers.


4 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1103	SO4	1	0
3	B	1102	SO4	1	0
2	B	1101	R2E	1	0
2	A	1101	R2E	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will

also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	270/333 (81%)	0.08	8 (2%) 52 51	18, 43, 70, 106	2 (0%)
1	B	271/333 (81%)	0.18	10 (3%) 45 44	22, 49, 78, 95	1 (0%)
All	All	541/666 (81%)	0.13	18 (3%) 49 48	18, 46, 76, 106	3 (0%)

All (18) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	861	LEU	4.6
1	B	876	VAL	3.2
1	B	723	PHE	3.0
1	B	753	PRO	2.9
1	B	699	PRO	2.6
1	B	858	LEU	2.5
1	B	984	ASP	2.5
1	A	751	THR	2.4
1	A	699	PRO	2.4
1	A	753	PRO	2.4
1	B	859	ALA	2.4
1	B	752	SER	2.3
1	A	856	PHE	2.3
1	B	941	ILE	2.1
1	A	755	ALA	2.1
1	A	858	LEU	2.1
1	B	918	ILE	2.1
1	A	750	ALA	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	EDO	A	1106	4/4	0.69	0.13	60,75,87,90	0
4	EDO	A	1105	4/4	0.84	0.10	57,72,83,86	0
4	EDO	B	1104	4/4	0.84	0.23	43,52,62,74	0
3	SO4	B	1103	5/5	0.87	0.08	63,78,80,88	0
3	SO4	A	1102	5/5	0.88	0.13	46,48,50,56	0
4	EDO	A	1104	4/4	0.89	0.13	41,53,64,64	0
2	R2E	A	1101	33/33	0.90	0.09	30,37,47,70	0
2	R2E	B	1101	33/33	0.93	0.08	31,37,48,70	0
3	SO4	B	1102	5/5	0.96	0.10	47,48,50,53	0
3	SO4	A	1103	5/5	0.97	0.07	40,44,45,46	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around R2E A 1101:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.