



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 12, 2026 – 03:35 PM UTC

PDB ID : 7A6S / pdb_00007a6s
Title : Crystal Structure of Asn173Ser variant of Human Deoxyhypusine Synthase
Authors : Wator, E.; Wilk, P.; Grudnik, P.
Deposited on : 2020-08-26
Resolution : 1.75 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3183 (1.76-1.76)
Clashscore	190562	3299 (1.76-1.76)
Ramachandran outliers	187476	3274 (1.76-1.76)
Sidechain outliers	187428	3274 (1.76-1.76)
RSRZ outliers	180081	3183 (1.76-1.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	369	6% 78% 12% 9%
1	B	369	6% 79% 11% 9%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	EDO	A	401	-	-	X	-
2	EDO	B	502	-	-	X	-
2	EDO	B	503	-	-	X	-

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 11537 atoms, of which 5550 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Deoxyhypusine synthase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	335	Total	C	H	N	O	S	18	29	0
			5481	1748	2740	461	513	19			
1	B	336	Total	C	H	N	O	S	21	24	0
			5508	1755	2760	462	513	18			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	173	SER	ASN	engineered mutation	UNP P49366
B	173	SER	ASN	engineered mutation	UNP P49366

- Molecule 2 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	H	O	0	0
			10	2	6	2		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	H	O	0	0
			10	2	6	2		
2	B	1	Total	C	H	O	0	0
			10	2	6	2		
2	B	1	Total	C	H	O	0	0
			10	2	6	2		
2	B	1	Total	C	H	O	0	0
			10	2	6	2		
2	B	1	Total	C	H	O	0	0
			10	2	6	2		

- Molecule 3 is ACETATE ION (CCD ID: ACT) (formula: $C_2H_3O_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	H	O	0	0
			7	2	3	2		
3	A	1	Total	C	H	O	0	0
			7	2	3	2		

- Molecule 4 is OXAMIC ACID (CCD ID: OXM) (formula: $C_2H_3NO_3$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	B	1	Total	C	H	N	O	
			8	2	2	1	3	
							0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	230	Total	O		
			230	230	1	0
5	B	226	Total	O		
			226	226	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Deoxyhypusine synthase



• Molecule 1: Deoxyhypusine synthase



4 Data and refinement statistics

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α , β , γ	105.38Å 105.38Å 159.90Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	46.03 – 1.75 46.03 – 1.75	Depositor EDS
% Data completeness (in resolution range)	99.8 (46.03-1.75) 100.0 (46.03-1.75)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.43 (at 1.75Å)	Xtriage
Refinement program	PHENIX 1.17.1	Depositor
R, R_{free}	0.162 , 0.199 0.164 , 0.198	Depositor DCC
R_{free} test set	1092 reflections (1.05%)	wwPDB-VP
Wilson B-factor (Å ²)	31.3	Xtriage
Anisotropy	0.390	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 55.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.019 for -h,-k,l	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	11537	wwPDB-VP
Average B, all atoms (Å ²)	50.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.98% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ACT, OXM, EDO, CSS

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.73	10/2875 (0.3%)	0.82	4/3892 (0.1%)
1	B	0.70	4/2861 (0.1%)	0.77	8/3879 (0.2%)
All	All	0.72	14/5736 (0.2%)	0.79	12/7771 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	4
1	B	0	1
All	All	0	5

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	261[A]	GLU	N-CA	8.85	1.57	1.46
1	A	261[B]	GLU	N-CA	8.85	1.57	1.46
1	B	38[A]	ARG	N-CA	7.68	1.56	1.46
1	B	38[B]	ARG	N-CA	7.68	1.56	1.46
1	A	43[A]	ARG	CA-C	6.20	1.60	1.52
1	A	43[B]	ARG	CA-C	6.20	1.60	1.52
1	A	43[A]	ARG	N-CA	6.06	1.53	1.46
1	A	43[B]	ARG	N-CA	6.06	1.53	1.46
1	B	184	MET	C-O	-5.91	1.18	1.24
1	A	206	MET	C-O	-5.81	1.17	1.24
1	B	32	ARG	C-O	-5.64	1.17	1.23
1	A	261[A]	GLU	CA-C	5.46	1.60	1.52
1	A	261[B]	GLU	CA-C	5.46	1.60	1.52
1	A	310	GLN	CB-CG	-5.23	1.36	1.52

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	79	GLN	O-C-N	-23.93	95.20	122.72
1	B	209[A]	ARG	CA-C-O	7.65	128.66	120.55
1	B	209[B]	ARG	CA-C-O	7.65	128.66	120.55
1	A	32	ARG	CG-CD-NE	-7.32	95.90	112.00
1	B	209[A]	ARG	N-CA-C	6.48	118.34	111.28
1	B	209[B]	ARG	N-CA-C	6.48	118.34	111.28
1	B	92	ARG	CA-C-N	-5.43	114.17	119.76
1	B	92	ARG	C-N-CA	-5.43	114.17	119.76
1	B	114	GLU	CA-C-N	5.25	127.27	120.44
1	B	114	GLU	C-N-CA	5.25	127.27	120.44
1	A	43[A]	ARG	CA-C-O	5.14	126.00	120.55
1	A	43[B]	ARG	CA-C-O	5.14	126.00	120.55

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	105[B]	SER	Mainchain
1	A	130	THR	Mainchain
1	A	133[B]	GLY	Mainchain
1	A	79	GLN	Mainchain
1	B	131[A]	THR	Mainchain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2741	2740	2672	63	2
1	B	2748	2760	2739	42	6
2	A	8	12	12	8	0
2	B	20	30	30	17	0
3	A	8	6	6	1	0
4	B	6	2	2	0	0
5	A	230	0	0	10	1
5	B	226	0	0	12	1
All	All	5987	5550	5461	111	9

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (111) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:180:GLU:CB	1:A:244[B]:MET:HE1	1.51	1.39
1:A:131[B]:THR:CG2	1:A:286[B]:VAL:HG13	1.59	1.31
1:A:131[B]:THR:HG23	1:A:286[B]:VAL:CG1	1.63	1.27
1:A:180:GLU:CB	1:A:244[B]:MET:CE	2.17	1.22
1:A:180:GLU:CG	1:A:244[B]:MET:HE1	1.76	1.15
1:A:29:THR:HA	2:A:404:EDO:H11	1.30	1.14
1:B:357:GLN:HE22	2:B:502:EDO:H21	0.99	1.11
1:A:180:GLU:HB2	1:A:244[B]:MET:HE1	1.12	1.10
1:A:180:GLU:HB2	1:A:244[B]:MET:CE	1.80	1.08
1:B:357:GLN:NE2	2:B:502:EDO:H21	1.68	1.05
1:B:43:ARG:NE	2:B:502:EDO:H12	1.73	1.03
1:A:180:GLU:HA	1:A:244[B]:MET:CE	1.88	1.03
1:A:180:GLU:CA	1:A:244[B]:MET:CE	2.38	1.00
1:A:133[B]:GLY:O	1:A:135:VAL:N	2.00	0.95
1:A:131[B]:THR:HG23	1:A:286[B]:VAL:HG13	0.92	0.91
1:B:132[B]:ALA:HB1	1:B:238:ASP:O	1.71	0.91
1:A:180:GLU:CA	1:A:244[B]:MET:HE2	2.02	0.89
2:B:503:EDO:C2	5:B:748:HOH:O	2.20	0.89
1:A:180:GLU:HA	1:A:244[B]:MET:HE2	1.54	0.87
1:A:83:GLN:NE2	5:A:502:HOH:O	2.07	0.87
2:B:501:EDO:O2	5:B:601:HOH:O	1.80	0.86
1:A:180:GLU:HG3	1:A:244[B]:MET:CE	2.06	0.85
1:B:132[B]:ALA:HB2	5:B:610:HOH:O	1.78	0.83
1:B:357:GLN:HE22	2:B:502:EDO:C2	1.86	0.83
2:B:503:EDO:H22	5:B:748:HOH:O	1.78	0.83
2:A:401:EDO:C2	5:A:615:HOH:O	2.27	0.82
1:A:180:GLU:CG	1:A:244[B]:MET:CE	2.49	0.81
1:A:184:MET:HE2	1:A:244[A]:MET:HG3	1.68	0.76
1:A:94:LEU:O	5:A:501:HOH:O	2.05	0.74
2:B:502:EDO:O1	5:B:602:HOH:O	2.06	0.72
1:A:131[B]:THR:HG22	1:A:286[B]:VAL:HG13	1.71	0.72
1:B:131[B]:THR:CG2	1:B:286[B]:VAL:HG13	2.19	0.72
1:A:180:GLU:HA	1:A:244[B]:MET:HE3	1.71	0.71
1:A:184:MET:HE3	5:A:547:HOH:O	1.91	0.70
1:B:131[B]:THR:HG23	1:B:286[B]:VAL:CG1	2.20	0.70
1:B:43:ARG:HE	2:B:502:EDO:H12	1.55	0.69
1:A:247:PHE:CZ	1:B:296:MET:HE1	2.28	0.69

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:180:GLU:HG3	1:A:244[B]:MET:HE3	1.75	0.67
1:B:357:GLN:CD	2:B:502:EDO:H21	2.20	0.66
1:B:105[A]:SER:HG	1:B:131[A]:THR:HG1	1.41	0.66
1:A:29:THR:HA	2:A:404:EDO:C1	2.18	0.65
1:A:34:TYR:HA	2:A:401:EDO:H22	1.79	0.65
1:A:70:ILE:HG21	1:A:358:LYS:HD3	1.78	0.65
1:A:180:GLU:HG3	1:A:244[B]:MET:HE1	1.64	0.64
1:A:180:GLU:CB	1:A:244[B]:MET:HE2	2.23	0.64
1:A:331:ARG:HD2	5:A:609:HOH:O	1.97	0.64
1:A:132[B]:ALA:HB1	1:A:238:ASP:O	1.98	0.62
2:A:401:EDO:H21	5:A:615:HOH:O	1.97	0.61
1:A:80:ASP:C	1:A:82:ASP:N	2.59	0.60
1:A:83:GLN:HG3	1:A:84:HIS:H	1.65	0.60
2:A:401:EDO:H22	5:A:615:HOH:O	1.94	0.60
1:B:43:ARG:CD	2:B:502:EDO:H12	2.31	0.59
1:A:222:TYR:CZ	1:A:226:LYS:HE3	2.38	0.58
1:A:133[B]:GLY:C	1:A:135:VAL:H	2.11	0.58
1:A:197:GLU:OE1	5:A:503:HOH:O	2.17	0.58
1:B:131[B]:THR:HG23	1:B:286[B]:VAL:HG13	1.83	0.58
1:A:28:SER:OG	3:A:403:ACT:H3	2.05	0.56
1:A:180:GLU:HB2	1:A:244[B]:MET:HE2	1.83	0.55
1:B:131[B]:THR:CG2	1:B:286[B]:VAL:CG1	2.83	0.55
1:B:132[B]:ALA:N	5:B:610:HOH:O	2.38	0.55
1:A:164:ASN:HB3	1:B:327:TRP:CE2	2.42	0.54
1:A:327:TRP:CE2	1:B:164:ASN:HB3	2.44	0.53
1:A:80:ASP:H	1:A:83:GLN:HE21	1.56	0.53
1:B:103:TYR:N	1:B:286[A]:VAL:HG11	2.24	0.53
1:A:131[B]:THR:HG23	1:A:286[B]:VAL:HG11	1.76	0.52
1:B:278:MET:SD	1:B:290:ILE:HG22	2.49	0.51
5:A:664:HOH:O	2:B:503:EDO:H11	2.10	0.51
1:B:132[B]:ALA:CA	5:B:610:HOH:O	2.58	0.51
1:B:307:ASN:HB2	5:B:739:HOH:O	2.10	0.51
1:B:329:LYS:NZ	5:B:614:HOH:O	2.44	0.51
1:B:280[B]:ILE:HD11	1:B:290:ILE:HG21	1.93	0.50
1:A:80:ASP:O	1:A:83:GLN:HG3	2.12	0.50
2:B:503:EDO:C2	5:B:614:HOH:O	2.60	0.49
1:B:45[B]:LEU:HD22	1:B:46[B]:LEU:HD12	1.95	0.49
1:B:85:ALA:HB3	1:B:94:LEU:HD13	1.97	0.47
1:A:43[B]:ARG:NH2	1:A:353:GLU:OE1	2.48	0.47
1:A:132[A]:ALA:HB2	1:A:236:LEU:HA	1.97	0.47
1:B:240:SER:O	1:B:244:MET:HG2	2.15	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:131[B]:THR:HG22	1:A:285:VAL:HG12	1.96	0.46
1:A:80:ASP:O	1:A:82:ASP:N	2.50	0.45
1:B:96:SER:O	1:B:275[B]:CYS:HB3	2.17	0.45
1:A:263:LEU:HD21	1:B:242:GLY:O	2.17	0.44
1:A:264:ARG:O	1:A:268:THR:HG23	2.18	0.44
1:B:162:GLY:O	1:B:163:ILE:HD13	2.16	0.44
1:A:43[A]:ARG:NH2	1:A:47:GLU:OE1	2.38	0.44
1:A:222:TYR:OH	1:A:226:LYS:HE3	2.18	0.44
1:A:29:THR:CA	2:A:404:EDO:H11	2.23	0.44
1:B:228:HIS:HA	2:B:501:EDO:H12	1.99	0.44
1:B:135:VAL:HA	1:B:221:TYR:CE2	2.53	0.44
1:B:111:GLY:O	1:B:114:GLU:HB2	2.18	0.43
1:B:184:MET:HB2	1:B:185:PRO:HD3	1.99	0.43
1:B:85:ALA:O	1:B:88:THR:OG1	2.24	0.43
2:B:503:EDO:H21	5:B:748:HOH:O	2.03	0.43
1:B:357:GLN:OE1	2:B:502:EDO:H21	2.18	0.43
1:B:131[B]:THR:HG22	1:B:286[B]:VAL:HG13	1.95	0.43
1:A:80:ASP:O	1:A:80:ASP:OD1	2.38	0.42
2:B:503:EDO:H22	5:B:614:HOH:O	2.19	0.42
1:A:338:LYS:NZ	5:A:523:HOH:O	2.53	0.42
1:B:123:ASN:OD1	1:B:227:ASN:HB3	2.20	0.42
1:A:83:GLN:HG3	1:A:84:HIS:N	2.32	0.41
1:A:80:ASP:O	1:A:83:GLN:CG	2.68	0.41
1:A:327:TRP:CD2	1:B:164:ASN:HB3	2.55	0.41
1:B:341:ALA:HB3	1:B:346[A]:VAL:HG21	2.02	0.41
1:A:32:ARG:CD	2:A:401:EDO:H11	2.52	0.40
1:A:129:VAL:HG21	1:A:290:ILE:CG1	2.51	0.40
1:A:362:PHE:O	1:A:363:MET:HG2	2.22	0.40

All (9) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:310:GLN:CD	1:B:310:GLN:OE1[4_555]	0.42	1.78
1:A:310:GLN:OE1	1:A:310:GLN:OE1[4_555]	0.97	1.23
1:B:310:GLN:CD	1:B:310:GLN:CD[4_555]	1.08	1.12
1:B:310:GLN:CG	1:B:310:GLN:OE1[4_555]	1.19	1.01
1:B:310:GLN:OE1	1:B:310:GLN:OE1[4_555]	1.44	0.76
1:B:310:GLN:OE1	1:B:310:GLN:NE2[4_555]	1.54	0.66
1:B:310:GLN:CD	1:B:310:GLN:NE2[4_555]	2.04	0.16

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:310:GLN:CD	1:A:310:GLN:OE1[4_555]	2.08	0.12
5:A:718:HOH:O	5:B:765:HOH:O[4_555]	2.12	0.08

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	359/369 (97%)	347 (97%)	10 (3%)	2 (1%)	21	8
1	B	358/369 (97%)	348 (97%)	10 (3%)	0	100	100
All	All	717/738 (97%)	695 (97%)	20 (3%)	2 (0%)	43	21

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	134[A]	GLY
1	A	134[B]	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	301/309 (97%)	301 (100%)	0	100	100
1	B	302/309 (98%)	300 (99%)	2 (1%)	76	67
All	All	603/618 (98%)	601 (100%)	2 (0%)	84	83

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	88	THR
1	B	94	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	83	GLN
1	A	289	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	CSS	B	177	1	4,6,7	1.47	1 (25%)	2,6,8	1.38	0
1	CSS	A	177	1	4,6,7	0.64	0	2,6,8	0.50	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CSS	B	177	1	-	0/1/5/7	-
1	CSS	A	177	1	-	0/1/5/7	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	177	CSS	CB-SG	-2.36	1.73	1.81

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

10 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	EDO	B	502	-	3,3,3	0.30	0	2,2,2	0.51	0
4	OXM	B	504	-	5,5,5	4.42	2 (40%)	2,6,6	1.02	0
3	ACT	A	402	-	3,3,3	1.09	0	3,3,3	0.66	0
2	EDO	B	503	-	3,3,3	0.21	0	2,2,2	0.67	0
3	ACT	A	403	-	3,3,3	1.07	0	3,3,3	0.38	0
2	EDO	B	505	-	3,3,3	0.33	0	2,2,2	0.21	0
2	EDO	A	401	-	3,3,3	0.32	0	2,2,2	0.36	0
2	EDO	B	501	-	3,3,3	0.50	0	2,2,2	0.42	0
2	EDO	A	404	-	3,3,3	0.35	0	2,2,2	0.15	0
2	EDO	B	506	-	3,3,3	0.33	0	2,2,2	0.23	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	EDO	B	502	-	-	1/1/1/1	-
4	OXM	B	504	-	-	0/4/4/4	-
2	EDO	B	503	-	-	1/1/1/1	-
2	EDO	B	505	-	-	1/1/1/1	-
2	EDO	A	401	-	-	1/1/1/1	-
2	EDO	B	501	-	-	0/1/1/1	-
2	EDO	A	404	-	-	1/1/1/1	-
2	EDO	B	506	-	-	1/1/1/1	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	504	OXM	C1-C2	-9.26	1.44	1.55
4	B	504	OXM	O3-C2	-2.75	1.23	1.30

There are no bond angle outliers.

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	502	EDO	O1-C1-C2-O2
2	A	401	EDO	O1-C1-C2-O2
2	B	505	EDO	O1-C1-C2-O2
2	B	506	EDO	O1-C1-C2-O2
2	B	503	EDO	O1-C1-C2-O2
2	A	404	EDO	O1-C1-C2-O2

There are no ring outliers.

6 monomers are involved in 26 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	502	EDO	9	0
2	B	503	EDO	6	0
3	A	403	ACT	1	0
2	A	401	EDO	5	0
2	B	501	EDO	2	0
2	A	404	EDO	3	0

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	333/369 (90%)	-0.03	22 (6%) 24 28	17, 41, 88, 152	21 (6%)
1	B	335/369 (90%)	0.06	21 (6%) 26 30	16, 45, 85, 150	21 (6%)
All	All	668/738 (90%)	0.02	43 (6%) 25 29	16, 43, 87, 152	42 (6%)

All (43) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	78	SER	6.8
1	B	85	ALA	6.2
1	B	89	GLN	6.2
1	B	285	VAL	5.7
1	A	82	ASP	5.4
1	B	88	THR	5.2
1	B	94	LEU	5.1
1	A	286[A]	VAL	5.1
1	A	79	GLN	5.0
1	B	132[A]	ALA	4.7
1	B	290	ILE	4.7
1	A	363	MET	4.7
1	A	285	VAL	4.3
1	B	310	GLN	4.3
1	A	290	ILE	4.3
1	B	286[A]	VAL	4.1
1	A	80	ASP	3.4
1	B	84	HIS	3.2
1	A	295	LEU	3.1
1	B	181[A]	ASP	3.1
1	B	93	PRO	3.0
1	B	291	ALA	3.0
1	B	87	LEU	2.9
1	A	132[A]	ALA	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	291	ALA	2.9
1	A	28	SER	2.7
1	A	292	ASN	2.6
1	B	295	LEU	2.6
1	A	87[A]	LEU	2.6
1	B	363	MET	2.6
1	A	293	ALA	2.6
1	A	84	HIS	2.5
1	B	312	PHE	2.5
1	B	247	PHE	2.5
1	A	310	GLN	2.4
1	A	296	MET	2.4
1	B	28	SER	2.4
1	B	90	SER	2.4
1	A	86[A]	ASP	2.1
1	B	296	MET	2.1
1	A	77	LEU	2.1
1	A	85	ALA	2.1
1	A	312	PHE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	CSS	A	177	7/8	0.96	0.07	36,45,66,79	0
1	CSS	B	177	7/8	0.96	0.07	48,60,75,91	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	EDO	A	404	4/4	0.82	0.13	82,99,111,113	0
2	EDO	B	501	4/4	0.83	0.24	55,67,69,80	10
2	EDO	B	506	4/4	0.86	0.13	56,75,83,90	0
2	EDO	A	401	4/4	0.90	0.16	70,85,87,90	0
4	OXM	B	504	6/6	0.90	0.21	82,86,103,103	0
3	ACT	A	402	4/4	0.91	0.17	78,80,94,94	0
2	EDO	B	502	4/4	0.92	0.20	98,117,119,119	0
2	EDO	B	505	4/4	0.93	0.14	79,95,98,99	0
2	EDO	B	503	4/4	0.93	0.23	116,139,142,142	0
3	ACT	A	403	4/4	0.94	0.14	82,84,99,99	0

6.5 Other polymers [i](#)

There are no such residues in this entry.