



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 06:49 PM UTC

PDB ID : 4A7Y / pdb_00004a7y
Title : Active site metal depleted aldose-2-epimerase
Authors : Claesson, M.; Lindqvist, Y.; Madrid, S.; Sandalova, T.; Fiskesund, R.; Yu, S.;
Schneider, G.
Deposited on : 2011-11-15
Resolution : 2.80 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3866 (2.80-2.80)
Clashscore	190562	4276 (2.80-2.80)
Ramachandran outliers	187476	4196 (2.80-2.80)
Sidechain outliers	187428	4198 (2.80-2.80)
RSRZ outliers	180081	3869 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	900	

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 6882 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ALDOS-2-ULOSE DEHYDRATASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	880	Total	C	N	O	S	0	0	0
			6796	4312	1184	1268	32			

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	THR	deletion	UNP P84193
A	?	-	GLY	deletion	UNP P84193
A	?	-	HIS	deletion	UNP P84193


- Molecule 2 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Zn	0	0
			1	1		

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Mg	0	0
			1	1		

- Molecule 4 is 1,5-anhydro-D-fructose (CCD ID: NHF) (formula: C₆H₁₀O₅).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			11	6	5		
4	A	1	Total	C	O	0	0
			11	6	5		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	62	Total	O	0	0
			62	62		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: ALDOS-2-ULOSE DEHYDRATASE



4 Data and refinement statistics

Property	Value	Source
Space group	P 2 ₁ 2 ₁ 2	Depositor
Cell constants a, b, c, α , β , γ	132.41 Å 82.24 Å 97.60 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	56.81 – 2.80 56.81 – 2.80	Depositor EDS
% Data completeness (in resolution range)	86.5 (56.81-2.80) 88.3 (56.81-2.80)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.95 (at 2.58 Å)	Xtriage
Refinement program	REFMAC 5.6.0116	Depositor
R, R_{free}	0.183 , 0.261 (Not available) , 0.254	Depositor DCC
R_{free} test set	1674 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å ²)	33.3	Xtriage
Anisotropy	0.412	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 26.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.86	EDS
Total number of atoms	6882	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.89% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, NHF, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.90	1/6998 (0.0%)	1.04	12/9560 (0.1%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	632	HIS	CG-CD2	5.14	1.41	1.35

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	358	GLY	N-CA-C	-7.54	103.20	112.33
1	A	562	PHE	CA-C-N	6.98	127.02	119.90
1	A	562	PHE	C-N-CA	6.98	127.02	119.90
1	A	672	ASP	N-CA-C	-6.02	105.77	112.57
1	A	658	VAL	CA-C-N	-6.01	114.57	120.52
1	A	658	VAL	C-N-CA	-6.01	114.57	120.52
1	A	887	ASP	N-CA-C	5.82	117.30	111.07
1	A	521	ILE	N-CA-C	5.29	115.98	107.98
1	A	117	GLY	N-CA-C	-5.18	105.67	111.63
1	A	361	PRO	CA-C-N	5.17	125.16	119.89
1	A	361	PRO	C-N-CA	5.17	125.16	119.89
1	A	91	LEU	N-CA-C	5.13	117.76	109.40

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6796	0	6531	117	0
2	A	1	0	0	0	0
3	A	1	0	0	0	0
4	A	22	0	20	4	0
5	A	62	0	0	3	0
All	All	6882	0	6551	117	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (117) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:719:SER:HA	1:A:720:PRO:C	2.10	0.76
1:A:469:LYS:HG3	1:A:542:SER:HB2	1.71	0.72
1:A:737:PHE:CZ	1:A:799:GLY:HA2	2.25	0.72
1:A:356:MET:HB3	1:A:366:ARG:O	1.89	0.72
1:A:498:CYS:SG	1:A:505:LYS:HE3	2.30	0.72
1:A:865:PHE:O	1:A:884:VAL:HA	1.92	0.69
1:A:493:MET:HE2	1:A:537:VAL:HG23	1.73	0.69
1:A:185:PRO:HB2	1:A:210:THR:HG22	1.78	0.65
1:A:786:GLY:H	1:A:787:PRO:HD2	1.60	0.65
1:A:360:ASP:HA	1:A:361:PRO:C	2.25	0.62
1:A:108:ASN:O	1:A:135:ASN:HB2	2.00	0.62
1:A:571:ARG:HD2	5:A:2040:HOH:O	2.00	0.62
1:A:807:HIS:CE1	1:A:809:LYS:HB3	2.36	0.61
1:A:491:LYS:HD3	1:A:491:LYS:C	2.27	0.60
1:A:28:GLN:O	1:A:426:SER:HB2	2.03	0.59
1:A:754:ARG:HG2	1:A:763:SER:HB3	1.84	0.59
1:A:117:GLY:HA2	1:A:124:TRP:CD1	2.38	0.58
1:A:491:LYS:NZ	1:A:510:PRO:O	2.34	0.57
1:A:459:GLU:HG2	1:A:473:VAL:HG22	1.86	0.57
1:A:843:VAL:HG13	1:A:851:ILE:HG23	1.87	0.57
1:A:498:CYS:SG	1:A:505:LYS:CE	2.93	0.57
1:A:513:ARG:O	1:A:514:PRO:C	2.48	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:305:PRO:O	1:A:308:SER:OG	2.16	0.56
1:A:28:GLN:OE1	1:A:31:ARG:HD2	2.06	0.56
1:A:852:THR:CG2	1:A:865:PHE:CD2	2.88	0.55
1:A:757:ASP:CG	1:A:758:PRO:HD2	2.31	0.55
1:A:654:ARG:HB3	1:A:673:THR:HG21	1.89	0.54
1:A:483:VAL:HG21	1:A:522:VAL:HG11	1.90	0.54
1:A:757:ASP:CB	1:A:758:PRO:HD2	2.38	0.54
1:A:356:MET:HB2	1:A:368:GLY:N	2.23	0.54
1:A:49:CYS:HB3	1:A:74:ALA:HA	1.90	0.53
1:A:753:ILE:HD11	1:A:794:ILE:HD11	1.91	0.53
1:A:566:VAL:HG13	1:A:567:PRO:HD2	1.91	0.53
1:A:823:ASN:O	1:A:823:ASN:CG	2.51	0.53
1:A:638:CYS:HB3	1:A:688:TRP:CH2	2.45	0.52
1:A:654:ARG:HB3	1:A:673:THR:CG2	2.40	0.52
1:A:815:CYS:HB2	1:A:839:SER:HB3	1.91	0.52
1:A:45:ASP:OD1	1:A:46:SER:N	2.43	0.51
1:A:185:PRO:HB3	1:A:212:HIS:CD2	2.46	0.51
1:A:339:VAL:HG12	1:A:354:VAL:HG22	1.93	0.50
1:A:637:PHE:CE1	1:A:730:GLU:HG2	2.46	0.50
1:A:617:GLN:C	1:A:618:LEU:HD12	2.36	0.50
1:A:677:VAL:O	1:A:679:PRO:HD3	2.12	0.49
1:A:443:GLU:HG2	1:A:600:GLY:CA	2.43	0.49
1:A:456:PHE:O	1:A:476:PRO:HD3	2.13	0.49
1:A:25:GLN:NE2	1:A:73:TYR:OH	2.45	0.49
1:A:50:PRO:HG2	1:A:400:PHE:CE1	2.47	0.49
1:A:302:TYR:HA	1:A:318:THR:O	2.13	0.49
1:A:52:ILE:HD12	1:A:83:TRP:CZ3	2.48	0.49
1:A:419:TYR:HD1	1:A:420:PHE:N	2.11	0.48
1:A:446:LEU:HD13	1:A:472:LEU:HD22	1.95	0.48
1:A:393:GLY:CA	1:A:414:TYR:HB2	2.43	0.48
1:A:356:MET:HE3	1:A:366:ARG:HA	1.95	0.48
1:A:344:ILE:N	1:A:351:GLU:OE1	2.46	0.48
1:A:424:ASN:O	1:A:425:PRO:C	2.56	0.47
1:A:38:GLU:HG2	1:A:97:MET:HE2	1.95	0.47
1:A:569:SER:O	1:A:573:MET:HG3	2.15	0.47
1:A:841:TRP:HA	1:A:854:ARG:O	2.14	0.47
1:A:843:VAL:HA	1:A:852:THR:O	2.15	0.47
1:A:845:LYS:HA	1:A:850:GLN:O	2.15	0.46
1:A:757:ASP:O	1:A:758:PRO:C	2.58	0.46
1:A:424:ASN:N	1:A:425:PRO:HD3	2.30	0.46
1:A:670:LEU:O	1:A:673:THR:HB	2.15	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:164:ARG:HG2	1:A:169:GLN:NE2	2.31	0.45
1:A:786:GLY:N	1:A:787:PRO:HD2	2.30	0.45
1:A:830:HIS:C	1:A:832:PRO:HD3	2.42	0.45
1:A:284:TYR:CZ	1:A:311:GLY:HA2	2.51	0.45
1:A:433:THR:HB	5:A:2030:HOH:O	2.17	0.45
1:A:786:GLY:N	1:A:787:PRO:CD	2.79	0.45
1:A:410:ALA:HA	1:A:429:VAL:HA	2.00	0.44
1:A:424:ASN:N	1:A:425:PRO:CD	2.80	0.44
1:A:164:ARG:HH21	1:A:166:ASP:CG	2.24	0.44
1:A:124:TRP:HA	5:A:2006:HOH:O	2.17	0.44
1:A:626:SER:C	1:A:628:GLY:H	2.26	0.44
1:A:277:VAL:HG22	1:A:288:ILE:HG12	2.00	0.44
1:A:258:GLY:HA3	1:A:302:TYR:HE2	1.82	0.43
1:A:37:VAL:HG12	1:A:394:ARG:HB3	2.00	0.43
1:A:235:ILE:N	1:A:235:ILE:HD12	2.33	0.43
1:A:280:VAL:HG13	1:A:349:GLU:HG2	2.00	0.43
1:A:493:MET:CE	1:A:537:VAL:HG23	2.47	0.43
1:A:84:THR:HA	1:A:85:PRO:HD3	1.72	0.43
1:A:297:ASN:OD1	1:A:335:SER:N	2.42	0.43
1:A:356:MET:HB2	1:A:368:GLY:H	1.84	0.42
1:A:593:LEU:O	1:A:595:PHE:N	2.52	0.42
1:A:29:GLY:HA2	1:A:426:SER:HB2	2.00	0.42
1:A:336:ILE:HG23	1:A:354:VAL:HG13	2.01	0.42
1:A:632:HIS:HE1	4:A:953:NHF:H1	1.84	0.42
1:A:117:GLY:HA3	1:A:122:ASP:O	2.20	0.42
1:A:181:ASP:OD1	1:A:181:ASP:C	2.62	0.42
1:A:475:LEU:HA	1:A:476:PRO:HD2	1.83	0.42
1:A:590:PHE:HB3	1:A:593:LEU:HD12	2.02	0.42
1:A:71:ASN:HB3	1:A:74:ALA:HB2	2.01	0.42
1:A:748:PRO:HB3	1:A:795:SER:HA	2.01	0.42
1:A:211:ARG:NH2	1:A:254:ARG:HG3	2.35	0.42
1:A:98:HIS:CG	1:A:99:TYR:H	2.37	0.42
1:A:627:ALA:HB1	4:A:953:NHF:O4	2.20	0.41
1:A:632:HIS:CE1	4:A:953:NHF:H1	2.55	0.41
1:A:258:GLY:HA3	1:A:302:TYR:CE2	2.56	0.41
1:A:354:VAL:O	1:A:369:VAL:HA	2.19	0.41
1:A:527:LEU:HD12	1:A:527:LEU:C	2.45	0.41
1:A:567:PRO:O	1:A:571:ARG:HG3	2.19	0.41
1:A:777:VAL:O	1:A:778:LEU:HD23	2.20	0.41
1:A:292:GLU:HA	1:A:293:ALA:HA	1.87	0.41
1:A:634:GLU:H	1:A:634:GLU:CD	2.28	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:870:ALA:O	1:A:871:ILE:HG13	2.20	0.41
1:A:151:SER:HA	1:A:152:PRO:HD3	1.96	0.41
1:A:302:TYR:CE2	1:A:319:ARG:HB2	2.56	0.41
1:A:663:PHE:O	1:A:665:PRO:HD3	2.21	0.41
1:A:33:ASP:OD1	1:A:33:ASP:C	2.64	0.41
1:A:140:ARG:NH1	1:A:142:ASN:O	2.50	0.40
1:A:807:HIS:HE1	1:A:809:LYS:HB3	1.84	0.40
1:A:521:ILE:HD11	1:A:681:MET:HG3	2.02	0.40
1:A:605:PHE:CE2	4:A:954:NHF:H3	2.56	0.40
1:A:491:LYS:C	1:A:491:LYS:CD	2.94	0.40
1:A:49:CYS:N	1:A:50:PRO:CD	2.85	0.40
1:A:268:PRO:HG2	1:A:269:TYR:CE2	2.57	0.40
1:A:579:ARG:HA	1:A:596:PHE:CD2	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	876/900 (97%)	814 (93%)	58 (7%)	4 (0%)	24	55

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	788	SER
1	A	142	ASN
1	A	594	ASP
1	A	758	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	723/742 (97%)	693 (96%)	30 (4%)	27 62

All (30) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	67	GLN
1	A	70	VAL
1	A	131	SER
1	A	142	ASN
1	A	167	ARG
1	A	173	VAL
1	A	204	GLN
1	A	219	ILE
1	A	225	THR
1	A	264	GLU
1	A	313	VAL
1	A	365	GLN
1	A	385	THR
1	A	406	GLU
1	A	422	SER
1	A	428	ASN
1	A	544	THR
1	A	554	ASP
1	A	590	PHE
1	A	636	SER
1	A	697	LEU
1	A	712	LEU
1	A	747	GLU
1	A	757	ASP
1	A	763	SER
1	A	783	LEU
1	A	805	ILE
1	A	839	SER
1	A	847	THR
1	A	878	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	79	GLN
1	A	150	HIS
1	A	155	HIS
1	A	212	HIS
1	A	233	GLN
1	A	320	HIS
1	A	365	GLN
1	A	379	ASN
1	A	486	ASN
1	A	830	HIS
1	A	861	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 2 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	NHF	A	954	-	11,11,11	2.92	5 (45%)	11,15,15	1.84	4 (36%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NHF	A	953	-	11,11,11	2.80	3 (27%)	11,15,15	1.47	2 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NHF	A	954	-	-	1/2/19/19	0/1/1/1
4	NHF	A	953	-	-	2/2/19/19	0/1/1/1

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	953	NHF	C1-C2	-8.32	1.42	1.51
4	A	954	NHF	C1-C2	-8.07	1.42	1.51
4	A	954	NHF	O5-C1	2.82	1.49	1.43
4	A	953	NHF	O5-C1	2.77	1.49	1.43
4	A	953	NHF	O2-C2	2.67	1.26	1.21
4	A	954	NHF	O5-C5	2.42	1.48	1.43
4	A	954	NHF	O3-C3	2.13	1.46	1.42
4	A	954	NHF	C3-C2	2.07	1.55	1.52

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	954	NHF	O5-C5-C6	4.10	115.64	107.66
4	A	953	NHF	O3-C3-C4	-2.53	105.28	110.53
4	A	954	NHF	O5-C5-C4	-2.53	104.68	110.83
4	A	954	NHF	O3-C3-C2	2.38	114.65	109.84
4	A	953	NHF	C6-C5-C4	-2.35	107.26	113.02
4	A	954	NHF	O4-C4-C5	2.09	114.47	109.32

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	953	NHF	O5-C5-C6-O6
4	A	954	NHF	O5-C5-C6-O6
4	A	953	NHF	C4-C5-C6-O6

There are no ring outliers.

2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	954	NHF	1	0
4	A	953	NHF	3	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	880/900 (97%)	0.87	85 (9%) 13 10	18, 33, 62, 116	0

All (85) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	418	GLY	10.6
1	A	417	PRO	9.1
1	A	419	TYR	8.9
1	A	416	VAL	6.9
1	A	421	GLU	6.4
1	A	76	THR	5.4
1	A	420	PHE	5.2
1	A	47	SER	4.5
1	A	760	GLN	4.4
1	A	871	ILE	4.2
1	A	758	PRO	4.2
1	A	759	HIS	4.1
1	A	422	SER	3.9
1	A	424	ASN	3.9
1	A	57	LEU	3.5
1	A	415	SER	3.5
1	A	423	PRO	3.4
1	A	75	THR	3.4
1	A	858	ALA	3.4
1	A	15	GLN	3.4
1	A	547	ARG	3.3
1	A	785	GLY	3.3
1	A	878	ASP	3.3
1	A	859	PRO	3.3
1	A	783	LEU	3.3
1	A	414	TYR	3.2
1	A	74	ALA	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	781	LEU	3.2
1	A	82	SER	3.1
1	A	152	PRO	3.1
1	A	425	PRO	3.1
1	A	26	LEU	3.0
1	A	870	ALA	3.0
1	A	150	HIS	3.0
1	A	879	ALA	3.0
1	A	756	GLY	2.9
1	A	201	GLN	2.7
1	A	647	GLY	2.7
1	A	882	VAL	2.7
1	A	630	HIS	2.6
1	A	58	GLY	2.6
1	A	716	GLY	2.6
1	A	202	LEU	2.6
1	A	331	LYS	2.6
1	A	113	THR	2.6
1	A	403	GLN	2.6
1	A	62	MET	2.5
1	A	78	ASN	2.5
1	A	32	PRO	2.5
1	A	787	PRO	2.5
1	A	784	ASP	2.4
1	A	59	THR	2.4
1	A	69	LEU	2.4
1	A	264	GLU	2.4
1	A	715	ALA	2.4
1	A	847	THR	2.4
1	A	722	ALA	2.3
1	A	588	GLY	2.3
1	A	358	GLY	2.3
1	A	195	ASP	2.3
1	A	330	GLY	2.3
1	A	761	THR	2.2
1	A	177	VAL	2.2
1	A	116	TYR	2.2
1	A	77	ASN	2.2
1	A	860	ASP	2.2
1	A	786	GLY	2.2
1	A	762	ALA	2.2
1	A	123	ILE	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	845	LYS	2.1
1	A	595	PHE	2.1
1	A	780	LEU	2.1
1	A	46	SER	2.1
1	A	337	HIS	2.1
1	A	861	HIS	2.1
1	A	739	THR	2.1
1	A	81	SER	2.1
1	A	27	VAL	2.1
1	A	360	ASP	2.1
1	A	405	SER	2.1
1	A	745	VAL	2.1
1	A	501	ASP	2.0
1	A	660	ASP	2.0
1	A	48	LYS	2.0
1	A	656	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	NHF	A	953	11/11	0.55	0.24	32,34,34,36	0
4	NHF	A	954	11/11	0.64	0.30	44,48,55,56	0
3	MG	A	952	1/1	0.94	0.10	44,44,44,44	0
2	ZN	A	951	1/1	0.95	0.22	37,37,37,37	0

6.5 Other polymers [i](#)

There are no such residues in this entry.