



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 03:15 PM UTC

PDB ID : 5A7W / pdb_00005a7w
Title : Crystal structure of human JMJD2A in complex with compound 35
Authors : Nowak, R.; Velupillai, S.; Krojer, T.; Gileadi, C.; Johansson, C.; Korczynska, M.; Le, D.D.; Younger, N.; Gregori-Puigjane, E.; Tumber, A.; Iwasa, E.; Pollock, S.B.; Ortiz Torres, I.; Kopec, J.; Tallant, C.; Froese, S.; von Delft, F.; Arrowsmith, C.H.; Bountra, C.; Edwards, A.; Shoichet, B.K.; Fujimori, D.G.; Oppermann, U.
Deposited on : 2015-07-10
Resolution : 2.27 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.27 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	9078 (2.30-2.26)
Clashscore	190562	9802 (2.30-2.26)
Ramachandran outliers	187476	9690 (2.30-2.26)
Sidechain outliers	187428	9691 (2.30-2.26)
RSRZ outliers	180081	9085 (2.30-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	381	7% 81% 9% • 9%
2	B	381	13% 77% 13% • 9%

Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 5600 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called LYSINE-SPECIFIC DEMETHYLASE 4A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	346	Total	C	N	O	S	0	3	1
			2717	1770	454	478	15			

There are 22 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-21	MET	-	expression tag	UNP O75164
A	-20	HIS	-	expression tag	UNP O75164
A	-19	HIS	-	expression tag	UNP O75164
A	-18	HIS	-	expression tag	UNP O75164
A	-17	HIS	-	expression tag	UNP O75164
A	-16	HIS	-	expression tag	UNP O75164
A	-15	HIS	-	expression tag	UNP O75164
A	-14	SER	-	expression tag	UNP O75164
A	-13	SER	-	expression tag	UNP O75164
A	-12	GLY	-	expression tag	UNP O75164
A	-11	VAL	-	expression tag	UNP O75164
A	-10	ASP	-	expression tag	UNP O75164
A	-9	LEU	-	expression tag	UNP O75164
A	-8	GLY	-	expression tag	UNP O75164
A	-7	THR	-	expression tag	UNP O75164
A	-6	GLU	-	expression tag	UNP O75164
A	-5	ASN	-	expression tag	UNP O75164
A	-4	LEU	-	expression tag	UNP O75164
A	-3	TYR	-	expression tag	UNP O75164
A	-2	PHE	-	expression tag	UNP O75164
A	-1	GLN	-	expression tag	UNP O75164
A	0	SER	-	expression tag	UNP O75164


- Molecule 2 is a protein called LYSINE-SPECIFIC DEMETHYLASE 4A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	346	Total	C	N	O	S	0	3	0
			2714	1766	463	471	14			

There are 23 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
B	-21	MET	-	expression tag	UNP O75164
B	-20	HIS	-	expression tag	UNP O75164
B	-19	HIS	-	expression tag	UNP O75164
B	-18	HIS	-	expression tag	UNP O75164
B	-17	HIS	-	expression tag	UNP O75164
B	-16	HIS	-	expression tag	UNP O75164
B	-15	HIS	-	expression tag	UNP O75164
B	-14	SER	-	expression tag	UNP O75164
B	-13	SER	-	expression tag	UNP O75164
B	-12	GLY	-	expression tag	UNP O75164
B	-11	VAL	-	expression tag	UNP O75164
B	-10	ASP	-	expression tag	UNP O75164
B	-9	LEU	-	expression tag	UNP O75164
B	-8	GLY	-	expression tag	UNP O75164
B	-7	THR	-	expression tag	UNP O75164
B	-6	GLU	-	expression tag	UNP O75164
B	-5	ASN	-	expression tag	UNP O75164
B	-4	LEU	-	expression tag	UNP O75164
B	-3	TYR	-	expression tag	UNP O75164
B	-2	PHE	-	expression tag	UNP O75164
B	-1	GLN	-	expression tag	UNP O75164
B	0	SER	-	expression tag	UNP O75164
B	232	GLU	GLN	conflict	UNP O75164

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is 2-[5-[(4-hydroxyphenyl)carbonylamino]-2-oxidanyl-phenyl]pyridine-4-carboxylic acid (CCD ID: 35M) (formula: C₁₉H₁₄N₂O₅).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			26	19	2	5		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	B	1	Total	C	N	O	0	0
			26	19	2	5		


- Molecule 5 is MANGANESE (II) ION (CCD ID: MN) (formula: Mn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Mn	0	0
			1	1		
5	B	1	Total	Mn	0	0
			1	1		

- Molecule 6 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	1	Total	Zn	0	0
			1	1		
6	B	1	Total	Zn	0	0
			1	1		

- Molecule 7 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			4	2	2		
7	A	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	B	1	Total	C	O	0	0
			4	2	2		
7	B	1	Total	C	O	0	0
			4	2	2		
7	B	1	Total	C	O	0	0
			4	2	2		

- Molecule 8 is DIMETHYL SULFOXIDE (CCD ID: DMS) (formula: C₂H₆OS).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
8	A	1	Total	C	O	S	0	0
			4	2	1	1		
8	B	1	Total	C	O	S	0	0
			4	2	1	1		


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	39	Total	O	0	0
			39	39		
9	B	36	Total	O	0	0
			36	36		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: LYSINE-SPECIFIC DEMETHYLASE 4A



• Molecule 2: LYSINE-SPECIFIC DEMETHYLASE 4A



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	101.24Å 149.75Å 57.34Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.89 – 2.27 49.89 – 2.27	Depositor EDS
% Data completeness (in resolution range)	1.0 (49.89-2.27) 99.2 (49.89-2.27)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.99 (at 2.27Å)	Xtriage
Refinement program	PHENIX (PHENIX.REFINE)	Depositor
R, R_{free}	0.225 , 0.273 0.229 , 0.274	Depositor DCC
R_{free} test set	1726 reflections (4.23%)	wwPDB-VP
Wilson B-factor (Å ²)	48.8	Xtriage
Anisotropy	0.563	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 40.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	5600	wwPDB-VP
Average B, all atoms (Å ²)	59.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.12% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MN, ZN, SO4, EDO, DMS, 35M

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.55	0/2807	0.87	0/3823
2	B	0.58	0/2802	0.91	4/3818 (0.1%)
All	All	0.56	0/5609	0.89	4/7641 (0.1%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	87	ILE	N-CA-C	6.80	117.82	108.84
2	B	87	ILE	CB-CA-C	-6.26	102.94	111.33
2	B	9	ASN	CA-C-N	5.81	125.43	119.56
2	B	9	ASN	C-N-CA	5.81	125.43	119.56

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2717	0	2531	24	0
2	B	2714	0	2511	37	0
3	A	5	0	0	1	0
3	B	5	0	0	0	0
4	A	26	0	11	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	B	26	0	11	2	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
6	A	1	0	0	0	0
6	B	1	0	0	0	0
7	A	8	0	12	1	0
7	B	12	0	18	5	0
8	A	4	0	6	1	0
8	B	4	0	6	1	0
9	A	39	0	0	2	0
9	B	36	0	0	2	0
All	All	5600	0	5106	64	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (64) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:250:LEU:HD13	1:A:255[B]:ILE:HD11	1.53	0.91
2:B:114:PHE:HB2	7:B:1359:EDO:H22	1.61	0.80
2:B:139:THR:HG22	2:B:141:TYR:H	1.60	0.67
2:B:328[B]:ARG:NH1	2:B:339:THR:OG1	2.27	0.67
2:B:155:THR:HG21	2:B:291:PHE:HB2	1.83	0.59
2:B:139:THR:HG23	2:B:287:GLU:OE2	2.04	0.58
2:B:135:ASP:HA	2:B:175:TYR:CD2	2.39	0.58
2:B:111:TYR:OH	9:B:2014:HOH:O	2.16	0.58
2:B:328[B]:ARG:HH12	2:B:339:THR:HG1	1.52	0.57
2:B:327:GLU:HG2	2:B:328[B]:ARG:HG2	1.86	0.57
1:A:90:LYS:H	7:A:1358:EDO:H11	1.70	0.56
2:B:175:TYR:HB2	8:B:1361:DMS:H23	1.89	0.55
2:B:114:PHE:HB2	7:B:1359:EDO:C2	2.36	0.54
2:B:309:ARG:HD2	2:B:312:MET:HE2	1.90	0.53
1:A:26:ASN:HD22	1:A:29:ARG:NH2	2.08	0.52
2:B:328[B]:ARG:NH1	2:B:337:ASP:OD1	2.42	0.52
1:A:197:ILE:HG13	1:A:269:ILE:HD13	1.92	0.51
1:A:186:ALA:HA	1:A:244:LEU:HD23	1.93	0.51
2:B:174:PRO:HA	2:B:289:THR:HG23	1.93	0.51
2:B:75:VAL:HG11	2:B:125:LEU:HG	1.93	0.50
2:B:36:SER:HB3	2:B:350:ALA:HB1	1.92	0.50
2:B:100:ILE:O	2:B:103:SER:HB3	2.12	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:1355:35M:HA	9:A:2011:HOH:O	2.11	0.49
2:B:190:GLU:HG3	2:B:196:SER:HB3	1.93	0.49
4:B:1355:35M:H1	9:B:2013:HOH:O	2.12	0.49
1:A:86:ASN:ND2	4:A:1355:35M:H3	2.28	0.49
1:A:217:LYS:O	1:A:221[A]:ARG:HG3	2.13	0.49
2:B:236:ALA:HA	7:B:1358:EDO:H21	1.94	0.48
1:A:41:ARG:O	1:A:212:PRO:HB3	2.14	0.47
1:A:208:TRP:HB2	1:A:260:VAL:HG12	1.95	0.47
2:B:237:PHE:CD1	7:B:1358:EDO:H22	2.50	0.46
1:A:19:PRO:HB3	1:A:30:TYR:CZ	2.50	0.46
2:B:74:LEU:HD11	2:B:87:ILE:CD1	2.45	0.46
1:A:151:GLY:HA2	1:A:174:PRO:HG3	1.97	0.46
2:B:9:ASN:HD21	2:B:11:SER:HB2	1.81	0.46
2:B:228:PRO:O	2:B:232:GLU:HG3	2.16	0.45
1:A:44:LEU:HD13	1:A:270:THR:HG22	1.98	0.45
1:A:241:LYS:HD2	9:A:2030:HOH:O	2.16	0.45
2:B:242:MET:HB2	7:B:1360:EDO:H22	2.00	0.44
1:A:90:LYS:HD3	1:A:90:LYS:HA	1.39	0.43
1:A:197:ILE:HG13	1:A:269:ILE:CD1	2.49	0.43
1:A:75:VAL:HG11	1:A:125:LEU:HG	2.00	0.43
1:A:175:TYR:HB2	8:A:1360:DMS:C1	2.48	0.43
2:B:306:CYS:SG	2:B:312:MET:HE3	2.59	0.43
1:A:150:ILE:HG23	1:A:289:THR:HG22	1.99	0.43
1:A:255[B]:ILE:HA	1:A:256:PRO:HD3	1.86	0.43
1:A:9:ASN:CG	1:A:15:MET:HE3	2.43	0.42
2:B:33:TYR:O	2:B:37:GLN:HG2	2.19	0.42
2:B:75:VAL:HG12	2:B:126:THR:HG22	2.01	0.42
1:A:33:TYR:O	1:A:36:SER:OG	2.31	0.42
1:A:62:ILE:HG22	1:A:94:VAL:HG21	2.01	0.42
2:B:309:ARG:HH11	2:B:312:MET:HE2	1.85	0.42
2:B:74:LEU:HD11	2:B:87:ILE:HD11	2.02	0.42
2:B:100:ILE:HG22	2:B:106:TYR:HD2	1.85	0.42
2:B:220:GLU:OE2	2:B:275:TYR:OH	2.24	0.42
1:A:19:PRO:HB3	1:A:30:TYR:CE1	2.54	0.42
2:B:9:ASN:HA	2:B:10:PRO:HD3	1.91	0.42
2:B:179:GLY:O	2:B:283:PHE:HA	2.20	0.42
4:B:1355:35M:H14	4:B:1355:35M:H12	1.77	0.41
2:B:295:ARG:HD3	2:B:347:THR:N	2.35	0.41
2:B:9:ASN:ND2	2:B:11:SER:HB2	2.35	0.41
2:B:10:PRO:HA	2:B:13:ARG:CG	2.50	0.41
2:B:197:ILE:HG13	2:B:269:ILE:HD13	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:230:SER:N	3:A:1354:SO4:O2	2.40	0.41

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	347/381 (91%)	334 (96%)	12 (4%)	1 (0%)	36	44
2	B	347/381 (91%)	333 (96%)	14 (4%)	0	100	100
All	All	694/762 (91%)	667 (96%)	26 (4%)	1 (0%)	48	59

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	9	ASN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	266/335 (79%)	265 (100%)	1 (0%)	84	91
2	B	261/335 (78%)	259 (99%)	2 (1%)	73	84
All	All	527/670 (79%)	524 (99%)	3 (1%)	78	87

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	175	TYR
2	B	123	LYS
2	B	221	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	128	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 15 ligands modelled in this entry, 4 are monoatomic - leaving 11 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
4	35M	B	1355	5	28,28,28	1.18	3 (10%)	39,39,39	1.39	6 (15%)
7	EDO	B	1360	-	3,3,3	0.62	0	2,2,2	0.10	0
3	SO4	B	1354	-	4,4,4	0.27	0	6,6,6	0.12	0
7	EDO	A	1359	-	3,3,3	0.63	0	2,2,2	0.05	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
8	DMS	B	1361	-	3,3,3	0.71	0	3,3,3	0.55	0
3	SO4	A	1354	-	4,4,4	0.28	0	6,6,6	0.24	0
7	EDO	B	1359	-	3,3,3	0.45	0	2,2,2	0.49	0
8	DMS	A	1360	-	3,3,3	0.65	0	3,3,3	0.47	0
4	35M	A	1355	5	28,28,28	1.19	2 (7%)	39,39,39	1.22	3 (7%)
7	EDO	A	1358	-	3,3,3	0.45	0	2,2,2	0.33	0
7	EDO	B	1358	-	3,3,3	0.45	0	2,2,2	0.47	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	35M	B	1355	5	-	8/16/16/16	0/3/3/3
7	EDO	B	1360	-	-	0/1/1/1	-
7	EDO	A	1359	-	-	0/1/1/1	-
7	EDO	B	1359	-	-	0/1/1/1	-
4	35M	A	1355	5	-	5/16/16/16	0/3/3/3
7	EDO	A	1358	-	-	0/1/1/1	-
7	EDO	B	1358	-	-	0/1/1/1	-

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	1355	35M	C13-N1	2.95	1.41	1.35
4	B	1355	35M	C6-N	2.56	1.43	1.35
4	A	1355	35M	C13-N1	2.33	1.39	1.35
4	A	1355	35M	C6-N	2.19	1.42	1.35
4	B	1355	35M	O2-C10	-2.13	1.32	1.36

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	1355	35M	C16-C15-C14	3.78	123.63	119.25
4	A	1355	35M	C17-C16-C15	-3.11	115.65	119.05
4	B	1355	35M	C11-C13-N1	3.05	121.86	116.48
4	B	1355	35M	C16-C15-C14	2.85	122.55	119.25
4	B	1355	35M	O-C18-O1	-2.78	117.38	123.35
4	B	1355	35M	C14-C13-C11	-2.63	117.00	121.98
4	A	1355	35M	C15-C14-C13	-2.41	117.07	119.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	1355	35M	C17-C16-C15	-2.34	116.49	119.05
4	B	1355	35M	O-C18-C15	2.02	120.03	114.84

There are no chirality outliers.

All (13) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	B	1355	35M	C-C5-C6-O3
4	A	1355	35M	C14-C15-C18-O1
4	B	1355	35M	C-C5-C6-N
4	B	1355	35M	C4-C5-C6-N
4	B	1355	35M	C4-C5-C6-O3
4	B	1355	35M	C14-C15-C18-O1
4	A	1355	35M	C14-C15-C18-O
4	A	1355	35M	C16-C15-C18-O1
4	A	1355	35M	C16-C15-C18-O
4	B	1355	35M	C14-C15-C18-O
4	B	1355	35M	C16-C15-C18-O1
4	B	1355	35M	C16-C15-C18-O
4	A	1355	35M	C8-C7-N-C6


There are no ring outliers.

9 monomers are involved in 13 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	1355	35M	2	0
7	B	1360	EDO	1	0
8	B	1361	DMS	1	0
3	A	1354	SO4	1	0
7	B	1359	EDO	2	0
8	A	1360	DMS	1	0
4	A	1355	35M	2	0
7	A	1358	EDO	1	0
7	B	1358	EDO	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring

in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	346/381 (90%)	1.06	28 (8%) 18 18	24, 58, 84, 97	3 (0%)
2	B	346/381 (90%)	1.10	48 (13%) 6 7	31, 58, 84, 106	3 (0%)
All	All	692/762 (90%)	1.08	76 (10%) 10 11	24, 58, 84, 106	6 (0%)

All (76) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	8	LEU	5.6
2	B	154	ARG	3.6
1	A	145	VAL	3.6
2	B	338	ASN	3.6
2	B	168	ILE	3.5
2	B	144[A]	HIS	3.5
1	A	351	ALA	3.4
2	B	10	PRO	3.4
2	B	166	ILE	3.3
1	A	74	LEU	3.2
2	B	167	THR	3.1
2	B	87	ILE	3.1
2	B	312	MET	3.0
1	A	353	PHE	2.9
2	B	164	SER	2.9
2	B	165	GLY	2.9
2	B	95[A]	ARG	2.9
1	A	311	ASP	2.9
2	B	311	ASP	2.9
2	B	226	PHE	2.8
2	B	300	GLY	2.7
1	A	171	VAL	2.7
2	B	353	PHE	2.7
1	A	341	ILE	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	74	LEU	2.7
2	B	160	VAL	2.6
1	A	112	SER	2.6
2	B	163	GLU	2.6
2	B	263	GLU	2.6
2	B	64	ASP	2.6
1	A	312	MET	2.6
2	B	97	PHE	2.6
2	B	94	VAL	2.6
1	A	57	ALA	2.5
2	B	223	ALA	2.5
2	B	11	SER	2.5
1	A	64	ASP	2.5
2	B	175	TYR	2.5
1	A	86	ASN	2.4
2	B	161	GLU	2.4
1	A	8	LEU	2.4
2	B	341	ILE	2.4
2	B	169	GLU	2.4
2	B	288	SER	2.3
2	B	345	LEU	2.3
1	A	53	TRP	2.3
1	A	221[A]	ARG	2.3
2	B	171	VAL	2.3
1	A	10	PRO	2.3
1	A	175	TYR	2.3
2	B	170	GLY	2.3
1	A	39	ALA	2.2
1	A	94	VAL	2.2
2	B	129	PRO	2.2
2	B	131	ILE	2.2
1	A	50	PRO	2.2
2	B	162	LYS	2.2
2	B	106	TYR	2.1
2	B	100	ILE	2.1
1	A	48	VAL	2.1
2	B	313	VAL	2.1
1	A	61	ASP	2.1
2	B	60	ASP	2.1
2	B	63	ASP	2.1
2	B	351	ALA	2.1
1	A	226	PHE	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	79	SER	2.1
2	B	66	VAL	2.1
2	B	340	VAL	2.1
1	A	95	ARG	2.1
2	B	25	ARG	2.1
1	A	204	GLU	2.0
2	B	349	GLU	2.0
1	A	52	GLU	2.0
2	B	57	ALA	2.0
1	A	125	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
7	EDO	B	1359	4/4	0.80	0.20	59,68,69,69	0
7	EDO	A	1359	4/4	0.81	0.22	47,52,63,63	0
8	DMS	A	1360	4/4	0.84	0.28	66,70,78,85	0
4	35M	B	1355	26/26	0.85	0.18	34,53,84,87	26
4	35M	A	1355	26/26	0.85	0.17	39,56,73,80	26
7	EDO	B	1360	4/4	0.86	0.18	58,66,67,69	0
3	SO4	A	1354	5/5	0.87	0.11	68,68,79,87	0
7	EDO	A	1358	4/4	0.89	0.13	65,69,70,75	0
7	EDO	B	1358	4/4	0.90	0.23	55,56,59,75	0
3	SO4	B	1354	5/5	0.92	0.07	67,73,82,90	0
8	DMS	B	1361	4/4	0.93	0.27	61,62,67,89	0
6	ZN	A	1357	1/1	0.98	0.03	54,54,54,54	0
5	MN	B	1356	1/1	0.98	0.05	41,41,41,41	0


Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
6	ZN	B	1357	1/1	0.99	0.03	58,58,58,58	0
5	MN	A	1356	1/1	0.99	0.06	46,46,46,46	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers ⓘ

There are no such residues in this entry.