



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 04:47 PM UTC

PDB ID : 4A8M / pdb_00004a8m
Title : Non-Catalytic Ions Direct the RNA-Dependent RNA Polymerase of Bacterial dsRNA virus phi6 from De Novo Initiation to Elongation
Authors : Wright, S.; Poranen, M.M.; Bamford, D.H.; Stuart, D.I.; Grimes, J.M.
Deposited on : 2011-11-21
Resolution : 2.92 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.92 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2995 (2.94-2.90)
Clashscore	190562	3213 (2.94-2.90)
Ramachandran outliers	187476	3128 (2.94-2.90)
Sidechain outliers	187428	3130 (2.94-2.90)
RSRZ outliers	180081	2995 (2.94-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	B	4	100% 50% 50%
2	P	665	87% 11% .
2	Q	665	% 82% 16% .
2	R	665	% 84% 14% ..

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 16011 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a DNA chain called 5'-D(*AP*AP*TP*CP)-3'.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	B	4	Total	C	N	O	P	0	0	0
			78	39	15	21	3			

- Molecule 2 is a protein called RNA-DIRECTED RNA POLYMERASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	P	664	Total	C	N	O	S	0	0	0
			5265	3342	914	977	32			
2	Q	664	Total	C	N	O	S	0	0	0
			5265	3342	914	977	32			
2	R	664	Total	C	N	O	S	0	0	0
			5265	3342	914	977	32			


There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
P	456	MET	ILE	SEE REMARK 999	UNP P11124
Q	456	MET	ILE	SEE REMARK 999	UNP P11124
R	456	MET	ILE	SEE REMARK 999	UNP P11124

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	P	1	Total	Mg	0	0
			1	1		
3	Q	1	Total	Mg	0	0
			1	1		
3	R	1	Total	Mg	0	0
			1	1		

- Molecule 4 is GUANOSINE-5'-TRIPHOSPHATE (CCD ID: GTP) (formula: C₁₀H₁₆N₅O₁₄P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	P	1	Total	C	N	O	P	0	0
			32	10	5	14	3		
4	Q	1	Total	C	N	O	P	0	0
			32	10	5	14	3		
4	R	1	Total	C	N	O	P	0	0
			32	10	5	14	3		

- Molecule 5 is ADENOSINE-5'-TRIPHOSPHATE (CCD ID: ATP) (formula: C₁₀H₁₆N₅O₁₃P₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	P	1	Total	O	P	0	0
			13	10	3		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	Q	1	Total	O	P	0	0
			13	10	3		
5	R	1	Total	O	P	0	0
			13	10	3		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 5'-D(*AP*AP*TP*CP)-3'




- Molecule 2: RNA-DIRECTED RNA POLYMERASE



- Molecule 2: RNA-DIRECTED RNA POLYMERASE



● Molecule 2: RNA-DIRECTED RNA POLYMERASE



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	106.27Å 92.06Å 140.81Å 90.00° 101.30° 90.00°	Depositor
Resolution (Å)	58.72 – 2.92 58.72 – 2.92	Depositor EDS
% Data completeness (in resolution range)	(Not available) (58.72-2.92) 95.0 (58.72-2.92)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.10 (at 2.91Å)	Xtriage
Refinement program	BUSTER 2.9.2	Depositor
R, R_{free}	0.179 , 0.209 0.189 , 0.221	Depositor DCC
R_{free} test set	2806 reflections (5.08%)	wwPDB-VP
Wilson B-factor (Å ²)	62.2	Xtriage
Anisotropy	0.693	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 54.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	16011	wwPDB-VP
Average B, all atoms (Å ²)	66.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.62% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GTP, ATP, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	B	0.63	0/87	2.13	6/132 (4.5%)
2	P	0.91	3/5396 (0.1%)	1.23	10/7297 (0.1%)
2	Q	0.98	4/5396 (0.1%)	1.33	27/7297 (0.4%)
2	R	0.96	3/5396 (0.1%)	1.34	25/7297 (0.3%)
All	All	0.95	10/16275 (0.1%)	1.31	68/22023 (0.3%)

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	Q	90	MET	SD-CE	-10.33	1.53	1.79
2	R	273	MET	SD-CE	-10.13	1.54	1.79
2	P	90	MET	SD-CE	-9.38	1.56	1.79
2	R	90	MET	SD-CE	-8.88	1.57	1.79
2	P	273	MET	SD-CE	-7.61	1.60	1.79
2	Q	273	MET	SD-CE	-7.14	1.61	1.79
2	Q	275	GLY	C-N	6.41	1.40	1.33
2	Q	608	GLN	CA-C	5.62	1.61	1.52
2	P	363	LEU	C-N	5.15	1.39	1.33
2	R	57	LEU	CA-C	-5.01	1.45	1.52

All (68) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	6	DT	P-O3'-C3'	9.17	133.96	120.20
1	B	4	DA	P-O3'-C3'	8.73	133.30	120.20
2	R	57	LEU	N-CA-CB	8.55	123.47	110.30
2	Q	302	PHE	N-CA-C	7.26	122.81	113.88
2	Q	453	ASP	CA-CB-CG	7.18	119.78	112.60
2	R	1	PRO	CA-C-N	7.13	135.17	121.54
2	R	1	PRO	C-N-CA	7.13	135.17	121.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	4	DA	C4'-C3'-O3'	7.12	120.69	110.00
2	R	302	PHE	N-CA-C	7.07	122.58	113.88
2	Q	229	ASP	CA-CB-CG	6.92	119.52	112.60
2	P	302	PHE	N-CA-C	6.77	122.20	113.88
2	Q	206	GLN	CA-C-N	6.70	130.16	120.38
2	Q	206	GLN	C-N-CA	6.70	130.16	120.38
2	R	229	ASP	CA-CB-CG	6.66	119.26	112.60
2	R	75	VAL	CB-CA-C	6.65	119.15	110.91
2	P	153	ILE	N-CA-C	6.62	116.18	108.96
2	R	277	PHE	N-CA-C	6.57	119.28	111.33
2	Q	280	ASN	CA-CB-CG	6.53	119.13	112.60
2	Q	277	PHE	N-CA-C	6.53	119.23	111.33
2	P	229	ASP	CA-CB-CG	6.49	119.09	112.60
1	B	5	DA	P-O3'-C3'	6.43	129.85	120.20
2	Q	419	ALA	N-CA-C	6.24	119.77	109.79
2	P	155	TYR	N-CA-C	6.09	119.90	112.23
2	Q	403	THR	CB-CA-C	6.03	120.35	110.88
1	B	4	DA	C2'-C3'-O3'	5.95	120.42	111.50
2	R	105	ASN	CA-CB-CG	5.92	118.52	112.60
2	R	116	ASP	CA-CB-CG	5.92	118.52	112.60
2	Q	75	VAL	CB-CA-C	5.83	119.20	110.98
2	Q	396	GLY	N-CA-C	5.68	120.92	114.67
2	Q	155	TYR	N-CA-C	5.64	119.33	112.23
2	Q	626	ASN	N-CA-C	-5.63	105.90	112.89
2	Q	642	HIS	CA-C-N	5.63	129.62	120.60
2	Q	642	HIS	C-N-CA	5.63	129.62	120.60
2	Q	631	LYS	N-CA-C	5.61	117.20	111.14
2	Q	21	ASN	CA-CB-CG	5.57	118.17	112.60
2	Q	578	ALA	N-CA-C	5.57	117.43	111.36
2	R	333	PRO	N-CA-C	5.55	119.60	110.55
2	Q	100	TRP	N-CA-C	-5.52	102.82	109.72
2	P	315	LYS	CG-CD-CE	5.50	123.95	111.30
2	R	464	ALA	CA-C-N	5.46	127.87	120.38
2	R	464	ALA	C-N-CA	5.46	127.87	120.38
2	R	100	TRP	N-CA-C	-5.45	102.91	109.72
2	R	68	ASN	CA-CB-CG	5.40	118.00	112.60
2	R	558	TYR	N-CA-C	5.40	120.73	113.72
2	P	277	PHE	N-CA-C	5.39	117.85	111.33
2	P	333	PRO	N-CA-C	5.38	119.31	110.55
2	R	572	GLU	CB-CG-CD	5.38	121.74	112.60
2	R	56	GLU	CA-C-O	-5.35	115.38	121.00
2	R	78	ASN	CA-CB-CG	5.34	117.94	112.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	P	100	TRP	N-CA-C	-5.28	103.11	109.72
2	Q	406	MET	N-CA-C	5.27	117.03	111.28
2	Q	558	TYR	N-CA-C	5.26	120.56	113.72
2	P	206	GLN	N-CA-C	-5.22	96.86	107.41
2	R	155	TYR	N-CA-C	5.22	118.81	112.23
2	R	472	PHE	CA-CB-CG	5.21	119.01	113.80
2	Q	472	PHE	CA-CB-CG	5.14	118.94	113.80
2	R	613	GLU	CB-CG-CD	5.12	121.30	112.60
1	B	5	DA	P-O5'-C5'	5.10	127.65	120.00
2	R	450	SER	CA-C-N	5.07	128.43	121.33
2	R	450	SER	C-N-CA	5.07	128.43	121.33
2	Q	663	PRO	CA-C-N	5.05	130.79	121.70
2	Q	663	PRO	C-N-CA	5.05	130.79	121.70
2	P	286	VAL	N-CA-C	-5.04	107.47	111.81
2	Q	78	ASN	CA-CB-CG	5.04	117.64	112.60
2	R	419	ALA	N-CA-C	5.02	116.78	109.30
2	R	645	LEU	N-CA-C	5.02	119.45	113.23
2	Q	23	LYS	CA-C-N	5.00	127.39	120.29
2	Q	23	LYS	C-N-CA	5.00	127.39	120.29

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	78	0	47	5	0
2	P	5265	0	5165	41	0
2	Q	5265	0	5165	57	0
2	R	5265	0	5165	52	0
3	P	1	0	0	0	0
3	Q	1	0	0	0	0
3	R	1	0	0	0	0
4	P	32	0	12	0	0
4	Q	32	0	12	0	0
4	R	32	0	12	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	P	13	0	0	0	0
5	Q	13	0	0	1	0
5	R	13	0	0	0	0
All	All	16011	0	15578	147	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (147) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:R:147:LYS:HZ2	2:R:645:LEU:HA	1.23	0.99
2:R:203:TYR:CE1	2:R:271:THR:HG22	2.02	0.95
2:P:90:MET:HE3	2:P:264:PHE:HB3	1.50	0.93
2:R:147:LYS:NZ	2:R:645:LEU:HA	1.87	0.90
2:R:90:MET:HE3	2:R:264:PHE:HB3	1.51	0.90
2:Q:90:MET:HE3	2:Q:264:PHE:HB3	1.54	0.89
2:R:301:THR:HG22	2:R:448:GLN:O	1.79	0.83
2:R:203:TYR:HE1	2:R:271:THR:HG22	1.39	0.82
2:P:301:THR:HG22	2:P:448:GLN:O	1.82	0.79
2:R:364:PRO:HA	2:R:387:LEU:HD22	1.64	0.79
2:Q:301:THR:HG22	2:Q:448:GLN:O	1.83	0.77
2:P:146:ARG:NH2	2:P:540:SER:O	2.19	0.75
2:P:364:PRO:HA	2:P:387:LEU:HD22	1.67	0.75
2:Q:364:PRO:HA	2:Q:387:LEU:HD22	1.69	0.75
2:Q:146:ARG:NH2	2:Q:540:SER:O	2.19	0.74
2:R:136:SER:HB2	2:R:293:LYS:NZ	2.04	0.73
2:R:147:LYS:HZ2	2:R:645:LEU:HD22	1.54	0.72
2:P:142:PRO:HG3	2:P:651:VAL:HG22	1.72	0.72
2:R:147:LYS:HE2	2:R:540:SER:O	1.90	0.71
2:R:273:MET:HE3	2:R:392:SER:HB3	1.73	0.70
2:P:136:SER:HB2	2:P:293:LYS:NZ	2.07	0.70
2:R:251:ARG:HH11	2:R:255:GLN:HE22	1.39	0.70
2:Q:142:PRO:HG3	2:Q:651:VAL:HG22	1.74	0.69
1:B:4:DA:H3'	2:Q:541:LYS:HZ1	1.57	0.68
2:R:142:PRO:HG3	2:R:651:VAL:HG22	1.74	0.68
2:P:251:ARG:HH11	2:P:255:GLN:HE22	1.43	0.67
2:Q:136:SER:HB2	2:Q:293:LYS:NZ	2.08	0.67
2:R:413:MET:HE3	2:R:471:LEU:HD21	1.77	0.66
2:P:55:ASN:OD1	2:P:88:ARG:NH2	2.29	0.65
2:Q:251:ARG:HH11	2:Q:255:GLN:HE22	1.42	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:Q:325:VAL:HG21	2:Q:406:MET:HE2	1.79	0.65
2:R:55:ASN:OD1	2:R:88:ARG:NH2	2.31	0.63
2:P:251:ARG:HG3	2:P:252:LEU:HD12	1.83	0.61
2:Q:55:ASN:OD1	2:Q:88:ARG:NH2	2.33	0.60
1:B:7:DC:H41	2:Q:150:SER:H	1.48	0.59
2:P:392:SER:O	2:P:398:THR:HG21	2.03	0.59
2:R:391:LEU:HD22	2:R:398:THR:HG22	1.84	0.59
2:P:90:MET:HE3	2:P:264:PHE:CB	2.29	0.58
2:P:75:VAL:HG21	2:P:500:ILE:HG21	1.86	0.58
2:Q:147:LYS:HD2	2:Q:644:VAL:O	2.04	0.57
1:B:4:DA:H3'	2:Q:541:LYS:NZ	2.19	0.57
2:Q:606:ALA:HB3	2:Q:609:ALA:HB2	1.87	0.56
1:B:6:DT:H3	2:Q:26:GLN:HB3	1.70	0.56
2:R:136:SER:HB2	2:R:293:LYS:HZ3	1.69	0.56
2:R:90:MET:HE3	2:R:264:PHE:CB	2.31	0.56
2:P:47:ASP:OD1	2:P:49:ARG:HD3	2.06	0.56
2:Q:651:VAL:O	2:Q:655:GLU:HB2	2.06	0.56
2:P:593:ARG:HG2	2:Q:42:GLY:HA2	1.88	0.55
2:Q:203:TYR:CE1	2:Q:271:THR:HG22	2.41	0.55
2:R:147:LYS:H	2:R:147:LYS:HD3	1.70	0.55
2:R:651:VAL:O	2:R:655:GLU:HB2	2.07	0.55
2:P:75:VAL:HG11	2:P:500:ILE:HG23	1.89	0.55
2:P:407:SER:HA	2:P:448:GLN:HE22	1.71	0.55
2:P:203:TYR:HE1	2:P:271:THR:HG22	1.72	0.54
2:P:132:ARG:O	2:P:136:SER:OG	2.18	0.54
2:R:47:ASP:OD1	2:R:49:ARG:HD3	2.08	0.53
2:P:70:ASP:OD2	2:P:74:ARG:HD2	2.07	0.53
2:R:599:SER:HA	2:R:602:VAL:HG12	1.90	0.53
2:Q:622:LEU:HD11	2:Q:641:ILE:HD12	1.90	0.52
2:P:592:LYS:HE3	2:Q:534:SER:HB3	1.91	0.52
2:P:651:VAL:O	2:P:655:GLU:HB2	2.10	0.52
2:P:251:ARG:HG3	2:P:252:LEU:CD1	2.40	0.52
2:Q:90:MET:HE3	2:Q:264:PHE:CB	2.34	0.52
2:Q:392:SER:O	2:Q:398:THR:HG21	2.09	0.52
2:R:69:VAL:HG22	2:R:75:VAL:HB	1.92	0.52
2:Q:148:GLY:HA2	2:Q:541:LYS:HE2	1.92	0.51
2:Q:230:PHE:O	2:Q:234:VAL:HG22	2.10	0.51
2:Q:47:ASP:OD1	2:Q:49:ARG:HD3	2.09	0.51
2:R:147:LYS:NZ	2:R:645:LEU:HD22	2.25	0.51
2:P:206:GLN:HG3	2:P:270:ARG:HD2	1.92	0.51
2:P:136:SER:HB2	2:P:293:LYS:HZ3	1.73	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:Q:270:ARG:HH22	5:Q:1667:ATP:PG	2.35	0.50
2:R:417:HIS:CE1	2:R:474:MET:HE1	2.47	0.50
2:P:537:ARG:HD2	2:Q:49:ARG:HG3	1.94	0.50
2:P:392:SER:O	2:P:398:THR:CG2	2.60	0.49
2:P:203:TYR:CE1	2:P:271:THR:HG22	2.46	0.49
2:P:417:HIS:CE1	2:P:474:MET:HE1	2.47	0.49
2:R:203:TYR:CD1	2:R:271:THR:HG22	2.47	0.49
2:Q:407:SER:HA	2:Q:448:GLN:HE22	1.78	0.49
2:R:325:VAL:HG21	2:R:406:MET:HE2	1.95	0.49
2:Q:145:ILE:HD12	2:Q:164:ILE:HD13	1.94	0.49
2:R:202:VAL:HG23	2:R:272:ALA:HB3	1.95	0.49
2:R:517:ASN:HB3	2:R:520:SER:OG	2.13	0.48
2:Q:606:ALA:HB3	2:Q:609:ALA:CB	2.43	0.48
2:R:147:LYS:CE	2:R:540:SER:O	2.60	0.47
2:Q:251:ARG:HH11	2:Q:255:GLN:NE2	2.09	0.47
2:Q:69:VAL:HG22	2:Q:75:VAL:HB	1.97	0.47
2:Q:86:GLY:O	2:Q:89:HIS:HD2	1.98	0.47
2:Q:136:SER:HB2	2:Q:293:LYS:HZ3	1.77	0.47
2:Q:417:HIS:CE1	2:Q:474:MET:HE1	2.49	0.47
2:P:149:SER:OG	2:P:163:LYS:HE3	2.15	0.47
2:P:642:HIS:CE1	2:P:646:MET:HG3	2.49	0.47
2:P:251:ARG:HB2	2:P:255:GLN:HE21	1.80	0.46
2:R:132:ARG:O	2:R:136:SER:OG	2.20	0.46
2:Q:475:LEU:HD21	2:Q:482:PRO:HG3	1.97	0.46
2:P:145:ILE:HD12	2:P:164:ILE:HD13	1.97	0.46
2:R:70:ASP:OD2	2:R:74:ARG:HB2	2.16	0.46
2:R:147:LYS:HZ2	2:R:645:LEU:CA	2.11	0.46
2:R:251:ARG:HH11	2:R:255:GLN:NE2	2.10	0.46
2:Q:132:ARG:O	2:Q:136:SER:OG	2.26	0.46
2:R:70:ASP:OD2	2:R:74:ARG:NH1	2.49	0.46
2:Q:506:ARG:NH1	2:Q:508:GLU:OE1	2.49	0.46
2:R:407:SER:HA	2:R:448:GLN:HE22	1.81	0.45
2:P:86:GLY:O	2:P:89:HIS:HD2	1.99	0.45
2:P:325:VAL:HG21	2:P:406:MET:HE2	1.98	0.45
2:P:94:PRO:HB3	2:P:269:ARG:HG3	1.98	0.45
2:Q:70:ASP:OD2	2:Q:74:ARG:HD2	2.17	0.45
2:R:86:GLY:O	2:R:89:HIS:HD2	1.99	0.45
2:R:147:LYS:HE3	2:R:540:SER:HB2	1.98	0.45
2:Q:273:MET:HE3	2:Q:392:SER:HB3	1.99	0.45
2:P:328:HIS:HD2	2:P:329:ASP:OD1	2.00	0.45
2:Q:602:VAL:HB	2:Q:605:MET:HG3	1.99	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:R:392:SER:O	2:R:398:THR:CG2	2.65	0.45
2:P:251:ARG:HH11	2:P:255:GLN:NE2	2.14	0.44
2:Q:71:GLU:H	2:Q:71:GLU:CD	2.26	0.44
2:Q:199:TYR:HB2	2:Q:365:VAL:HG12	2.00	0.44
2:R:199:TYR:HB2	2:R:365:VAL:HG12	1.99	0.44
2:Q:86:GLY:O	2:Q:89:HIS:CD2	2.71	0.44
2:Q:78:ASN:ND2	2:Q:80:VAL:H	2.16	0.44
2:R:78:ASN:ND2	2:R:80:VAL:H	2.17	0.43
2:P:475:LEU:HD21	2:P:482:PRO:HG3	2.01	0.43
2:R:86:GLY:O	2:R:89:HIS:CD2	2.72	0.43
2:Q:395:GLN:HB3	2:Q:398:THR:HG22	2.01	0.42
2:R:147:LYS:CE	2:R:645:LEU:HA	2.48	0.42
2:P:86:GLY:O	2:P:89:HIS:CD2	2.72	0.42
2:Q:72:TYR:HB3	2:Q:472:PHE:CZ	2.55	0.42
2:R:392:SER:O	2:R:398:THR:HG21	2.20	0.42
2:Q:94:PRO:HB3	2:Q:269:ARG:HG3	2.01	0.41
2:Q:410:TYR:HA	2:Q:413:MET:HE3	2.02	0.41
2:R:17:LEU:HD11	2:R:378:LEU:HD13	2.01	0.41
2:R:94:PRO:HB3	2:R:269:ARG:HG3	2.01	0.41
2:Q:17:LEU:HD11	2:Q:378:LEU:HD13	2.01	0.41
2:Q:38:GLU:HB3	2:Q:532:VAL:HG22	2.01	0.41
2:Q:607:ARG:H	2:Q:607:ARG:HG3	1.62	0.41
2:R:145:ILE:HD12	2:R:164:ILE:HD13	2.02	0.41
2:R:602:VAL:HG11	2:R:605:MET:HB3	2.01	0.41
2:Q:655:GLU:HG2	2:Q:659:ARG:NH1	2.35	0.41
2:R:130:ALA:HB2	2:R:408:ILE:HD11	2.03	0.41
2:R:53:PHE:O	2:R:57:LEU:CD1	2.68	0.41
1:B:7:DC:H41	2:Q:150:SER:N	2.18	0.40
2:Q:251:ARG:HB2	2:Q:255:GLN:HE21	1.86	0.40
2:P:252:LEU:CD1	2:P:252:LEU:N	2.84	0.40
2:Q:368:GLY:O	2:Q:375:GLY:HA3	2.20	0.40
2:P:78:ASN:ND2	2:P:80:VAL:H	2.19	0.40
2:Q:202:VAL:HG23	2:Q:272:ALA:HB3	2.04	0.40
2:R:18:PHE:CG	2:R:28:SER:HB3	2.56	0.40
2:R:286:VAL:O	2:R:289:PRO:HD2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	P	662/665 (100%)	641 (97%)	19 (3%)	2 (0%)	36	64
2	Q	662/665 (100%)	635 (96%)	24 (4%)	3 (0%)	24	53
2	R	662/665 (100%)	636 (96%)	23 (4%)	3 (0%)	24	53
All	All	1986/1995 (100%)	1912 (96%)	66 (3%)	8 (0%)	30	58

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	P	136	SER
2	P	607	ARG
2	Q	136	SER
2	Q	607	ARG
2	R	2	ARG
2	R	136	SER
2	R	368	GLY
2	Q	368	GLY

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	P	557/558 (100%)	529 (95%)	28 (5%)	22	52
2	Q	557/558 (100%)	526 (94%)	31 (6%)	19	48
2	R	557/558 (100%)	521 (94%)	36 (6%)	15	42

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
All	All	1671/1674 (100%)	1576 (94%)	95 (6%)	18	48

All (95) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	P	63	ASP
2	P	75	VAL
2	P	78	ASN
2	P	81	ARG
2	P	102	LEU
2	P	113	ASP
2	P	119	VAL
2	P	146	ARG
2	P	204	ARG
2	P	206	GLN
2	P	217	THR
2	P	252	LEU
2	P	269	ARG
2	P	273	MET
2	P	301	THR
2	P	308	LEU
2	P	315	LYS
2	P	391	LEU
2	P	497	LEU
2	P	529	GLU
2	P	556	ASP
2	P	576	TRP
2	P	587	ARG
2	P	591	LEU
2	P	607	ARG
2	P	608	GLN
2	P	651	VAL
2	P	662	MET
2	Q	2	ARG
2	Q	23	LYS
2	Q	63	ASP
2	Q	71	GLU
2	Q	75	VAL
2	Q	78	ASN
2	Q	81	ARG
2	Q	102	LEU
2	Q	119	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	Q	139	GLU
2	Q	146	ARG
2	Q	204	ARG
2	Q	269	ARG
2	Q	273	MET
2	Q	301	THR
2	Q	391	LEU
2	Q	404	LEU
2	Q	453	ASP
2	Q	497	LEU
2	Q	537	ARG
2	Q	556	ASP
2	Q	587	ARG
2	Q	591	LEU
2	Q	596	LEU
2	Q	600	ARG
2	Q	611	LEU
2	Q	634	GLU
2	Q	642	HIS
2	Q	651	VAL
2	Q	662	MET
2	Q	664	ARG
2	R	3	ARG
2	R	23	LYS
2	R	30	ARG
2	R	57	LEU
2	R	63	ASP
2	R	75	VAL
2	R	78	ASN
2	R	81	ARG
2	R	102	LEU
2	R	113	ASP
2	R	119	VAL
2	R	147	LYS
2	R	269	ARG
2	R	273	MET
2	R	301	THR
2	R	308	LEU
2	R	391	LEU
2	R	392	SER
2	R	404	LEU
2	R	497	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	R	520	SER
2	R	573	ARG
2	R	581	GLU
2	R	587	ARG
2	R	591	LEU
2	R	596	LEU
2	R	605	MET
2	R	607	ARG
2	R	611	LEU
2	R	634	GLU
2	R	642	HIS
2	R	643	GLU
2	R	645	LEU
2	R	646	MET
2	R	651	VAL
2	R	662	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (41) such sidechains are listed below:

Mol	Chain	Res	Type
2	P	25	GLN
2	P	78	ASN
2	P	89	HIS
2	P	91	ASN
2	P	255	GLN
2	P	280	ASN
2	P	309	ASN
2	P	328	HIS
2	P	448	GLN
2	P	519	ASN
2	P	525	GLN
2	P	608	GLN
2	P	640	ASN
2	Q	25	GLN
2	Q	26	GLN
2	Q	64	HIS
2	Q	78	ASN
2	Q	89	HIS
2	Q	255	GLN
2	Q	309	ASN
2	Q	448	GLN
2	Q	469	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	Q	519	ASN
2	Q	525	GLN
2	Q	608	GLN
2	Q	626	ASN
2	Q	629	GLN
2	R	25	GLN
2	R	26	GLN
2	R	78	ASN
2	R	89	HIS
2	R	91	ASN
2	R	255	GLN
2	R	280	ASN
2	R	309	ASN
2	R	328	HIS
2	R	448	GLN
2	R	519	ASN
2	R	525	GLN
2	R	626	ASN
2	R	629	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 9 ligands modelled in this entry, 3 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	GTP	P	1666	-	33,34,34	2.82	10 (30%)	50,54,54	2.29	12 (24%)
5	ATP	R	1667	-	10,12,33	1.17	1 (10%)	17,20,52	1.33	2 (11%)
4	GTP	Q	1666	3	33,34,34	3.54	12 (36%)	50,54,54	1.85	13 (26%)
4	GTP	R	1665	-	33,34,34	3.11	5 (15%)	50,54,54	1.89	14 (28%)
5	ATP	Q	1667	-	10,12,33	1.29	1 (10%)	17,20,52	1.13	1 (5%)
5	ATP	P	1667	-	10,12,33	1.14	1 (10%)	17,20,52	0.95	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GTP	P	1666	-	-	10/22/38/38	0/3/3/3
5	ATP	R	1667	-	-	0/12/12/38	-
4	GTP	Q	1666	3	-	8/22/38/38	0/3/3/3
4	GTP	R	1665	-	-	9/22/38/38	0/3/3/3
5	ATP	Q	1667	-	-	0/12/12/38	-
5	ATP	P	1667	-	-	1/12/12/38	-

All (30) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	Q	1666	GTP	PB-O3B	11.75	1.72	1.59
4	R	1665	GTP	PB-O3A	10.42	1.70	1.59
4	R	1665	GTP	PA-O3A	10.15	1.70	1.59
4	Q	1666	GTP	PA-O3A	10.15	1.70	1.59
4	P	1666	GTP	PB-O3B	9.72	1.70	1.59
4	Q	1666	GTP	PB-O3A	9.66	1.69	1.59
4	R	1665	GTP	PB-O3B	7.78	1.67	1.59
4	P	1666	GTP	PB-O3A	7.71	1.67	1.59
4	P	1666	GTP	PA-O3A	4.87	1.64	1.59
4	Q	1666	GTP	PG-O1G	4.03	1.63	1.50
4	P	1666	GTP	C2-N2	3.30	1.41	1.34
4	P	1666	GTP	C4-N3	3.28	1.41	1.34
5	R	1667	ATP	PG-O3G	2.73	1.64	1.54
4	R	1665	GTP	PA-O5'	2.71	1.70	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	Q	1667	ATP	PG-O3G	2.63	1.64	1.54
4	P	1666	GTP	C2-N3	2.58	1.39	1.33
4	Q	1666	GTP	C5-C4	2.51	1.45	1.38
4	Q	1666	GTP	C2-N2	2.44	1.39	1.34
4	R	1665	GTP	C5'-C4'	2.35	1.58	1.51
4	Q	1666	GTP	C2'-C1'	2.32	1.60	1.53
4	Q	1666	GTP	PA-O5'	2.30	1.68	1.59
4	P	1666	GTP	PA-O2A	2.30	1.66	1.55
4	Q	1666	GTP	C3'-C4'	2.22	1.58	1.53
4	P	1666	GTP	C4-N9	2.18	1.43	1.38
5	P	1667	ATP	PG-O3G	2.16	1.62	1.54
4	P	1666	GTP	C5-C4	2.13	1.44	1.38
4	Q	1666	GTP	C4-N3	2.12	1.39	1.34
4	Q	1666	GTP	PA-O2A	2.11	1.65	1.55
4	Q	1666	GTP	C2-N1	2.10	1.42	1.37
4	P	1666	GTP	PA-O5'	2.06	1.67	1.59

All (43) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	P	1666	GTP	C2-N3-C4	7.09	124.52	112.30
4	P	1666	GTP	C5-C4-N3	-7.04	117.18	128.39
4	P	1666	GTP	N9-C4-N3	5.33	136.62	125.95
4	Q	1666	GTP	C2-N3-C4	5.07	121.02	112.30
4	Q	1666	GTP	C5-C4-N3	-4.90	120.60	128.39
4	R	1665	GTP	C2-N3-C4	4.81	120.59	112.30
4	P	1666	GTP	C8-N7-C5	4.38	112.06	104.26
4	P	1666	GTP	O2B-PB-O3A	4.13	118.43	107.27
4	R	1665	GTP	C5-C4-N3	-4.08	121.90	128.39
4	Q	1666	GTP	N9-C4-N3	3.70	133.35	125.95
4	R	1665	GTP	O2G-PG-O3B	3.68	116.98	104.64
4	P	1666	GTP	C4-C5-N7	-3.57	105.01	110.67
4	Q	1666	GTP	C8-N7-C5	3.32	110.17	104.26
4	Q	1666	GTP	C4-C5-N7	-3.12	105.72	110.67
4	Q	1666	GTP	C4'-O4'-C1'	-3.11	102.59	109.47
4	Q	1666	GTP	O3G-PG-O3B	3.07	114.93	104.64
4	P	1666	GTP	C6-C5-N7	3.01	135.76	130.29
4	R	1665	GTP	C8-N7-C5	2.99	109.59	104.26
4	R	1665	GTP	O5'-C5'-C4'	2.97	119.12	108.99
4	R	1665	GTP	N2-C2-N1	2.89	122.87	116.76
4	Q	1666	GTP	C6-C5-N7	2.88	135.53	130.29
4	Q	1666	GTP	O2A-PA-O3A	2.87	115.02	107.27

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	R	1665	GTP	N9-C4-N3	2.85	131.65	125.95
4	Q	1666	GTP	O2'-C2'-C1'	2.78	119.68	110.10
4	R	1665	GTP	C4-C5-N7	-2.73	106.35	110.67
5	R	1667	ATP	O2G-PG-O3B	2.72	113.75	104.64
4	R	1665	GTP	C6-C5-N7	2.71	135.22	130.29
4	P	1666	GTP	O3G-PG-O3B	2.67	113.59	104.64
4	R	1665	GTP	O2B-PB-O3B	2.59	114.28	107.27
4	R	1665	GTP	O2A-PA-O3A	2.58	114.25	107.27
4	P	1666	GTP	N1-C2-N3	-2.53	118.69	123.32
4	R	1665	GTP	C3'-C2'-C1'	2.49	106.17	101.46
4	Q	1666	GTP	O2B-PB-O3B	2.23	113.30	107.27
4	P	1666	GTP	C5-C6-N1	2.19	118.82	113.25
5	Q	1667	ATP	O2G-PG-O3B	2.16	111.89	104.64
4	Q	1666	GTP	O3A-PA-O1A	-2.13	104.28	110.70
5	R	1667	ATP	O3G-PG-O3B	2.13	111.76	104.64
4	P	1666	GTP	O2A-PA-O5'	2.10	117.11	107.57
4	Q	1666	GTP	O2B-PB-O1B	-2.10	102.67	112.44
4	P	1666	GTP	O4'-C1'-N9	2.06	113.03	108.36
4	R	1665	GTP	O6-C6-C5	-2.05	121.13	126.53
5	P	1667	ATP	O5'-PA-O3A	2.04	111.49	104.64
4	R	1665	GTP	N9-C8-N7	-2.03	109.64	113.40

There are no chirality outliers.

All (28) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	P	1666	GTP	C5'-O5'-PA-O3A
4	P	1666	GTP	C5'-O5'-PA-O1A
4	P	1666	GTP	C5'-O5'-PA-O2A
4	Q	1666	GTP	C4'-C5'-O5'-PA
4	R	1665	GTP	PB-O3B-PG-O2G
4	R	1665	GTP	PB-O3A-PA-O5'
4	R	1665	GTP	C4'-C5'-O5'-PA
4	P	1666	GTP	C3'-C4'-C5'-O5'
4	R	1665	GTP	C3'-C4'-C5'-O5'
4	Q	1666	GTP	O4'-C4'-C5'-O5'
4	Q	1666	GTP	C3'-C4'-C5'-O5'
4	P	1666	GTP	O4'-C1'-N9-C4
4	P	1666	GTP	O4'-C4'-C5'-O5'
4	R	1665	GTP	O4'-C4'-C5'-O5'
4	P	1666	GTP	O4'-C1'-N9-C8
4	P	1666	GTP	PB-O3A-PA-O1A

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
4	P	1666	GTP	PB-O3A-PA-O5'
4	Q	1666	GTP	PB-O3A-PA-O1A
4	Q	1666	GTP	PB-O3A-PA-O2A
4	R	1665	GTP	O4'-C1'-N9-C8
4	R	1665	GTP	PB-O3B-PG-O3G
4	Q	1666	GTP	C2'-C1'-N9-C4
4	P	1666	GTP	PA-O3A-PB-O2B
4	Q	1666	GTP	PA-O3A-PB-O2B
4	R	1665	GTP	PA-O3A-PB-O2B
5	P	1667	ATP	PB-O3A-PA-O1A
4	R	1665	GTP	O4'-C1'-N9-C4
4	Q	1666	GTP	PA-O3A-PB-O1B


There are no ring outliers.

1 monomer is involved in 1 short contact:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	Q	1667	ATP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.








Ligand GTP Q 1666



Ligand GTP R 1665







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	B	4/4 (100%)	3.05	4 (100%) 0 0	159, 162, 170, 174	0
2	P	664/665 (99%)	-0.21	3 (0%) 87 83	41, 62, 89, 116	0
2	Q	664/665 (99%)	-0.27	6 (0%) 81 74	41, 61, 89, 127	0
2	R	664/665 (99%)	-0.11	9 (1%) 73 65	36, 64, 96, 146	0
All	All	1996/1999 (99%)	-0.19	22 (1%) 78 71	36, 62, 92, 174	0

All (22) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	4	DA	3.8
2	R	606	ALA	3.5
2	R	609	ALA	3.5
1	B	6	DT	3.3
2	R	608	GLN	3.2
2	Q	609	ALA	3.1
2	Q	608	GLN	3.0
2	P	1	PRO	2.9
1	B	7	DC	2.7
2	Q	606	ALA	2.6
2	R	605	MET	2.6
2	R	1	PRO	2.5
2	Q	2	ARG	2.4
1	B	5	DA	2.3
2	Q	607	ARG	2.3
2	R	610	GLY	2.3
2	R	612	ALA	2.3
2	Q	1	PRO	2.2
2	R	611	LEU	2.1
2	P	610	GLY	2.1
2	R	603	ALA	2.1
2	P	2	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	GTP	P	1666	32/32	0.58	0.18	154,158,160,162	0
4	GTP	Q	1666	32/32	0.63	0.17	146,149,152,154	0
4	GTP	R	1665	32/32	0.63	0.16	146,149,151,153	0
5	ATP	R	1667	13/31	0.69	0.10	159,162,168,169	0
5	ATP	P	1667	13/31	0.71	0.11	169,174,176,177	0
5	ATP	Q	1667	13/31	0.72	0.11	170,171,174,175	0
3	MG	Q	1665	1/1	0.81	0.12	73,73,73,73	0
3	MG	P	1665	1/1	0.91	0.10	92,92,92,92	0
3	MG	R	1666	1/1	0.98	0.06	76,76,76,76	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around GTP P 1666:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GTP Q 1666:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around GTP R 1665:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ATP R 1667:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ATP P 1667:**

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around ATP Q 1667:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.