



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 12:39 PM UTC

PDB ID : 2A91 / pdb_00002a91
Title : Crystal structure of ErbB2 domains 1-3
Authors : Garrett, T.P.J.; McKern, N.M.; Lou, M.; Elleman, T.C.; Adams, T.E.;
Lovrecz, G.O.; Kofler, M.; Jorissen, R.N.; Nice, E.C.; Burgess, A.W.
Deposited on : 2005-07-11
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	517	 67% 27% . .
2	B	2	 100%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 4042 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Receptor tyrosine-protein kinase erbB-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	506	Total	C	N	O	S	0	0	0
			3852	2399	686	728	39			

There are 10 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	309	LYS	ARG	conflict	UNP P04626
A	496	LYS	ARG	conflict	UNP P04626
A	510	ASP	-	expression tag	UNP P04626
A	511	TYR	-	expression tag	UNP P04626
A	512	LYS	-	expression tag	UNP P04626
A	513	ASP	-	expression tag	UNP P04626
A	514	ASP	-	expression tag	UNP P04626
A	515	ASP	-	expression tag	UNP P04626
A	516	ASP	-	expression tag	UNP P04626
A	517	LYS	-	expression tag	UNP P04626

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	B	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 3 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	A	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	134	Total	O	0	0
			134	134		

3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

- Molecule 1: Receptor tyrosine-protein kinase erbB-2



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	75.96Å 82.24Å 110.06Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	25.00 – 2.50	Depositor
% Data completeness (in resolution range)	98.0 (25.00-2.50)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	0.10	Depositor
Refinement program	CNS 0.9	Depositor
R, R_{free}	0.226 , 0.264	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	4042	wwPDB-VP
Average B, all atoms (Å ²)	56.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section:
NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.42	0/3938	1.04	30/5360 (0.6%)

There are no bond length outliers.

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	137	ASN	CA-C-N	9.21	129.82	119.32
1	A	137	ASN	C-N-CA	9.21	129.82	119.32
1	A	456	VAL	N-CA-C	-8.72	104.31	111.81
1	A	451	THR	N-CA-C	7.59	120.51	111.33
1	A	439	GLU	N-CA-C	6.77	119.52	108.55
1	A	36	GLN	N-CA-C	-6.71	100.34	110.28
1	A	29	TYR	N-CA-C	6.57	121.46	113.38
1	A	435	ARG	N-CA-C	6.34	119.86	111.75
1	A	107	PRO	N-CA-CB	6.28	109.90	103.00
1	A	91	TYR	N-CA-C	6.19	119.33	109.24
1	A	2	THR	N-CA-C	5.97	118.94	109.50
1	A	3	GLN	N-CA-C	-5.90	104.76	113.61
1	A	11	LYS	CB-CA-C	-5.86	109.80	116.54
1	A	80	ILE	N-CA-C	5.83	116.04	108.35
1	A	92	ALA	N-CA-C	-5.74	105.77	112.89
1	A	294	CYS	CA-C-N	5.73	125.70	120.03
1	A	294	CYS	C-N-CA	5.73	125.70	120.03
1	A	313	CYS	N-CA-C	-5.63	103.78	111.56
1	A	54	GLN	N-CA-C	5.61	119.22	112.38
1	A	317	CYS	N-CA-C	5.59	117.47	107.80
1	A	140	LEU	N-CA-C	5.53	118.64	109.46
1	A	224	THR	N-CA-C	-5.27	106.91	113.55
1	A	126	GLU	N-CA-C	5.27	117.19	108.13
1	A	172	HIS	N-CA-C	-5.25	102.57	110.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	232	LEU	N-CA-C	-5.12	106.88	113.23
1	A	69	GLN	N-CA-C	-5.09	107.10	113.72
1	A	84	THR	N-CA-C	-5.07	106.93	113.01
1	A	237	PHE	N-CA-C	5.07	117.70	109.24
1	A	501	GLY	CA-C-N	5.03	126.13	119.84
1	A	501	GLY	C-N-CA	5.03	126.13	119.84

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3852	0	3672	103	0
2	B	28	0	25	1	0
3	A	28	0	26	1	0
4	A	134	0	0	6	0
All	All	4042	0	3723	104	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (104) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:315:LYS:HB2	1:A:316:PRO:HD3	1.42	0.98
1:A:100:ASP:HB2	1:A:101:PRO:HD3	1.48	0.95
1:A:60:GLN:HE21	1:A:84:THR:HB	1.42	0.84
1:A:225:GLY:H	1:A:230:ASP:HB3	1.47	0.80
1:A:187:SER:HB3	1:A:190:ASP:OD2	1.83	0.77
1:A:160:LEU:HD23	1:A:161:THR:N	2.03	0.74
1:A:491:HIS:CD2	1:A:504:PRO:HG3	2.24	0.73
1:A:503:GLY:HA3	4:A:663:HOH:O	1.87	0.73
1:A:297:HIS:O	1:A:313:CYS:HB3	1.90	0.71
1:A:47:ASN:HB2	3:A:911:NAG:H82	1.76	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:203:CYS:HB2	4:A:718:HOH:O	1.96	0.66
1:A:266:GLY:O	1:A:267:ARG:HD3	1.96	0.66
1:A:377:GLN:O	1:A:380:GLU:HG3	1.97	0.65
1:A:141:CYS:HA	1:A:167:ARG:HE	1.62	0.65
1:A:73:VAL:O	1:A:73:VAL:HG23	1.95	0.64
1:A:454:CYS:SG	1:A:478:ARG:HD3	2.41	0.60
1:A:429:ILE:HG13	1:A:453:LEU:HD13	1.82	0.60
1:A:117:ARG:HA	1:A:139:GLN:O	2.02	0.58
1:A:375:GLN:O	1:A:378:VAL:HG23	2.03	0.58
1:A:444:LEU:HD23	1:A:471:ALA:N	2.20	0.57
1:A:444:LEU:HD23	1:A:471:ALA:H	1.69	0.57
1:A:4:VAL:HG22	1:A:34:VAL:HB	1.87	0.57
1:A:8:THR:HG22	1:A:419:ALA:HB2	1.87	0.56
1:A:315:LYS:HB2	1:A:316:PRO:CD	2.27	0.56
1:A:267:ARG:HG3	1:A:267:ARG:HH11	1.70	0.56
1:A:313:CYS:O	1:A:317:CYS:HB2	2.06	0.56
1:A:355:PHE:C	1:A:356:LEU:HD12	2.31	0.56
1:A:44:LEU:HD13	1:A:50:LEU:HD21	1.87	0.55
1:A:384:GLU:OE2	1:A:411:ARG:NE	2.38	0.55
1:A:506:GLN:HE21	1:A:506:GLN:HA	1.70	0.55
1:A:82:ARG:HG2	1:A:128:LEU:HD12	1.89	0.55
1:A:361:ASP:O	1:A:370:PRO:HG3	2.06	0.55
1:A:356:LEU:HB3	1:A:357:PRO:HD2	1.89	0.54
1:A:315:LYS:CB	1:A:316:PRO:HD3	2.26	0.54
1:A:216:HIS:CD2	1:A:228:HIS:HB3	2.42	0.54
1:A:58:GLU:HB3	1:A:80:ILE:HG23	1.91	0.54
1:A:51:SER:O	1:A:54:GLN:HG2	2.08	0.53
1:A:60:GLN:HE21	1:A:84:THR:CB	2.17	0.53
1:A:100:ASP:CB	1:A:101:PRO:HD3	2.31	0.53
1:A:24:MET:HG2	1:A:444:LEU:HD13	1.90	0.52
1:A:360:PHE:O	1:A:370:PRO:HB3	2.10	0.52
1:A:333:ARG:HD3	1:A:333:ARG:H	1.74	0.52
1:A:200:ALA:O	1:A:201:GLY:C	2.53	0.51
1:A:267:ARG:HG3	1:A:267:ARG:NH1	2.26	0.51
1:A:423:THR:O	1:A:424:LEU:HD23	2.10	0.51
1:A:126:GLU:HB2	1:A:221:ALA:HA	1.92	0.50
1:A:508:VAL:HG12	1:A:509:ASN:N	2.26	0.50
1:A:200:ALA:HB2	1:A:209:PRO:O	2.12	0.50
1:A:225:GLY:H	1:A:230:ASP:CB	2.22	0.50
1:A:165:THR:O	1:A:167:ARG:HG3	2.12	0.49
1:A:227:LYS:C	1:A:229:SER:H	2.19	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:43:TYR:HA	1:A:67:HIS:O	2.12	0.49
1:A:257:THR:HG21	1:A:259:GLU:OE1	2.11	0.49
1:A:20:THR:HG22	4:A:721:HOH:O	2.13	0.49
1:A:208:GLY:N	1:A:213:ASP:HB3	2.27	0.49
1:A:333:ARG:H	1:A:333:ARG:CD	2.26	0.48
1:A:161:THR:HG23	1:A:163:ILE:HG13	1.95	0.48
1:A:506:GLN:HA	1:A:506:GLN:NE2	2.28	0.48
1:A:72:GLN:HE22	1:A:120:GLN:HB2	1.78	0.48
1:A:295:PRO:O	1:A:296:LEU:C	2.55	0.48
1:A:343:PHE:HA	1:A:346:CYS:SG	2.54	0.48
1:A:372:GLN:HB2	1:A:375:GLN:HG3	1.96	0.47
1:A:36:GLN:NE2	4:A:660:HOH:O	2.44	0.47
1:A:283:LEU:HB2	1:A:291:THR:O	2.15	0.47
1:A:161:THR:CG2	1:A:163:ILE:HG13	2.45	0.46
1:A:394:TRP:CG	1:A:395:PRO:HD2	2.50	0.46
1:A:435:ARG:HA	1:A:500:TRP:CD1	2.51	0.46
1:A:376:LEU:C	1:A:378:VAL:H	2.22	0.45
1:A:72:GLN:NE2	1:A:120:GLN:NE2	2.65	0.45
1:A:506:GLN:HE21	1:A:506:GLN:CA	2.28	0.45
1:A:374:GLU:O	1:A:377:GLN:HG2	2.17	0.45
1:A:439:GLU:HB2	1:A:466:ARG:NH2	2.32	0.45
1:A:7:GLY:HA3	1:A:38:ASN:O	2.17	0.45
1:A:356:LEU:HD12	1:A:356:LEU:N	2.32	0.45
1:A:195:THR:O	1:A:205:ARG:HA	2.16	0.44
1:A:158:LEU:O	1:A:160:LEU:N	2.48	0.44
1:A:333:ARG:HG3	1:A:333:ARG:HH11	1.81	0.44
1:A:297:HIS:O	1:A:313:CYS:C	2.61	0.44
1:A:182:ARG:HH11	1:A:182:ARG:HG2	1.82	0.43
1:A:88:GLU:O	1:A:89:ASP:HB2	2.18	0.43
1:A:97:ASP:HA	1:A:136:ARG:O	2.19	0.43
1:A:333:ARG:HG3	1:A:333:ARG:NH1	2.33	0.43
1:A:294:CYS:HB3	1:A:295:PRO:CD	2.49	0.42
1:A:239:HIS:HD2	4:A:602:HOH:O	2.01	0.42
1:A:152:PHE:O	1:A:196:ARG:NH1	2.45	0.42
1:A:407:LEU:HD21	1:A:410:ILE:HD11	2.02	0.42
1:A:377:GLN:HE21	1:A:380:GLU:CD	2.28	0.41
1:A:184:TRP:HA	4:A:664:HOH:O	2.20	0.41
1:A:295:PRO:HD2	1:A:298:ASN:HB2	2.02	0.41
1:A:177:MET:HE3	1:A:177:MET:HB3	1.92	0.41
1:A:356:LEU:HB3	1:A:357:PRO:CD	2.49	0.41
1:A:3:GLN:HB2	1:A:33:GLN:HE21	1.85	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:220:ALA:O	1:A:221:ALA:HB3	2.21	0.41
1:A:348:LYS:HE3	1:A:384:GLU:OE2	2.21	0.41
1:A:391:ILE:HG22	1:A:427:LEU:HD21	2.02	0.41
1:A:23:ASP:O	1:A:27:HIS:HD2	2.04	0.41
1:A:416:HIS:C	1:A:418:GLY:N	2.76	0.40
1:A:442:SER:HA	1:A:470:GLN:NE2	2.35	0.40
1:A:225:GLY:N	1:A:230:ASP:HB3	2.25	0.40
1:A:84:THR:O	1:A:84:THR:HG22	2.21	0.40
1:A:96:LEU:HD21	1:A:133:LEU:HG	2.02	0.40
1:A:162:LEU:HD23	1:A:162:LEU:HA	1.88	0.40
1:A:376:LEU:C	1:A:378:VAL:N	2.79	0.40
2:B:1:NAG:H62	2:B:2:NAG:N2	2.37	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	502/517 (97%)	451 (90%)	42 (8%)	9 (2%)	6	12

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	179	LYS
1	A	296	LEU
1	A	110	GLY
1	A	503	GLY
1	A	101	PRO
1	A	502	PRO
1	A	315	LYS
1	A	287	VAL
1	A	74	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	421/445 (95%)	411 (98%)	10 (2%)	43 70

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	46	THR
1	A	80	ILE
1	A	117	ARG
1	A	255	THR
1	A	257	THR
1	A	287	VAL
1	A	319	ARG
1	A	333	ARG
1	A	357	PRO
1	A	496	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	3	GLN
1	A	27	HIS
1	A	33	GLN
1	A	60	GLN
1	A	120	GLN
1	A	139	GLN
1	A	218	GLN
1	A	228	HIS
1	A	236	HIS
1	A	372	GLN
1	A	377	GLN
1	A	416	HIS
1	A	425	GLN
1	A	506	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

2 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	B	1	2,1	14,14,15	0.59	0	17,19,21	0.76	1 (5%)
2	NAG	B	2	2	14,14,15	0.54	0	17,19,21	0.75	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	B	1	2,1	-	1/6/23/26	0/1/1/1
2	NAG	B	2	2	-	4/6/23/26	0/1/1/1

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1	NAG	C2-N2-C7	-2.38	119.72	122.90
2	B	2	NAG	C2-N2-C7	-2.32	119.80	122.90

There are no chirality outliers.

All (5) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	B	2	NAG	O5-C5-C6-O6
2	B	2	NAG	C4-C5-C6-O6
2	B	2	NAG	C8-C7-N2-C2
2	B	2	NAG	O7-C7-N2-C2
2	B	1	NAG	C4-C5-C6-O6

There are no ring outliers.

2 monomers are involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	1	NAG	1	0
2	B	2	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NAG	A	941	1	14,14,15	0.61	0	17,19,21	0.70	1 (5%)
3	NAG	A	911	1	14,14,15	0.73	0	17,19,21	0.61	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	A	941	1	-	4/6/23/26	0/1/1/1
3	NAG	A	911	1	-	3/6/23/26	0/1/1/1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	941	NAG	C2-N2-C7	-2.21	119.94	122.90

There are no chirality outliers.

All (7) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	941	NAG	C8-C7-N2-C2
3	A	941	NAG	O7-C7-N2-C2
3	A	911	NAG	C8-C7-N2-C2
3	A	911	NAG	O7-C7-N2-C2
3	A	941	NAG	C4-C5-C6-O6
3	A	941	NAG	O5-C5-C6-O6
3	A	911	NAG	O5-C5-C6-O6

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	911	NAG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.