



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 05:25 PM UTC

PDB ID : 3A9W / pdb_00003a9w
Title : Crystal structure of L-Threonine bound L-Threonine dehydrogenase (Y137F)
from Hyperthermophilic Archaeon Thermoplasma volcanium
Authors : Yoneda, K.; Sakuraba, H.; Ohshima, T.
Deposited on : 2009-11-07
Resolution : 1.85 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 1.85 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3428 (1.86-1.86)
Clashscore	190562	3579 (1.86-1.86)
Ramachandran outliers	187476	3553 (1.86-1.86)
Sidechain outliers	187428	3553 (1.86-1.86)
RSRZ outliers	180081	3429 (1.86-1.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	317	
1	B	317	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	THR	B	318	-	-	X	-
4	MRD	A	5276	-	-	X	-

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 5349 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called NDP-sugar epimerase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	315	Total	C	N	O	S	0	0	0
			2513	1613	410	482	8			
1	B	309	Total	C	N	O	S	0	0	0
			2469	1586	401	474	8			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	137	PHE	TYR	engineered mutation	UNP Q97BK3
B	137	PHE	TYR	engineered mutation	UNP Q97BK3

- Molecule 2 is THREONINE (CCD ID: THR) (formula: C₄H₉NO₃).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			8	4	1	3		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	B	1	Total	C	N	O	0	0
			8	4	1	3		

- Molecule 3 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (CCD ID: NAD) (formula: C₂₁H₂₇N₇O₁₄P₂).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
3	B	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

- Molecule 4 is (4R)-2-METHYLPENTANE-2,4-DIOL (CCD ID: MRD) (formula: C₆H₁₄O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			8	6	2		

- Molecule 5 is (4S)-2-METHYL-2,4-PENTANEDIOL (CCD ID: MPD) (formula: $C_6H_{14}O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	B	1	Total	C	O	0	0
			8	6	2		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	133	Total 133	O 133	0	0
6	B	114	Total 114	O 114	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: NDP-sugar epimerase



• Molecule 1: NDP-sugar epimerase



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	150.20Å 46.37Å 89.75Å 90.00° 113.21° 90.00°	Depositor
Resolution (Å)	30.50 – 1.85 30.50 – 1.85	Depositor EDS
% Data completeness (in resolution range)	99.1 (30.50-1.85) 99.3 (30.50-1.85)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.06	Depositor
$\langle I/\sigma(I) \rangle$ ¹	7.02 (at 1.85Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.191 , 0.209 0.192 , 0.197	Depositor DCC
R_{free} test set	2432 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	19.8	Xtriage
Anisotropy	0.010	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 46.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	5349	wwPDB-VP
Average B, all atoms (Å ²)	21.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.62% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAD, MPD, MRD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	2.21	132/2567 (5.1%)	1.17	9/3474 (0.3%)
1	B	2.13	98/2522 (3.9%)	1.15	5/3415 (0.1%)
All	All	2.17	230/5089 (4.5%)	1.16	14/6889 (0.2%)

All (230) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	16	VAL	C-O	-10.03	1.15	1.24
1	A	221	TYR	C-O	-9.13	1.13	1.24
1	A	214	LEU	C-O	-8.95	1.13	1.24
1	A	218	VAL	C-O	-8.62	1.13	1.24
1	A	107	VAL	C-O	-8.60	1.15	1.24
1	A	163	ARG	C-O	-8.06	1.14	1.24
1	B	129	THR	C-O	-8.00	1.15	1.23
1	A	104	VAL	C-O	-7.82	1.16	1.24
1	B	16	VAL	C-O	-7.80	1.18	1.24
1	B	210	MET	C-O	-7.71	1.17	1.24
1	B	178	THR	C-O	-7.69	1.15	1.24
1	B	28	VAL	C-O	-7.56	1.16	1.24
1	B	16	VAL	CA-CB	-7.55	1.50	1.54
1	A	149	GLN	C-O	-7.52	1.15	1.24
1	B	116	PHE	C-O	-7.38	1.14	1.23
1	A	32	ASP	C-O	-7.38	1.15	1.23
1	B	71	GLY	C-O	-7.23	1.16	1.24
1	A	97	GLU	C-O	-7.20	1.15	1.24
1	B	189	ALA	C-O	-7.18	1.15	1.24
1	A	4	VAL	C-O	-7.17	1.16	1.24
1	B	109	ILE	C-O	-7.17	1.17	1.23
1	A	183	VAL	C-O	-7.12	1.16	1.23
1	B	144	ALA	C-O	-7.10	1.16	1.24
1	B	301	MET	C-O	-7.05	1.16	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	75	ALA	CA-CB	-7.02	1.42	1.53
1	B	299	ASP	C-O	-7.02	1.16	1.24
1	A	59	GLU	C-O	-6.97	1.16	1.24
1	A	141	LYS	C-O	-6.96	1.16	1.24
1	B	43	PHE	C-O	-6.94	1.16	1.24
1	A	29	ILE	C-O	-6.93	1.16	1.24
1	A	151	TYR	C-O	-6.88	1.16	1.24
1	A	283	SER	C-O	-6.88	1.16	1.24
1	A	47	ASP	C-O	-6.87	1.15	1.24
1	A	72	ILE	C-O	-6.85	1.16	1.24
1	A	236	VAL	C-O	-6.85	1.17	1.23
1	A	166	GLY	C-O	-6.82	1.16	1.23
1	B	303	ASP	C-O	-6.80	1.16	1.24
1	B	268	LYS	C-O	-6.80	1.16	1.24
1	A	108	VAL	C-O	-6.77	1.16	1.24
1	B	166	GLY	C-O	-6.76	1.14	1.23
1	A	230	LEU	C-O	-6.75	1.16	1.24
1	A	55	ASP	C-O	-6.70	1.16	1.24
1	A	99	ALA	C-O	-6.68	1.16	1.24
1	B	85	TYR	C-O	-6.65	1.16	1.24
1	A	177	GLY	C-O	-6.63	1.15	1.23
1	A	294	LEU	C-O	-6.62	1.16	1.24
1	A	139	VAL	C-O	-6.62	1.16	1.24
1	A	63	ILE	C-O	-6.60	1.17	1.24
1	B	131	THR	C-O	-6.59	1.14	1.23
1	A	179	THR	C-O	-6.58	1.15	1.24
1	B	234	TYR	C-O	-6.54	1.16	1.24
1	A	3	LEU	C-O	-6.54	1.16	1.24
1	B	97	GLU	C-O	-6.53	1.16	1.24
1	A	241	PHE	C-O	-6.49	1.16	1.23
1	A	182	ALA	CA-CB	-6.49	1.42	1.53
1	A	277	LEU	C-O	-6.46	1.15	1.23
1	B	160	ARG	C-O	-6.45	1.15	1.23
1	B	132	ARG	C-O	-6.44	1.17	1.24
1	A	30	ALA	C-O	-6.42	1.16	1.23
1	A	302	ILE	C-O	-6.41	1.16	1.24
1	A	126	PRO	C-O	-6.39	1.15	1.23
1	A	281	GLU	C-O	-6.38	1.16	1.24
1	B	139	VAL	C-O	-6.36	1.17	1.24
1	A	295	ASP	C-O	-6.35	1.16	1.24
1	A	178	THR	C-O	-6.30	1.15	1.24
1	A	20	ALA	C-O	-6.28	1.16	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	184	GLU	C-O	-6.27	1.16	1.24
1	B	272	THR	C-O	-6.27	1.15	1.24
1	A	2	ILE	C-O	-6.26	1.17	1.24
1	B	11	ILE	C-O	-6.25	1.17	1.24
1	A	237	THR	C-O	-6.24	1.16	1.23
1	A	93	TYR	C-O	-6.23	1.17	1.24
1	A	140	THR	C-O	-6.23	1.16	1.24
1	B	63	ILE	C-O	-6.22	1.17	1.24
1	B	165	PRO	C-O	-6.22	1.15	1.24
1	A	249	LYS	C-O	-6.22	1.16	1.24
1	A	73	LEU	C-O	-6.19	1.15	1.23
1	A	65	ALA	CA-CB	-6.17	1.43	1.53
1	B	168	ILE	C-O	-6.17	1.17	1.24
1	A	56	ARG	C-O	-6.14	1.17	1.24
1	A	147	LEU	C-O	-6.13	1.16	1.24
1	B	142	ILE	C-O	-6.12	1.17	1.24
1	A	288	PHE	C-O	-6.11	1.16	1.23
1	A	224	ASP	C-O	-6.10	1.16	1.23
1	A	161	SER	C-O	-6.09	1.16	1.23
1	A	199	LEU	C-O	-6.04	1.16	1.23
1	A	181	TYR	C-O	-6.03	1.17	1.24
1	B	235	ASN	C-O	-6.03	1.16	1.23
1	A	94	ASN	C-O	-6.01	1.17	1.24
1	A	13	THR	C-O	-6.00	1.17	1.24
1	A	95	ILE	C-O	-6.00	1.17	1.24
1	B	89	MET	C-O	-5.99	1.16	1.24
1	B	282	ALA	CA-CB	-5.99	1.44	1.53
1	B	32	ASP	C-O	-5.98	1.17	1.24
1	A	308	LYS	C-O	-5.96	1.17	1.24
1	A	19	LEU	C-O	-5.94	1.17	1.24
1	B	302	ILE	C-O	-5.93	1.17	1.24
1	A	189	ALA	C-O	-5.93	1.17	1.24
1	A	208	MET	C-O	-5.91	1.16	1.23
1	A	216	ALA	C-O	-5.89	1.17	1.24
1	A	167	ILE	C-O	-5.89	1.17	1.24
1	A	89	MET	C-O	-5.89	1.17	1.23
1	A	170	TYR	C-O	-5.88	1.16	1.24
1	A	154	LYS	C-O	-5.85	1.17	1.24
1	A	6	GLY	C-O	-5.85	1.17	1.24
1	A	243	PRO	C-O	-5.84	1.16	1.24
1	A	64	ASP	C-O	-5.82	1.16	1.24
1	B	247	TYR	C-O	-5.81	1.17	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	173	GLU	C-O	-5.79	1.16	1.23
1	A	12	GLY	C-O	-5.77	1.17	1.23
1	B	54	ILE	C-O	-5.76	1.17	1.24
1	A	138	GLY	C-O	-5.74	1.17	1.23
1	B	96	LEU	C-O	-5.73	1.17	1.24
1	B	200	ALA	C-O	-5.73	1.16	1.23
1	A	223	ALA	C-O	-5.72	1.17	1.23
1	B	283	SER	C-O	-5.71	1.17	1.24
1	B	82	ALA	C-O	-5.68	1.17	1.24
1	B	282	ALA	C-O	-5.67	1.17	1.24
1	B	276	SER	C-O	-5.66	1.17	1.23
1	B	297	THR	C-O	-5.66	1.17	1.24
1	B	4	VAL	C-O	-5.66	1.18	1.24
1	A	195	TYR	C-O	-5.66	1.17	1.24
1	B	29	ILE	C-O	-5.63	1.18	1.24
1	A	152	TYR	C-O	-5.63	1.17	1.24
1	B	95	ILE	C-O	-5.62	1.17	1.24
1	B	110	PRO	C-O	-5.62	1.19	1.24
1	B	291	GLU	C-O	-5.61	1.16	1.24
1	A	220	LEU	C-O	-5.61	1.17	1.24
1	A	53	GLU	C-O	-5.58	1.17	1.24
1	B	290	ILE	C-O	-5.58	1.18	1.24
1	B	83	LEU	C-O	-5.58	1.17	1.24
1	B	136	MET	C-O	-5.57	1.17	1.24
1	B	41	ILE	C-O	-5.57	1.18	1.24
1	A	182	ALA	C-O	-5.57	1.16	1.24
1	A	66	ILE	C-O	-5.56	1.18	1.24
1	B	73	LEU	C-O	-5.56	1.16	1.24
1	B	204	ALA	C-O	-5.56	1.17	1.24
1	B	226	ASP	C-O	-5.54	1.16	1.24
1	B	259	ILE	C-O	-5.53	1.17	1.23
1	A	153	GLU	C-O	-5.52	1.17	1.24
1	B	201	PRO	C-O	-5.50	1.17	1.24
1	B	46	LEU	C-O	-5.50	1.17	1.23
1	B	105	GLU	C-O	-5.50	1.17	1.24
1	A	43	PHE	C-O	-5.49	1.17	1.24
1	B	205	LEU	C-O	-5.48	1.18	1.24
1	A	187	TYR	C-O	-5.47	1.17	1.24
1	B	161	SER	C-O	-5.47	1.17	1.23
1	A	159	VAL	C-O	-5.46	1.18	1.24
1	A	146	LEU	C-O	-5.44	1.17	1.24
1	A	96	LEU	C-O	-5.43	1.17	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	292	TYR	C-O	-5.43	1.17	1.23
1	A	82	ALA	C-O	-5.43	1.17	1.24
1	A	296	ARG	C-O	-5.41	1.17	1.24
1	B	286	TRP	C-O	-5.41	1.16	1.24
1	A	305	ILE	C-O	-5.41	1.17	1.24
1	A	287	GLY	C-O	-5.39	1.16	1.23
1	A	65	ALA	C-O	-5.39	1.16	1.23
1	B	76	LYS	C-O	-5.39	1.17	1.24
1	B	149	GLN	C-O	-5.39	1.17	1.24
1	B	233	GLY	C-O	-5.38	1.17	1.24
1	A	251	LYS	C-O	-5.38	1.17	1.24
1	B	80	ASP	C-O	-5.36	1.17	1.24
1	A	158	ASP	C-O	-5.36	1.17	1.24
1	A	235	ASN	C-O	-5.35	1.17	1.23
1	B	275	GLU	C-O	-5.35	1.17	1.24
1	B	93	TYR	C-O	-5.35	1.18	1.24
1	A	269	ILE	C-O	-5.34	1.18	1.24
1	B	289	SER	C-O	-5.33	1.17	1.23
1	B	214	LEU	C-O	-5.33	1.18	1.24
1	A	193	GLU	C-O	-5.32	1.17	1.23
1	A	208	MET	SD-CE	-5.32	1.66	1.79
1	A	130	ILE	C-O	-5.32	1.17	1.24
1	B	270	ALA	C-O	-5.31	1.18	1.24
1	B	196	LYS	C-O	-5.30	1.17	1.24
1	B	107	VAL	C-O	-5.29	1.18	1.24
1	A	264	ASP	C-O	-5.28	1.17	1.24
1	B	304	HIS	C-O	-5.28	1.17	1.24
1	B	118	PRO	C-O	-5.27	1.17	1.24
1	B	128	ILE	C-O	-5.27	1.18	1.23
1	A	242	THR	C-O	-5.26	1.18	1.23
1	A	145	GLU	C-O	-5.26	1.18	1.24
1	A	278	ASP	C-O	-5.26	1.17	1.24
1	A	15	LEU	C-O	-5.25	1.18	1.24
1	A	200	ALA	C-O	-5.25	1.17	1.23
1	A	254	ILE	C-O	-5.25	1.17	1.24
1	A	271	ALA	C-O	-5.24	1.17	1.24
1	B	248	SER	C-O	-5.24	1.18	1.24
1	A	125	VAL	C-O	-5.24	1.18	1.25
1	A	266	ARG	C-O	-5.24	1.18	1.24
1	A	118	PRO	C-O	-5.23	1.17	1.24
1	A	297	THR	CA-CB	5.22	1.61	1.53
1	A	131	THR	CB-CG2	-5.22	1.35	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	59	GLU	C-O	-5.22	1.18	1.24
1	B	293	ASP	C-O	-5.21	1.17	1.23
1	B	35	GLN	C-O	-5.20	1.17	1.23
1	A	104	VAL	N-CA	-5.19	1.40	1.46
1	B	242	THR	C-O	-5.19	1.18	1.23
1	B	29	ILE	CG1-CD1	-5.19	1.31	1.51
1	B	22	LYS	C-O	-5.18	1.17	1.24
1	A	290	ILE	C-O	-5.16	1.18	1.24
1	B	19	LEU	C-O	-5.16	1.18	1.24
1	B	87	VAL	C-O	-5.15	1.18	1.24
1	A	70	ALA	C-O	-5.15	1.17	1.23
1	B	241	PHE	C-O	-5.15	1.17	1.23
1	A	175	THR	C-O	-5.14	1.17	1.24
1	A	273	TRP	C-O	-5.14	1.17	1.23
1	A	285	GLU	C-O	-5.12	1.17	1.24
1	A	90	ASN	C-O	-5.11	1.17	1.24
1	B	264	ASP	C-O	-5.10	1.19	1.24
1	A	129	THR	C-O	-5.09	1.19	1.24
1	A	209	TYR	C-O	-5.09	1.17	1.23
1	A	113	ILE	C-O	-5.09	1.18	1.24
1	A	267	ASP	C-O	-5.08	1.18	1.24
1	B	94	ASN	C-O	-5.08	1.18	1.24
1	B	148	GLY	C-O	-5.08	1.17	1.23
1	A	80	ASP	C-O	-5.07	1.18	1.24
1	A	144	ALA	CA-CB	-5.07	1.45	1.53
1	A	10	GLN	C-O	-5.06	1.18	1.24
1	B	261	TYR	C-O	-5.06	1.18	1.24
1	A	81	PRO	C-O	-5.05	1.18	1.24
1	A	293	ASP	C-O	-5.04	1.17	1.23
1	A	275	GLU	C-O	-5.04	1.17	1.24
1	A	259	ILE	C-O	-5.03	1.18	1.23
1	B	33	ILE	C-O	-5.03	1.18	1.24
1	B	260	GLU	C-O	-5.03	1.17	1.23
1	A	246	LEU	C-O	-5.03	1.18	1.24
1	B	297	THR	CA-CB	5.03	1.61	1.53
1	B	47	ASP	C-O	-5.02	1.17	1.23
1	A	210	MET	C-O	-5.01	1.19	1.24
1	B	36	ARG	C-O	-5.00	1.17	1.23

All (14) bond angle outliers are listed below:

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	102	HIS	CA-C-N	-9.58	109.95	122.79
1	A	102	HIS	C-N-CA	-9.58	109.95	122.79
1	A	202	ASN	N-CA-C	6.94	121.46	112.92
1	B	125	VAL	CB-CA-C	-6.83	103.51	110.89
1	B	263	GLU	CA-CB-CG	6.79	127.68	114.10
1	A	125	VAL	CB-CA-C	-6.73	102.94	110.68
1	B	64	ASP	CB-CA-C	-5.79	99.12	109.24
1	A	229	VAL	N-CA-C	5.48	116.13	110.82
1	A	5	THR	OG1-CB-CG2	5.36	120.01	109.30
1	B	284	ASN	N-CA-C	5.30	116.87	111.14
1	A	71	GLY	N-CA-C	5.17	117.97	111.09
1	A	5	THR	N-CA-CB	-5.14	102.25	110.63
1	A	103	ARG	N-CA-C	5.10	116.35	109.11
1	B	104	VAL	N-CA-CB	5.05	117.66	111.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2513	0	2516	51	0
1	B	2469	0	2473	68	0
2	A	8	0	6	3	0
2	B	8	0	6	7	0
3	A	44	0	26	5	0
3	B	44	0	26	13	0
4	A	8	0	14	7	0
5	B	8	0	13	2	0
6	A	133	0	0	5	0
6	B	114	0	0	10	0
All	All	5349	0	5080	136	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 13.

All (136) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:46:LEU:HG	6:A:439:HOH:O	1.45	1.14
1:B:25:LYS:HE3	1:B:25:LYS:H	0.99	1.09
1:B:308:LYS:HG3	1:B:308:LYS:O	1.51	1.06
2:B:318:THR:HG21	6:B:404:HOH:O	1.58	1.04
4:A:5276:MRD:H5C3	4:A:5276:MRD:HMC1	1.42	1.00
1:A:5:THR:HG21	1:A:68:HIS:ND1	1.78	0.98
1:B:25:LYS:HE3	1:B:25:LYS:N	1.79	0.98
1:B:36:ARG:HG2	1:B:36:ARG:HH11	1.29	0.97
1:B:25:LYS:H	1:B:25:LYS:CE	1.79	0.96
4:A:5276:MRD:H5C3	4:A:5276:MRD:CM	1.97	0.94
1:B:36:ARG:HH11	1:B:36:ARG:CG	1.79	0.93
1:B:22:LYS:HG2	1:B:23:TYR:CE2	2.04	0.92
2:B:318:THR:HG22	3:B:3002:NAD:H4N	1.51	0.92
2:A:318:THR:HB	3:A:3001:NAD:C4N	2.01	0.90
1:B:202:ASN:HB2	6:B:432:HOH:O	1.72	0.90
3:B:3002:NAD:H5N	6:B:404:HOH:O	1.75	0.85
1:A:173:GLU:CD	4:A:5276:MRD:H5C1	2.04	0.82
1:B:10:GLN:NE2	3:B:3002:NAD:H72N	1.77	0.82
1:B:73:LEU:HD21	3:B:3002:NAD:H2D	1.63	0.79
1:A:239:TYR:OH	1:A:297:THR:HG21	1.83	0.79
1:B:50:ASN:OD1	1:B:53:GLU:HG3	1.86	0.75
1:B:4:VAL:CG2	1:B:30:ALA:HA	2.17	0.75
1:B:229:VAL:HG22	1:B:285:GLU:OE1	1.86	0.74
3:B:3002:NAD:C5N	6:B:404:HOH:O	2.31	0.74
1:B:239:TYR:OH	1:B:297:THR:HG21	1.88	0.74
2:B:318:THR:CG2	3:B:3002:NAD:H4N	2.18	0.73
1:B:36:ARG:CG	1:B:36:ARG:NH1	2.44	0.73
2:B:318:THR:HG22	3:B:3002:NAD:C4N	2.20	0.72
1:A:173:GLU:CG	4:A:5276:MRD:H5C1	2.21	0.71
1:A:10:GLN:NE2	3:A:3001:NAD:H72N	1.88	0.70
1:B:73:LEU:CD2	3:B:3002:NAD:H2D	2.23	0.69
1:B:229:VAL:HG22	1:B:285:GLU:CD	2.17	0.69
2:A:318:THR:HB	3:A:3001:NAD:H4N	1.74	0.69
1:B:225:ARG:NH1	6:B:341:HOH:O	2.22	0.67
1:A:196:LYS:HD2	1:A:262:LYS:HD2	1.77	0.67
1:B:5:THR:O	1:B:69:LEU:HB2	1.94	0.67
2:B:318:THR:CG2	6:B:404:HOH:O	2.28	0.67
1:B:4:VAL:HG23	1:B:4:VAL:O	1.95	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:86:LYS:O	1:B:90:ASN:HB2	1.95	0.66
1:A:247:TYR:OH	1:A:251:LYS:HE3	1.95	0.65
1:A:73:LEU:HD21	3:A:3001:NAD:H2D	1.80	0.64
1:B:22:LYS:HG2	1:B:23:TYR:CZ	2.32	0.63
1:B:4:VAL:HG22	1:B:29:ILE:O	1.98	0.62
1:B:22:LYS:HG2	1:B:23:TYR:CD2	2.34	0.62
1:B:229:VAL:HG23	1:B:230:LEU:N	2.14	0.62
1:B:229:VAL:CG2	1:B:285:GLU:OE1	2.46	0.62
1:A:131:THR:HG21	6:B:354:HOH:O	1.99	0.62
1:B:293:ASP:O	1:B:297:THR:HG23	1.99	0.61
1:A:20:ALA:HB1	1:A:25:LYS:HG2	1.83	0.61
4:A:5276:MRD:CM	4:A:5276:MRD:C5	2.75	0.60
1:A:247:TYR:HH	1:A:251:LYS:HE3	1.66	0.59
1:A:5:THR:CG2	1:A:70:ALA:H	2.16	0.59
1:A:5:THR:HG22	1:A:69:LEU:N	2.18	0.58
1:A:5:THR:HG22	1:A:70:ALA:H	1.68	0.58
1:A:202:ASN:HB2	6:A:360:HOH:O	2.03	0.57
1:B:10:GLN:HE21	3:B:3002:NAD:H72N	1.50	0.57
1:B:208:MET:HE2	1:B:213:ALA:CA	2.35	0.57
1:A:190:VAL:CG1	1:A:311:ILE:HG13	2.35	0.57
1:B:300:ASP:O	1:B:304:HIS:HD2	1.89	0.56
1:A:5:THR:HG23	1:A:70:ALA:HB2	1.87	0.55
1:A:25:LYS:HD3	1:A:41:ILE:HG13	1.89	0.55
5:B:5277:MPD:O4	5:B:5277:MPD:H11	2.06	0.55
1:A:174:PRO:HB2	1:A:180:ASP:OD1	2.07	0.54
1:A:131:THR:CG2	1:A:131:THR:O	2.55	0.54
1:A:5:THR:HG23	1:A:70:ALA:CB	2.38	0.54
1:A:59:GLU:HB2	6:A:440:HOH:O	2.07	0.54
1:B:41:ILE:N	1:B:41:ILE:HD13	2.23	0.54
1:B:229:VAL:HG23	1:B:230:LEU:H	1.73	0.54
1:B:63:ILE:O	1:B:103:ARG:NH1	2.41	0.54
1:B:286:TRP:CZ3	1:B:288:PHE:HB2	2.43	0.54
1:A:131:THR:HG23	1:A:142:ILE:HG12	1.90	0.53
1:A:46:LEU:HD12	1:A:53:GLU:HB3	1.91	0.53
1:A:52:ASP:O	1:A:56:ARG:HG3	2.07	0.53
1:B:9:GLY:HA3	3:B:3002:NAD:O5B	2.09	0.52
1:B:29:ILE:HD11	1:B:44:ILE:HD13	1.90	0.52
1:A:173:GLU:HG2	4:A:5276:MRD:H5C1	1.91	0.52
1:A:292:TYR:CD2	1:A:296:ARG:HD2	2.45	0.52
2:B:318:THR:CG2	3:B:3002:NAD:C4N	2.84	0.52
1:A:293:ASP:O	1:A:297:THR:HG23	2.11	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:24:GLY:HA2	1:B:25:LYS:HE3	1.92	0.51
1:A:190:VAL:HG13	1:A:311:ILE:HG13	1.94	0.50
1:A:5:THR:HG22	1:A:69:LEU:H	1.76	0.50
1:A:76:LYS:HB2	1:A:176:ALA:HB1	1.94	0.50
1:B:208:MET:HE2	1:B:213:ALA:HA	1.92	0.49
3:B:3002:NAD:C4N	6:B:404:HOH:O	2.58	0.49
1:B:208:MET:HE2	1:B:213:ALA:N	2.27	0.49
1:B:29:ILE:HD11	1:B:44:ILE:CD1	2.43	0.49
1:B:186:PHE:O	1:B:190:VAL:HG13	2.12	0.48
1:B:25:LYS:H	1:B:25:LYS:CD	2.25	0.48
1:B:308:LYS:O	1:B:308:LYS:CG	2.36	0.48
1:B:62:SER:O	1:B:62:SER:OG	2.30	0.48
1:B:105:GLU:O	1:B:158:ASP:HB3	2.14	0.48
1:B:293:ASP:O	1:B:297:THR:CG2	2.62	0.47
1:B:305:ILE:O	1:B:305:ILE:HG22	2.13	0.47
2:B:318:THR:CB	6:B:404:HOH:O	2.58	0.46
1:B:149:GLN:HE21	1:B:232:ASN:HD22	1.64	0.46
1:A:50:ASN:OD1	1:A:50:ASN:C	2.58	0.45
1:A:25:LYS:HD3	1:A:41:ILE:CG1	2.46	0.45
1:A:46:LEU:CD1	6:A:439:HOH:O	2.59	0.45
1:B:22:LYS:CG	1:B:23:TYR:CE2	2.90	0.45
1:B:10:GLN:N	3:B:3002:NAD:O1A	2.47	0.44
1:B:227:LYS:HA	1:B:227:LYS:HD3	1.48	0.44
1:B:199:LEU:HD22	1:B:267:ASP:HA	1.99	0.44
1:A:187:TYR:CE2	4:A:5276:MRD:H5C2	2.53	0.44
1:B:36:ARG:NH1	1:B:36:ARG:HG3	2.30	0.44
1:A:179:THR:HG1	2:A:318:THR:N	2.17	0.43
1:B:44:ILE:O	1:B:44:ILE:HG13	2.18	0.43
5:B:5277:MPD:O4	5:B:5277:MPD:C1	2.66	0.43
1:A:54:ILE:HD12	1:A:94:ASN:HB3	2.01	0.43
1:A:204:ALA:HB3	1:A:275:GLU:HG2	2.01	0.43
1:A:124:LYS:HD3	1:A:124:LYS:HA	1.81	0.43
1:B:234:TYR:OH	1:B:285:GLU:OE2	2.32	0.43
1:B:4:VAL:CG2	1:B:4:VAL:O	2.65	0.43
1:A:35:GLN:C	1:A:36:ARG:HG2	2.44	0.42
1:A:226:ASP:OD1	1:A:227:LYS:HG3	2.19	0.42
1:B:229:VAL:CG2	1:B:230:LEU:N	2.79	0.42
1:A:10:GLN:HE22	3:A:3001:NAD:H72N	1.62	0.42
1:B:229:VAL:CG2	1:B:230:LEU:H	2.32	0.42
1:A:206:PRO:C	1:A:207:MET:HG2	2.45	0.42
1:A:35:GLN:O	1:A:36:ARG:HG2	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:122:LYS:HE3	6:A:372:HOH:O	2.19	0.41
1:B:181:TYR:CD2	1:B:181:TYR:C	2.96	0.41
1:A:122:LYS:HD3	1:A:274:PRO:HA	2.03	0.41
1:B:97:GLU:O	1:B:101:GLN:HG3	2.21	0.41
1:A:293:ASP:O	1:A:297:THR:CG2	2.68	0.41
1:B:50:ASN:CG	1:B:53:GLU:HG3	2.45	0.41
1:A:194:LYS:HG3	1:A:258:GLU:HG3	2.03	0.41
1:B:149:GLN:NE2	1:B:232:ASN:HD22	2.19	0.41
1:B:281:GLU:OE1	6:B:372:HOH:O	2.22	0.41
1:B:218:VAL:O	1:B:222:GLU:HG3	2.21	0.40
1:A:247:TYR:CZ	1:A:251:LYS:HE3	2.55	0.40
1:B:249:LYS:HE2	1:B:294:LEU:HD23	2.03	0.40
1:B:173:GLU:H	1:B:173:GLU:HG3	1.61	0.40
1:B:307:GLU:HG3	1:B:308:LYS:N	2.35	0.40
1:A:199:LEU:HD22	1:A:267:ASP:HA	2.04	0.40
1:B:69:LEU:HD12	1:B:110:PRO:HG3	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	313/317 (99%)	302 (96%)	11 (4%)	0	100	100
1	B	307/317 (97%)	298 (97%)	9 (3%)	0	100	100
All	All	620/634 (98%)	600 (97%)	20 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	270/271 (100%)	253 (94%)	17 (6%)	16 4
1	B	266/271 (98%)	239 (90%)	27 (10%)	7 1
All	All	536/542 (99%)	492 (92%)	44 (8%)	10 2

All (44) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	5	THR
1	A	52	ASP
1	A	59	GLU
1	A	103	ARG
1	A	122	LYS
1	A	125	VAL
1	A	131	THR
1	A	196	LYS
1	A	202	ASN
1	A	227	LYS
1	A	251	LYS
1	A	256	GLU
1	A	297	THR
1	A	303	ASP
1	A	312	GLU
1	A	314	LYS
1	A	315	HIS
1	B	1	MET
1	B	22	LYS
1	B	25	LYS
1	B	29	ILE
1	B	36	ARG
1	B	41	ILE
1	B	52	ASP
1	B	59	GLU
1	B	62	SER
1	B	69	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	102	HIS
1	B	103	ARG
1	B	124	LYS
1	B	125	VAL
1	B	162	LEU
1	B	194	LYS
1	B	215	LYS
1	B	224	ASP
1	B	227	LYS
1	B	258	GLU
1	B	263	GLU
1	B	296	ARG
1	B	297	THR
1	B	305	ILE
1	B	307	GLU
1	B	308	LYS
1	B	309	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	10	GLN
1	A	90	ASN
1	A	94	ASN
1	A	102	HIS
1	A	232	ASN
1	A	304	HIS
1	B	10	GLN
1	B	94	ASN
1	B	123	ASN
1	B	149	GLN
1	B	304	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	THR	B	318	-	7,7,7	1.67	2 (28%)	8,9,9	1.16	1 (12%)
3	NAD	B	3002	-	46,48,48	1.71	5 (10%)	64,73,73	1.53	9 (14%)
4	MRD	A	5276	-	7,7,7	0.43	0	9,10,10	0.81	0
3	NAD	A	3001	-	46,48,48	1.72	7 (15%)	64,73,73	1.54	10 (15%)
2	THR	A	318	-	7,7,7	2.04	1 (14%)	8,9,9	0.72	0
5	MPD	B	5277	-	7,7,7	0.93	0	9,10,10	1.24	2 (22%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	THR	B	318	-	-	4/8/8/8	-
3	NAD	B	3002	-	-	3/30/62/62	0/5/5/5
4	MRD	A	5276	-	-	1/5/5/5	-
3	NAD	A	3001	-	-	2/30/62/62	0/5/5/5
2	THR	A	318	-	-	0/8/8/8	-
5	MPD	B	5277	-	-	1/5/5/5	-

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	3002	NAD	O7N-C7N	7.05	1.37	1.24
3	A	3001	NAD	O7N-C7N	6.97	1.37	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	318	THR	OXT-C	-5.26	1.13	1.30
3	B	3002	NAD	C2N-N1N	4.79	1.40	1.35
3	A	3001	NAD	C2N-N1N	4.57	1.40	1.35
3	B	3002	NAD	C2A-N1A	3.62	1.40	1.33
3	A	3001	NAD	C2A-N1A	3.37	1.39	1.33
3	A	3001	NAD	C2A-N3A	2.98	1.39	1.33
3	B	3002	NAD	C2A-N3A	2.87	1.39	1.33
2	B	318	THR	OXT-C	-2.67	1.22	1.30
2	B	318	THR	CA-C	-2.21	1.48	1.52
3	A	3001	NAD	C5A-N7A	-2.11	1.35	1.39
3	A	3001	NAD	PA-O3	2.10	1.61	1.59
3	A	3001	NAD	C4N-C3N	2.03	1.42	1.39
3	B	3002	NAD	C5A-N7A	-2.01	1.35	1.39

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	3002	NAD	N3A-C2A-N1A	-5.31	120.54	128.58
3	A	3001	NAD	N3A-C2A-N1A	-5.26	120.63	128.58
3	A	3001	NAD	C3N-C7N-N7N	5.07	123.98	117.74
3	B	3002	NAD	C3N-C7N-N7N	4.98	123.87	117.74
3	B	3002	NAD	N9A-C8A-N7A	-3.48	108.99	113.94
3	A	3001	NAD	N9A-C8A-N7A	-3.35	109.18	113.94
3	A	3001	NAD	C5A-N7A-C8A	3.33	108.68	103.45
3	B	3002	NAD	C5A-N7A-C8A	3.25	108.56	103.45
3	A	3001	NAD	C5A-C4A-N3A	-3.12	122.42	126.72
3	A	3001	NAD	O7N-C7N-N7N	-2.83	118.53	122.62
3	A	3001	NAD	C2A-N3A-C4A	2.82	118.72	111.83
3	B	3002	NAD	C5A-C4A-N3A	-2.79	122.87	126.72
3	B	3002	NAD	C2A-N3A-C4A	2.74	118.53	111.83
3	B	3002	NAD	C4A-C5A-N7A	-2.64	107.57	110.58
3	B	3002	NAD	O7N-C7N-N7N	-2.59	118.88	122.62
3	B	3002	NAD	C4B-O4B-C1B	-2.51	103.93	109.47
3	A	3001	NAD	C4A-C5A-N7A	-2.42	107.82	110.58
3	A	3001	NAD	C4B-O4B-C1B	-2.33	104.31	109.47
2	B	318	THR	O-C-CA	-2.26	114.05	121.72
5	B	5277	MPD	O2-C2-C3	-2.11	101.37	109.27
5	B	5277	MPD	O4-C4-C3	-2.10	102.99	111.35
3	A	3001	NAD	N3A-C4A-N9A	2.09	130.72	127.17

There are no chirality outliers.

All (11) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	B	318	THR	N-CA-CB-OG1
2	B	318	THR	N-CA-CB-CG2
2	B	318	THR	C-CA-CB-OG1
2	B	318	THR	C-CA-CB-CG2
3	A	3001	NAD	O4D-C4D-C5D-O5D
3	B	3002	NAD	O4D-C4D-C5D-O5D
3	A	3001	NAD	C3D-C4D-C5D-O5D
3	B	3002	NAD	C3D-C4D-C5D-O5D
4	A	5276	MRD	C2-C3-C4-C5
5	B	5277	MPD	O2-C2-C3-C4
3	B	3002	NAD	PN-O3-PA-O2A


There are no ring outliers.

6 monomers are involved in 31 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	318	THR	7	0
3	B	3002	NAD	13	0
4	A	5276	MRD	7	0
3	A	3001	NAD	5	0
2	A	318	THR	3	0
5	B	5277	MPD	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	315/317 (99%)	-0.19	8 (2%) 58 62	8, 17, 34, 69	0
1	B	309/317 (97%)	0.05	9 (2%) 53 57	11, 20, 37, 56	0
All	All	624/634 (98%)	-0.07	17 (2%) 56 59	8, 19, 36, 69	0

All (17) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	103	ARG	5.7
1	A	315	HIS	4.5
1	A	313	GLY	4.3
1	B	309	LEU	4.2
1	A	175	THR	3.6
1	B	104	VAL	3.5
1	A	314	LYS	3.2
1	A	312	GLU	3.0
1	B	226	ASP	2.8
1	B	227	LYS	2.7
1	B	102	HIS	2.6
1	B	101	GLN	2.5
1	A	174	PRO	2.4
1	A	59	GLU	2.3
1	B	224	ASP	2.1
1	B	308	LYS	2.1
1	A	176	ALA	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	MRD	A	5276	8/8	0.65	0.19	39,41,44,45	0
3	NAD	B	3002	44/44	0.66	0.16	35,42,49,50	0
3	NAD	A	3001	44/44	0.81	0.13	24,33,38,40	0
2	THR	B	318	8/8	0.85	0.15	16,31,36,38	0
5	MPD	B	5277	8/8	0.87	0.11	29,31,32,34	0
2	THR	A	318	8/8	0.90	0.11	12,20,23,23	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around NAD B 3002:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around NAD A 3001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.