



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 09:06 PM UTC

PDB ID : 4A9H / pdb_00004a9h
Title : N-TERMINAL BROMODOMAIN OF HUMAN BRD2 WITH 1-(2-methyl-1,2,3,4-tetrahydroquinolin-1-yl)ethan-1-one
Authors : Chung, C.W.; Bamborough, P.
Deposited on : 2011-11-26
Resolution : 2.05 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.05 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2260 (2.04-2.04)
Clashscore	190562	2333 (2.04-2.04)
Ramachandran outliers	187476	2318 (2.04-2.04)
Sidechain outliers	187428	2318 (2.04-2.04)
RSRZ outliers	180081	2260 (2.04-2.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	154	10% 60% 12% 27%
1	B	154	25% 64% 6% 31%
1	C	154	10% 64% 5% 31%

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 3213 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called BROMODOMAIN-CONTAINING PROTEIN 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	112	Total	C	N	O	S	0	7	0
			996	643	165	177	11			
1	B	107	Total	C	N	O	S	0	6	0
			942	611	158	163	10			
1	C	107	Total	C	N	O	S	0	0	0
			895	582	150	154	9			

There are 60 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	47	GLY	-	expression tag	UNP P25440
A	48	SER	-	expression tag	UNP P25440
A	49	SER	-	expression tag	UNP P25440
A	50	HIS	-	expression tag	UNP P25440
A	51	HIS	-	expression tag	UNP P25440
A	52	HIS	-	expression tag	UNP P25440
A	53	HIS	-	expression tag	UNP P25440
A	54	HIS	-	expression tag	UNP P25440
A	55	HIS	-	expression tag	UNP P25440
A	56	SER	-	expression tag	UNP P25440
A	57	SER	-	expression tag	UNP P25440
A	58	GLY	-	expression tag	UNP P25440
A	59	LEU	-	expression tag	UNP P25440
A	60	VAL	-	expression tag	UNP P25440
A	61	PRO	-	expression tag	UNP P25440
A	62	ARG	-	expression tag	UNP P25440
A	63	GLY	-	expression tag	UNP P25440
A	64	SER	-	expression tag	UNP P25440
A	65	HIS	-	expression tag	UNP P25440
A	66	MET	-	expression tag	UNP P25440
B	47	GLY	-	expression tag	UNP P25440
B	48	SER	-	expression tag	UNP P25440
B	49	SER	-	expression tag	UNP P25440

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	50	HIS	-	expression tag	UNP P25440
B	51	HIS	-	expression tag	UNP P25440
B	52	HIS	-	expression tag	UNP P25440
B	53	HIS	-	expression tag	UNP P25440
B	54	HIS	-	expression tag	UNP P25440
B	55	HIS	-	expression tag	UNP P25440
B	56	SER	-	expression tag	UNP P25440
B	57	SER	-	expression tag	UNP P25440
B	58	GLY	-	expression tag	UNP P25440
B	59	LEU	-	expression tag	UNP P25440
B	60	VAL	-	expression tag	UNP P25440
B	61	PRO	-	expression tag	UNP P25440
B	62	ARG	-	expression tag	UNP P25440
B	63	GLY	-	expression tag	UNP P25440
B	64	SER	-	expression tag	UNP P25440
B	65	HIS	-	expression tag	UNP P25440
B	66	MET	-	expression tag	UNP P25440
C	47	GLY	-	expression tag	UNP P25440
C	48	SER	-	expression tag	UNP P25440
C	49	SER	-	expression tag	UNP P25440
C	50	HIS	-	expression tag	UNP P25440
C	51	HIS	-	expression tag	UNP P25440
C	52	HIS	-	expression tag	UNP P25440
C	53	HIS	-	expression tag	UNP P25440
C	54	HIS	-	expression tag	UNP P25440
C	55	HIS	-	expression tag	UNP P25440
C	56	SER	-	expression tag	UNP P25440
C	57	SER	-	expression tag	UNP P25440
C	58	GLY	-	expression tag	UNP P25440
C	59	LEU	-	expression tag	UNP P25440
C	60	VAL	-	expression tag	UNP P25440
C	61	PRO	-	expression tag	UNP P25440
C	62	ARG	-	expression tag	UNP P25440
C	63	GLY	-	expression tag	UNP P25440
C	64	SER	-	expression tag	UNP P25440
C	65	HIS	-	expression tag	UNP P25440
C	66	MET	-	expression tag	UNP P25440

- Molecule 2 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			4	2	2		
2	A	1	Total	C	O	0	0
			4	2	2		

- Molecule 3 is (2S)-1-ACETYL-2-METHYL-1,2,3,4-TETRAHYDROQUINOLINE (CCD ID: TVP) (formula: C₁₂H₁₅NO).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			14	12	1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	B	1	Total	C	N	O	0	0
			14	12	1	1		
3	C	1	Total	C	N	O	0	0
			14	12	1	1		

- Molecule 4 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	O	S	0	0
			5	4	1		
4	C	1	Total	O	S	0	0
			5	4	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	133	Total	O	0	0
			133	133		
5	B	102	Total	O	0	0
			102	102		
5	C	85	Total	O	0	0
			85	85		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: BROMODOMAIN-CONTAINING PROTEIN 2



• Molecule 1: BROMODOMAIN-CONTAINING PROTEIN 2



• Molecule 1: BROMODOMAIN-CONTAINING PROTEIN 2



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	114.23Å 55.53Å 67.97Å 90.00° 94.85° 90.00°	Depositor
Resolution (Å)	67.88 – 2.05 67.73 – 2.05	Depositor EDS
% Data completeness (in resolution range)	99.9 (67.88-2.05) 98.8 (67.73-2.05)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.56 (at 2.05Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
R, R_{free}	0.159 , 0.205 0.234 , 0.263	Depositor DCC
R_{free} test set	1342 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å ²)	30.1	Xtriage
Anisotropy	0.518	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 58.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	3213	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.95% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: TVP, SO4, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.72	0/1021	0.76	0/1380
1	B	0.68	0/967	0.73	0/1308
1	C	0.67	0/920	0.75	0/1245
All	All	0.69	0/2908	0.75	0/3933

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	996	0	987	22	1
1	B	942	0	943	5	2
1	C	895	0	895	5	0
2	A	8	0	12	0	0
3	A	14	0	15	2	0
3	B	14	0	15	3	0
3	C	14	0	15	3	0
4	A	5	0	0	0	0
4	C	5	0	0	0	0
5	A	133	0	0	3	1

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	B	102	0	0	0	0
5	C	85	0	0	1	0
All	All	3213	0	2882	39	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (39) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:76[B]:THR:HG21	1:A:184:GLU:HG3	1.30	1.08
1:A:118:LYS:O	5:A:2070:HOH:O	1.84	0.95
1:A:91:TRP:HA	1:A:123[B]:MET:HE1	1.49	0.93
1:A:76[B]:THR:HG21	1:A:184:GLU:CG	2.01	0.89
3:B:1183:TVP:C9	3:B:1183:TVP:H121	2.11	0.80
1:A:76[B]:THR:CG2	1:A:184:GLU:HG3	2.12	0.78
1:A:134:TYR:OH	5:A:2084:HOH:O	2.11	0.68
1:A:91:TRP:CA	1:A:123[B]:MET:HE1	2.21	0.68
3:C:1183:TVP:H121	3:C:1183:TVP:C9	2.23	0.67
1:A:139:SER:O	1:A:143:GLN:HG2	1.94	0.67
1:A:91:TRP:HE3	1:A:123[B]:MET:HE2	1.59	0.66
3:A:1189:TVP:H121	3:A:1189:TVP:C9	2.25	0.65
3:B:1183:TVP:H121	3:B:1183:TVP:H9	1.80	0.64
1:B:146:ASN:O	1:B:150[B]:THR:HG23	2.09	0.51
1:A:76[B]:THR:HG23	1:A:185:GLN:C	2.37	0.50
1:A:87[B]:MET:HE1	1:A:91:TRP:CE3	2.46	0.49
1:A:91:TRP:CE3	1:A:123[B]:MET:HE2	2.45	0.49
1:B:171[A]:LYS:NZ	1:B:175:GLN:NE2	2.60	0.49
1:A:76[A]:THR:HG22	1:A:186:GLU:HA	1.95	0.48
1:A:91:TRP:HA	1:A:123[B]:MET:CE	2.34	0.48
1:C:139:SER:O	1:C:143:GLN:HG2	2.14	0.48
3:C:1183:TVP:H121	3:C:1183:TVP:H9	1.97	0.47
1:A:87[B]:MET:HE2	1:A:127:LYS:HB2	1.98	0.45
1:A:167:GLN:HG2	5:A:2114:HOH:O	2.16	0.45
1:A:87[B]:MET:HE1	1:A:91:TRP:HE3	1.82	0.44
1:A:76[B]:THR:HG23	1:A:185:GLN:O	2.17	0.44
3:A:1189:TVP:H121	3:A:1189:TVP:H9	1.99	0.43
1:A:172:ILE:O	1:A:176:LYS:HG2	2.19	0.43
1:C:83:HIS:HA	1:C:130:LEU:HD13	2.00	0.43
1:A:87[B]:MET:CE	1:A:91:TRP:HB2	2.49	0.42
3:B:1183:TVP:H9	3:B:1183:TVP:C12	2.49	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:86:VAL:HG22	1:B:176:LYS:HB3	2.02	0.42
1:A:91:TRP:N	1:A:123[B]:MET:HE1	2.35	0.42
1:C:86:VAL:HG22	1:C:176:LYS:HB3	2.02	0.42
1:C:100:ARG:NH2	5:C:2009:HOH:O	2.53	0.41
1:A:97:TRP:CG	1:A:98:PRO:HD3	2.55	0.41
1:B:139[A]:SER:O	1:B:143:GLN:HG2	2.20	0.41
1:B:139[B]:SER:O	1:B:143:GLN:HG2	2.20	0.41
1:C:162:ILE:HD13	3:C:1183:TVP:H41C	2.04	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:134:TYR:OH	5:A:2062:HOH:O[4_555]	1.89	0.31
1:A:115:LYS:NZ	1:B:134:TYR:O[4_545]	2.14	0.06

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	117/154 (76%)	117 (100%)	0	0	100	100
1	B	111/154 (72%)	111 (100%)	0	0	100	100
1	C	105/154 (68%)	104 (99%)	1 (1%)	0	100	100
All	All	333/462 (72%)	332 (100%)	1 (0%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar

resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	110/139 (79%)	108 (98%)	2 (2%)	51	51
1	B	104/139 (75%)	104 (100%)	0	100	100
1	C	98/139 (70%)	96 (98%)	2 (2%)	48	48
All	All	312/417 (75%)	308 (99%)	4 (1%)	61	63

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	101	GLN
1	A	185	GLN
1	C	77	ASN
1	C	162	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	133	ASN
1	A	185	GLN
1	B	80	GLN
1	B	133	ASN
1	B	175	GLN
1	C	77	ASN
1	C	80	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

7 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	TVP	A	1189	-	15,15,15	0.49	0	21,21,21	1.01	1 (4%)
2	EDO	A	1187	-	3,3,3	0.23	0	2,2,2	0.58	0
2	EDO	A	1188	-	3,3,3	0.30	0	2,2,2	0.58	0
3	TVP	C	1183	-	15,15,15	0.55	0	21,21,21	0.95	0
4	SO4	A	1190	-	4,4,4	0.46	0	6,6,6	0.09	0
3	TVP	B	1183	-	15,15,15	0.38	0	21,21,21	0.91	1 (4%)
4	SO4	C	1184	-	4,4,4	0.33	0	6,6,6	0.37	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	TVP	A	1189	-	-	0/4/17/17	0/2/2/2
2	EDO	A	1187	-	-	0/1/1/1	-
2	EDO	A	1188	-	-	1/1/1/1	-
3	TVP	C	1183	-	-	0/4/17/17	0/2/2/2
3	TVP	B	1183	-	-	0/4/17/17	0/2/2/2

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1189	TVP	C3-C4-C5	-2.90	107.37	112.87
3	B	1183	TVP	C3-C4-C5	-2.06	108.96	112.87

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	1188	EDO	O1-C1-C2-O2

There are no ring outliers.

3 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1189	TVP	2	0
3	C	1183	TVP	3	0
3	B	1183	TVP	3	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	112/154 (72%)	1.14	16 (14%) 6 5	13, 32, 60, 85	7 (6%)
1	B	107/154 (69%)	1.81	39 (36%) 1 0	12, 33, 53, 69	6 (5%)
1	C	107/154 (69%)	1.27	16 (14%) 5 5	26, 39, 58, 79	0
All	All	326/462 (70%)	1.40	71 (21%) 2 1	12, 35, 57, 85	13 (3%)

All (71) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	108	LEU	4.5
1	A	136	TRP	4.3
1	B	136	TRP	4.0
1	B	105	ALA	4.0
1	B	110	LEU	3.7
1	B	97	TRP	3.7
1	B	102	PRO	3.6
1	C	136	TRP	3.6
1	B	98	PRO	3.4
1	A	116	ILE	3.3
1	C	119	GLN	3.3
1	B	117	ILE	3.2
1	B	156	ASN	3.2
1	B	164[A]	LEU	3.2
1	B	101	GLN	3.2
1	B	171[A]	LYS	3.1
1	B	111	PRO	3.1
1	B	160	ASP	3.1
1	B	163	VAL	3.0
1	B	106	VAL	3.0
1	A	154	ILE	3.0
1	A	110	LEU	3.0
1	B	116	ILE	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	99	PHE	2.8
1	B	85	VAL	2.8
1	C	139	SER	2.7
1	B	112	ASP	2.7
1	B	114	HIS	2.7
1	B	122	ASP	2.7
1	A	155	TYR	2.7
1	B	155	TYR	2.7
1	A	105	ALA	2.6
1	B	119[A]	GLN	2.5
1	A	75	VAL	2.5
1	A	171[A]	LYS	2.5
1	A	185	GLN	2.5
1	C	116	ILE	2.5
1	B	113	TYR	2.5
1	B	104	ASP	2.4
1	A	163	VAL	2.4
1	B	134	TYR	2.4
1	B	118	LYS	2.4
1	C	77	ASN	2.4
1	B	152	CYS	2.4
1	C	76	THR	2.4
1	A	134	TYR	2.3
1	A	164[A]	LEU	2.3
1	B	128	ARG	2.3
1	C	172	ILE	2.3
1	C	143	GLN	2.3
1	B	92	LYS	2.3
1	B	107	LYS	2.3
1	B	157	LYS	2.2
1	B	109	GLY	2.2
1	A	113	TYR	2.2
1	C	155	TYR	2.2
1	B	149	PHE	2.2
1	C	134	TYR	2.2
1	A	157	LYS	2.2
1	B	181	PRO	2.1
1	C	126	ILE	2.1
1	B	173	PHE	2.1
1	A	111	PRO	2.1
1	C	135	TYR	2.1
1	A	106	VAL	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	95	PHE	2.1
1	C	182	GLN	2.0
1	C	159	THR	2.0
1	C	181	PRO	2.0
1	B	162	ILE	2.0
1	C	145	PHE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	SO4	A	1190	5/5	0.74	0.12	76,86,91,103	0
3	TVP	B	1183	14/14	0.76	0.16	24,28,31,32	0
2	EDO	A	1188	4/4	0.82	0.20	43,44,45,50	0
3	TVP	A	1189	14/14	0.83	0.13	22,25,28,28	0
2	EDO	A	1187	4/4	0.85	0.18	37,39,41,48	0
3	TVP	C	1183	14/14	0.87	0.14	31,36,38,40	0
4	SO4	C	1184	5/5	0.90	0.17	41,46,53,57	0

6.5 Other polymers [i](#)

There are no such residues in this entry.