



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 07:06 AM UTC

PDB ID : 6A93 / pdb_00006a93
Title : Crystal structure of 5-HT2AR in complex with risperidone
Authors : Kimura, T.K.; Asada, H.; Inoue, A.; Kadji, F.M.N.; Im, D.; Mori, C.; Arakawa, T.; Hirata, K.; Nomura, Y.; Nomura, N.; Aoki, J.; Iwata, S.; Shimamura, T.
Deposited on : 2018-07-11
Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2672 (3.00-3.00)
Clashscore	190562	2977 (3.00-3.00)
Ramachandran outliers	187476	2877 (3.00-3.00)
Sidechain outliers	187428	2880 (3.00-3.00)
RSRZ outliers	180081	2671 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	376	9% 81% 16% ..
1	B	376	20% 80% 15% 5%

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 5889 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 5-hydroxytryptamine receptor 2A, Soluble cytochrome b562.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	370	Total	C	N	O	S	0	0	0
			2905	1904	464	519	18			
1	B	359	Total	C	N	O	S	0	0	0
			2818	1851	444	505	18			

There are 28 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	67	GLY	-	expression tag	UNP P28223
A	68	GLY	-	expression tag	UNP P28223
A	69	THR	-	expression tag	UNP P28223
A	162	LYS	SER	engineered mutation	UNP P28223
A	164	TRP	MET	engineered mutation	UNP P28223
A	1007	TRP	MET	engineered mutation	UNP P0ABE7
A	1041	GLY	-	linker	UNP P0ABE7
A	1042	SER	-	linker	UNP P0ABE7
A	1043	GLY	-	linker	UNP P0ABE7
A	1044	SER	-	linker	UNP P0ABE7
A	1045	GLY	-	linker	UNP P0ABE7
A	1098	ILE	ARG	engineered mutation	UNP P0ABE7
A	1102	ILE	HIS	engineered mutation	UNP P0ABE7
A	1106	GLY	ARG	engineered mutation	UNP P0ABE7
B	67	GLY	-	expression tag	UNP P28223
B	68	GLY	-	expression tag	UNP P28223
B	69	THR	-	expression tag	UNP P28223
B	162	LYS	SER	engineered mutation	UNP P28223
B	164	TRP	MET	engineered mutation	UNP P28223
B	1007	TRP	MET	engineered mutation	UNP P0ABE7
B	1041	GLY	-	linker	UNP P0ABE7
B	1042	SER	-	linker	UNP P0ABE7
B	1043	GLY	-	linker	UNP P0ABE7
B	1044	SER	-	linker	UNP P0ABE7
B	1045	GLY	-	linker	UNP P0ABE7

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	1098	ILE	ARG	engineered mutation	UNP P0ABE7
B	1102	ILE	HIS	engineered mutation	UNP P0ABE7
B	1106	GLY	ARG	engineered mutation	UNP P0ABE7

- Molecule 2 is 3-[2-[4-(6-fluoranyl-1,2-benzoxazol-3-yl)piperidin-1-yl]ethyl]-2-methyl-6,7,8,9-tetrahydropyrido[1,2-a]pyrimidin-4-one (CCD ID: 8NU) (formula: C₂₃H₂₇FN₄O₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	F	N	O	0	0
			30	23	1	4	2		
2	B	1	Total	C	F	N	O	0	0
			30	23	1	4	2		

- Molecule 3 is CHOLESTEROL (CCD ID: CLR) (formula: C₂₇H₄₆O).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			28	27	1		
3	B	1	Total	C	O	0	0
			28	27	1		

- Molecule 4 is ZINC ION (CCD ID: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Zn	0	0
			1	1		

- Molecule 5 is PENTAETHYLENE GLYCOL (CCD ID: 1PE) (formula: C₁₀H₂₂O₆).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			13	8	5		
5	A	1	Total	C	O	0	0
			16	10	6		
5	A	1	Total	C	O	0	0
			10	6	4		

- Molecule 6 is PALMITIC ACID (CCD ID: PLM) (formula: $C_{16}H_{32}O_2$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	B	1	Total	C	O	0	0
			10	9	1		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: 5-hydroxytryptamine receptor 2A,Soluble cytochrome b562



- Molecule 1: 5-hydroxytryptamine receptor 2A,Soluble cytochrome b562



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	277.72Å 42.15Å 91.94Å 90.00° 92.55° 90.00°	Depositor
Resolution (Å)	46.24 – 3.00 46.24 – 3.00	Depositor EDS
% Data completeness (in resolution range)	84.0 (46.24-3.00) 84.0 (46.24-3.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.49 (at 3.01Å)	Xtriage
Refinement program	PHENIX (dev_3150)	Depositor
R, R_{free}	0.243 , 0.275 0.244 , 0.274	Depositor DCC
R_{free} test set	1012 reflections (5.49%)	wwPDB-VP
Wilson B-factor (Å ²)	26.2	Xtriage
Anisotropy	0.182	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 68.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	0.038 for -h,-k,l	Xtriage
F_o, F_c correlation	0.86	EDS
Total number of atoms	5889	wwPDB-VP
Average B, all atoms (Å ²)	75.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.30% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 1PE, 8NU, PLM, ZN, CLR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.15	0/2966	0.33	0/4030
1	B	0.16	0/2873	0.32	0/3900
All	All	0.15	0/5839	0.33	0/7930

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2905	0	2986	37	0
1	B	2818	0	2906	30	0
2	A	30	0	0	0	0
2	B	30	0	0	0	0
3	A	28	0	46	1	0
3	B	28	0	46	0	0
4	A	1	0	0	0	0
5	A	39	0	52	3	0
6	B	10	0	14	0	0
All	All	5889	0	6050	67	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 6.

All (67) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:69:THR:HB	1:A:72:GLN:HG2	1.71	0.72
1:A:1066:ASP:OD2	1:A:1105:TYR:OH	2.10	0.69
1:B:188:SER:HB3	1:B:191:LYS:HG3	1.77	0.67
1:A:116:LEU:HD11	1:A:162:LYS:HG3	1.77	0.65
1:A:355:GLU:HA	1:A:358:ILE:HB	1.80	0.62
1:A:250:MET:HE3	1:A:329:PHE:HB3	1.80	0.62
1:B:94:LEU:HD11	1:B:395:ILE:HD11	1.84	0.59
1:B:1013:ASN:HB2	1:B:1033:MET:HG3	1.84	0.58
1:A:223:LYS:O	1:A:226:SER:OG	2.22	0.58
1:B:355:GLU:HA	1:B:358:ILE:HB	1.84	0.58
1:A:232:ASP:OD1	1:A:232:ASP:N	2.37	0.57
1:B:116:LEU:HD11	1:B:162:LYS:HG3	1.88	0.56
1:B:1007:TRP:CD1	1:B:1102:ILE:HG21	2.41	0.56
1:B:146:LYS:HD2	1:B:215:LEU:HD22	1.87	0.55
1:A:1013:ASN:HB2	1:A:1033:MET:HG3	1.87	0.55
1:B:167:CYS:HA	1:B:250:MET:HG3	1.88	0.55
1:B:1003:LEU:HD22	1:B:1105:TYR:HD2	1.71	0.54
1:A:114:MET:O	1:A:118:ILE:HG23	2.07	0.53
1:B:240:PHE:HA	1:B:244:PHE:HB2	1.90	0.53
1:A:231:ASP:HB3	1:A:234:PHE:HB2	1.90	0.53
1:A:81:THR:HG21	1:A:132:MET:HB2	1.90	0.53
1:A:255:PHE:O	1:A:258:ILE:HG12	2.09	0.52
1:B:84:VAL:HG12	1:B:128:MET:HE1	1.92	0.50
1:B:208:MET:O	1:B:211:PRO:HD2	2.12	0.50
1:A:359:GLY:HA3	5:A:3004:1PE:H161	1.94	0.49
1:B:171:LEU:HA	1:B:253:THR:HG21	1.94	0.49
1:A:369:GLY:O	1:A:372:SER:OG	2.31	0.48
1:B:81:THR:HG21	1:B:132:MET:HB2	1.94	0.48
1:B:102:GLU:CD	1:B:393:ARG:HH12	2.22	0.48
1:A:118:ILE:HD11	3:A:3002:CLR:H161	1.96	0.48
1:B:113:LEU:HD22	1:B:380:TYR:OH	2.14	0.47
1:B:1027:LYS:HG3	1:B:1076:LEU:HD11	1.96	0.47
1:A:131:SER:O	1:A:135:ILE:HG23	2.14	0.47
1:A:152:ILE:HG22	1:A:210:ILE:HD13	1.97	0.47
1:A:103:LYS:HA	1:A:106:GLN:HG3	1.97	0.47
1:A:115:SER:O	1:A:118:ILE:HG13	2.15	0.46
1:A:254:TYR:O	1:A:258:ILE:HG23	2.16	0.46
1:B:364:VAL:O	1:B:368:ILE:HG12	2.16	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:174:TYR:O	1:A:178:GLN:HG2	2.15	0.45
1:B:210:ILE:HB	1:B:211:PRO:HD3	1.98	0.45
1:A:210:ILE:HB	1:A:211:PRO:HD3	1.99	0.45
1:B:374:ALA:O	1:B:377:PRO:HD2	2.17	0.45
1:B:259:LYS:HD3	1:B:259:LYS:HA	1.84	0.44
1:B:105:LEU:HD21	1:B:386:THR:OG1	2.18	0.43
1:A:173:ARG:O	1:A:177:ILE:HG23	2.19	0.43
1:B:1010:LEU:HD23	1:B:1033:MET:HG2	2.01	0.43
1:A:374:ALA:O	1:A:377:PRO:HD2	2.19	0.43
1:A:265:ALA:HB1	5:A:3005:1PE:H141	2.00	0.43
1:A:1071:GLN:HB2	1:A:1094:LEU:HD21	2.02	0.42
1:A:1007:TRP:CZ3	5:A:3006:1PE:H142	2.55	0.42
1:B:335:MET:HE1	1:B:375:VAL:HG21	2.02	0.42
1:B:131:SER:O	1:B:135:ILE:HG23	2.20	0.42
1:A:84:VAL:HG12	1:A:128:MET:HE1	2.02	0.41
1:B:1068:LEU:HD11	1:B:1098:ILE:HG13	2.02	0.41
1:A:163:ILE:HG21	1:A:242:SER:O	2.20	0.41
1:B:163:ILE:HG21	1:B:242:SER:O	2.20	0.41
1:A:1034:ARG:HE	1:A:1073:ASP:CG	2.28	0.41
1:A:1095:LYS:HE3	1:A:1095:LYS:HB2	1.77	0.41
1:A:364:VAL:O	1:A:368:ILE:HG13	2.21	0.41
1:A:144:PRO:HD2	1:A:147:LEU:HD12	2.02	0.41
1:A:185:ARG:H	1:A:185:ARG:HG2	1.71	0.41
1:A:1014:LEU:HD13	1:A:1095:LYS:HG3	2.01	0.41
1:A:88:THR:OG1	1:A:374:ALA:HB2	2.21	0.41
1:B:96:ILE:HA	1:B:114:MET:HG3	2.02	0.41
1:A:132:MET:O	1:A:135:ILE:HG12	2.20	0.40
1:B:1015:LYS:HD2	1:B:1015:LYS:HA	1.84	0.40
1:B:166:LEU:HD22	1:B:329:PHE:HE1	1.87	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	368/376 (98%)	365 (99%)	3 (1%)	0	100	100
1	B	353/376 (94%)	348 (99%)	5 (1%)	0	100	100
All	All	721/752 (96%)	713 (99%)	8 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	318/322 (99%)	310 (98%)	8 (2%)	42	72
1	B	308/322 (96%)	304 (99%)	4 (1%)	61	81
All	All	626/644 (97%)	614 (98%)	12 (2%)	50	76

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	71	LEU
1	A	76	TRP
1	A	118	ILE
1	A	165	HIS
1	A	232	ASP
1	A	1021	ASP
1	A	1077	LYS
1	A	358	ILE
1	B	1015	LYS
1	B	1066	ASP
1	B	358	ILE
1	B	376	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	75	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	178	GLN
1	A	187	ASN
1	B	178	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 9 ligands modelled in this entry, 1 is monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	1PE	A	3005	-	15,15,15	0.56	0	14,14,14	0.39	0
2	8NU	B	3001	-	34,34,34	4.05	17 (50%)	46,49,49	2.99	24 (52%)
2	8NU	A	3001	-	34,34,34	3.96	17 (50%)	46,49,49	2.93	22 (47%)
3	CLR	B	3003	-	31,31,31	0.70	0	48,48,48	0.95	1 (2%)
5	1PE	A	3006	-	9,9,15	0.51	0	8,8,14	0.57	0
3	CLR	A	3002	-	31,31,31	0.72	1 (3%)	48,48,48	1.04	3 (6%)
6	PLM	B	3002	1	8,9,17	0.59	0	7,8,17	0.54	0
5	1PE	A	3004	-	12,12,15	0.56	0	11,11,14	0.40	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	1PE	A	3005	-	-	4/13/13/13	-
2	8NU	B	3001	-	-	3/9/26/26	0/5/5/5
2	8NU	A	3001	-	-	0/9/26/26	0/5/5/5
3	CLR	B	3003	-	-	3/10/68/68	0/4/4/4
5	1PE	A	3006	-	-	0/7/7/13	-
3	CLR	A	3002	-	-	1/10/68/68	0/4/4/4
6	PLM	B	3002	1	-	0/7/7/15	-
5	1PE	A	3004	-	-	6/10/10/13	-

All (35) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	3001	8NU	C28-C29	11.69	1.66	1.50
2	B	3001	8NU	C28-C29	11.02	1.65	1.50
2	B	3001	8NU	C25-N24	8.47	1.61	1.47
2	A	3001	8NU	C01-C02	7.69	1.64	1.49
2	B	3001	8NU	C22-N24	7.65	1.53	1.40
2	B	3001	8NU	C01-C02	7.64	1.64	1.49
2	A	3001	8NU	C22-N24	7.61	1.53	1.40
2	A	3001	8NU	C25-N24	7.32	1.59	1.47
2	B	3001	8NU	O14-N13	-7.19	1.36	1.43
2	A	3001	8NU	O14-N13	-7.19	1.36	1.43
2	A	3001	8NU	C12-N13	5.84	1.34	1.28
2	B	3001	8NU	C12-N13	5.75	1.34	1.28
2	B	3001	8NU	C22-C03	4.88	1.56	1.44
2	A	3001	8NU	C22-C03	4.74	1.55	1.44
2	B	3001	8NU	C09-C12	4.45	1.56	1.50
2	A	3001	8NU	O14-C15	4.44	1.41	1.36
2	B	3001	8NU	O14-C15	4.38	1.41	1.36
2	B	3001	8NU	C02-N30	3.82	1.48	1.39
2	B	3001	8NU	C18-C19	3.77	1.44	1.37
2	B	3001	8NU	C29-N24	3.74	1.44	1.38
2	A	3001	8NU	C02-N30	3.70	1.47	1.39
2	A	3001	8NU	C18-C19	3.59	1.44	1.37
2	A	3001	8NU	C29-N24	3.58	1.43	1.38
2	B	3001	8NU	C21-C15	3.50	1.44	1.38
2	A	3001	8NU	C09-C12	3.48	1.54	1.50
2	A	3001	8NU	C21-C15	3.24	1.44	1.38
2	B	3001	8NU	C16-C12	2.87	1.51	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	3001	8NU	C21-C19	2.57	1.42	1.37
2	A	3001	8NU	C21-C19	2.54	1.41	1.37
2	B	3001	8NU	C17-C16	2.39	1.43	1.39
2	B	3001	8NU	C04-C03	2.39	1.57	1.51
2	A	3001	8NU	C16-C12	2.35	1.50	1.45
2	A	3001	8NU	C17-C16	2.09	1.43	1.39
3	A	3002	CLR	C10-C9	-2.06	1.52	1.56
2	A	3001	8NU	C04-C03	2.02	1.56	1.51

All (50) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	3001	8NU	O14-N13-C12	6.39	110.85	107.20
2	B	3001	8NU	C15-O14-N13	6.29	110.69	107.48
2	B	3001	8NU	C22-N24-C29	-6.23	114.93	122.19
2	A	3001	8NU	C22-N24-C29	-6.13	115.04	122.19
2	A	3001	8NU	O14-N13-C12	6.03	110.64	107.20
2	A	3001	8NU	C15-O14-N13	5.95	110.52	107.48
2	A	3001	8NU	C09-C12-N13	5.82	126.54	120.53
2	B	3001	8NU	C28-C29-N24	-5.59	111.18	118.90
2	B	3001	8NU	C16-C12-N13	-5.55	106.43	111.31
2	A	3001	8NU	C16-C12-N13	-5.24	106.70	111.31
2	A	3001	8NU	C28-C29-N24	-5.16	111.77	118.90
2	B	3001	8NU	C09-C12-N13	5.16	125.86	120.53
2	A	3001	8NU	C03-C02-N30	-4.83	118.98	123.18
2	B	3001	8NU	C03-C02-N30	-4.71	119.09	123.18
2	A	3001	8NU	C01-C02-N30	4.55	119.24	112.45
2	B	3001	8NU	C01-C02-N30	4.47	119.12	112.45
2	B	3001	8NU	N24-C29-N30	4.20	126.48	123.45
2	A	3001	8NU	N24-C29-N30	4.07	126.39	123.45
2	A	3001	8NU	C25-N24-C22	4.00	121.94	115.87
2	A	3001	8NU	O14-C15-C21	3.80	131.31	125.52
2	B	3001	8NU	C25-N24-C22	3.64	121.39	115.87
2	B	3001	8NU	O14-C15-C21	3.63	131.06	125.52
2	A	3001	8NU	O14-C15-C16	-3.29	106.40	110.16
2	B	3001	8NU	O14-C15-C16	-3.26	106.45	110.16
2	B	3001	8NU	C05-N06-C07	-2.89	103.53	111.24
2	A	3001	8NU	C27-C28-C29	2.86	121.93	113.15
3	A	3002	CLR	C4-C5-C10	2.82	120.04	116.42
2	B	3001	8NU	C08-C07-N06	2.79	115.59	111.08
2	B	3001	8NU	C10-C11-N06	2.76	115.54	111.08
2	A	3001	8NU	C05-N06-C07	-2.72	104.00	111.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	3001	8NU	C04-C03-C22	-2.68	112.84	116.50
2	A	3001	8NU	C22-C03-C02	2.66	121.63	119.37
2	B	3001	8NU	C26-C25-N24	2.66	116.87	110.55
2	B	3001	8NU	C11-N06-C07	2.58	114.39	108.84
2	A	3001	8NU	C11-C10-C09	2.57	114.61	110.54
2	B	3001	8NU	C08-C09-C12	2.56	117.42	111.98
2	B	3001	8NU	C04-C03-C22	-2.55	113.01	116.50
2	B	3001	8NU	C22-C03-C02	2.44	121.44	119.37
3	B	3003	CLR	C3-C4-C5	-2.39	108.24	112.05
2	B	3001	8NU	C18-C19-C21	-2.30	120.20	123.23
2	A	3001	8NU	C10-C11-N06	2.25	114.71	111.08
2	B	3001	8NU	C11-C10-C09	2.22	114.06	110.54
2	B	3001	8NU	C05-N06-C11	-2.19	105.39	111.24
3	A	3002	CLR	C16-C17-C20	-2.16	108.92	112.18
2	A	3001	8NU	C15-C16-C12	2.13	105.73	104.04
2	A	3001	8NU	C21-C15-C16	-2.12	122.28	124.70
2	B	3001	8NU	C10-C09-C12	-2.02	107.69	111.98
3	A	3002	CLR	C4-C5-C6	-2.02	117.83	120.57
2	A	3001	8NU	C10-C09-C12	-2.01	107.71	111.98
2	A	3001	8NU	C18-C19-C21	-2.01	120.58	123.23

There are no chirality outliers.

All (17) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	B	3001	8NU	C03-C04-C05-N06
2	B	3001	8NU	C08-C09-C12-N13
3	B	3003	CLR	C23-C24-C25-C27
3	B	3003	CLR	C23-C24-C25-C26
5	A	3004	1PE	C15-C25-OH5-C14
5	A	3005	1PE	C24-C14-OH5-C25
5	A	3004	1PE	C24-C14-OH5-C25
2	B	3001	8NU	C08-C09-C12-C16
5	A	3005	1PE	C12-C22-OH3-C23
5	A	3004	1PE	C16-C26-OH6-C15
5	A	3004	1PE	OH6-C15-C25-OH5
5	A	3004	1PE	OH5-C14-C24-OH4
3	B	3003	CLR	C13-C17-C20-C21
5	A	3005	1PE	OH6-C15-C25-OH5
5	A	3005	1PE	OH5-C14-C24-OH4
5	A	3004	1PE	C23-C13-OH4-C24
3	A	3002	CLR	C23-C24-C25-C27


There are no ring outliers.

4 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	3005	1PE	1	0
5	A	3006	1PE	1	0
3	A	3002	CLR	1	0
5	A	3004	1PE	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	370/376 (98%)	0.69	32 (8%) 16 8	8, 66, 117, 158	0
1	B	359/376 (95%)	1.31	76 (21%) 2 1	42, 87, 123, 177	0
All	All	729/752 (96%)	0.99	108 (14%) 5 3	8, 81, 120, 177	0

All (108) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	146	LYS	5.2
1	B	145	SER	4.7
1	B	180	PRO	4.3
1	A	146	LYS	4.1
1	A	145	SER	3.9
1	A	354	ASN	3.8
1	A	363	ASN	3.7
1	A	356	ASP	3.6
1	B	1105	TYR	3.5
1	A	125	PHE	3.5
1	B	76	TRP	3.5
1	B	177	ILE	3.4
1	B	354	ASN	3.3
1	B	209	PRO	3.3
1	A	70	HIS	3.3
1	B	1045	GLY	3.3
1	A	353	CYS	3.2
1	A	357	VAL	3.2
1	B	1039	ASP	3.2
1	B	147	LEU	3.1
1	A	355	GLU	3.1
1	B	176	ALA	3.1
1	B	218	ASP	3.0
1	B	348	ILE	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	238	GLY	3.0
1	B	194	LEU	3.0
1	B	178	GLN	3.0
1	B	349	CYS	3.0
1	B	1005	ASP	3.0
1	B	346	ALA	2.9
1	B	356	ASP	2.9
1	B	242	SER	2.9
1	B	1096	THR	2.8
1	B	255	PHE	2.8
1	A	190	THR	2.8
1	A	208	MET	2.8
1	B	216	GLN	2.8
1	B	351	GLU	2.7
1	B	347	VAL	2.7
1	B	213	PHE	2.7
1	B	360	ALA	2.7
1	A	106	GLN	2.7
1	B	72	GLN	2.7
1	A	76	TRP	2.6
1	B	357	VAL	2.6
1	B	365	PHE	2.6
1	B	1023	ALA	2.6
1	B	208	MET	2.6
1	B	1003	LEU	2.6
1	B	230	ALA	2.6
1	A	187	ASN	2.6
1	B	229	LEU	2.5
1	B	77	SER	2.5
1	B	212	VAL	2.5
1	B	232	ASP	2.5
1	B	73	GLU	2.5
1	B	1038	LEU	2.5
1	B	1066	ASP	2.5
1	B	219	SER	2.4
1	B	1002	ASP	2.4
1	B	211	PRO	2.4
1	B	375	VAL	2.4
1	B	341	ILE	2.4
1	A	103	LYS	2.4
1	A	1066	ASP	2.4
1	A	219	SER	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	353	CYS	2.4
1	A	120	ASP	2.4
1	A	153	TYR	2.4
1	B	174	TYR	2.4
1	A	147	LEU	2.4
1	A	362	LEU	2.4
1	B	401	GLU	2.4
1	B	314	SER	2.4
1	B	364	VAL	2.4
1	A	399	TYR	2.3
1	A	69	THR	2.3
1	B	344	ILE	2.3
1	B	1073	ASP	2.3
1	B	175	VAL	2.3
1	B	263	LYS	2.3
1	B	237	ILE	2.3
1	B	103	LYS	2.3
1	B	227	CYS	2.3
1	B	264	GLU	2.2
1	B	220	LYS	2.2
1	A	352	SER	2.2
1	B	226	SER	2.2
1	A	111	TYR	2.2
1	B	148	CYS	2.2
1	B	246	PRO	2.2
1	B	1041	GLY	2.2
1	B	367	TRP	2.2
1	B	1077	LYS	2.1
1	A	142	PRO	2.1
1	A	211	PRO	2.1
1	A	79	LEU	2.1
1	A	1025	GLN	2.1
1	B	1069	VAL	2.1
1	B	352	SER	2.1
1	B	343	ASN	2.1
1	A	72	GLN	2.1
1	B	1086	GLU	2.1
1	A	188	SER	2.1
1	B	244	PHE	2.1
1	B	217	ASP	2.0
1	B	337	CYS	2.0
1	B	361	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	1PE	A	3006	10/16	0.80	0.23	68,78,85,86	0
6	PLM	B	3002	10/18	0.82	0.19	32,39,51,54	0
2	8NU	B	3001	30/30	0.83	0.19	53,71,84,89	0
5	1PE	A	3004	13/16	0.83	0.18	70,75,81,83	0
3	CLR	A	3002	28/28	0.84	0.19	48,62,69,73	0
3	CLR	B	3003	28/28	0.85	0.16	44,52,69,71	0
2	8NU	A	3001	30/30	0.89	0.16	44,56,70,72	0
5	1PE	A	3005	16/16	0.92	0.13	24,40,55,56	0
4	ZN	A	3003	1/1	1.00	0.02	13,13,13,13	0



The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around 8NU B 3001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around CLR A 3002:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CLR B 3003:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around 8NU A 3001:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.