



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2026 – 12:00 AM UTC

PDB ID : 5AAU / pdb_00005aau
Title : Optimization of a novel binding motif to to (E)-3-(3,5-difluoro-4-((1R,3R)-2-(2-fluoro-2-methylpropyl)-3-methyl-2,3,4,9-tetrahydro-1H-pyrido(3,4-b)indol-1-yl)phenyl)acrylic acid (AZD9496), a potent and orally bioavailable selective estrogen receptor downregulator and antagonist
Authors : Norman, R.A.; Bradbury, R.H.; de Almeida, C.; Andrews, D.M.; Ballard, P.; Buttar, D.; Callis, R.J.; Currie, G.S.; Curwen, J.O.; Davies, C.D.; de Savi, C.; Donald, C.S.; Feron, L.J.L.; Glossop, S.C.; Hayter, B.R.; Karoutchi, G.; Lamont, S.G.; MacFaul, P.; Moss, T.; Pearson, S.E.; Rabow, A.A.; Tonge, M.; Walker, G.E.; Weir, H.M.; Wilson, Z.
Deposited on : 2015-07-28
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7789 (1.90-1.90)
Clashscore	190562	8410 (1.90-1.90)
Ramachandran outliers	187476	8333 (1.90-1.90)
Sidechain outliers	187428	8333 (1.90-1.90)
RSRZ outliers	180081	7790 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	252	 3% 73% 16% 9%
1	B	252	 2% 73% 15% 12%

CCP4 : 9.0.010 (Gargrove)
 Density-Fitness : 1.0.12
 Ideal geometry (proteins) : Engh & Huber (2001)
 Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
 Validation Pipeline (wwPDB-VP) : 2.49

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 3901 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called ESTROGEN RECEPTOR.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	229	Total	C	N	O	S	0	10	0
			1865	1198	321	329	17			
1	B	222	Total	C	N	O	S	0	6	0
			1759	1132	295	317	15			

There are 14 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	303	GLY	-	expression tag	UNP P03372
A	304	SER	-	expression tag	UNP P03372
A	305	HIS	-	expression tag	UNP P03372
A	306	MET	-	expression tag	UNP P03372
A	381	SER	CYS	engineered mutation	UNP P03372
A	417	SER	CYS	engineered mutation	UNP P03372
A	536	SER	LEU	engineered mutation	UNP P03372
B	303	GLY	-	expression tag	UNP P03372
B	304	SER	-	expression tag	UNP P03372
B	305	HIS	-	expression tag	UNP P03372
B	306	MET	-	expression tag	UNP P03372
B	381	SER	CYS	engineered mutation	UNP P03372
B	417	SER	CYS	engineered mutation	UNP P03372
B	536	SER	LEU	engineered mutation	UNP P03372

- Molecule 2 is 3-(1-(4-Chlorophenyl)-3,4-dihydro-1H-pyrido(3,4-b)indol-2(9H)-yl)propanoic acid (CCD ID: XBR) (formula: C₂₀H₁₉ClN₂O₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	Cl	N	O	0	0
			25	20	1	2	2		
2	B	1	Total	C	Cl	N	O	0	0
			25	20	1	2	2		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	137	Total	O	0	0
			137	137		
3	B	90	Total	O	0	0
			90	90		



3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: ESTROGEN RECEPTOR



• Molecule 1: ESTROGEN RECEPTOR



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	106.41 Å 51.40 Å 85.18 Å 90.00° 93.66° 90.00°	Depositor
Resolution (Å)	25.70 – 1.90 25.70 – 1.90	Depositor EDS
% Data completeness (in resolution range)	90.9 (25.70-1.90) 90.9 (25.70-1.90)	Depositor EDS
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.76 (at 1.91 Å)	Xtriage
Refinement program	REFMAC 5.8.0103	Depositor
R, R_{free}	0.173 , 0.226 0.203 , 0.249	Depositor DCC
R_{free} test set	1629 reflections (4.92%)	wwPDB-VP
Wilson B-factor (Å ²)	27.8	Xtriage
Anisotropy	0.131	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 46.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	3901	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.31% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: XBR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.58	15/1923 (0.8%)	1.26	7/2601 (0.3%)
1	B	1.54	14/1808 (0.8%)	1.29	8/2446 (0.3%)
All	All	1.56	29/3731 (0.8%)	1.27	15/5047 (0.3%)

All (29) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	388	MET	C-O	8.96	1.34	1.24
1	A	520	LYS	C-O	-6.94	1.15	1.24
1	B	386	ILE	N-CA	6.82	1.54	1.46
1	A	453	LEU	C-O	-6.58	1.16	1.24
1	A	440	LEU	C-O	-6.54	1.15	1.23
1	A	364	VAL	C-O	-6.50	1.16	1.24
1	B	459	TYR	N-CA	6.43	1.54	1.46
1	B	520	LYS	CA-C	6.39	1.61	1.52
1	A	352	ARG	CZ-NH2	6.28	1.41	1.33
1	B	510	ILE	C-O	6.12	1.31	1.24
1	B	405	ALA	C-O	-6.10	1.18	1.24
1	A	317	SER	CA-C	-5.90	1.45	1.52
1	A	402	LEU	C-O	5.82	1.30	1.24
1	A	383	TRP	N-CA	5.74	1.53	1.46
1	B	509	LEU	C-O	-5.72	1.17	1.24
1	A	388	MET	CA-C	-5.59	1.45	1.52
1	B	351	ASP	N-CA	5.58	1.53	1.46
1	B	454	LEU	N-CA	-5.51	1.39	1.46
1	B	323	GLU	CA-C	-5.34	1.47	1.53
1	A	444	GLU	N-CA	5.33	1.52	1.46
1	A	534	VAL	N-CA	-5.28	1.40	1.46
1	B	534	VAL	C-O	-5.28	1.17	1.24
1	B	406	PRO	C-O	-5.26	1.17	1.24
1	A	495	LEU	C-O	5.26	1.30	1.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	491	ALA	C-O	-5.25	1.17	1.24
1	B	515	ARG	CA-C	5.20	1.59	1.52
1	A	505	ALA	C-O	-5.20	1.18	1.24
1	B	522	MET	N-CA	5.05	1.52	1.46
1	A	310	LEU	N-CA	-5.01	1.40	1.46

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	323	GLU	CA-C-N	-8.05	112.09	120.38
1	B	323	GLU	C-N-CA	-8.05	112.09	120.38
1	A	515	ARG	CG-CD-NE	-6.45	97.81	112.00
1	A	394	ARG	CB-CA-C	-5.88	99.75	110.63
1	B	394	ARG	CG-CD-NE	5.82	124.81	112.00
1	A	491	ALA	N-CA-C	-5.80	105.04	111.36
1	B	534	VAL	N-CA-C	5.71	113.54	108.63
1	A	534	VAL	CA-C-N	5.52	126.74	119.84
1	A	534	VAL	C-N-CA	5.52	126.74	119.84
1	B	351	ASP	CB-CA-C	-5.43	102.36	110.88
1	B	527	SER	CB-CA-C	-5.39	104.54	111.22
1	B	394	ARG	CB-CA-C	-5.38	100.33	110.67
1	B	511	LEU	N-CA-C	5.11	118.61	112.38
1	A	458	VAL	CB-CA-C	-5.08	104.03	112.26
1	A	435	PHE	N-CA-C	5.07	116.81	111.28

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1865	0	1884	27	1
1	B	1759	0	1770	17	1
2	A	25	0	18	1	0
2	B	25	0	18	2	0
3	A	137	0	0	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	90	0	0	1	0
All	All	3901	0	3690	35	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (35) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:376:VAL:HG22	1:A:544:LEU:HD12	1.51	0.93
1:A:454:LEU:O	1:A:458:VAL:HG13	1.91	0.70
1:A:497:LEU:HD11	1:B:497:LEU:HD22	1.74	0.70
1:A:454:LEU:O	1:A:458:VAL:CG1	2.41	0.69
1:A:459:TYR:CD2	1:B:513[B]:HIS:CE1	2.83	0.67
1:B:368:VAL:HG22	3:B:2024:HOH:O	2.00	0.62
1:B:397:GLU:OE1	1:B:436[B]:ARG:NH1	2.35	0.59
1:A:459:TYR:HD2	1:B:513[B]:HIS:ND1	2.04	0.55
1:A:459:TYR:OH	1:B:434:ARG:NE	2.40	0.54
1:A:376:VAL:HG22	1:A:544:LEU:CD1	2.33	0.54
1:A:526:TYR:CZ	1:A:534:VAL:HG21	2.43	0.54
1:A:459:TYR:HD2	1:B:513[B]:HIS:CE1	2.25	0.54
1:A:310:LEU:O	1:A:481:LYS:HE3	2.07	0.53
1:A:394:ARG:HG3	3:A:2062:HOH:O	2.09	0.52
3:A:2099:HOH:O	1:B:506[A]:GLN:NE2	2.42	0.51
1:A:459:TYR:HD2	1:B:513[B]:HIS:CG	2.28	0.51
1:A:497:LEU:CD1	1:B:497:LEU:HD22	2.42	0.49
1:B:353[B]:GLU:OE2	2:B:1547:XBR:H2	2.13	0.49
1:A:455:ASN:HA	1:A:458:VAL:HG13	1.96	0.48
1:B:316:VAL:HG21	1:B:489:LEU:HD21	1.96	0.48
1:B:435:PHE:CD1	1:B:440:LEU:HD22	2.49	0.48
1:A:373[B]:HIS:HD2	1:A:374:ASP:OD1	1.97	0.47
1:A:373[B]:HIS:CE1	1:A:377[B]:HIS:NE2	2.82	0.47
1:A:424:ILE:HD13	2:A:1553:XBR:O19	2.15	0.47
1:B:424:ILE:HD13	2:B:1547:XBR:O19	2.14	0.47
1:A:459:TYR:CD2	1:B:513[B]:HIS:ND1	2.83	0.46
1:A:342:MET:HE2	1:A:418:VAL:CG2	2.46	0.46
1:B:372:LEU:O	1:B:376:VAL:HG23	2.16	0.46
1:A:306:MET:HE2	1:A:306:MET:HA	1.97	0.45
1:A:525:LEU:HD13	1:A:534:VAL:HG12	1.98	0.45
1:A:310:LEU:O	1:A:481:LYS:CE	2.65	0.44
1:A:519:ASN:HD21	1:B:516:HIS:HA	1.84	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:373[B]:HIS:CD2	1:A:377[B]:HIS:CD2	3.07	0.42
1:A:373[B]:HIS:CD2	1:A:377[B]:HIS:HD2	2.38	0.42
1:A:433:SER:HB2	1:A:436:ARG:NH2	2.35	0.41

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:359[A]:ASN:ND2	1:B:328:TYR:OH[3_545]	1.77	0.43

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	231/252 (92%)	229 (99%)	2 (1%)	0	100	100
1	B	220/252 (87%)	219 (100%)	1 (0%)	0	100	100
All	All	451/504 (90%)	448 (99%)	3 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	208/226 (92%)	201 (97%)	7 (3%)	32	25

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	193/226 (85%)	188 (97%)	5 (3%)	40	35
All	All	401/452 (89%)	389 (97%)	12 (3%)	35	30

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	304	SER
1	A	341	SER
1	A	423	GLU
1	A	433	SER
1	A	471	GLU
1	A	528	MET
1	A	549	LEU
1	B	341	SER
1	B	355	VAL
1	B	365	PRO
1	B	406	PRO
1	B	413	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	439	ASN
1	A	519	ASN
1	A	550	HIS
1	B	398	HIS
1	B	498	GLN
1	B	519	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	XBR	B	1547	-	28,28,28	1.79	6 (21%)	38,40,40	1.87	13 (34%)
2	XBR	A	1553	-	28,28,28	1.99	10 (35%)	38,40,40	2.53	16 (42%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	XBR	B	1547	-	-	1/9/22/22	0/4/4/4
2	XBR	A	1553	-	-	2/9/22/22	0/4/4/4

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1553	XBR	C25-C20	5.30	1.47	1.39
2	B	1547	XBR	C14-C7	5.27	1.57	1.50
2	A	1553	XBR	C14-C7	3.76	1.55	1.50
2	A	1553	XBR	C5-C4	3.22	1.45	1.41
2	B	1547	XBR	C11-C8	2.90	1.54	1.50
2	B	1547	XBR	C11-N12	2.81	1.51	1.48
2	B	1547	XBR	C5-C4	2.73	1.44	1.41
2	B	1547	XBR	C8-C7	-2.48	1.33	1.36
2	A	1553	XBR	C11-N12	2.41	1.50	1.48
2	A	1553	XBR	C1-C6	2.36	1.42	1.38
2	B	1547	XBR	C22-C23	2.31	1.42	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1553	XBR	C8-N9	-2.30	1.35	1.38
2	A	1553	XBR	C3-C4	2.16	1.43	1.39
2	A	1553	XBR	C2-C1	2.16	1.43	1.38
2	A	1553	XBR	C15-C16	2.14	1.56	1.52
2	A	1553	XBR	C8-C7	-2.06	1.33	1.36

All (29) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1553	XBR	C22-C21-C20	-5.42	115.78	121.18
2	A	1553	XBR	C25-C20-C21	4.62	124.03	118.30
2	A	1553	XBR	C15-C16-C17	-4.62	102.76	112.84
2	A	1553	XBR	C13-N12-C11	4.57	116.26	110.66
2	A	1553	XBR	C11-C8-C7	-4.47	120.79	125.50
2	A	1553	XBR	C15-N12-C13	-4.07	102.81	111.20
2	A	1553	XBR	C14-C13-N12	-3.98	102.75	112.10
2	A	1553	XBR	C2-C1-C6	3.62	124.71	120.24
2	B	1547	XBR	C4-N9-C8	3.49	111.54	108.53
2	B	1547	XBR	C1-C2-C3	3.46	124.50	120.24
2	B	1547	XBR	C13-C14-C7	-3.44	104.76	109.12
2	B	1547	XBR	C13-N12-C11	3.42	114.86	110.66
2	B	1547	XBR	C5-C4-N9	-3.16	104.67	108.23
2	B	1547	XBR	C22-C21-C20	-2.96	118.23	121.18
2	A	1553	XBR	C1-C6-C5	-2.89	114.57	119.80
2	A	1553	XBR	C11-C8-N9	2.79	126.80	123.78
2	A	1553	XBR	C25-C24-C23	-2.78	116.45	119.24
2	A	1553	XBR	O19-C17-O18	-2.77	116.21	123.33
2	B	1547	XBR	C22-C23-CL	2.72	123.37	119.36
2	A	1553	XBR	C21-C20-C11	-2.48	117.07	120.69
2	B	1547	XBR	C15-N12-C13	2.45	116.26	111.20
2	B	1547	XBR	C11-C8-N9	2.44	126.42	123.78
2	A	1553	XBR	C7-C8-N9	2.44	112.40	110.22
2	A	1553	XBR	C24-C23-C22	2.36	124.16	121.24
2	B	1547	XBR	C21-C22-C23	2.30	121.56	119.24
2	B	1547	XBR	C25-C20-C11	-2.20	117.48	120.69
2	B	1547	XBR	C14-C7-C8	2.05	124.49	122.07
2	B	1547	XBR	C25-C20-C21	2.04	120.83	118.30
2	A	1553	XBR	O19-C17-C16	2.01	120.36	114.00

There are no chirality outliers.

All (3) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	1553	XBR	C15-C16-C17-O18
2	A	1553	XBR	C15-C16-C17-O19
2	B	1547	XBR	C15-C16-C17-O19


There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	1547	XBR	2	0
2	A	1553	XBR	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
1	A	229/252 (90%)	0.10	8 (3%)	47	50	11, 28, 53, 69	10 (4%)
1	B	222/252 (88%)	0.17	6 (2%)	56	60	9, 24, 46, 62	6 (2%)
All	All	451/504 (89%)	0.13	14 (3%)	51	55	9, 26, 49, 69	16 (3%)

All (14) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	462	LEU	3.8
1	A	461	PHE	3.2
1	A	459	TYR	3.2
1	A	552	PRO	3.1
1	A	533	VAL	3.1
1	A	331	TYR	2.9
1	B	337	PHE	2.9
1	B	331	TYR	2.8
1	A	470	GLU	2.5
1	B	528	MET	2.3
1	B	310	LEU	2.3
1	A	458	VAL	2.1
1	B	533	VAL	2.1
1	A	528	MET	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	XBR	A	1553	25/25	0.96	0.05	18,22,27,28	0
2	XBR	B	1547	25/25	0.96	0.05	18,22,27,32	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around XBR A 1553:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around XBR B 1547:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.