



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 17, 2026 – 06:26 PM UTC

PDB ID : 2ABZ / pdb_00002abz
Title : Crystal structure of C19A/C43A mutant of leech carboxypeptidase inhibitor in complex with bovine carboxypeptidase A
Authors : Arolas, J.L.; Popowicz, G.M.; Bronsoms, S.; Aviles, F.X.; Huber, R.; Holak, T.A.; Ventura, S.
Deposited on : 2005-07-18
Resolution : 2.16 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.16 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2057 (2.16-2.16)
Clashscore	190562	2159 (2.16-2.16)
Ramachandran outliers	187476	2134 (2.16-2.16)
Sidechain outliers	187428	2133 (2.16-2.16)
RSRZ outliers	180081	2059 (2.16-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	309	10% 80% 15% • •
1	B	309	7% 80% 15% • •
2	C	67	13% 69% 19% • 7%
2	D	67	40% 43% 21% • 31%
2	E	67	13% 75% 15% 10%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	F	67	21% 70% 12% • • 13%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 6504 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Carboxypeptidase A1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	299	Total	C	N	O	S	0	0	0
			2379	1531	390	453	5			
1	B	301	Total	C	N	O	S	0	0	0
			2392	1538	392	457	5			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	228	ALA	GLU	SEE REMARK 999	UNP P00730
A	305	VAL	LEU	SEE REMARK 999	UNP P00730
B	228	ALA	GLU	SEE REMARK 999	UNP P00730
B	305	VAL	LEU	SEE REMARK 999	UNP P00730

- Molecule 2 is a protein called Metallocoarboxypeptidase inhibitor.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	C	62	Total	C	N	O	S	0	0	0
			476	301	79	90	6			
2	D	46	Total	C	N	O	S	0	0	0
			345	214	58	67	6			
2	E	60	Total	C	N	O	S	0	0	0
			463	293	77	87	6			
2	F	58	Total	C	N	O	S	0	0	0
			447	283	75	83	6			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	1	GLY	-	cloning artifact	UNP P81511
C	19	ALA	CYS	engineered mutation	UNP P81511
C	43	ALA	CYS	engineered mutation	UNP P81511
D	1	GLY	-	cloning artifact	UNP P81511


Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
D	19	ALA	CYS	engineered mutation	UNP P81511
D	43	ALA	CYS	engineered mutation	UNP P81511
E	1	GLY	-	cloning artifact	UNP P81511
E	19	ALA	CYS	engineered mutation	UNP P81511
E	43	ALA	CYS	engineered mutation	UNP P81511
F	1	GLY	-	cloning artifact	UNP P81511
F	19	ALA	CYS	engineered mutation	UNP P81511
F	43	ALA	CYS	engineered mutation	UNP P81511

- Molecule 3 is ZINC ION (CCD ID: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total Zn 1 1	0	0
3	B	1	Total Zn 1 1	0	0



• Molecule 2: Metallocoarboxypeptidase inhibitor



• Molecule 2: Metallocoarboxypeptidase inhibitor



4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	124.93Å 124.93Å 154.98Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.16 30.00 – 2.16	Depositor EDS
% Data completeness (in resolution range)	(Not available) (30.00-2.16) 99.7 (30.00-2.16)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.71 (at 2.16Å)	Xtriage
Refinement program	REFMAC 5.1.2	Depositor
R, R_{free}	0.189 , 0.234 0.241 , 0.257	Depositor DCC
R_{free} test set	3360 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å ²)	28.9	Xtriage
Anisotropy	0.335	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 20.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	6504	wwPDB-VP
Average B, all atoms (Å ²)	32.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.91% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.57	0/2444	0.88	1/3322 (0.0%)
1	B	0.62	2/2457 (0.1%)	0.87	0/3340
2	C	0.57	0/494	0.85	0/680
2	D	0.68	0/352	0.81	0/477
2	E	0.66	0/479	0.83	0/658
2	F	0.64	0/462	0.85	1/635 (0.2%)
All	All	0.60	2/6688 (0.0%)	0.86	2/9112 (0.0%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	136	SER	N-CA	7.16	1.59	1.46
1	B	287	ILE	CA-CB	5.62	1.57	1.54

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	137	LEU	N-CA-C	-5.46	104.20	111.24
2	F	51	VAL	N-CA-C	5.01	119.70	108.88

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2379	0	2290	60	1
1	B	2392	0	2302	82	0
2	C	476	0	431	34	0
2	D	345	0	306	14	0
2	E	463	0	417	23	1
2	F	447	0	407	12	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
All	All	6504	0	6153	189	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (189) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:276:ARG:HH12	1:B:295:LEU:CD2	1.36	1.38
1:B:133:THR:HG22	1:B:168:LYS:NZ	1.38	1.34
1:B:276:ARG:NH2	1:B:277:TYR:HE2	1.35	1.24
1:A:15:LEU:O	1:A:15:LEU:HD23	1.13	1.22
1:B:15:LEU:C	1:B:15:LEU:HD23	1.60	1.21
1:A:15:LEU:HD23	1:A:15:LEU:C	1.60	1.17
1:B:15:LEU:HD23	1:B:15:LEU:O	1.46	1.15
1:B:276:ARG:CZ	1:B:277:TYR:HE2	1.63	1.11
1:A:276:ARG:HH12	1:B:295:LEU:HD21	1.06	1.09
1:B:276:ARG:NH2	1:B:277:TYR:CE2	2.20	1.09
1:A:276:ARG:NH1	1:B:295:LEU:HD21	1.67	1.08
1:A:232:SER:HA	1:B:276:ARG:HH22	1.16	1.08
1:A:276:ARG:NH1	1:B:295:LEU:CD2	2.20	1.05
1:B:15:LEU:C	1:B:15:LEU:CD2	2.31	1.02
1:A:15:LEU:C	1:A:15:LEU:CD2	2.31	1.02
1:B:133:THR:CG2	1:B:168:LYS:NZ	2.23	1.01
1:B:276:ARG:CZ	1:B:277:TYR:CE2	2.43	1.00
1:B:276:ARG:NE	1:B:277:TYR:CE2	2.29	0.99
1:A:15:LEU:O	1:A:15:LEU:CD2	2.09	0.99
2:C:41:PRO:O	2:C:44:ARG:HG2	1.62	0.97
1:A:239:LYS:NZ	2:C:44:ARG:HH21	1.63	0.97
1:A:137:LEU:HD12	1:A:137:LEU:N	1.76	0.97
1:B:133:THR:HG22	1:B:168:LYS:HZ3	0.91	0.96
1:B:58:ASN:ND2	1:B:186:HIS:CE1	2.34	0.94
1:A:239:LYS:HZ1	2:C:44:ARG:HH21	1.15	0.92
1:B:239:LYS:NZ	2:E:44:ARG:HH21	1.67	0.91

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:23:ARG:CZ	2:C:50:TRP:CZ2	2.53	0.91
1:A:232:SER:HA	1:B:276:ARG:NH2	1.85	0.89
1:A:243:ILE:HG23	1:A:247:ILE:HD11	1.54	0.89
1:B:186:HIS:HD2	1:B:188:ASN:H	1.19	0.88
1:B:239:LYS:NZ	2:E:44:ARG:NH2	2.20	0.88
1:B:239:LYS:NZ	2:E:41:PRO:HB3	1.88	0.88
1:A:36:LEU:N	1:A:36:LEU:HD12	1.88	0.87
1:A:239:LYS:NZ	2:C:44:ARG:NH2	2.23	0.86
1:A:276:ARG:HH12	1:B:295:LEU:HD23	1.37	0.86
1:B:58:ASN:HD21	1:B:186:HIS:CE1	1.91	0.85
1:B:15:LEU:HD21	1:B:19:TYR:CD2	2.12	0.85
2:E:41:PRO:O	2:E:44:ARG:HG2	1.76	0.85
1:A:15:LEU:HD21	1:A:19:TYR:CD2	2.13	0.84
1:B:239:LYS:HZ1	2:E:44:ARG:HH21	1.26	0.83
1:A:137:LEU:N	1:A:137:LEU:CD1	2.44	0.81
1:A:233:LEU:HD13	1:A:234:TYR:CE2	2.16	0.81
2:F:52:PRO:HG2	2:F:57:GLN:HA	1.64	0.80
2:C:28:LEU:HD22	2:F:7:GLU:HG2	1.65	0.79
2:E:44:ARG:HG3	2:E:45:GLU:N	1.95	0.79
1:A:239:LYS:HZ3	2:C:44:ARG:NH2	1.81	0.78
1:A:221:GLN:O	1:A:221:GLN:OE1	2.00	0.78
1:A:302:GLU:O	1:A:305:VAL:HG12	1.83	0.77
1:A:137:LEU:CD1	1:A:137:LEU:H	1.98	0.76
1:B:133:THR:HG22	1:B:168:LYS:HZ1	1.46	0.75
1:B:133:THR:CG2	1:B:168:LYS:CE	2.65	0.75
1:B:221:GLN:OE1	1:B:221:GLN:O	2.04	0.74
2:C:41:PRO:O	2:C:44:ARG:CG	2.35	0.73
1:A:36:LEU:N	1:A:36:LEU:CD1	2.51	0.73
1:B:58:ASN:HD21	1:B:186:HIS:CG	2.07	0.72
2:C:7:GLU:OE1	2:C:8:SER:N	2.22	0.72
1:A:221:GLN:OE1	1:A:221:GLN:C	2.33	0.71
1:B:133:THR:CG2	1:B:168:LYS:HZ3	1.86	0.71
1:B:221:GLN:OE1	1:B:221:GLN:C	2.34	0.70
1:A:247:ILE:HG13	1:A:248:TYR:H	1.54	0.70
1:A:276:ARG:HG3	2:D:57:GLN:HE22	1.56	0.70
2:F:49:GLU:O	2:F:49:GLU:HG2	1.91	0.70
1:B:239:LYS:HZ3	2:E:41:PRO:HB3	1.56	0.70
2:C:44:ARG:HG3	2:C:45:GLU:N	2.05	0.70
1:B:239:LYS:HZ3	2:E:44:ARG:NH2	1.88	0.70
2:C:41:PRO:HA	2:C:44:ARG:HG2	1.73	0.70
2:F:49:GLU:CD	2:F:49:GLU:H	1.98	0.70

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:133:THR:HG22	1:B:168:LYS:CE	2.19	0.69
1:B:243:ILE:HG23	1:B:247:ILE:HD11	1.75	0.68
2:C:6:ASP:OD1	2:C:23:ARG:HG2	1.94	0.68
2:F:6:ASP:OD1	2:F:23:ARG:HG2	1.93	0.67
1:A:137:LEU:HD12	1:A:137:LEU:H	1.50	0.67
1:B:31:GLN:H	1:B:31:GLN:CD	2.03	0.67
1:B:243:ILE:HG23	1:B:247:ILE:CD1	2.24	0.67
1:A:35:LYS:C	1:A:36:LEU:HD12	2.20	0.67
1:A:186:HIS:HD2	1:A:188:ASN:H	1.41	0.67
1:B:116:PHE:CZ	1:B:120:HIS:HE1	2.13	0.66
2:C:23:ARG:NE	2:C:50:TRP:CZ2	2.63	0.66
2:F:6:ASP:OD1	2:F:23:ARG:CG	2.44	0.66
2:C:41:PRO:C	2:C:44:ARG:HG2	2.20	0.65
2:F:51:VAL:HG23	2:F:52:PRO:HD3	1.78	0.65
1:A:276:ARG:CZ	1:B:295:LEU:HD21	2.26	0.64
1:B:239:LYS:HZ2	2:E:41:PRO:HB3	1.60	0.63
1:A:119:THR:HA	1:A:123:ASN:O	2.00	0.62
2:C:23:ARG:CZ	2:C:50:TRP:HZ2	2.11	0.61
1:B:199:SER:HB3	1:B:201:LEU:HG	1.83	0.61
2:D:29:PRO:C	2:D:31:GLU:N	2.59	0.60
1:B:239:LYS:HZ3	2:E:44:ARG:CZ	2.15	0.59
1:B:26:VAL:HG22	1:B:33:VAL:HG22	1.84	0.59
2:C:28:LEU:HD22	2:F:7:GLU:CG	2.32	0.58
1:B:81:TRP:CH2	1:B:85:LYS:HE2	2.38	0.58
2:D:42:TRP:O	2:D:59:ARG:NE	2.36	0.58
2:E:41:PRO:O	2:E:44:ARG:CG	2.48	0.57
2:C:7:GLU:OE2	2:C:9:PHE:CZ	2.58	0.56
1:A:276:ARG:CG	2:D:57:GLN:HE22	2.18	0.56
2:C:23:ARG:NH2	2:C:50:TRP:HZ2	2.04	0.55
1:A:276:ARG:HD3	1:B:233:LEU:HD23	1.87	0.55
1:B:239:LYS:CE	2:E:44:ARG:HH21	2.19	0.54
2:C:23:ARG:NE	2:C:50:TRP:CH2	2.76	0.54
1:A:287:ILE:HB	1:A:288:PRO:HD3	1.89	0.54
1:A:15:LEU:HD21	1:A:19:TYR:CE2	2.42	0.54
2:E:44:ARG:HG3	2:E:45:GLU:H	1.73	0.54
1:B:132:VAL:HB	1:B:136:SER:HB3	1.89	0.54
1:B:133:THR:HG21	1:B:168:LYS:CE	2.37	0.54
2:C:41:PRO:CA	2:C:44:ARG:HG2	2.37	0.53
1:B:31:GLN:N	1:B:31:GLN:OE1	2.40	0.53
2:E:41:PRO:HA	2:E:44:ARG:HG2	1.91	0.53
2:C:44:ARG:HG3	2:C:45:GLU:HG2	1.90	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:239:LYS:CE	2:E:44:ARG:NH2	2.71	0.53
2:D:28:LEU:O	2:D:31:GLU:HB2	2.09	0.53
1:B:186:HIS:HD2	1:B:188:ASN:N	1.99	0.52
1:A:302:GLU:O	1:A:305:VAL:CG1	2.56	0.52
1:A:86:PHE:HE1	1:A:294:TRP:CZ3	2.26	0.52
2:F:7:GLU:OE1	2:F:8:SER:N	2.43	0.51
2:D:29:PRO:C	2:D:32:GLY:H	2.18	0.51
2:D:42:TRP:O	2:D:59:ARG:NH2	2.41	0.51
1:B:287:ILE:HB	1:B:288:PRO:HD3	1.91	0.51
1:A:239:LYS:HZ3	2:C:41:PRO:HB3	1.76	0.51
1:B:186:HIS:CD2	1:B:188:ASN:H	2.12	0.51
1:A:243:ILE:HG23	1:A:247:ILE:CD1	2.34	0.51
1:B:133:THR:CG2	1:B:168:LYS:HZ1	2.09	0.50
1:B:239:LYS:NZ	2:E:44:ARG:CZ	2.73	0.50
1:A:51:LYS:HG3	1:A:106:PHE:CE2	2.46	0.50
2:C:7:GLU:OE2	2:C:9:PHE:CE2	2.65	0.50
2:F:6:ASP:HB3	2:F:21:ILE:HG23	1.93	0.50
1:B:111:THR:HG23	1:B:179:ILE:HD11	1.93	0.50
1:B:15:LEU:HD21	1:B:19:TYR:CE2	2.47	0.49
2:C:6:ASP:CG	2:C:23:ARG:HE	2.19	0.49
1:B:239:LYS:HZ2	2:E:41:PRO:CB	2.24	0.49
1:B:58:ASN:HD21	1:B:186:HIS:CD2	2.31	0.49
2:E:44:ARG:CG	2:E:45:GLU:N	2.72	0.48
1:B:233:LEU:HD13	1:B:234:TYR:CE2	2.48	0.47
1:B:133:THR:HG21	1:B:168:LYS:HE3	1.97	0.47
2:D:18:CYS:HB3	2:D:58:CYS:HB2	1.70	0.47
2:C:41:PRO:HA	2:C:44:ARG:CG	2.44	0.47
1:B:86:PHE:HE1	1:B:294:TRP:CZ3	2.33	0.46
1:B:272:ARG:HH11	1:B:285:GLN:HE21	1.63	0.46
1:A:192:PHE:O	1:A:266:SER:HA	2.15	0.46
2:D:22:CYS:HB3	2:D:62:CYS:HB2	1.86	0.46
1:A:198:TYR:O	1:A:199:SER:CB	2.64	0.45
2:C:48:VAL:HG23	2:C:49:GLU:N	2.31	0.45
2:C:7:GLU:CD	2:C:8:SER:N	2.74	0.45
1:A:111:THR:HG23	1:A:179:ILE:HD11	1.98	0.45
1:A:203:LEU:CD1	1:A:247:ILE:HD13	2.46	0.45
2:C:6:ASP:OD1	2:C:23:ARG:CG	2.63	0.45
1:A:169:TYR:O	1:A:172:SER:HB3	2.17	0.45
2:F:6:ASP:OD1	2:F:23:ARG:CD	2.65	0.45
2:F:6:ASP:OD1	2:F:23:ARG:HD2	2.16	0.45
1:B:66:LEU:HD22	1:B:75:THR:O	2.16	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:63:TRP:HE1	1:B:65:ASP:HB3	1.81	0.44
1:A:116:PHE:CZ	1:A:120:HIS:HE1	2.36	0.44
1:A:280:LEU:HD22	2:D:10:LEU:HD13	2.00	0.44
1:B:58:ASN:HD22	1:B:186:HIS:CE1	2.32	0.44
1:A:15:LEU:HD21	1:A:19:TYR:CG	2.51	0.44
1:B:58:ASN:ND2	1:B:186:HIS:NE2	2.65	0.44
1:B:239:LYS:HE2	2:E:44:ARG:NH2	2.33	0.44
1:B:73:TRP:HA	1:B:76:GLN:OE1	2.18	0.44
2:C:44:ARG:CG	2:C:45:GLU:N	2.79	0.43
2:D:20:PHE:CZ	2:D:31:GLU:HG2	2.54	0.43
1:A:24:LEU:HD23	1:A:24:LEU:HA	1.75	0.43
1:A:205:PRO:HB2	1:A:213:ILE:HG21	2.01	0.43
2:D:42:TRP:O	2:D:42:TRP:HE3	2.02	0.43
1:B:150:GLY:O	1:B:251:SER:HB2	2.19	0.42
2:E:41:PRO:O	2:E:45:GLU:HG2	2.19	0.42
1:B:170:ALA:O	1:B:171:ASN:HB2	2.19	0.42
2:C:8:SER:HB3	2:C:21:ILE:HG13	2.01	0.42
1:A:272:ARG:HH11	1:A:285:GLN:HE21	1.67	0.42
1:B:58:ASN:ND2	1:B:186:HIS:ND1	2.51	0.42
2:C:23:ARG:HD2	2:C:57:GLN:HE21	1.84	0.42
1:A:232:SER:HA	1:B:276:ARG:CZ	2.47	0.42
2:E:41:PRO:C	2:E:44:ARG:HG2	2.43	0.42
1:B:108:GLU:OE2	1:B:111:THR:HA	2.19	0.42
1:B:15:LEU:CD2	1:B:16:ASP:N	2.80	0.41
1:A:62:ILE:HD13	1:A:301:MET:HG2	2.01	0.41
1:A:243:ILE:HD11	1:A:255:ILE:HD11	2.02	0.41
1:A:239:LYS:NZ	2:C:41:PRO:HB3	2.34	0.41
1:A:276:ARG:NH2	1:B:295:LEU:HD21	2.35	0.41
1:B:24:LEU:O	1:B:28:GLU:HG3	2.21	0.41
1:B:119:THR:HA	1:B:123:ASN:O	2.20	0.41
1:B:58:ASN:OD1	1:B:186:HIS:O	2.39	0.41
2:D:20:PHE:CZ	2:D:31:GLU:CG	3.04	0.41
2:C:23:ARG:HG3	2:C:50:TRP:CH2	2.55	0.41
2:E:27:PRO:HA	2:E:53:TYR:OH	2.21	0.40
1:B:31:GLN:CD	1:B:31:GLN:N	2.77	0.40
1:B:239:LYS:CD	2:E:41:PRO:CB	3.00	0.40
2:D:43:ALA:HA	2:D:59:ARG:NE	2.36	0.40
1:A:42:TYR:CD2	1:A:131:SER:HA	2.56	0.40
2:C:6:ASP:OD1	2:C:23:ARG:NE	2.54	0.40
1:A:86:PHE:CE1	1:A:294:TRP:CZ3	3.08	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the sym-

metry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:137:LEU:CD2	2:E:7:GLU:OE2[6_555]	1.63	0.57

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	295/309 (96%)	282 (96%)	12 (4%)	1 (0%)	36	34
1	B	297/309 (96%)	285 (96%)	11 (4%)	1 (0%)	36	34
2	C	60/67 (90%)	59 (98%)	1 (2%)	0	100	100
2	D	36/67 (54%)	34 (94%)	2 (6%)	0	100	100
2	E	56/67 (84%)	56 (100%)	0	0	100	100
2	F	52/67 (78%)	51 (98%)	0	1 (2%)	6	2
All	All	796/886 (90%)	767 (96%)	26 (3%)	3 (0%)	30	26

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	199	SER
1	B	199	SER
2	F	51	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	256/265 (97%)	246 (96%)	10 (4%)	28	28
1	B	258/265 (97%)	250 (97%)	8 (3%)	35	37
2	C	52/56 (93%)	47 (90%)	5 (10%)	8	4
2	D	39/56 (70%)	33 (85%)	6 (15%)	2	1
2	E	50/56 (89%)	46 (92%)	4 (8%)	11	7
2	F	50/56 (89%)	46 (92%)	4 (8%)	11	7
All	All	705/754 (94%)	668 (95%)	37 (5%)	21	17

All (37) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	15	LEU
1	A	33	VAL
1	A	100	LEU
1	A	137	LEU
1	A	162	SER
1	A	227	VAL
1	A	233	LEU
1	A	247	ILE
1	A	280	LEU
1	A	295	LEU
1	B	15	LEU
1	B	33	VAL
1	B	70	SER
1	B	95	SER
1	B	199	SER
1	B	233	LEU
1	B	247	ILE
1	B	280	LEU
2	C	7	GLU
2	C	21	ILE
2	C	39	THR
2	C	49	GLU
2	C	59	ARG
2	D	10	LEU
2	D	15	ASP
2	D	31	GLU
2	D	58	CYS
2	D	60	THR
2	D	63	ILE
2	E	6	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	E	21	ILE
2	E	39	THR
2	E	49	GLU
2	F	4	THR
2	F	7	GLU
2	F	21	ILE
2	F	61	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (21) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	92	GLN
1	A	120	HIS
1	A	171	ASN
1	A	186	HIS
1	A	249	GLN
1	A	285	GLN
1	B	5	ASN
1	B	29	HIS
1	B	37	GLN
1	B	58	ASN
1	B	92	GLN
1	B	120	HIS
1	B	171	ASN
1	B	186	HIS
1	B	249	GLN
1	B	285	GLN
2	C	57	GLN
2	D	57	GLN
2	E	13	GLN
2	E	16	GLN
2	E	35	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	299/309 (96%)	0.70	31 (10%)	11 13	19, 28, 69, 75	1 (0%)
1	B	301/309 (97%)	0.34	23 (7%)	20 22	17, 25, 63, 73	1 (0%)
2	C	62/67 (92%)	0.98	9 (14%)	6 6	19, 29, 71, 76	0
2	D	46/67 (68%)	2.75	27 (58%)	0 0	31, 51, 62, 86	0
2	E	60/67 (89%)	0.65	9 (15%)	5 6	16, 24, 69, 75	0
2	F	58/67 (86%)	1.69	14 (24%)	2 2	22, 31, 83, 92	0
All	All	826/886 (93%)	0.77	113 (13%)	6 7	16, 27, 68, 92	2 (0%)

All (113) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	137	LEU	12.0
2	F	51	VAL	10.5
2	F	48	VAL	10.3
2	F	52	PRO	9.4
2	D	63	ILE	8.2
2	C	7	GLU	7.8
1	B	276	ARG	7.6
2	C	44	ARG	7.5
1	A	305	VAL	7.3
2	D	59	ARG	7.2
2	F	7	GLU	6.9
2	D	56	GLY	6.8
1	A	276	ARG	6.8
1	A	15	LEU	6.8
1	B	31	GLN	6.8
2	E	44	ARG	6.6
1	B	6	THR	6.6
2	D	61	THR	6.4
2	F	44	ARG	6.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	58	ASN	6.3
2	E	21	ILE	6.3
2	C	23	ARG	6.1
2	D	57	GLN	6.1
1	A	6	THR	6.1
1	A	132	VAL	6.0
1	B	190	LYS	5.9
1	B	15	LEU	5.8
1	B	120	HIS	5.8
1	A	24	LEU	5.8
1	A	58	ASN	5.8
2	F	50	TRP	5.7
2	F	21	ILE	5.7
1	B	221	GLN	5.7
1	A	239	LYS	5.5
1	A	247	ILE	5.5
2	E	7	GLU	5.5
2	D	54	SER	5.4
2	F	49	GLU	5.4
1	B	153	LYS	5.3
1	A	36	LEU	5.3
2	E	48	VAL	5.2
1	B	168	LYS	5.2
2	D	55	THR	5.2
2	C	5	PRO	5.1
1	A	177	LYS	5.1
1	B	239	LYS	5.1
2	C	49	GLU	5.1
2	C	48	VAL	5.0
1	A	216	LYS	5.0
1	B	57	SER	5.0
1	B	177	LYS	4.9
1	B	216	LYS	4.9
2	D	15	ASP	4.8
2	F	33	GLU	4.8
2	D	62	CYS	4.7
2	E	49	GLU	4.7
1	A	221	GLN	4.7
1	B	32	LEU	4.7
1	A	184	LYS	4.6
2	C	21	ILE	4.6
2	C	45	GLU	4.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	20	PHE	4.4
1	A	153	LYS	4.3
2	F	4	THR	4.3
1	A	211	GLN	4.3
2	D	18	CYS	4.2
2	D	60	THR	4.1
1	A	5	ASN	4.1
1	A	92	GLN	4.1
1	B	3	SER	4.1
2	F	23	ARG	4.0
2	D	29	PRO	4.0
2	E	45	GLU	4.0
1	A	190	LYS	3.9
1	B	122	GLN	3.9
1	B	211	GLN	3.9
1	A	168	LYS	3.9
1	A	122	GLN	3.8
2	D	17	VAL	3.7
1	B	184	LYS	3.7
2	E	6	ASP	3.7
2	E	39	THR	3.5
1	B	92	GLN	3.5
1	A	136	SER	3.4
1	B	305	VAL	3.3
1	B	136	SER	3.3
1	A	57	SER	3.2
2	D	43	ALA	3.2
2	D	41	PRO	3.2
2	D	12	TYR	3.0
1	A	224	LYS	3.0
2	D	27	PRO	2.8
2	E	55	THR	2.8
2	D	24	GLY	2.8
1	A	303	HIS	2.7
2	F	56	GLY	2.6
2	D	58	CYS	2.5
2	D	23	ARG	2.5
1	A	31	GLN	2.5
1	A	4	THR	2.5
2	D	34	CYS	2.4
2	F	55	THR	2.4
1	A	95	SER	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	4	THR	2.3
2	D	28	LEU	2.3
1	B	303	HIS	2.2
2	D	42	TRP	2.2
1	A	55	GLY	2.1
2	D	25	ALA	2.1
2	D	26	ALA	2.1
2	F	66	VAL	2.0
1	A	185	ASP	2.0
2	C	39	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	ZN	A	1001	1/1	0.99	0.01	23,23,23,23	0
3	ZN	B	1002	1/1	0.99	0.02	21,21,21,21	0

6.5 Other polymers [i](#)

There are no such residues in this entry.