



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 01:55 PM UTC

PDB ID : 8ABP / pdb_00008abp
Title : SUGAR-BINDING AND CRYSTALLOGRAPHIC STUDIES OF AN ARABINOSE-BINDING PROTEIN MUTANT (MET108LEU) WHICH EXHIBITS ENHANCED AFFINITY AND ALTERED SPECIFICITY
Authors : Vermersch, P.S.; Tesmer, J.J.G.; Quijcho, F.A.
Deposited on : 1991-04-25
Resolution : 1.49 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.49 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	4235 (1.50-1.50)
Ramachandran outliers	187476	4153 (1.50-1.50)
Sidechain outliers	187428	4150 (1.50-1.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	306	 75% 21% . .

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 2547 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called L-ARABINOSE-BINDING PROTEIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	305	2316	1474	389	443	10	0	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	108	LEU	MET	conflict	UNP P02924

- Molecule 2 is alpha-D-galactopyranose (CCD ID: GLA) (formula: C₆H₁₂O₆).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
2	A	1	12	6	6	0	1

- Molecule 3 is beta-D-galactopyranose (CCD ID: GAL) (formula: C₆H₁₂O₆).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	1
			12	6	6		

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	207	Total	O	0	0
			207	207		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: L-ARABINOSE-BINDING PROTEIN



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	55.62Å 71.93Å 78.09Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	8.00 – 1.49	Depositor
% Data completeness (in resolution range)	(Not available) (8.00-1.49)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	PROLSQ	Depositor
R, R_{free}	0.175 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	2547	wwPDB-VP
Average B, all atoms (Å ²)	20.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GAL, GLA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.52	11/2361 (0.5%)	1.92	48/3190 (1.5%)

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	203	GLY	N-CA	7.67	1.53	1.45
1	A	250	GLY	N-CA	6.55	1.52	1.45
1	A	216	THR	CB-OG1	5.83	1.53	1.43
1	A	131	ASP	C-O	5.50	1.30	1.24
1	A	157	ASP	C-O	5.47	1.30	1.24
1	A	94	ASN	N-CA	5.47	1.52	1.46
1	A	60	GLY	N-CA	5.46	1.50	1.45
1	A	109	ALA	C-O	5.27	1.29	1.23
1	A	126	GLN	N-CA	5.20	1.52	1.46
1	A	9	VAL	N-CA	5.05	1.52	1.46
1	A	46	THR	CA-CB	5.01	1.61	1.53

All (48) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	79	ARG	CD-NE-CZ	17.93	149.51	124.40
1	A	244	GLN	OE1-CD-NE2	10.15	132.75	122.60
1	A	63	ILE	O-C-N	8.20	132.15	123.05
1	A	105	LEU	CA-C-N	-8.19	112.41	123.14
1	A	105	LEU	C-N-CA	-8.19	112.41	123.14
1	A	79	ARG	NE-CZ-NH1	7.90	129.40	121.50
1	A	125	MET	O-C-N	7.57	129.87	122.07
1	A	105	LEU	O-C-N	7.41	132.31	123.27
1	A	79	ARG	CG-CD-NE	6.92	127.23	112.00
1	A	149	ARG	NE-CZ-NH1	-6.81	114.69	121.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	255	SER	O-C-N	6.75	127.35	121.34
1	A	99	PRO	CA-C-O	-6.71	114.00	121.32
1	A	50	ILE	O-C-N	6.66	128.32	121.87
1	A	79	ARG	NH1-CZ-NH2	-6.30	111.11	119.30
1	A	106	VAL	CA-C-O	6.29	127.00	120.39
1	A	207	SER	O-C-N	6.19	128.68	122.12
1	A	23	PHE	CA-CB-CG	-6.18	107.62	113.80
1	A	103	VAL	CA-C-O	-6.12	114.45	119.47
1	A	44	GLU	O-C-N	6.06	128.31	122.07
1	A	118	GLY	O-C-N	6.05	128.00	122.19
1	A	276	GLU	CA-CB-CG	5.95	126.00	114.10
1	A	270	TRP	O-C-N	5.89	128.45	122.09
1	A	128	ARG	NE-CZ-NH1	-5.86	115.64	121.50
1	A	106	VAL	CB-CA-C	5.83	119.27	110.63
1	A	36	ILE	O-C-N	5.77	129.92	122.77
1	A	166	GLU	O-C-N	-5.76	116.02	122.12
1	A	48	ASN	OD1-CG-ND2	5.73	128.33	122.60
1	A	303	LEU	CA-C-N	5.65	132.48	121.41
1	A	303	LEU	C-N-CA	5.65	132.48	121.41
1	A	299	GLU	CB-CG-CD	5.60	122.12	112.60
1	A	166	GLU	CA-C-O	5.58	126.65	120.63
1	A	290	THR	CA-CB-OG1	-5.53	101.31	109.60
1	A	272	ALA	CA-C-O	-5.48	113.19	119.60
1	A	39	ALA	CA-C-O	-5.44	114.49	120.69
1	A	92	PHE	CA-CB-CG	5.36	119.16	113.80
1	A	187	ASN	CA-CB-CG	-5.33	107.27	112.60
1	A	193	HIS	CA-C-N	5.32	124.99	119.56
1	A	193	HIS	C-N-CA	5.32	124.99	119.56
1	A	144	GLU	CG-CD-OE1	5.24	130.44	118.40
1	A	291	ARG	O-C-N	5.22	128.32	122.22
1	A	106	VAL	N-CA-CB	5.21	118.60	111.41
1	A	297	GLU	CA-C-O	-5.15	114.96	120.42
1	A	150	ARG	CA-CB-CG	-5.12	103.86	114.10
1	A	146	ASP	O-C-N	5.11	127.40	122.09
1	A	79	ARG	CA-CB-CG	5.08	124.27	114.10
1	A	42	ASP	CA-CB-CG	5.04	117.64	112.60
1	A	93	VAL	O-C-N	5.03	128.63	123.04
1	A	283	VAL	CB-CA-C	5.01	117.02	110.96

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2316	0	2328	35	0
2	A	12	0	12	0	0
3	A	12	0	11	0	0
4	A	207	0	0	4	0
All	All	2547	0	2351	35	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (35) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:127:LYS:HZ3	1:A:127:LYS:CB	1.55	1.19
1:A:127:LYS:HB2	1:A:127:LYS:NZ	1.47	1.12
1:A:127:LYS:CB	1:A:127:LYS:NZ	2.07	1.05
1:A:146:ASP:HB2	4:A:462:HOH:O	1.57	1.05
1:A:127:LYS:HZ3	1:A:127:LYS:HB2	0.71	0.83
1:A:3:LEU:HD11	1:A:59:LYS:CG	2.21	0.70
1:A:127:LYS:CB	1:A:127:LYS:HZ2	1.98	0.69
1:A:273:LYS:HB2	1:A:275:VAL:HG23	1.77	0.66
1:A:143:ASN:OD1	1:A:149:ARG:HG3	1.96	0.66
1:A:26:LYS:HA	1:A:29:LYS:HD2	1.79	0.65
1:A:3:LEU:HD11	1:A:59:LYS:HG3	1.78	0.64
1:A:160:LYS:HD3	1:A:166:GLU:HG2	1.80	0.63
1:A:3:LEU:CD1	1:A:59:LYS:CG	2.78	0.61
1:A:43:GLY:HA2	1:A:70:LEU:HD11	1.85	0.59
1:A:3:LEU:CD1	1:A:59:LYS:HG3	2.32	0.58
1:A:304:GLY:C	1:A:306:LYS:H	2.10	0.58
1:A:3:LEU:CD1	1:A:59:LYS:HG2	2.36	0.55
1:A:127:LYS:NZ	1:A:127:LYS:CA	2.70	0.55
1:A:276:GLU:HA	1:A:276:GLU:OE1	2.10	0.51
1:A:201:ILE:HD11	1:A:216:THR:HG21	1.92	0.50
1:A:3:LEU:HD11	1:A:59:LYS:HG2	1.95	0.48
1:A:106:VAL:HB	1:A:281:THR:HB	1.94	0.48
1:A:112:LYS:HD2	1:A:112:LYS:HA	1.59	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:131:ASP:OD2	1:A:133:LYS:HG3	2.14	0.47
1:A:212:GLY:O	1:A:216:THR:HG23	2.14	0.47
1:A:304:GLY:C	1:A:306:LYS:N	2.72	0.46
1:A:160:LYS:HD3	1:A:166:GLU:CG	2.44	0.45
1:A:25:ASP:OD2	1:A:37:LYS:HE3	2.17	0.44
1:A:127:LYS:HD2	4:A:506:HOH:O	2.17	0.44
1:A:43:GLY:CA	1:A:70:LEU:HD11	2.48	0.43
1:A:127:LYS:HZ3	1:A:127:LYS:CA	2.26	0.42
1:A:269:ASN:OD1	1:A:273:LYS:NZ	2.48	0.41
1:A:69:LYS:NZ	4:A:451:HOH:O	2.45	0.41
1:A:134:GLU:HA	4:A:507:HOH:O	2.21	0.41
1:A:144:GLU:H	1:A:144:GLU:CD	2.29	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	303/306 (99%)	294 (97%)	6 (2%)	3 (1%)	12 2

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	232	ASN
1	A	304	GLY
1	A	254	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar

resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	243/246 (99%)	232 (96%)	11 (4%)	24 4

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	37	LYS
1	A	59	LYS
1	A	99	PRO
1	A	106	VAL
1	A	127	LYS
1	A	144	GLU
1	A	167	LYS
1	A	204	MET
1	A	276	GLU
1	A	300	LYS
1	A	301	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	91	GLN
1	A	119	GLN
1	A	244	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	GLA	A	307[A]	-	12,12,12	1.02	0	17,17,17	1.04	1 (5%)
3	GAL	A	308[B]	-	12,12,12	1.97	3 (25%)	17,17,17	1.73	6 (35%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GLA	A	307[A]	-	-	0/2/22/22	0/1/1/1
3	GAL	A	308[B]	-	-	0/2/22/22	0/1/1/1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	308[B]	GAL	C3-C2	-5.21	1.38	1.52
3	A	308[B]	GAL	O3-C3	2.88	1.50	1.43
3	A	308[B]	GAL	C4-C3	2.75	1.59	1.52

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	308[B]	GAL	O3-C3-C2	3.29	118.12	110.38
3	A	308[B]	GAL	O3-C3-C4	-2.75	103.89	110.38
3	A	308[B]	GAL	C4-C3-C2	2.59	115.38	110.83
3	A	308[B]	GAL	C1-O5-C5	-2.31	109.18	113.65
3	A	308[B]	GAL	C1-C2-C3	-2.28	105.71	110.36
3	A	308[B]	GAL	O5-C1-C2	-2.26	106.33	110.30
2	A	307[A]	GLA	O6-C6-C5	-2.14	104.05	111.33

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.