



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 05:22 AM UTC

PDB ID : 3ACO / pdb_00003aco
Title : Crystal structure of the EFC/F-BAR domain of human PACSIN2/Syndapin II (2.7 Å)
Authors : Shimada, A.; Shirouzu, M.; Hanawa-Suetsugu, K.; Terada, T.; Umehara, T.; Suetsugu, S.; Yamamoto, M.; Yokoyama, S.
Deposited on : 2010-01-07
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3538 (2.70-2.70)
Clashscore	190562	3843 (2.70-2.70)
Ramachandran outliers	187476	3778 (2.70-2.70)
Sidechain outliers	187428	3778 (2.70-2.70)
RSRZ outliers	180081	3538 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	350	11% 47% 31% • 19%
1	B	350	9% 45% 33% • 19%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 4983 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Protein kinase C and casein kinase substrate in neurons protein 2.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	284	Total	C	N	O	S	Se	0	0	0
			2354	1481	424	434	5	10			
1	B	284	Total	C	N	O	S	Se	0	0	0
			2354	1481	424	434	5	10			

There are 14 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-6	GLY	-	expression tag	UNP Q9UNF0
A	-5	SER	-	expression tag	UNP Q9UNF0
A	-4	SER	-	expression tag	UNP Q9UNF0
A	-3	GLY	-	expression tag	UNP Q9UNF0
A	-2	SER	-	expression tag	UNP Q9UNF0
A	-1	SER	-	expression tag	UNP Q9UNF0
A	0	GLY	-	expression tag	UNP Q9UNF0
B	-6	GLY	-	expression tag	UNP Q9UNF0
B	-5	SER	-	expression tag	UNP Q9UNF0
B	-4	SER	-	expression tag	UNP Q9UNF0
B	-3	GLY	-	expression tag	UNP Q9UNF0
B	-2	SER	-	expression tag	UNP Q9UNF0
B	-1	SER	-	expression tag	UNP Q9UNF0
B	0	GLY	-	expression tag	UNP Q9UNF0

- Molecule 2 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total	Ca	0	0
			2	2		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	122	Total 122	O 122	0	0
3	B	151	Total 151	O 151	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Protein kinase C and casein kinase substrate in neurons protein 2



- Molecule 1: Protein kinase C and casein kinase substrate in neurons protein 2



LEU
SER
ARG
ARG
GLU
LYS
LYS
LYS
ALA
THR
ASP
GLY
VAL
THR
LEU
THR
GLY
ILE
ASN
GLN
THR
GLY
ASP
GLN
SER
LEU
PRO
SER
SER
LYS
PRO
SER
SER

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	31.61Å 84.65Å 357.33Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	39.88 – 2.70 39.88 – 2.70	Depositor EDS
% Data completeness (in resolution range)	96.2 (39.88-2.70) 96.2 (39.88-2.70)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.16	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.63 (at 2.69Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.226 , 0.279 0.226 , 0.279	Depositor DCC
R_{free} test set	1327 reflections (4.88%)	wwPDB-VP
Wilson B-factor (Å ²)	37.8	Xtriage
Anisotropy	0.349	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 86.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.45$, $\langle L^2 \rangle = 0.28$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	4983	wwPDB-VP
Average B, all atoms (Å ²)	65.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.06% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.39	0/2393	0.87	10/3186 (0.3%)
1	B	0.40	0/2393	0.89	8/3186 (0.3%)
All	All	0.39	0/4786	0.88	18/6372 (0.3%)

There are no bond length outliers.

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	67	ARG	N-CA-C	-6.90	103.84	111.36
1	A	98	LEU	N-CA-C	-6.47	105.25	113.01
1	A	291	GLY	CA-C-N	6.47	126.40	119.28
1	A	291	GLY	C-N-CA	6.47	126.40	119.28
1	B	67	ARG	N-CA-C	-5.93	104.90	111.36
1	A	190	LEU	N-CA-C	-5.68	105.61	112.54
1	B	149	LEU	N-CA-C	-5.64	108.19	114.62
1	B	268	HIS	N-CA-C	-5.61	105.17	111.28
1	B	164	LYS	N-CA-C	-5.56	106.33	114.39
1	A	239	LYS	N-CA-C	-5.52	104.95	110.97
1	A	268	HIS	N-CA-C	-5.29	104.42	112.04
1	A	82	ALA	N-CA-C	-5.23	105.75	111.82
1	B	213	LYS	N-CA-C	-5.20	106.79	113.23
1	B	153	GLU	N-CA-C	-5.17	107.11	113.41
1	B	161	ALA	N-CA-C	-5.11	107.09	113.38
1	B	24	TYR	N-CA-C	-5.11	106.88	113.01
1	A	168	LEU	N-CA-C	-5.08	107.21	113.41
1	A	214	GLU	N-CA-C	-5.03	106.40	112.54

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2354	0	2324	138	0
1	B	2354	0	2324	132	0
2	A	2	0	0	0	0
3	A	122	0	0	4	0
3	B	151	0	0	11	0
All	All	4983	0	4648	254	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 27.

All (254) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:177:LYS:HA	1:A:182:LEU:HD21	1.49	0.94
1:B:211:SER:HA	1:B:214:GLU:HB2	1.55	0.88
1:A:143:LYS:H	1:A:144:PRO:HD2	1.37	0.88
1:A:58:GLN:HG2	1:B:51:ILE:HG12	1.56	0.86
1:B:152:VAL:HG22	1:B:211:SER:HB2	1.58	0.84
1:B:22:GLY:O	1:B:25:LYS:HG2	1.80	0.81
1:A:284:ARG:HG3	1:A:284:ARG:HH11	1.46	0.81
1:A:171:SER:HA	1:A:175:ASN:HD22	1.46	0.80
1:A:117:LYS:HG3	1:A:118:GLU:H	1.46	0.80
1:A:117:LYS:HG3	1:A:118:GLU:N	1.97	0.78
1:B:182:LEU:HD13	1:B:187:LEU:HD21	1.64	0.78
1:A:21:VAL:HA	1:A:142:GLN:NE2	2.00	0.76
1:A:135:GLU:HG3	1:A:139:ARG:HH12	1.52	0.74
1:A:184:PRO:O	1:A:188:LYS:HD3	1.87	0.74
1:A:177:LYS:O	1:A:182:LEU:HD11	1.88	0.73
1:A:20:GLU:HB2	1:A:23:ASN:ND2	2.05	0.71
1:A:135:GLU:HG3	1:A:139:ARG:NH1	2.05	0.71
1:A:166:GLU:HB3	1:A:197:CYS:HB3	1.71	0.71
1:B:243:PHE:O	1:B:247:VAL:HG23	1.90	0.71
1:B:86:PHE:HB2	1:B:87:MSE:HE2	1.72	0.70
1:A:213:LYS:O	1:A:217:GLN:HG2	1.90	0.70
1:A:270:LEU:HD13	1:B:252:GLN:HG2	1.73	0.70

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:122:LYS:HE3	1:A:127:GLY:H	1.55	0.70
1:B:223:MSE:O	1:B:227:GLU:HG2	1.93	0.69
1:B:219:THR:HG23	1:B:220:PRO:HD3	1.74	0.69
1:B:278:ASP:CG	1:B:281:GLU:HG2	2.17	0.69
1:A:172:ARG:O	1:A:190:LEU:HD21	1.94	0.69
1:A:122:LYS:C	1:A:122:LYS:HD3	2.20	0.67
1:A:189:LYS:HA	1:A:192:ASP:OD1	1.95	0.66
1:A:241:LEU:HD22	1:B:79:VAL:HG21	1.77	0.66
1:A:190:LEU:HD12	1:A:193:LYS:HD3	1.76	0.66
1:A:280:VAL:HG12	1:A:284:ARG:NH1	2.12	0.65
1:A:200:ASP:O	1:A:204:THR:HG22	1.96	0.65
1:A:27:THR:HG1	1:A:230:PHE:HE1	1.43	0.65
1:A:177:LYS:HE2	1:A:187:LEU:HD11	1.77	0.65
1:B:225:ASN:O	1:B:228:GLN:HB3	1.97	0.65
1:B:95:GLU:HG2	3:B:468:HOH:O	1.96	0.64
1:A:200:ASP:C	1:A:202:LEU:H	2.03	0.64
1:B:130:GLU:CD	1:B:130:GLU:H	2.06	0.64
1:A:132:LYS:HA	1:A:135:GLU:HB3	1.80	0.64
1:A:159:HIS:C	1:A:161:ALA:H	2.07	0.63
1:A:84:MSE:O	1:A:87:MSE:HG2	2.00	0.62
1:B:173:GLU:O	1:B:177:LYS:HB2	1.99	0.62
1:A:53:LYS:HB2	1:A:101:LYS:HD2	1.81	0.62
1:B:172:ARG:NH2	1:B:193:LYS:HD3	2.14	0.62
1:A:201:VAL:HA	1:A:204:THR:CG2	2.30	0.62
1:B:195:GLU:C	1:B:197:CYS:H	2.06	0.61
1:B:165:GLU:OE2	1:B:168:LEU:HD12	2.00	0.61
1:A:284:ARG:HG3	1:A:284:ARG:NH1	2.14	0.61
1:A:83:TRP:O	1:A:87:MSE:HE3	2.00	0.61
1:B:17:SER:H	1:B:20:GLU:CG	2.14	0.60
1:B:61:GLU:HG2	3:B:423:HOH:O	1.99	0.60
1:B:148:LYS:O	1:B:215:LEU:HD13	2.00	0.60
1:A:135:GLU:CG	1:A:139:ARG:HH12	2.14	0.60
1:A:143:LYS:N	1:A:144:PRO:HD2	2.14	0.60
1:A:201:VAL:HA	1:A:204:THR:HG22	1.82	0.60
1:B:148:LYS:HE2	1:B:214:GLU:HB3	1.84	0.60
1:B:154:ALA:O	1:B:157:LYS:HG2	2.01	0.60
1:B:270:LEU:HD22	1:B:274:ILE:HD11	1.84	0.60
1:B:202:LEU:HD23	1:B:202:LEU:O	2.02	0.60
1:A:156:LYS:HA	1:A:208:TYR:CD2	2.37	0.59
1:B:148:LYS:HD2	1:B:151:GLU:OE1	2.01	0.59
1:A:21:VAL:HA	1:A:142:GLN:HE22	1.67	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:28:VAL:HA	1:B:31:ILE:HD13	1.85	0.59
1:A:164:LYS:O	1:A:164:LYS:HD3	2.03	0.58
1:A:67:ARG:HB2	1:A:67:ARG:NH1	2.17	0.58
1:B:31:ILE:HD12	1:B:31:ILE:H	1.68	0.58
1:A:243:PHE:O	1:A:247:VAL:HG12	2.03	0.58
1:A:168:LEU:HD23	1:A:168:LEU:O	2.02	0.58
1:B:17:SER:H	1:B:20:GLU:HG3	1.69	0.58
1:A:42:MSE:HE3	1:A:113:LYS:HB2	1.86	0.58
1:A:19:TRP:HZ3	1:A:223:MSE:HA	1.69	0.57
1:A:122:LYS:HD3	1:A:123:GLN:N	2.19	0.57
1:B:42:MSE:HE3	1:B:113:LYS:HB2	1.86	0.57
1:A:296:MSE:HE1	1:B:20:GLU:OE1	2.04	0.57
1:B:21:VAL:HA	1:B:142:GLN:NE2	2.20	0.57
1:B:112:ILE:HD11	1:B:247:VAL:HG11	1.86	0.57
1:A:296:MSE:HE3	1:A:296:MSE:HA	1.87	0.57
1:B:298:TRP:HB3	1:B:299:PRO:HD2	1.87	0.57
1:A:86:PHE:HB2	1:A:87:MSE:CE	2.33	0.56
1:B:188:LYS:HA	1:B:191:GLN:NE2	2.20	0.56
1:A:156:LYS:HA	1:A:208:TYR:HD2	1.70	0.56
1:A:19:TRP:CZ3	1:A:223:MSE:HA	2.40	0.56
1:B:83:TRP:O	1:B:87:MSE:HE3	2.06	0.55
1:A:187:LEU:HD23	1:A:187:LEU:O	2.06	0.55
1:A:201:VAL:HG12	1:A:201:VAL:O	2.07	0.55
1:B:183:ASN:HD22	1:B:186:GLN:NE2	2.05	0.55
1:A:204:THR:HG23	1:A:205:LYS:N	2.22	0.54
1:B:20:GLU:O	1:B:21:VAL:C	2.50	0.54
1:A:64:ARG:HD3	3:A:425:HOH:O	2.08	0.54
1:A:129:LYS:HD3	1:A:129:LYS:O	2.07	0.54
1:A:169:ALA:C	1:A:194:ILE:HG22	2.33	0.54
1:B:46:HIS:HA	1:B:105:MSE:HE1	1.89	0.54
1:A:51:ILE:HG12	1:B:58:GLN:HE21	1.72	0.54
1:B:36:ARG:HD3	1:B:36:ARG:C	2.33	0.54
1:B:246:GLU:O	1:B:250:GLU:HG3	2.07	0.54
1:A:296:MSE:HE2	1:A:297:ASN:H	1.73	0.53
1:B:31:ILE:HD12	1:B:31:ILE:N	2.23	0.53
1:B:183:ASN:HD22	1:B:186:GLN:HE21	1.56	0.53
1:B:188:LYS:HE3	1:B:192:ASP:OD2	2.07	0.53
1:A:122:LYS:HE2	1:A:126:GLY:HA2	1.89	0.53
1:B:187:LEU:O	1:B:191:GLN:HG3	2.09	0.53
1:B:219:THR:HG23	1:B:220:PRO:CD	2.39	0.53
1:A:182:LEU:N	1:A:182:LEU:HD12	2.24	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:42:MSE:HE1	1:B:113:LYS:HG3	1.90	0.52
1:B:169:ALA:HB1	1:B:194:ILE:HG12	1.92	0.52
1:B:147:LYS:C	1:B:149:LEU:H	2.17	0.52
1:B:46:HIS:HA	1:B:105:MSE:CE	2.39	0.52
1:B:92:ARG:NH2	1:B:269:ASP:OD2	2.43	0.52
1:B:284:ARG:HG2	1:B:284:ARG:HH11	1.75	0.52
1:A:51:ILE:HG12	1:B:58:GLN:NE2	2.25	0.52
1:B:145:TRP:CZ3	1:B:149:LEU:HD22	2.45	0.52
1:A:156:LYS:HG3	1:A:208:TYR:HE2	1.75	0.52
1:B:264:LYS:HB3	3:B:430:HOH:O	2.09	0.52
1:A:105:MSE:HE2	1:A:105:MSE:HA	1.91	0.51
1:A:192:ASP:HB3	1:A:196:LYS:HE3	1.92	0.51
1:A:192:ASP:O	1:A:196:LYS:HG3	2.10	0.51
1:B:36:ARG:NE	1:B:40:ASP:OD2	2.42	0.51
1:B:49:ALA:HB2	1:B:105:MSE:HE3	1.91	0.51
1:A:217:GLN:HE21	1:A:217:GLN:HA	1.75	0.51
1:A:219:THR:N	1:A:220:PRO:HD2	2.26	0.51
1:B:95:GLU:O	1:B:99:GLU:HG3	2.11	0.51
1:A:270:LEU:HD22	1:A:274:ILE:HD11	1.92	0.51
1:B:179:ASP:O	1:B:182:LEU:HG	2.10	0.51
1:B:188:LYS:C	1:B:190:LEU:H	2.19	0.51
1:B:123:GLN:HE21	1:B:128:PHE:N	2.08	0.51
1:B:161:ALA:O	1:B:165:GLU:HB2	2.11	0.51
1:B:162:ALA:C	1:B:164:LYS:H	2.19	0.51
1:B:194:ILE:HG22	1:B:194:ILE:O	2.11	0.51
1:B:43:ASN:O	1:B:47:GLU:HG3	2.10	0.51
1:B:86:PHE:HB2	1:B:87:MSE:CE	2.39	0.51
1:B:144:PRO:HG2	1:B:145:TRP:H	1.76	0.51
1:A:67:ARG:HB2	1:A:67:ARG:HH11	1.76	0.50
1:A:202:LEU:C	1:A:202:LEU:HD23	2.36	0.50
1:A:296:MSE:HE2	1:A:297:ASN:N	2.25	0.50
1:A:74:PRO:HG2	1:B:37:LEU:HD21	1.91	0.50
1:A:210:LYS:O	1:A:214:GLU:HG3	2.12	0.50
1:B:228:GLN:HA	1:B:228:GLN:HE21	1.76	0.50
1:B:36:ARG:HG3	1:B:36:ARG:HH11	1.76	0.50
1:B:148:LYS:HD3	3:B:412:HOH:O	2.11	0.50
1:B:219:THR:N	1:B:220:PRO:HD2	2.26	0.50
1:A:202:LEU:O	1:A:206:GLU:HG3	2.12	0.49
1:A:46:HIS:NE2	1:A:50:ARG:NH1	2.61	0.49
1:A:159:HIS:C	1:A:161:ALA:N	2.70	0.49
1:A:104:LEU:HD21	1:A:251:VAL:HG13	1.94	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:117:LYS:CG	1:A:118:GLU:N	2.73	0.49
1:B:200:ASP:O	1:B:203:LYS:HB3	2.13	0.49
1:A:200:ASP:C	1:A:202:LEU:N	2.66	0.49
1:A:238:GLU:HB2	1:B:283:LEU:HD11	1.93	0.48
1:B:182:LEU:HB3	1:B:187:LEU:HD21	1.95	0.48
1:A:217:GLN:HA	1:A:217:GLN:NE2	2.29	0.48
1:B:195:GLU:C	1:B:197:CYS:N	2.68	0.48
1:B:103:SER:O	1:B:107:ASP:HB2	2.14	0.48
1:A:87:MSE:N	1:A:87:MSE:HE2	2.29	0.48
1:A:110:GLU:OE1	1:A:113:LYS:HD3	2.14	0.48
1:A:270:LEU:O	1:A:274:ILE:HG13	2.14	0.48
1:B:143:LYS:N	1:B:144:PRO:HD2	2.29	0.48
1:A:132:LYS:O	1:A:133:GLU:C	2.58	0.47
1:A:125:MSE:HG3	1:A:126:GLY:N	2.30	0.47
1:A:247:VAL:O	1:A:251:VAL:HG23	2.15	0.47
1:A:143:LYS:H	1:A:144:PRO:CD	2.17	0.46
1:A:104:LEU:CD2	1:A:251:VAL:HG13	2.46	0.46
1:A:49:ALA:HB1	1:A:101:LYS:HG3	1.97	0.46
1:A:125:MSE:HG3	1:A:126:GLY:H	1.81	0.46
1:B:152:VAL:HG22	1:B:211:SER:CB	2.37	0.46
1:B:176:SER:O	1:B:182:LEU:HD21	2.15	0.46
1:A:189:LYS:O	1:A:192:ASP:HB2	2.14	0.46
1:B:71:GLU:HG3	1:B:84:MSE:HE1	1.97	0.46
1:B:151:GLU:C	1:B:153:GLU:N	2.74	0.46
1:B:278:ASP:OD1	1:B:281:GLU:HG2	2.16	0.46
1:B:141:ALA:HB1	1:B:225:ASN:HB3	1.98	0.46
1:B:197:CYS:O	1:B:201:VAL:HG23	2.15	0.46
1:A:171:SER:O	1:A:175:ASN:HB2	2.16	0.46
1:A:183:ASN:HB2	1:A:186:GLN:CD	2.42	0.45
1:A:183:ASN:HB2	1:A:186:GLN:OE1	2.16	0.45
1:B:42:MSE:HB3	1:B:109:PHE:CE1	2.52	0.45
1:B:173:GLU:C	1:B:173:GLU:CD	2.84	0.45
1:B:229:VAL:O	1:B:232:GLN:HB3	2.17	0.45
1:A:166:GLU:C	1:A:168:LEU:H	2.24	0.45
1:B:219:THR:CG2	1:B:220:PRO:HD3	2.44	0.45
1:A:86:PHE:HB2	1:A:87:MSE:HE3	1.97	0.45
1:B:216:ASP:C	1:B:219:THR:HG22	2.42	0.45
1:B:33:ASP:O	1:B:37:LEU:HG	2.17	0.45
1:A:20:GLU:HB2	1:A:23:ASN:HD22	1.80	0.45
1:A:296:MSE:CE	1:A:297:ASN:H	2.30	0.45
1:B:20:GLU:HB2	1:B:23:ASN:OD1	2.17	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:50:ARG:NH1	3:B:379:HOH:O	2.50	0.45
1:A:58:GLN:NE2	3:A:421:HOH:O	2.49	0.44
1:A:104:LEU:C	1:A:105:MSE:HE2	2.42	0.44
1:A:142:GLN:O	1:A:142:GLN:HG2	2.17	0.44
1:B:188:LYS:HA	1:B:191:GLN:HE21	1.82	0.44
1:A:104:LEU:HA	1:A:108:ASP:OD2	2.17	0.44
1:B:33:ASP:HA	3:B:408:HOH:O	2.17	0.44
1:B:139:ARG:HG2	1:B:139:ARG:HH11	1.83	0.44
1:B:67:ARG:HD2	3:B:386:HOH:O	2.17	0.44
1:A:67:ARG:HH11	1:A:67:ARG:CB	2.30	0.44
1:B:16:ASP:HA	1:B:20:GLU:HG3	2.00	0.44
1:B:245:ARG:HH11	1:B:245:ARG:HG2	1.81	0.44
1:A:18:PHE:CE2	1:B:292:PRO:HG3	2.52	0.43
1:A:117:LYS:CG	1:A:118:GLU:H	2.22	0.43
3:A:421:HOH:O	1:B:51:ILE:HA	2.18	0.43
1:B:275:ARG:C	1:B:277:ALA:N	2.75	0.43
1:A:110:GLU:OE1	1:A:110:GLU:HA	2.19	0.43
1:B:49:ALA:CB	1:B:105:MSE:HE3	2.48	0.43
1:A:172:ARG:O	1:A:176:SER:HB2	2.19	0.43
1:A:177:LYS:HE2	1:A:187:LEU:CD1	2.47	0.43
1:A:41:LEU:O	1:A:45:LEU:HG	2.19	0.43
1:A:143:LYS:N	1:A:144:PRO:CD	2.80	0.43
1:A:155:ALA:O	1:A:208:TYR:HB2	2.19	0.43
1:A:284:ARG:NH1	1:A:284:ARG:CG	2.80	0.43
1:A:287:ARG:CZ	1:A:292:PRO:HB2	2.49	0.43
1:B:87:MSE:O	1:B:91:GLU:HG3	2.19	0.43
1:A:37:LEU:HD13	1:B:75:GLN:OE1	2.18	0.42
1:B:270:LEU:HD22	1:B:274:ILE:CD1	2.49	0.42
1:A:182:LEU:HD12	1:A:182:LEU:H	1.84	0.42
1:A:182:LEU:H	1:A:182:LEU:CD1	2.31	0.42
1:A:252:GLN:CG	1:B:270:LEU:HD13	2.49	0.42
1:A:273:SER:O	1:A:276:ALA:HB3	2.19	0.42
1:A:19:TRP:CZ2	1:B:292:PRO:HB3	2.54	0.42
1:B:140:LYS:HB3	3:B:390:HOH:O	2.20	0.42
1:A:80:GLU:O	1:A:80:GLU:HG2	2.19	0.42
1:A:24:TYR:CD1	1:A:24:TYR:C	2.97	0.42
1:A:53:LYS:HD2	1:A:101:LYS:HE3	2.01	0.42
1:A:156:LYS:C	1:A:158:ALA:H	2.28	0.42
1:B:193:LYS:C	1:B:195:GLU:H	2.28	0.42
1:B:148:LYS:CE	1:B:214:GLU:HB3	2.49	0.42
1:B:17:SER:N	1:B:20:GLU:HG3	2.33	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:105:MSE:O	1:B:109:PHE:HB3	2.20	0.42
1:B:228:GLN:HA	1:B:228:GLN:NE2	2.35	0.42
1:A:20:GLU:OE2	1:B:296:MSE:SE	2.88	0.41
1:A:87:MSE:O	1:A:91:GLU:HG3	2.20	0.41
1:A:171:SER:HA	1:A:175:ASN:ND2	2.24	0.41
1:A:264:LYS:NZ	3:A:441:HOH:O	2.53	0.41
1:A:270:LEU:HD13	1:B:252:GLN:CG	2.46	0.41
1:B:151:GLU:C	1:B:153:GLU:H	2.26	0.41
1:B:152:VAL:O	1:B:152:VAL:HG12	2.21	0.41
1:B:187:LEU:C	1:B:191:GLN:HE21	2.28	0.41
1:A:172:ARG:HH11	1:A:193:LYS:CE	2.34	0.41
1:A:19:TRP:HB2	1:B:296:MSE:HE2	2.03	0.41
1:A:19:TRP:C	1:B:296:MSE:HE2	2.46	0.41
1:A:182:LEU:O	1:A:184:PRO:HD3	2.20	0.41
1:B:148:LYS:O	1:B:148:LYS:HG3	2.20	0.41
1:B:231:GLU:HG3	1:B:235:GLN:HE21	1.85	0.41
1:B:233:CYS:HB3	3:B:349:HOH:O	2.22	0.40
1:B:265:ALA:HA	3:B:446:HOH:O	2.21	0.40
1:A:184:PRO:C	1:A:186:GLN:N	2.76	0.40
1:B:84:MSE:O	1:B:87:MSE:HG2	2.21	0.40
1:B:182:LEU:HD22	1:B:187:LEU:CD2	2.50	0.40
1:B:276:ALA:HB3	3:B:376:HOH:O	2.21	0.40
1:A:173:GLU:O	1:A:177:LYS:HE3	2.22	0.40
1:A:122:LYS:CE	1:A:126:GLY:HA2	2.51	0.40
1:A:183:ASN:HB2	1:A:186:GLN:HG3	2.03	0.40
1:B:32:ASP:O	1:B:33:ASP:C	2.65	0.40
1:B:36:ARG:HG3	1:B:36:ARG:NH1	2.36	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	282/350 (81%)	253 (90%)	26 (9%)	3 (1%)	11	29
1	B	282/350 (81%)	256 (91%)	24 (8%)	2 (1%)	18	41
All	All	564/700 (81%)	509 (90%)	50 (9%)	5 (1%)	14	35

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	21	VAL
1	A	119	ALA
1	A	181	SER
1	A	143	LYS
1	B	144	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	246/292 (84%)	236 (96%)	10 (4%)	27	56
1	B	246/292 (84%)	239 (97%)	7 (3%)	38	68
All	All	492/584 (84%)	475 (96%)	17 (4%)	32	61

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	58	GLN
1	A	87	MSE
1	A	99	GLU
1	A	122	LYS
1	A	130	GLU
1	A	221	GLN
1	A	228	GLN
1	A	257	LEU
1	A	270	LEU
1	A	296	MSE
1	B	36	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	87	MSE
1	B	130	GLU
1	B	133	GLU
1	B	173	GLU
1	B	253	LYS
1	B	270	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (24) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	121	HIS
1	A	123	GLN
1	A	159	HIS
1	A	175	ASN
1	A	217	GLN
1	A	225	ASN
1	A	228	GLN
1	A	232	GLN
1	A	259	ASN
1	A	272	GLN
1	B	46	HIS
1	B	58	GLN
1	B	116	GLN
1	B	123	GLN
1	B	175	ASN
1	B	183	ASN
1	B	186	GLN
1	B	191	GLN
1	B	217	GLN
1	B	228	GLN
1	B	232	GLN
1	B	235	GLN
1	B	290	HIS
1	B	297	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	274/350 (78%)	0.71	38 (13%) 6 5	10, 54, 166, 190	0
1	B	274/350 (78%)	0.44	32 (11%) 9 7	9, 42, 156, 196	0
All	All	548/700 (78%)	0.57	70 (12%) 7 6	9, 48, 159, 196	0

All (70) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	259	ASN	5.2
1	A	297	ASN	4.6
1	B	158	ALA	4.6
1	A	144	PRO	4.0
1	A	202	LEU	3.9
1	A	208	TYR	3.8
1	B	169	ALA	3.8
1	B	299	PRO	3.5
1	B	208	TYR	3.4
1	B	187	LEU	3.3
1	A	194	ILE	3.3
1	B	197	CYS	3.2
1	A	299	PRO	3.1
1	A	219	THR	3.1
1	B	166	GLU	3.0
1	A	298	TRP	3.0
1	A	228	GLN	2.9
1	A	184	PRO	2.8
1	A	123	GLN	2.8
1	A	145	TRP	2.8
1	A	182	LEU	2.8
1	A	166	GLU	2.7
1	B	159	HIS	2.7
1	A	232	GLN	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	16	ASP	2.7
1	B	227	GLU	2.6
1	A	204	THR	2.6
1	B	272	GLN	2.6
1	B	182	LEU	2.6
1	B	177	LYS	2.6
1	A	197	CYS	2.6
1	B	217	GLN	2.6
1	A	121	HIS	2.6
1	A	259	ASN	2.5
1	A	157	LYS	2.5
1	B	228	GLN	2.5
1	A	187	LEU	2.4
1	B	212	LEU	2.4
1	A	160	HIS	2.4
1	B	298	TRP	2.4
1	B	196	LYS	2.4
1	A	153	GLU	2.4
1	A	162	ALA	2.3
1	A	215	LEU	2.3
1	B	172	ARG	2.3
1	A	178	ALA	2.3
1	A	224	GLU	2.3
1	B	160	HIS	2.3
1	B	218	GLY	2.3
1	A	170	ILE	2.2
1	A	181	SER	2.2
1	A	159	HIS	2.2
1	A	129	LYS	2.2
1	A	19	TRP	2.1
1	B	183	ASN	2.1
1	B	199	GLN	2.1
1	B	190	LEU	2.1
1	B	170	ILE	2.1
1	A	212	LEU	2.1
1	B	194	ILE	2.1
1	A	26	ARG	2.1
1	B	155	ALA	2.1
1	B	180	PRO	2.1
1	A	272	GLN	2.1
1	A	137	GLY	2.1
1	A	295	ALA	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	174	ALA	2.0
1	B	133	GLU	2.0
1	B	219	THR	2.0
1	A	183	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	CA	A	400	1/1	0.83	0.11	57,57,57,57	0
2	CA	A	401	1/1	0.92	0.08	58,58,58,58	0

6.5 Other polymers [i](#)

There are no such residues in this entry.