



wwPDB EM Validation Summary Report ⓘ

Jun 19, 2026 – 02:32 am BST

PDB ID : 7ACR / pdb_00007acr
EMDB ID : EMD-11718
Title : Structure of post-translocated trans-translation complex on E. coli stalled ribosome.
Authors : Guyomar, C.; D'Urso, G.; Chat, S.; Giudice, E.; Gillet, R.
Deposited on : 2020-09-11
Resolution : 3.44 Å(reported)
Based on initial model : 4YBB

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev132
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDb archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY


The reported resolution of this entry is 3.44 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.













Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
RNA backbone	8273	3508	-
Q-score	-	25397	13877 (2.94 - 3.94)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	1	2903	
2	2	1534	
3	3	120	










Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	4	363	
5	5	150	
6	A	76	
7	B	271	
8	C	209	
9	D	201	
10	E	177	
11	F	175	
12	G	149	
13	J	142	
14	K	123	
15	L	144	
16	M	136	
17	N	119	
18	O	116	
19	P	114	
20	Q	117	
21	R	103	
22	S	110	
23	T	94	
24	U	103	
25	V	94	
26	W	2	
27	X	77	
28	Y	62	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
29	Z	58	
30	a	65	
31	b	56	
32	c	52	
33	d	46	
34	e	64	
35	f	38	
36	g	225	
37	h	212	
38	i	205	
39	j	156	
40	k	104	
41	l	151	
42	m	129	
43	n	127	
44	o	99	
45	p	117	
46	q	122	
47	r	112	
48	s	100	
49	t	88	
50	u	82	
51	v	80	
52	w	67	
53	x	83	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
54	y	86	 85%15%
55	z	70	 80%19%.

2 Entry composition

There are 57 unique types of molecules in this entry. The entry contains 151668 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	1	2903	Total	C	N	O	P	0	0
			62335	27816	11470	20147	2902		

- Molecule 2 is a RNA chain called 16S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	2	1534	Total	C	N	O	P	0	0
			32927	14693	6041	10660	1533		

- Molecule 3 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	3	120	Total	C	N	O	P	0	0
			2569	1144	468	837	120		

- Molecule 4 is a RNA chain called transfer-messenger RNA (tmRNA).

Mol	Chain	Residues	Atoms					AltConf	Trace
4	4	363	Total	C	N	O	P	0	0
			7755	3466	1410	2518	361		

- Molecule 5 is a protein called SsrA-binding protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	5	150	Total	C	N	O	S	0	0
			1209	763	226	216	4		

- Molecule 6 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	A	76	Total	C	N	O	S	0	0
			582	360	117	104	1		

- Molecule 7 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	B	271	Total	C	N	O	S	0	0
			2082	1288	423	364	7		

- Molecule 8 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	C	209	Total	C	N	O	S	0	0
			1565	979	288	294	4		

- Molecule 9 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	D	201	Total	C	N	O	S	0	0
			1552	974	283	290	5		

- Molecule 10 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	E	177	Total	C	N	O	S	0	0
			1410	899	249	256	6		

- Molecule 11 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	F	175	Total	C	N	O	S	0	0
			1313	826	241	244	2		

- Molecule 12 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	G	149	Total	C	N	O	S	0	0
			1110	699	197	213	1		

- Molecule 13 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	J	142	Total	C	N	O	S	0	0
			1129	714	212	199	4		

- Molecule 14 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	K	123	Total	C	N	O	S	0	0
			946	593	181	166	6		

- Molecule 15 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	L	144	Total	C	N	O	S	0	0
			1053	654	207	190	2		

- Molecule 16 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	M	136	Total	C	N	O	S	0	0
			1075	686	205	178	6		

- Molecule 17 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	N	119	Total	C	N	O	S	0	0
			951	588	195	163	5		

- Molecule 18 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms				AltConf	Trace
18	O	116	Total	C	N	O	0	0
			892	552	178	162		

- Molecule 19 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	P	114	Total	C	N	O	S	0	0
			917	574	179	163	1		

- Molecule 20 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms				AltConf	Trace
20	Q	117	Total	C	N	O	0	0
			947	604	192	151		

- Molecule 21 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	R	103	Total	C	N	O	S	0	0
			816	516	153	145	2		

- Molecule 22 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	S	110	Total	C	N	O	S	0	0
			857	532	166	156	3		

- Molecule 23 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	T	94	Total	C	N	O	S	0	0
			746	470	140	134	2		

- Molecule 24 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	U	103	Total	C	N	O		0	0
			788	498	148	142			

- Molecule 25 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	V	94	Total	C	N	O	S	0	0
			753	479	137	134	3		

- Molecule 26 is a protein called Nascent peptide.

Mol	Chain	Residues	Atoms				AltConf	Trace
26	W	2	Total	C	N	O	0	0
			16	12	2	2		

- Molecule 27 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	X	77	Total	C	N	O	S	0	0
			625	388	129	106	2		

- Molecule 28 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	Y	62	Total	C	N	O	S	0	0
			501	308	98	94	1		

- Molecule 29 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	Z	58	Total	C	N	O	S	0	0
			448	281	87	78	2		

- Molecule 30 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	a	65	Total	C	N	O	S	0	0
			514	317	98	93	6		

- Molecule 31 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	b	56	Total	C	N	O	S	0	0
			444	269	94	80	1		

- Molecule 32 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms				AltConf	Trace
32	c	52	Total	C	N	O	0	0
			426	275	78	73		

- Molecule 33 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	d	46	Total	C	N	O	S	0	0
			377	228	90	57	2		

- Molecule 34 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	e	64	Total	C	N	O	S	0	0
			504	323	105	74	2		

- Molecule 35 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	f	38	Total	C	N	O	S	0	0
			302	185	65	48	4		

- Molecule 36 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	g	225	Total	C	N	O	S	0	0
			1760	1113	316	323	8		

- Molecule 37 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	h	212	Total	C	N	O	S	0	0
			1658	1049	311	294	4		

- Molecule 38 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	i	205	Total	C	N	O	S	0	0
			1643	1026	315	298	4		

- Molecule 39 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	j	156	Total	C	N	O	S	0	0
			1152	717	217	212	6		

- Molecule 40 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	k	104	Total	C	N	O	S	0	0
			848	536	153	152	7		

- Molecule 41 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	l	151	Total	C	N	O	S	0	0
			1181	735	227	215	4		

- Molecule 42 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	m	129	Total	C	N	O	S	0	0
			979	616	173	184	6		

- Molecule 43 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	n	127	Total	C	N	O	S	0	0
			1022	634	206	179	3		

- Molecule 44 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	o	99	Total	C	N	O	S	0	0
			790	495	151	143	1		

- Molecule 45 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	p	117	Total	C	N	O	S	0	0
			877	540	174	160	3		

- Molecule 46 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	q	122	Total	C	N	O	S	0	0
			951	588	195	163	5		

- Molecule 47 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	r	112	Total	C	N	O	S	0	0
			867	535	175	154	3		

- Molecule 48 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	s	100	Total	C	N	O	S	0	0
			805	499	164	139	3		

- Molecule 49 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	t	88	Total	C	N	O	S	0	0
			714	439	144	130	1		

- Molecule 50 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	u	82	Total	C	N	O	S	0	0
			649	406	128	114	1		

- Molecule 51 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	v	80	Total	C	N	O	S	0	0
			648	411	121	113	3		

- Molecule 52 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	w	67	Total	C	N	O	S	0	0
			553	350	104	98	1		

- Molecule 53 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	x	83	Total	C	N	O	S	0	0
			663	424	126	111	2		

- Molecule 54 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	y	86	Total	C	N	O	S	0	0
			669	414	138	114	3		

- Molecule 55 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	z	70	Total	C	N	O	S	0	0
			589	366	125	97	1		

- Molecule 56 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
56	1	172	Total 172	Mg 172	0
56	2	31	Total 31	Mg 31	0
56	3	3	Total 3	Mg 3	0
56	C	1	Total 1	Mg 1	0
56	O	1	Total 1	Mg 1	0
56	Q	1	Total 1	Mg 1	0
56	b	1	Total 1	Mg 1	0
56	d	1	Total 1	Mg 1	0
56	h	1	Total 1	Mg 1	0


- Molecule 57 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
57	a	1	Total 1	Zn 1	0
57	f	1	Total 1	Zn 1	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: 23S ribosomal RNA




C1881	C1882	C1883	C1884	C1888	A1889	A1900	A1901	C1902	G1906	G1907	A1911	A1912	A1913	A1914	3TD1915	A1916	A1917	A1918	A1919	A1920	G1921	G1922	G1923	G1924	A1927	A1928	G1929	G1930	A1936	A1937	A1938	U1939	C1940	C1941	C1942	U1943	U1944	G1945	U1946	C1947	G1948	A1952	A1953	G1954	U1955	U1956	C1962	U1963	A1966																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
G1721	A1722	G1723	G1724	U1725	G1726	C1727	C1728	U1729	U1730	G1731	U1736	G1737	G1739	A1746	U1747	U1751	C1752	G1753	A1754	G1755	G1756	A1757	U1758	G1759	C1760	C1761	G1762	G1763	C1764	C1771	A1772	A1773	G1774	U1775	U1779	A1780	U1781	U1782	A1783	A1784	C1788	A1789	C1790	A1791	A1794	C1795	U1796	G1797	U1798	G1799	C1800	A1801																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
A1641	G1645	C1646	U1647	U1648	G1649	A1650	A1654	A1655	C1656	G1659	A1664	A1665	G1666	G1667	A1668	A1669	C1670	G1671	A1672	G1673	G1674	C1675	A1676	A1677	G1681	G1682	U1683	G1684	U1688	A1689	A1690	G1696	G1697	U1698	U1699	G1703	C1704	A1705	U1709	G1710	A1711	U1712	A1713	U1716	A1717	C1800	A1801																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
C1550	A1551	C1558	U1559	G1560	C1561	U1562	U1563	C1564	C1565	A1566	G1567	C1568	A1569	A1570	A1571	A1572	C1575	U1576	C1577	A1580	C1582	A1583	U1584	C1585	A1586	G1587	U1588	U1589	A1590	A1591	C1592	A1593	U1594	C1595	A1596	A1597	A1598	C1604	C1607	A1608	A1609	A1610	C1615	A1618	U1619	A1622	A1623	A1624	A1625	A1626	A1627	A1628	A1629	A1630	A1631	A1632	A1633	A1634	A1635	A1636	A1637	A1638	A1639	A1640	A1641	A1642	A1643	A1644	A1645	A1646	A1647	A1648	A1649	A1650	A1651	A1652	A1653	A1654	A1655	A1656	A1657	A1658	A1659	A1660	A1661	A1662	A1663	A1664	A1665	A1666	A1667	A1668	A1669	A1670	A1671	A1672	A1673	A1674	A1675	A1676	A1677	A1678	A1679	A1680	A1681	A1682	A1683	A1684	A1685	A1686	A1687	A1688	A1689	A1690	A1691	A1692	A1693	A1694	A1695	A1696	A1697	A1698	A1699	A1700	A1701	A1702	A1703	A1704	A1705	A1706	A1707	A1708	A1709	A1710	A1711	A1712	A1713	A1714	A1715	A1716	A1717	A1718	A1719	A1720	A1721	A1722	A1723	A1724	A1725	A1726	A1727	A1728	A1729	A1730	A1731	A1732	A1733	A1734	A1735	A1736	A1737	A1738	A1739	A1740	A1741	A1742	A1743	A1744	A1745	A1746	A1747	A1748	A1749	A1750	A1751	A1752	A1753	A1754	A1755	A1756	A1757	A1758	A1759	A1760	A1761	A1762	A1763	A1764	A1765	A1766	A1767	A1768	A1769	A1770	A1771	A1772	A1773	A1774	A1775	A1776	A1777	A1778	A1779	A1780	A1781	A1782	A1783	A1784	A1785	A1786	A1787	A1788	A1789	A1790	A1791	A1792	A1793	A1794	A1795	A1796	A1797	A1798	A1799	A1800	A1801																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
A1802	A1805	C1806	A1807	A1808	A1809	A1810	G1811	U1812	G1813	C1814	G1817	U1818	G1824	U1825	G1826	U1827	G1828	A1829	C1830	C1831	G1832	C1833	U1834	G1835	C1836	C1837	C1838	G1839	C1843	C1844	G1845	A1848	A1854	G1857	A1858	U1859	G1860	G1861	G1862	U1864	U1865	A1866	G1867	C1868	U1869	C1870	A1871	A1872	G1873	A1874	A1875	A1876	A1877	A1878	A1879	A1880	A1881	A1882	A1883	A1884	A1885	A1886	A1887	A1888	A1889	A1890	A1891	A1892	A1893	A1894	A1895	A1896	A1897	A1898	A1899	A1900	A1901	A1902	A1903	A1904	A1905	A1906	A1907	A1908	A1909	A1910	A1911	A1912	A1913	A1914	A1915	A1916	A1917	A1918	A1919	A1920	A1921	A1922	A1923	A1924	A1925	A1926	A1927	A1928	A1929	A1930	A1931	A1932	A1933	A1934	A1935	A1936	A1937	A1938	A1939	A1940	A1941	A1942	A1943	A1944	A1945	A1946	A1947	A1948	A1949	A1950	A1951	A1952	A1953	A1954	A1955	A1956	A1957	A1958	A1959	A1960	A1961	A1962	A1963	A1964	A1965	A1966	A1967	A1968	A1969	A1970	A1971	A1972	A1973	A1974	A1975	A1976	A1977	A1978	A1979	A1980	A1981	A1982	A1983	A1984	A1985	A1986	A1987	A1988	A1989	A1990	A1991	A1992	A1993	A1994	A1995	A1996	A1997	A1998	A1999	A2000	A2001	A2002	A2003	A2004	A2005	A2006	A2007	A2008	A2009	A2010	A2011	A2012	A2013	A2014	A2015	A2016	A2017	A2018	A2019	A2020	A2021	A2022	A2023	A2024	A2025	A2026	A2027	A2028	A2029	A2030	A2031	A2032	A2033	A2034	A2035	A2036	A2037	A2038	A2039	A2040	A2041	A2042	A2043	A2044	A2045	A2046	A2047	A2048	A2049	A2050	A2051	A2052	A2053	A2054	A2055	A2056	A2057	A2058	A2059	A2060	A2061	A2062	A2063	A2064	A2065	A2066	A2067	A2068	A2069	A2070	A2071	A2072	A2073	A2074	A2075	A2076	A2077	A2078	A2079	A2080	A2081	A2082	A2083	A2084	A2085	A2086	A2087	A2088	A2089	A2090	A2091	A2092	A2093	A2094	A2095	A2096	A2097	A2098	A2099	A2100	A2101	A2102	A2103	A2104	A2105	A2106	A2107	A2108	A2109	A2110	A2111	A2112	A2113	A2114	A2115	A2116	A2117	A2118	A2119	A2120	A2121	A2122	A2123	A2124	A2125	A2126	A2127	A2128	A2129	A2130	A2131	A2132	A2133	A2134	A2135	A2136	A2137	A2138	A2139	A2140	A2141	A2142	A2143	A2144	A2145	A2146	A2147	A2148	A2149	A2150	A2151	A2152	A2153	A2154	A2155	A2156	A2157	A2158	A2159	A2160	A2161	A2162	A2163	A2164	A2165	A2166	A2167	A2168	A2169	A2170	A2171	A2172	A2173	A2174	A2175	A2176	A2177	A2178	A2179	A2180	A2181	A2182	A2183	A2184	A2185	A2186	A2187	A2188	A2189	A2190	A2191	A2192	A2193	A2194	A2195	A2196	A2197	A2198	A2199	A2200	A2201	A2202	A2203	A2204	A2205	A2206	A2207	A2208	A2209	A2210	A2211	A2212	A2213	A2214	A2215	A2216	A2217	A2218	A2219	A2220	A2221	A2222	A2223	A2224	A2225	A2226	A2227	A2228	A2229	A2230	A2231	A2232	A2233	A2234	A2235	A2236	A2237	A2238	A2239	A2240	A2241	A2242	A2243	A2244	A2245	A2246	A2247	A2248	A2249	A2250	A2251	A2252	A2253	A2254	A2255	A2256	A2257	A2258	A2259	A2260	A2261	A2262	A2263	A2264	A2265	A2266	A2267	A2268	A2269	A2270	A2271	A2272	A2273	A2274	A2275	A2276	A2277	A2278	A2279	A2280	A2281	A2282	A2283	A2284	A2285	A2286	A2287	A2288	A2289	A2290	A2291	A2292	A2293	A2294	A2295	A2296	A2297	A2298	A2299	A2300	A2301	A2302	A2303	A2304	A2305	A2306	A2307	A2308	A2309	A2310	A2311	A2312	A2313	A2314	A2315	A2316	A2317	A2318	A2319	A2320	A2321	A2322	A2323	A2324	A2325	A2326	A2327	A2328	A2329	A2330	A2331	A2332	A2333	A2334	A2335	A2336	A2337	A2338	A2339	A2340	A2341	A2342	A2343	A2344	A2345	A2346	A2347	A2348	A2349	A2350	A2351	A2352	A2353	A2354	A2355	A2356	A2357	A2358	A2359	A2360	A2361	A2362	A2363	A2364	A2365	A2366	A2367	A2368	A2369	A2370	A2371	A2372	A2373	A2374	A2375	A2376	A2377	A2378	A2379	A2380	A2381	A2382	A2383	A2384	A2385	A2386	A2387	A2388	A2389	A2390	A2391	A2392	A2393	A2394	A2395	A2396	A2397	A2398	A2399	A2400	A2401	A2402	A2403	A2404	A2405	A2406	A2407	A2408	A2409	A2410	A2411	A2412	A2413	A2414	A2415	A2416	A2417	A2418	A2419	A2420	A2421	A2422	A2423	A2424	A2425	A2426	A2427	A2428	A2429	A2430	A2431	A2432	A2433	A2434	A2435	A2436	A2437	A2438	A2439	A2440	A2441	A2442	A2443	A2444	A2445	A2446	A2447	A2448	A2449	A2450	A2451	A2452	A2453	A2454	A2455	A2456	A2457	A2458	A2459	A2460	A2461	A2462	A2463	A2464	A2465	A2466	A2467	A2468	A2469	A2470	A2471	A2472	A2473	A2474	A2475	A2476	A2477	A2478	A2479	A2480	A2481	A2482	A2483	A2484	A2485	A2486	A2487	A2488	A2489	A2490	A2491	A2492	A2493	A2494	A2495	A2496	A2497	A2498	A2499	A2500	A2501	A2502	A2503	A2504	A2505	A2506	A2507	A2508	A2509	A2510	A2511	A2512	A2513	A2514	A2515	A2516	A2517	A2518	A2519	A2520	A2521	A2522	A2523	A2524	A2525	A2526	A2527	A2528	A2529	A2530	A2531	A2532	A2533	A2534	A2535	A2536	A2537	A2538	A2539	A2540	A2541	A2542	A2543	A2544	A2545	A2546	A2547	A2548	A2549	A2550	A2551	A2552	A2553	A2554	A2555	A2556	A2557	A2558	A2559	A2560	A2561	A2562	A2563	A2564	A2565	A2566	A2567	A2568	A2569	A2570	A2571	A2572	A2573	A2574	A2575	A2576	A2577	A2578	A2579	A2580	A2581	A2582	A2583	A2584	A2585	A2586	A2587	A2588	A2589	A2590	A2591	A2592	A2593	A2594	A2595	A2596	A2597	A2598	A2599	A2600	A2601	A2602	A2603	A2604	A2605	A2606	A2607	A2608	A2609	A2610	A2611	A2612	A2613	A2614	A2615	A2616	A2617	A2618	A2619	A2620	A2621	A2622	A2623	A2624	A2625	A2626	A2627	A2628	A2629	A2630	A2631	A2632	A2633	A2634	A2635	A2636	A2637	A2638	A2639	A2640	A2641	A2642	A2643	A2644	A2645	A2646	A2647	A2648	A2649	A2650	A2651	A2652	A2653	A2654	A2655	A2656	A2657	A2658	A2659	A2660	A2661	A2662	A2663	A2664	A2665	A2666	A2667	A2668	A2669	A2670	A2671	A2672	A2673	A2674	A2675	A2676	A2677	A2678	A2679	A2680	A2681	A2682	A2683	A2684	A2685	A2686	A2687	A2688	A2689	A2690	A2691	A2692	A2693	A2694	A2695	A2696	A2697	A2698	A2699	A2700	A2701	A2702	A2703	A2704	A2705	A2706	A2707	A2708	A2709	A2710	A2711	A2712	A2713	A2714	A2715	A2716	A2717	A2718	A2719	A2720	A2721	A2722	A2723	A2724	A2725	A2726	A2727	A2728	A2729	A2730	A2731	A2732	A2733	A2734	A2735	A2736	A2737	A2738	A2739	A2740	A2741	A2742	A2743	A2744	A2745	A2746	A2747	A2748	A2749	A2750	A2751	A2752	A2753	A2754	A2755	A2756	A2757	A2758	A2759	A2760	A2761	A2762	A2763	A2764	A2765	A2766	A2767	A2768	A2769	A2770	A2771	A2772	A2773	A2774	A2775	A2776	A2777	A2778	A2779	A2780	A2781	A2782	A2783	A2784	A2785	A2786	A2787	A2788	A2789	A2790	A2791	A2792	A2793	A2794	A2795	A2796	A2797	A2798	A2799	A28




• Molecule 2: 16S ribosomal RNA


Chain 2:




U1148	U1083	C1011	C948	G849	G745	U677	U562	C489	A414	G346	C260	A181	U84
C1149	U1084	A1012	A949	U850	A746	A681	A563	C490	C419	G347	U261	A182	U85
A1150	G1084	G1013	U950	G851	A747	G682	C491	C492	U420	G351	A262	C183	G86
A1151	U1085	A1014	G951	G852	A748	G683	U565	A493	U421	G352	A263	G184	C87
C1223	U1086	G1015	G952	G853	A749	G684	G570	A496	U422	C353	G265	U88	U88
A1152	A1016	A1016	G953	A860	C750	U684	U571	A497	G423	C354	G266	C194	U91
G1153	G1087	U1017	G954	G861	U751	G685	A572	G497	G424	C355	U267	U92	U92
G1154	U1088	G1018	U955	A865	G752	U686	A573	C501	G425	A356	U268	G94	G94
A1155	G1089	A1019	U956	C866	G755	G687	A574	C502	G428	U357	C269	C95	C95
G1156	U1090	G1020	U957	C867	C756	C689	G575	C503	U429	U358	G270	G200	G200
A1157	A1091	A1021	A958	C868	U757	U692	G576	G509	A430	G360	C271	G202	G202
C1228	G1092	G1022	A959	C869	C758	G693	G577	A509	G433	G361	U272	G203	G203
A1158	A1093	U1023	U960	G899	U759	G694	C578	A510	U434	G362	U273	G204	G204
G1159	G1094	G1024	U961	A873	G763	A694	A579	C511	U435	U365	G278	G102	G102
U1160	U1095	U1025	G966	G874	C764	A695	C582	C514	A366	U367	G281	U103	U103
G1161	C1096	G1026	C967	G875	G765	U697	G590	G515	U370	C370	C285	G104	G104
A1162	U1097	C1027	A968	A878	A777	G700	G591	U516	U437	C371	C286	G105	G105
C1233	C1098	G1028	G969	C879	G778	U701	G592	U517	C440	A372	C287	G107	G107
U1163	A1101	U1029	C970	C880	C779	A702	G600	C518	A441	C373	G288	G108	G108
A1167	U1102	U1030	G971	G881	G780	A781	G601	C519	G447	A374	U284	A120	A120
C1237	C1103	G1032	C972	U884	C781	G782	A602	C520	U448	U375	C289	U121	U121
A1168	G1107	G1033	G973	G885	A783	G783	G602	C521	G449	G376	C290	G126	G126
U1169	C1108	A1034	A974	A889	G786	U707	U605	C524	C450	C377	U296	U219	U219
A1170	U1109	A1035	G976	G898	A787	G709	A607	C525	A451	C378	C297	G220	G220
G1241	A1110	U1040	A977	G899	G788	U710	U610	C526	A452	C379	U298	A131	A131
G1242	C1114	G1041	C979	A901	A792	G711	A621	C527	A453	C380	A299	C136	C136
C1243	U1115	A1042	G980	G901	A793	G712	U625	C528	A461	C381	A300	U137	U137
A1171	A1116	G1043	U981	A902	A794	A713	G626	C529	U463	C382	A301	G138	G138
G1175	U1117	A1044	U982	U911	C795	G714	U627	G530	U464	A389	U317	A139	A139
A1176	C1118	G1045	A983	C912	C796	A715	U633	G531	A465	U390	G318	G146	G146
G1177	U1119	A1046	C984	A913	C797	A716	C634	G532	A466	G391	G319	G147	G147
C1244	C1120	U1050	G985	A914	C806	U717	A635	A533	U467	C392	A320	G148	G148
A1188	U1121	G1051	U986	G917	A807	U718	G639	C536	U468	A393	A321	A149	A149
U1189	U1122	C1052	G987	A918	G812	C719	A640	G537	U469	C469	C322	U150	U150
G1190	G1123	G1053	U988	A919	A815	G720	U641	G538	A465	U470	U323	A151	A151
A1191	U1124	C1054	C990	U920	A816	G721	U653	G539	A466	G406	G324	A152	A152
C1259	U1125	G1055	U991	U921	C817	U722	G656	C540	U467	C401	A325	A155	A155
G1260	C1128	U1056	U992	G922	C817	U723	U662	G544	U468	U476	G326	U245	U245
A1196	U1129	G1057	U993	A923	C823	G724	U663	C545	A469	C402	A327	U246	U246
A1197	C1130	U1060	G994	C924	G824	A728	U664	A546	C470	C403	A328	G247	G247
G1198	U1133	G1061	C995	G925	A825	G731	U665	A547	G474	U405	G329	A160	A160
U1199	G1134	U1062	U997	G926	C826	C732	G657	G548	C475	G406	A329	A161	A161
C1265	U1135	G1064	C998	G933	U827	G733	U668	G551	U476	U407	G332	C169	C169
G1266	C1137	U1065	U999	C934	U828	G734	U669	G552	C477	U408	U333	U252	U252
A1201	G1138	G1068	A995	A935	G836	G735	U672	U553	A478	U409	G334	A253	A253
C1269	U1139	C1071	G1000	G939	U837	C736	A673	A554	G481	U410	C335	G254	G254
A1204	C1140	G1072	U1004	G941	C841	C737	G674	G555	A482	U411	C336	A171	A171
U1205	U1141	U1073	A1005	G942	U842	C738	A675	G557	G483	G410	C337	U256	U256
G1206	G1142	G1074	U1006	U943	U843	C739	G676	G558	G484	A411	A338	G257	G257
C1207	U1143	G1075	G1007	G944	G844	U740	A677	A559	U485	A412	G345	U180	U180
A1208	U1144	G1076	U1008	G945	G845	G741	G678	A560	U486	G413	C345		
C1281	A1145	G1077	U1009	A946	A846	G742	A679	A561	U487				
G1282	C1146	U1077	U1010	G947	G846	A743	A676	U561	C488				
U1283	U1147	A1080				C744	A676						
A1287													



- Molecule 3: 5S ribosomal RNA




- Molecule 4: transfer-messenger RNA (tmRNA)



- Molecule 5: SsrA-binding protein






• Molecule 6: 50S ribosomal protein L27

Chain A: 74% 25%




• Molecule 7: 50S ribosomal protein L2

Chain B: 72% 27%




• Molecule 8: 50S ribosomal protein L3

Chain C: 75% 21%




• Molecule 9: 50S ribosomal protein L4

Chain D: 80% 20%




• Molecule 10: 50S ribosomal protein L5


Chain E: 62% 37%




• Molecule 11: 50S ribosomal protein L6




• Molecule 12: 50S ribosomal protein L9




• Molecule 13: 50S ribosomal protein L13



• Molecule 14: 50S ribosomal protein L14




• Molecule 15: 50S ribosomal protein L15





- Molecule 16: 50S ribosomal protein L16

Chain M: 71% 29%



- Molecule 17: 50S ribosomal protein L17

Chain N: 75% 25%



- Molecule 18: 50S ribosomal protein L18

Chain O: 73% 26%




- Molecule 19: 50S ribosomal protein L19

Chain P: 83% 16%



- Molecule 20: 50S ribosomal protein L20

Chain Q: 85% 15%




- Molecule 21: 50S ribosomal protein L21

Chain R: 75% 24%




- Molecule 22: 50S ribosomal protein L22

Chain S:  74% 26%



- Molecule 23: 50S ribosomal protein L23

Chain T:  77% 23%



- Molecule 24: 50S ribosomal protein L24

Chain U:  81% 17% .




- Molecule 25: 50S ribosomal protein L25

Chain V:  79% 21%



- Molecule 26: Nascent peptide

Chain W:  100%




- Molecule 27: 50S ribosomal protein L28

Chain X:  81% 19%



- Molecule 28: 50S ribosomal protein L29

Chain Y:  68% 32%



- Molecule 29: 50S ribosomal protein L30

Chain Z:  71% 28%



- Molecule 30: 50S ribosomal protein L31

Chain a:  31% 66% 26% 8%



- Molecule 31: 50S ribosomal protein L32

Chain b:  79% 21%



- Molecule 32: 50S ribosomal protein L33

Chain c:  79% 17%



- Molecule 33: 50S ribosomal protein L34

Chain d:  80% 20%




- Molecule 34: 50S ribosomal protein L35

Chain e:  73% 19% 8%




- Molecule 35: 50S ribosomal protein L36

Chain f:  68% 29%




- Molecule 36: 30S ribosomal protein S2

Chain g:  72% 26% .




- Molecule 37: 30S ribosomal protein S3

Chain h:  63% 34% .




- Molecule 38: 30S ribosomal protein S4

Chain i:  80% 20% .



- Molecule 39: 30S ribosomal protein S5

Chain j:  78% 22% .




- Molecule 40: 30S ribosomal protein S6


Chain k:  75% 24% .




- Molecule 41: 30S ribosomal protein S7




- Molecule 42: 30S ribosomal protein S8




- Molecule 43: 30S ribosomal protein S9



- Molecule 44: 30S ribosomal protein S10




- Molecule 45: 30S ribosomal protein S11




- Molecule 46: 30S ribosomal protein S12

Chain q:  79% 20%



- Molecule 47: 30S ribosomal protein S13

Chain r:  10% 58% 40%



- Molecule 48: 30S ribosomal protein S14

Chain s:  71% 24% 5%




- Molecule 49: 30S ribosomal protein S15

Chain t:  83% 16%



- Molecule 50: 30S ribosomal protein S16

Chain u:  76% 23%



- Molecule 51: 30S ribosomal protein S17

Chain v:  70% 30%




- Molecule 52: 30S ribosomal protein S18


Chain w:  78% 22%




- Molecule 53: 30S ribosomal protein S19



- Molecule 54: 30S ribosomal protein S20



- Molecule 55: 30S ribosomal protein S21



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	11059	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	29	Depositor
Minimum defocus (nm)	-700	Depositor
Maximum defocus (nm)	-2000	Depositor
Magnification	130000	Depositor
Image detector	GATAN K2 BASE (4k x 4k)	Depositor
Maximum map value	21.822	Depositor
Minimum map value	-9.722	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	1.000	Depositor
Recommended contour level	2.5	Depositor
Map size ($\text{\AA}$)	499.19998, 499.19998, 499.19998	wwPDB
Map dimensions	480, 480, 480	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing ($\text{\AA}$)	1.04, 1.04, 1.04	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: PSU, OMC, 5MU, 0TD, 6MZ, MA6, 2MA, OMU, 4D4, ZN, OMG, 2MG, G7M, 1MG, 3TD, MG, 5MC, 4OC, UR3

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	1	0.08	0/69282	0.22	0/108079
2	2	0.14	1/36585 (0.0%)	0.27	5/57064 (0.0%)
3	3	0.07	0/2872	0.19	0/4478
4	4	0.19	0/8608	0.40	2/13418 (0.0%)
5	5	0.27	1/1231 (0.1%)	0.64	4/1655 (0.2%)
6	A	0.41	1/589 (0.2%)	0.67	2/779 (0.3%)
7	B	0.21	1/2121 (0.0%)	0.46	1/2852 (0.0%)
8	C	0.27	1/1586 (0.1%)	0.65	7/2134 (0.3%)
9	D	0.12	0/1571	0.45	3/2113 (0.1%)
10	E	0.17	0/1434	0.65	6/1926 (0.3%)
11	F	0.26	1/1333 (0.1%)	0.59	6/1805 (0.3%)
12	G	0.43	4/1121 (0.4%)	1.02	18/1515 (1.2%)
13	J	0.19	0/1152	0.50	0/1551
14	K	0.13	0/955	0.38	0/1279
15	L	0.14	0/1062	0.40	0/1413
16	M	0.22	0/1081	0.66	5/1443 (0.3%)
17	N	0.17	0/964	0.51	1/1289 (0.1%)
18	O	0.12	0/902	0.44	1/1209 (0.1%)
19	P	0.15	0/929	0.48	1/1242 (0.1%)
20	Q	0.12	0/960	0.37	0/1278
21	R	0.21	0/829	0.43	0/1107
22	S	0.22	1/864 (0.1%)	0.61	3/1156 (0.3%)
23	T	0.12	0/752	0.41	0/1005
24	U	0.21	0/796	0.56	3/1062 (0.3%)
25	V	0.12	0/766	0.43	1/1025 (0.1%)
26	W	0.06	0/16	0.04	0/20
27	X	0.13	0/635	0.38	0/848
28	Y	0.13	0/502	0.44	0/667
29	Z	0.33	1/452 (0.2%)	0.74	3/605 (0.5%)
30	a	0.48	0/523	0.81	3/698 (0.4%)
31	b	0.18	0/450	0.61	1/599 (0.2%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
32	c	0.12	0/433	0.54	2/576 (0.3%)
33	d	0.13	0/380	0.39	0/498
34	e	0.36	1/513 (0.2%)	0.90	5/676 (0.7%)
35	f	0.14	0/303	0.51	1/397 (0.3%)
36	g	0.47	1/1791 (0.1%)	0.79	12/2413 (0.5%)
37	h	0.20	0/1685	0.69	10/2270 (0.4%)
38	i	0.12	0/1665	0.35	0/2227
39	j	0.14	0/1165	0.46	0/1568
40	k	0.14	0/867	0.49	1/1171 (0.1%)
41	l	0.14	0/1195	0.48	0/1602
42	m	0.13	0/989	0.41	0/1326
43	n	0.92	0/1034	1.49	9/1375 (0.7%)
44	o	0.17	0/800	0.64	3/1082 (0.3%)
45	p	0.13	0/893	0.38	0/1205
46	q	0.14	0/954	0.41	0/1279
47	r	0.24	1/875 (0.1%)	0.59	4/1170 (0.3%)
48	s	0.40	0/817	0.76	5/1088 (0.5%)
49	t	0.16	0/722	0.58	3/964 (0.3%)
50	u	0.13	0/659	0.45	1/884 (0.1%)
51	v	0.14	0/657	0.47	1/881 (0.1%)
52	w	0.51	1/562 (0.2%)	0.55	2/754 (0.3%)
53	x	0.28	0/680	0.85	8/915 (0.9%)
54	y	0.14	0/675	0.44	0/895
55	z	0.23	0/597	0.70	4/792 (0.5%)
All	All	0.17	16/163834 (0.0%)	0.38	147/245322 (0.1%)

The worst 5 of 16 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
36	g	29	PRO	N-CD	16.34	1.70	1.47
52	w	41	PRO	N-CD	11.83	1.64	1.47
8	C	55	LYS	CA-C	8.02	1.63	1.52
11	F	47	ASP	CA-C	7.52	1.62	1.52
34	e	33	LEU	CA-C	7.24	1.62	1.52

The worst 5 of 147 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
53	x	14	HIS	N-CA-C	11.47	123.79	111.28
22	S	47	VAL	N-CA-C	11.36	122.21	110.62
12	G	12	LEU	N-CA-C	10.36	126.24	113.50
5	5	107	GLU	N-CA-C	9.31	125.32	112.93

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
12	G	137	GLU	N-CA-C	9.18	125.17	113.88

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	1	62335	0	31374	1060	0
2	2	32927	0	16589	665	0
3	3	2569	0	1301	42	0
4	4	7755	0	3924	155	0
5	5	1209	0	1228	59	0
6	A	582	0	599	20	0
7	B	2082	0	2154	100	0
8	C	1565	0	1616	70	0
9	D	1552	0	1619	34	0
10	E	1410	0	1444	89	0
11	F	1313	0	1358	38	0
12	G	1110	0	1148	128	0
13	J	1129	0	1162	33	0
14	K	946	0	1023	23	0
15	L	1053	0	1129	36	0
16	M	1075	0	1154	42	0
17	N	951	0	994	34	0
18	O	892	0	923	44	0
19	P	917	0	962	15	0
20	Q	947	0	1019	21	0
21	R	816	0	839	21	0
22	S	857	0	922	32	0
23	T	746	0	811	28	0
24	U	788	0	844	22	0
25	V	753	0	780	15	0
26	W	16	0	16	8	0
27	X	625	0	652	14	0
28	Y	501	0	531	20	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
29	Z	448	0	488	23	0
30	a	514	0	511	21	0
31	b	444	0	458	9	0
32	c	426	0	464	10	0
33	d	377	0	418	8	0
34	e	504	0	572	33	0
35	f	302	0	340	22	0
36	g	1760	0	1787	86	0
37	h	1658	0	1732	86	0
38	i	1643	0	1706	36	0
39	j	1152	0	1196	48	0
40	k	848	0	846	37	0
41	l	1181	0	1238	52	0
42	m	979	0	1031	26	0
43	n	1022	0	1067	105	0
44	o	790	0	831	91	0
45	p	877	0	887	42	0
46	q	951	0	1012	17	0
47	r	867	0	921	34	0
48	s	805	0	844	48	0
49	t	714	0	734	50	0
50	u	649	0	666	18	0
51	v	648	0	691	42	0
52	w	553	0	568	44	0
53	x	663	0	688	49	0
54	y	669	0	719	9	0
55	z	589	0	629	12	0
56	1	172	0	0	0	0
56	2	31	0	0	0	0
56	3	3	0	0	0	0
56	C	1	0	0	0	0
56	O	1	0	0	0	0
56	Q	1	0	0	0	0
56	b	1	0	0	0	0
56	d	1	0	0	0	0
56	h	1	0	0	0	0
57	a	1	0	0	0	0
57	f	1	0	0	0	0
All	All	151668	0	101159	3463	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

The worst 5 of 3463 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
37:h:24:ALA:HB3	37:h:29:PHE:CE1	1.34	1.62
44:o:8:ILE:CG1	44:o:100:ILE:HD13	1.30	1.62
51:v:47:HIS:CD2	51:v:67:LEU:CD1	1.83	1.62
39:j:81:LEU:HD11	39:j:147:MET:SD	1.35	1.61
12:G:6:LEU:HD13	12:G:47:PHE:CE1	1.37	1.57

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
5	5	148/150 (99%)	131 (88%)	17 (12%)	0	100	100
6	A	74/76 (97%)	72 (97%)	2 (3%)	0	100	100
7	B	269/271 (99%)	261 (97%)	8 (3%)	0	100	100
8	C	207/209 (99%)	196 (95%)	8 (4%)	3 (1%)	9	35
9	D	199/201 (99%)	198 (100%)	1 (0%)	0	100	100
10	E	175/177 (99%)	158 (90%)	17 (10%)	0	100	100
11	F	173/175 (99%)	164 (95%)	9 (5%)	0	100	100
12	G	147/149 (99%)	121 (82%)	25 (17%)	1 (1%)	18	50
13	J	140/142 (99%)	125 (89%)	15 (11%)	0	100	100
14	K	121/123 (98%)	121 (100%)	0	0	100	100
15	L	142/144 (99%)	140 (99%)	2 (1%)	0	100	100
16	M	133/136 (98%)	130 (98%)	3 (2%)	0	100	100
17	N	117/119 (98%)	113 (97%)	4 (3%)	0	100	100
18	O	114/116 (98%)	110 (96%)	4 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
19	P	112/114 (98%)	107 (96%)	5 (4%)	0	100	100
20	Q	115/117 (98%)	112 (97%)	3 (3%)	0	100	100
21	R	101/103 (98%)	96 (95%)	4 (4%)	1 (1%)	12	42
22	S	108/110 (98%)	106 (98%)	2 (2%)	0	100	100
23	T	92/94 (98%)	90 (98%)	2 (2%)	0	100	100
24	U	101/103 (98%)	97 (96%)	4 (4%)	0	100	100
25	V	92/94 (98%)	91 (99%)	1 (1%)	0	100	100
27	X	75/77 (97%)	72 (96%)	3 (4%)	0	100	100
28	Y	60/62 (97%)	58 (97%)	2 (3%)	0	100	100
29	Z	56/58 (97%)	53 (95%)	3 (5%)	0	100	100
30	a	63/65 (97%)	49 (78%)	14 (22%)	0	100	100
31	b	54/56 (96%)	53 (98%)	1 (2%)	0	100	100
32	c	50/52 (96%)	50 (100%)	0	0	100	100
33	d	44/46 (96%)	44 (100%)	0	0	100	100
34	e	62/64 (97%)	59 (95%)	2 (3%)	1 (2%)	7	33
35	f	36/38 (95%)	35 (97%)	1 (3%)	0	100	100
36	g	223/225 (99%)	213 (96%)	10 (4%)	0	100	100
37	h	210/212 (99%)	202 (96%)	8 (4%)	0	100	100
38	i	203/205 (99%)	195 (96%)	8 (4%)	0	100	100
39	j	154/156 (99%)	149 (97%)	5 (3%)	0	100	100
40	k	102/104 (98%)	98 (96%)	4 (4%)	0	100	100
41	l	149/151 (99%)	141 (95%)	8 (5%)	0	100	100
42	m	127/129 (98%)	121 (95%)	6 (5%)	0	100	100
43	n	125/127 (98%)	73 (58%)	36 (29%)	16 (13%)	0	3
44	o	97/99 (98%)	87 (90%)	10 (10%)	0	100	100
45	p	115/117 (98%)	110 (96%)	5 (4%)	0	100	100
46	q	119/122 (98%)	112 (94%)	7 (6%)	0	100	100
47	r	110/112 (98%)	102 (93%)	8 (7%)	0	100	100
48	s	98/100 (98%)	95 (97%)	2 (2%)	1 (1%)	12	42
49	t	86/88 (98%)	76 (88%)	10 (12%)	0	100	100
50	u	80/82 (98%)	77 (96%)	3 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
51	v	78/80 (98%)	72 (92%)	6 (8%)	0	100	100
52	w	65/67 (97%)	65 (100%)	0	0	100	100
53	x	81/83 (98%)	77 (95%)	4 (5%)	0	100	100
54	y	84/86 (98%)	81 (96%)	3 (4%)	0	100	100
55	z	68/70 (97%)	65 (96%)	3 (4%)	0	100	100
All	All	5754/5856 (98%)	5423 (94%)	308 (5%)	23 (0%)	31	61

5 of 23 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
43	n	56	ASP
43	n	122	ARG
43	n	5	GLN
43	n	18	ARG
43	n	26	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
5	5	125/125 (100%)	125 (100%)	0	100	100
6	A	58/58 (100%)	58 (100%)	0	100	100
7	B	216/216 (100%)	215 (100%)	1 (0%)	81	81
8	C	164/164 (100%)	163 (99%)	1 (1%)	78	80
9	D	165/165 (100%)	165 (100%)	0	100	100
10	E	148/148 (100%)	148 (100%)	0	100	100
11	F	136/136 (100%)	135 (99%)	1 (1%)	76	78
12	G	114/114 (100%)	113 (99%)	1 (1%)	70	76
13	J	116/116 (100%)	114 (98%)	2 (2%)	53	69
14	K	104/104 (100%)	103 (99%)	1 (1%)	68	75
15	L	103/103 (100%)	102 (99%)	1 (1%)	68	75

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
16	M	108/108 (100%)	108 (100%)	0	100	100
17	N	99/99 (100%)	99 (100%)	0	100	100
18	O	86/86 (100%)	86 (100%)	0	100	100
19	P	99/99 (100%)	98 (99%)	1 (1%)	68	75
20	Q	89/89 (100%)	89 (100%)	0	100	100
21	R	84/84 (100%)	82 (98%)	2 (2%)	43	64
22	S	93/93 (100%)	93 (100%)	0	100	100
23	T	81/81 (100%)	81 (100%)	0	100	100
24	U	84/84 (100%)	84 (100%)	0	100	100
25	V	78/78 (100%)	78 (100%)	0	100	100
26	W	1/1 (100%)	1 (100%)	0	100	100
27	X	67/67 (100%)	67 (100%)	0	100	100
28	Y	54/54 (100%)	54 (100%)	0	100	100
29	Z	48/48 (100%)	48 (100%)	0	100	100
30	a	58/58 (100%)	50 (86%)	8 (14%)	3	17
31	b	47/47 (100%)	47 (100%)	0	100	100
32	c	47/47 (100%)	47 (100%)	0	100	100
33	d	38/38 (100%)	38 (100%)	0	100	100
34	e	51/51 (100%)	51 (100%)	0	100	100
35	f	34/34 (100%)	34 (100%)	0	100	100
36	g	187/187 (100%)	181 (97%)	6 (3%)	34	59
37	h	172/172 (100%)	170 (99%)	2 (1%)	63	73
38	i	172/172 (100%)	172 (100%)	0	100	100
39	j	119/119 (100%)	119 (100%)	0	100	100
40	k	91/91 (100%)	91 (100%)	0	100	100
41	l	124/124 (100%)	124 (100%)	0	100	100
42	m	104/104 (100%)	104 (100%)	0	100	100
43	n	105/105 (100%)	53 (50%)	52 (50%)	0	0
44	o	86/86 (100%)	85 (99%)	1 (1%)	63	73
45	p	90/90 (100%)	90 (100%)	0	100	100
46	q	102/102 (100%)	101 (99%)	1 (1%)	68	75

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
47	r	90/90 (100%)	90 (100%)	0	100	100
48	s	83/83 (100%)	79 (95%)	4 (5%)	23	50
49	t	76/76 (100%)	76 (100%)	0	100	100
50	u	65/65 (100%)	65 (100%)	0	100	100
51	v	74/74 (100%)	74 (100%)	0	100	100
52	w	58/58 (100%)	58 (100%)	0	100	100
53	x	72/72 (100%)	72 (100%)	0	100	100
54	y	65/65 (100%)	65 (100%)	0	100	100
55	z	60/60 (100%)	60 (100%)	0	100	100
All	All	4790/4790 (100%)	4705 (98%)	85 (2%)	51	68

5 of 85 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
43	n	79	ILE
43	n	114	LYS
43	n	85	ARG
43	n	99	ARG
43	n	124	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 39 such sidechains are listed below:

Mol	Chain	Res	Type
42	m	18	GLN
44	o	64	GLN
43	n	4	ASN
43	n	75	GLN
46	q	5	ASN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	1	2901/2903 (99%)	615 (21%)	24 (0%)
2	2	1531/1534 (99%)	320 (20%)	14 (0%)
3	3	119/120 (99%)	18 (15%)	1 (0%)
4	4	361/363 (99%)	212 (58%)	13 (3%)
All	All	4912/4920 (99%)	1165 (23%)	52 (1%)

5 of 1165 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	1	6	A
1	1	8	C
1	1	10	A
1	1	19	A
1	1	20	C

5 of 52 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
2	2	751	U
2	2	1255	G
4	4	314	C
2	2	845	A
2	2	1042	A

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

38 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	PSU	1	955	1	18,21,22	1.09	1 (5%)	22,30,33	1.75	4 (18%)
1	PSU	1	1917	1	18,21,22	1.08	1 (5%)	22,30,33	1.74	4 (18%)
1	G7M	1	2069	1	23,26,27	2.66	8 (34%)	35,39,42	2.42	10 (28%)
2	2MG	2	1516	2	23,26,27	3.04	8 (34%)	32,38,41	2.71	12 (37%)
1	PSU	1	2605	1	18,21,22	1.11	1 (5%)	22,30,33	1.76	4 (18%)
2	UR3	2	1498	2	19,22,23	3.01	8 (42%)	26,32,35	1.29	1 (3%)
1	6MZ	1	1618	1	22,25,26	2.71	3 (13%)	30,36,39	2.36	10 (33%)
1	2MG	1	2445	1	23,26,27	3.03	8 (34%)	32,38,41	2.76	13 (40%)
4	PSU	4	347	4	18,21,22	1.10	1 (5%)	22,30,33	1.78	5 (22%)
1	6MZ	1	2030	1	22,25,26	2.70	3 (13%)	30,36,39	2.37	12 (40%)
2	PSU	2	516	2	18,21,22	1.09	1 (5%)	22,30,33	1.75	4 (18%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	OMG	1	2251	4,1	23,26,27	2.68	6 (26%)	33,38,41	3.35	10 (30%)
4	5MU	4	341	4	19,22,23	5.32	5 (26%)	28,32,35	3.52	10 (35%)
1	PSU	1	2580	1	18,21,22	1.10	2 (11%)	22,30,33	1.88	5 (22%)
1	1MG	1	745	1	22,26,27	2.66	5 (22%)	33,39,42	1.77	8 (24%)
1	PSU	1	2504	1	18,21,22	1.14	1 (5%)	22,30,33	1.68	4 (18%)
2	5MC	2	967	2	18,22,23	3.76	7 (38%)	26,32,35	1.01	2 (7%)
2	4OC	2	1402	2	20,23,24	3.22	8 (40%)	26,32,35	0.88	1 (3%)
1	5MU	1	747	1	19,22,23	5.25	5 (26%)	28,32,35	3.63	9 (32%)
1	5MU	1	1939	1	19,22,23	5.27	5 (26%)	28,32,35	3.60	9 (32%)
1	PSU	1	2457	1	18,21,22	1.03	1 (5%)	22,30,33	1.73	4 (18%)
1	OMC	1	2498	1	19,22,23	3.39	8 (42%)	26,31,34	0.69	0
1	2MA	1	2503	1	22,25,26	3.85	7 (31%)	33,37,40	3.59	11 (33%)
2	G7M	2	527	2	23,26,27	2.65	8 (34%)	35,39,42	2.40	10 (28%)
2	MA6	2	1518	2	23,26,27	1.76	4 (17%)	34,38,41	3.93	14 (41%)
1	OMU	1	2552	1	19,22,23	2.98	8 (42%)	26,31,34	1.69	5 (19%)
1	5MC	1	1962	1	18,22,23	3.73	7 (38%)	26,32,35	1.06	2 (7%)
4	PSU	4	342	4	18,21,22	1.12	1 (5%)	22,30,33	1.74	3 (13%)
1	2MG	1	1835	1	23,26,27	3.07	8 (34%)	32,38,41	2.83	12 (37%)
2	2MG	2	1207	2	23,26,27	3.07	8 (34%)	32,38,41	2.82	12 (37%)
2	5MC	2	1407	2	18,22,23	3.74	7 (38%)	26,32,35	1.00	2 (7%)
1	PSU	1	746	56,1	18,21,22	1.09	1 (5%)	22,30,33	1.75	5 (22%)
16	4D4	M	81	16	9,11,12	2.05	2 (22%)	8,13,15	1.85	3 (37%)
1	3TD	1	1915	1	18,22,23	4.20	6 (33%)	22,32,35	1.60	2 (9%)
1	PSU	1	1911	1	18,21,22	1.10	1 (5%)	22,30,33	1.77	4 (18%)
2	MA6	2	1519	2	23,26,27	1.77	4 (17%)	34,38,41	3.95	14 (41%)
46	0TD	q	89	46	7,9,10	1.47	0	6,11,13	2.26	2 (33%)
2	2MG	2	966	2	23,26,27	3.07	8 (34%)	32,38,41	2.83	12 (37%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	PSU	1	955	1	-	0/7/25/26	0/2/2/2
1	PSU	1	1917	1	-	0/7/25/26	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	G7M	1	2069	1	-	2/7/25/26	0/3/3/3
2	2MG	2	1516	2	-	0/9/27/28	0/3/3/3
1	PSU	1	2605	1	-	0/7/25/26	0/2/2/2
2	UR3	2	1498	2	-	2/7/25/26	0/2/2/2
1	6MZ	1	1618	1	-	2/9/27/28	0/3/3/3
1	2MG	1	2445	1	-	3/9/27/28	0/3/3/3
4	PSU	4	347	4	-	3/7/25/26	0/2/2/2
1	6MZ	1	2030	1	-	2/9/27/28	0/3/3/3
2	PSU	2	516	2	-	6/7/25/26	0/2/2/2
1	OMG	1	2251	4,1	-	2/9/27/28	0/3/3/3
4	5MU	4	341	4	-	5/7/25/26	0/2/2/2
1	PSU	1	2580	1	-	0/7/25/26	0/2/2/2
1	1MG	1	745	1	-	0/7/25/26	0/3/3/3
1	PSU	1	2504	1	-	4/7/25/26	0/2/2/2
2	5MC	2	967	2	-	1/7/25/26	0/2/2/2
2	4OC	2	1402	2	-	0/9/29/30	0/2/2/2
1	5MU	1	747	1	-	0/7/25/26	0/2/2/2
1	5MU	1	1939	1	-	2/7/25/26	0/2/2/2
1	PSU	1	2457	1	-	0/7/25/26	0/2/2/2
1	OMC	1	2498	1	-	2/9/27/28	0/2/2/2
1	2MA	1	2503	1	-	1/7/25/26	0/3/3/3
2	G7M	2	527	2	-	2/7/25/26	0/3/3/3
2	MA6	2	1518	2	-	1/11/29/30	0/3/3/3
1	OMU	1	2552	1	-	1/9/27/28	0/2/2/2
1	5MC	1	1962	1	-	4/7/25/26	0/2/2/2
4	PSU	4	342	4	-	3/7/25/26	0/2/2/2
1	2MG	1	1835	1	-	3/9/27/28	0/3/3/3
2	2MG	2	1207	2	-	4/9/27/28	0/3/3/3
2	5MC	2	1407	2	-	0/7/25/26	0/2/2/2
1	PSU	1	746	56,1	-	1/7/25/26	0/2/2/2
16	4D4	M	81	16	-	4/11/12/14	-
1	3TD	1	1915	1	-	3/7/25/26	0/2/2/2
1	PSU	1	1911	1	-	0/7/25/26	0/2/2/2
2	MA6	2	1519	2	-	2/11/29/30	0/3/3/3
46	0TD	q	89	46	-	1/7/12/14	-
2	2MG	2	966	2	-	2/9/27/28	0/3/3/3

The worst 5 of 176 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	4	341	5MU	C6-N1	12.80	1.59	1.38
1	1	1939	5MU	C6-N1	12.70	1.59	1.38
1	1	747	5MU	C6-N1	12.70	1.59	1.38
4	4	341	5MU	C2-N1	12.56	1.58	1.38
1	1	1915	3TD	C6-C5	12.41	1.49	1.35

The worst 5 of 254 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	1518	MA6	N1-C6-N6	-15.06	100.62	117.08
2	2	1519	MA6	N1-C6-N6	-15.06	100.62	117.08
1	1	2503	2MA	C1'-N9-C8	-12.93	97.95	127.14
1	1	747	5MU	C5-C4-N3	11.95	125.52	115.31
1	1	1939	5MU	C5-C4-N3	11.93	125.49	115.31

There are no chirality outliers.

5 of 68 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
16	M	81	4D4	C-CA-CB-OB
16	M	81	4D4	C-CA-CB-CG
16	M	81	4D4	N-CA-CB-OB
16	M	81	4D4	N-CA-CB-CG
1	1	1618	6MZ	N1-C6-N6-C9

There are no ring outliers.

21 monomers are involved in 35 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	2	1516	2MG	4	0
1	1	2445	2MG	2	0
4	4	347	PSU	1	0
1	1	2030	6MZ	2	0
2	2	516	PSU	4	0
4	4	341	5MU	2	0
1	1	2580	PSU	4	0
1	1	2504	PSU	2	0
2	2	967	5MC	1	0
2	2	1402	4OC	1	0
1	1	1939	5MU	1	0
1	1	2457	PSU	1	0
1	1	2498	OMC	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	1	2503	2MA	1	0
2	2	1518	MA6	4	0
1	1	2552	OMU	2	0
4	4	342	PSU	1	0
2	2	1207	2MG	1	0
1	1	746	PSU	1	0
16	M	81	4D4	1	0
2	2	1519	MA6	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 214 ligands modelled in this entry, 214 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-11718. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 240




Y Index: 240




Z Index: 240


6.2.2 Raw map



X Index: 240



Y Index: 240




Z Index: 240


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 266




Y Index: 227




Z Index: 250


6.3.2 Raw map



X Index: 272



Y Index: 230




Z Index: 254


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



X




Y




Z

The images above show the 3D surface view of the map at the recommended contour level 2.5. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5.2 Raw map



X



Y



Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_11718_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 2351 nm^3 ; this corresponds to an approximate mass of 2123 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.291 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of $0.291 \text{ \AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.44	-	-
Author-provided FSC curve	3.43	4.97	3.67
Unmasked-calculated*	4.08	7.97	4.28

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.08 differs from the reported value 3.44 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-11718 and PDB model 7ACR. Per-residue inclusion information can be found in section [3](#) on page [15](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 2.5 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (2.5).

9.4 Atom inclusion [i](#)



At the recommended contour level, 97% of all backbone atoms, 95% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (2.5) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9500	 0.3800
1	 0.9790	 0.4150
2	 0.9850	 0.3600
3	 0.9880	 0.3760
4	 0.8800	 0.1830
5	 0.8070	 0.3650
A	 0.9470	 0.4460
B	 0.9430	 0.4660
C	 0.9300	 0.4390
D	 0.9470	 0.4540
E	 0.9000	 0.2880
F	 0.9350	 0.3640
G	 0.5120	 0.2790
J	 0.9230	 0.4270
K	 0.9350	 0.4600
L	 0.9480	 0.4560
M	 0.9360	 0.4400
N	 0.9430	 0.4400
O	 0.9380	 0.3530
P	 0.9190	 0.4550
Q	 0.9420	 0.4370
R	 0.9330	 0.4470
S	 0.9410	 0.4720
T	 0.9300	 0.4350
U	 0.9370	 0.4320
V	 0.9290	 0.3950
W	 0.8120	 0.4160
X	 0.9200	 0.4520
Y	 0.9100	 0.3590
Z	 0.9220	 0.4370
a	 0.6250	 0.2430
b	 0.9420	 0.4540
c	 0.9090	 0.4230
d	 0.9520	 0.4900
e	 0.9330	 0.4590



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
f	 0.9040	 0.4320
g	 0.9060	 0.3620
h	 0.8710	 0.2500
i	 0.9080	 0.3680
j	 0.9190	 0.4330
k	 0.8970	 0.3710
l	 0.6660	 0.1960
m	 0.9240	 0.4320
n	 0.8860	 0.2290
o	 0.8810	 0.2470
p	 0.9330	 0.4010
q	 0.9170	 0.4100
r	 0.7990	 0.2210
s	 0.8970	 0.2530
t	 0.9440	 0.3980
u	 0.9230	 0.4060
v	 0.9350	 0.3890
w	 0.8980	 0.3850
x	 0.7480	 0.1520
y	 0.9130	 0.3680
z	 0.8250	 0.3290