



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 08:41 AM UTC

PDB ID : 2AD7 / pdb_00002ad7
Title : crystal structure of methanol dehydrogenase from M. W3A1 (form C) in the presence of methanol
Authors : Li, J.; Gan, J.-H.; Xia, Z.-X.; Mathews, F.S.
Deposited on : 2005-07-20
Resolution : 1.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4037 (1.50-1.50)
Clashscore	190562	4235 (1.50-1.50)
Ramachandran outliers	187476	4153 (1.50-1.50)
Sidechain outliers	187428	4150 (1.50-1.50)
RSRZ outliers	180081	4039 (1.50-1.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	571	84% 15% .
1	C	571	83% 15% .
2	B	69	7% 86% 14%
2	D	69	9% 86% 14%

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 12004 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Methanol dehydrogenase subunit 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	571	Total	C	N	O	S	0	0	0
			4402	2809	752	815	26			
1	C	571	Total	C	N	O	S	0	0	0
			4402	2809	752	815	26			


- Molecule 2 is a protein called Methanol dehydrogenase subunit 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	69	Total	C	N	O	S	0	0	0
			545	337	97	108	3			
2	D	69	Total	C	N	O	S	0	0	0
			545	337	97	108	3			

- Molecule 3 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Ca	0	0
			1	1		
3	C	1	Total	Ca	0	0
			1	1		

- Molecule 4 is PYRROLOQUINOLINE QUINONE (CCD ID: PQQ) (formula: C₁₄H₆N₂O₈).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			24	14	2	8		
4	C	1	Total	C	N	O	0	0
			24	14	2	8		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	872	Total	O	0	0
			872	872		
5	B	180	Total	O	0	0
			180	180		
5	C	835	Total	O	0	0
			835	835		
5	D	173	Total	O	0	0
			173	173		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Methanol dehydrogenase subunit 1




• Molecule 1: Methanol dehydrogenase subunit 1



• Molecule 2: Methanol dehydrogenase subunit 2



• Molecule 2: Methanol dehydrogenase subunit 2



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	201.56Å 61.89Å 123.82Å 90.00° 123.25° 90.00°	Depositor
Resolution (Å)	41.74 – 1.50 41.74 – 1.50	Depositor EDS
% Data completeness (in resolution range)	93.0 (41.74-1.50) 93.0 (41.74-1.50)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	7.24 (at 1.50Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.156 , 0.177 0.155 , 0.176	Depositor DCC
R_{free} test set	19013 reflections (9.93%)	wwPDB-VP
Wilson B-factor (Å ²)	9.3	Xtriage
Anisotropy	0.243	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 50.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	12004	wwPDB-VP
Average B, all atoms (Å ²)	13.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 16.66% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PQQ, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.31	0/4529	0.93	22/6150 (0.4%)
1	C	0.33	0/4529	0.93	20/6150 (0.3%)
2	B	0.30	0/557	0.72	0/746
2	D	0.31	0/557	0.73	0/746
All	All	0.32	0/10172	0.91	42/13792 (0.3%)

There are no bond length outliers.

All (42) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	110	GLY	N-CA-C	9.85	122.03	112.08
1	A	110	GLY	N-CA-C	9.52	121.94	111.85
1	C	409	MET	N-CA-C	7.60	119.69	108.60
1	A	352	LYS	N-CA-C	-7.50	103.18	111.36
1	C	446	ILE	N-CA-C	-7.40	96.42	107.37
1	A	103	CYS	N-CA-C	7.28	119.21	111.28
1	C	103	CYS	N-CA-C	7.25	119.18	111.28
1	A	409	MET	N-CA-C	7.19	119.10	108.60
1	C	352	LYS	N-CA-C	-7.13	103.58	111.36
1	C	487	LEU	N-CA-C	-7.06	97.70	109.07
1	C	436	ASN	N-CA-C	6.86	121.82	113.17
1	A	446	ILE	N-CA-C	-6.83	96.42	107.28
1	A	487	LEU	N-CA-C	-6.75	98.20	109.07
1	A	436	ASN	N-CA-C	6.62	121.06	112.92
1	C	410	ASP	N-CA-C	-6.50	99.62	109.95
1	C	107	VAL	N-CA-C	6.50	117.13	110.05
1	C	467	TRP	N-CA-C	6.45	119.63	111.69
1	C	450	ASP	N-CA-C	-6.38	98.34	108.73
1	A	410	ASP	N-CA-C	-6.29	99.66	109.72
1	C	104	CYS	N-CA-C	6.17	118.00	109.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	467	TRP	N-CA-C	6.15	119.26	111.69
1	A	450	ASP	N-CA-C	-6.15	98.71	108.73
1	A	104	CYS	N-CA-C	6.12	117.93	109.54
1	A	91	LYS	CA-C-N	6.08	126.05	119.78
1	A	91	LYS	C-N-CA	6.08	126.05	119.78
1	A	107	VAL	N-CA-C	6.05	116.65	110.05
1	C	332	ASN	N-CA-C	-5.97	100.11	109.25
1	A	385	PHE	N-CA-C	-5.92	105.82	113.16
1	C	254	GLY	N-CA-C	5.88	121.66	112.31
1	A	491	ASP	N-CA-C	-5.87	100.96	109.59
1	A	254	GLY	N-CA-C	5.73	121.42	112.31
1	C	70	ALA	N-CA-C	-5.69	102.49	110.35
1	A	332	ASN	N-CA-C	-5.58	100.71	109.25
1	C	491	ASP	N-CA-C	-5.56	101.42	109.59
1	A	318	LEU	N-CA-C	5.54	118.28	110.14
1	C	385	PHE	N-CA-C	-5.50	106.34	113.16
1	A	70	ALA	N-CA-C	-5.27	103.07	110.35
1	C	302	ASN	N-CA-C	5.21	117.25	110.43
1	C	318	LEU	N-CA-C	5.16	118.13	110.14
1	A	302	ASN	N-CA-C	5.10	117.11	110.43
1	A	215	GLY	N-CA-C	-5.06	105.09	111.72
1	C	485	GLY	N-CA-C	5.02	123.11	115.63

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4402	0	4250	60	0
1	C	4402	0	4250	78	0
2	B	545	0	522	16	0
2	D	545	0	522	9	0
3	A	1	0	0	0	0
3	C	1	0	0	0	0
4	A	24	0	3	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	C	24	0	3	1	0
5	A	872	0	0	5	1
5	B	180	0	0	0	0
5	C	835	0	0	10	0
5	D	173	0	0	0	0
All	All	12004	0	9550	160	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (160) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:512:MET:HE3	1:C:523:GLY:HA3	1.30	1.13
1:A:512:MET:HE3	1:A:523:GLY:HA3	1.34	1.05
1:A:58:PRO:HG2	1:A:512:MET:HE2	1.48	0.95
1:C:117:GLN:HE21	1:C:138:ASN:HD22	1.19	0.86
1:C:303:GLN:HE22	1:C:391:ASP:H	1.24	0.84
1:C:58:PRO:HG2	1:C:512:MET:HE2	1.57	0.83
1:A:303:GLN:HE22	1:A:391:ASP:H	1.25	0.82
2:B:8:GLU:HG3	2:B:11:ASN:HB3	1.64	0.78
1:C:272:MET:SD	1:C:291:THR:HB	2.23	0.78
1:A:58:PRO:CG	1:A:512:MET:HE2	2.14	0.78
1:A:309:GLN:HE21	1:A:398:ARG:HH21	1.33	0.77
2:B:7:LYS:HG3	2:B:8:GLU:HG2	1.66	0.76
1:C:58:PRO:CG	1:C:512:MET:HE2	2.15	0.76
1:C:512:MET:CE	1:C:523:GLY:HA3	2.14	0.75
1:A:33:ASN:H	1:A:36:ASN:HD21	1.33	0.74
1:C:512:MET:HE3	1:C:523:GLY:CA	2.15	0.72
1:A:303:GLN:NE2	1:A:391:ASP:H	1.87	0.72
1:C:309:GLN:HE21	1:C:398:ARG:HH11	1.36	0.72
1:C:303:GLN:NE2	1:C:391:ASP:H	1.86	0.71
1:A:36:ASN:C	1:A:36:ASN:HD22	2.00	0.69
1:A:222:LYS:HD2	5:A:2272:HOH:O	1.91	0.69
1:C:428:THR:O	1:C:429:LEU:HD13	1.92	0.68
1:A:33:ASN:H	1:A:36:ASN:ND2	1.93	0.67
2:B:57:ASN:HD22	2:B:68:VAL:HG11	1.60	0.66
1:C:455:LYS:HA	1:C:455:LYS:HE2	1.77	0.66
1:C:272:MET:HE1	1:C:294:ASP:CG	2.21	0.66
1:A:90:HIS:HD2	1:A:120:LYS:NZ	1.94	0.65
1:C:428:THR:C	1:C:429:LEU:HD13	2.23	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:23:ILE:HD12	2:D:30:PRO:HD3	1.79	0.64
1:C:90:HIS:HD2	1:C:120:LYS:NZ	1.96	0.63
1:A:26:ASN:C	1:A:26:ASN:HD22	2.06	0.62
1:C:290:LYS:NZ	1:C:321:HIS:HE1	1.98	0.62
1:C:93:LYS:HE3	5:C:2582:HOH:O	1.99	0.62
2:B:23:ILE:HD12	2:B:30:PRO:HD3	1.82	0.61
1:A:512:MET:CE	1:A:523:GLY:HA3	2.20	0.60
2:B:31:LYS:NZ	2:B:31:LYS:HB2	2.16	0.60
1:C:230:LYS:NZ	2:D:38:ASN:HD21	1.99	0.60
1:C:26:ASN:HD22	1:C:26:ASN:C	2.09	0.59
1:C:335:ASN:ND2	1:C:337:ASN:H	2.02	0.58
1:C:290:LYS:HZ3	1:C:321:HIS:CE1	2.20	0.58
2:B:31:LYS:HB2	2:B:31:LYS:HZ3	1.68	0.57
1:C:109:ARG:HE	1:C:388:GLN:HE21	1.53	0.57
1:A:272:MET:HE1	1:A:298:PHE:C	2.30	0.56
2:B:57:ASN:ND2	2:B:68:VAL:HG11	2.18	0.56
1:A:128:LEU:HG	1:A:140:GLU:HG3	1.88	0.56
1:C:128:LEU:HG	1:C:140:GLU:HG3	1.88	0.56
1:C:373:HIS:O	1:C:412:GLU:HG3	2.06	0.56
1:C:411:TRP:CD2	1:C:429:LEU:HD11	2.40	0.56
1:A:109:ARG:HE	1:A:388:GLN:HE21	1.55	0.55
2:B:57:ASN:ND2	2:B:68:VAL:HG21	2.22	0.55
1:A:335:ASN:ND2	1:A:337:ASN:H	2.06	0.54
1:C:272:MET:HE2	1:C:298:PHE:C	2.31	0.54
2:B:53:LYS:NZ	2:B:69:LYS:HA	2.22	0.54
2:D:53:LYS:NZ	2:D:69:LYS:HA	2.23	0.54
1:C:170:ALA:HB3	4:C:703:PQQ:O7A	2.08	0.54
1:C:335:ASN:HD22	1:C:335:ASN:C	2.16	0.54
1:A:182:ASP:HA	1:A:189:LYS:HE3	1.88	0.53
1:C:303:GLN:HE22	1:C:391:ASP:N	2.01	0.53
1:C:64:MET:HE1	1:C:133:LYS:HG2	1.91	0.53
1:C:64:MET:HE3	5:C:1386:HOH:O	2.09	0.52
1:A:232:GLY:O	1:A:256:PRO:HA	2.09	0.52
2:D:53:LYS:HZ3	2:D:69:LYS:HG3	1.75	0.52
2:B:53:LYS:NZ	2:B:69:LYS:HD2	2.24	0.52
1:A:335:ASN:HD22	1:A:336:GLY:N	2.08	0.52
1:A:170:ALA:HB3	4:A:701:PQQ:O7A	2.10	0.52
1:C:409:MET:HE2	1:C:429:LEU:HB3	1.92	0.52
1:C:335:ASN:HD22	1:C:336:GLY:N	2.09	0.51
1:A:319:LEU:C	1:A:319:LEU:HD23	2.35	0.51
1:C:232:GLY:O	1:C:256:PRO:HA	2.10	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:290:LYS:NZ	1:A:321:HIS:HE1	2.07	0.51
1:A:335:ASN:HD22	1:A:335:ASN:C	2.16	0.51
1:C:230:LYS:HZ2	2:D:38:ASN:HD21	1.59	0.51
1:A:328:LEU:C	1:A:328:LEU:HD23	2.37	0.50
1:C:64:MET:HE3	5:C:2375:HOH:O	2.12	0.50
1:C:90:HIS:HD2	1:C:120:LYS:HZ3	1.60	0.50
1:A:144:CYS:HB3	1:A:150:SER:OG	2.12	0.50
1:C:245:LYS:HE2	5:C:1550:HOH:O	2.11	0.49
1:C:272:MET:CE	1:C:294:ASP:CG	2.85	0.49
1:A:51:LEU:O	1:A:52:ASN:HB2	2.11	0.49
1:A:303:GLN:HE22	1:A:391:ASP:N	2.02	0.49
1:C:144:CYS:HB3	1:C:150:SER:OG	2.12	0.49
1:C:335:ASN:HD22	1:C:337:ASN:H	1.59	0.49
1:A:36:ASN:HD22	1:A:37:VAL:N	2.09	0.49
1:A:36:ASN:C	1:A:36:ASN:ND2	2.70	0.49
1:A:428:THR:C	1:A:429:LEU:HD12	2.37	0.49
1:C:272:MET:HE1	1:C:294:ASP:OD1	2.12	0.49
1:A:90:HIS:HD2	1:A:120:LYS:HZ2	1.58	0.48
1:C:182:ASP:HA	1:C:189:LYS:HE3	1.94	0.48
1:C:455:LYS:HE2	1:C:455:LYS:CA	2.42	0.48
1:C:405:ASN:ND2	1:C:465:ALA:HB1	2.29	0.48
1:C:319:LEU:C	1:C:319:LEU:HD23	2.39	0.48
1:A:133:LYS:HE3	5:A:2812:HOH:O	2.12	0.48
1:A:512:MET:HE3	1:A:523:GLY:CA	2.25	0.48
1:C:290:LYS:HZ3	1:C:321:HIS:HE1	1.52	0.48
1:A:290:LYS:HZ3	1:A:321:HIS:CE1	2.31	0.47
1:C:328:LEU:C	1:C:328:LEU:HD23	2.39	0.47
1:A:290:LYS:HZ1	1:A:300:GLY:HA3	1.80	0.47
1:A:411:TRP:C	1:A:411:TRP:CD1	2.92	0.47
1:A:330:THR:HB	1:A:340:VAL:HB	1.95	0.47
1:C:179:ASN:ND2	1:C:191:ARG:HE	2.13	0.47
1:C:411:TRP:CD1	1:C:411:TRP:C	2.93	0.47
1:A:485:GLY:HA2	1:A:506:GLY:HA2	1.97	0.47
1:C:51:LEU:O	1:C:52:ASN:HB2	2.13	0.47
1:A:383:MET:HG3	1:A:431:MET:SD	2.55	0.46
1:A:237:TRP:CE2	1:A:301:VAL:HG21	2.50	0.46
2:D:53:LYS:NZ	2:D:69:LYS:HG3	2.30	0.46
1:A:103:CYS:SG	1:A:104:CYS:N	2.88	0.45
1:A:38:LYS:HB3	1:A:38:LYS:NZ	2.31	0.45
1:C:72:PRO:HD3	5:C:2581:HOH:O	2.16	0.45
1:C:429:LEU:HD22	1:C:429:LEU:N	2.32	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:8:GLU:CG	2:B:11:ASN:HB3	2.40	0.45
1:C:485:GLY:HA2	1:C:506:GLY:HA2	1.99	0.45
1:C:547:LEU:HA	5:C:2620:HOH:O	2.17	0.45
1:C:103:CYS:SG	1:C:104:CYS:N	2.89	0.44
1:C:409:MET:HE1	1:C:429:LEU:HG	1.99	0.44
2:B:53:LYS:HG2	2:B:57:ASN:HD21	1.83	0.44
1:C:411:TRP:CE3	1:C:429:LEU:HD11	2.53	0.44
2:D:62:GLY:C	2:D:63:ASN:HD22	2.26	0.44
1:C:357:LYS:HG2	5:C:1589:HOH:O	2.17	0.44
1:A:298:PHE:O	1:A:299:ALA:C	2.60	0.43
1:C:290:LYS:HZ1	1:C:300:GLY:HA3	1.82	0.43
1:C:330:THR:HB	1:C:340:VAL:HB	2.00	0.43
1:C:383:MET:HG3	1:C:431:MET:SD	2.58	0.43
1:A:400:LEU:HD22	1:A:451:LEU:HD21	2.01	0.43
1:A:405:ASN:ND2	1:A:465:ALA:HB1	2.33	0.43
1:A:174:VAL:O	1:A:233:GLY:HA2	2.18	0.43
1:A:438:PRO:HD2	1:A:442:GLU:CD	2.44	0.43
1:C:237:TRP:CE2	1:C:301:VAL:HG21	2.53	0.43
1:A:547:LEU:HA	5:A:1270:HOH:O	2.19	0.43
1:C:303:GLN:O	1:C:321:HIS:HD2	2.02	0.43
1:A:121:LYS:C	1:A:121:LYS:HD2	2.45	0.42
1:A:178:VAL:HG13	1:A:178:VAL:O	2.19	0.42
1:A:343:LYS:HD3	1:A:348:VAL:HB	2.02	0.42
1:A:380:PRO:HB3	1:A:385:PHE:CD1	2.55	0.42
1:C:316:THR:HA	1:C:317:PRO:HD3	1.88	0.42
1:A:557:GLN:NE2	5:A:1310:HOH:O	2.53	0.42
2:B:53:LYS:O	2:B:57:ASN:ND2	2.52	0.42
1:C:121:LYS:HD2	1:C:121:LYS:C	2.45	0.42
1:C:411:TRP:HB2	1:C:429:LEU:HD12	2.01	0.42
1:A:33:ASN:N	1:A:36:ASN:HD21	2.10	0.42
2:B:57:ASN:CG	2:B:68:VAL:HG21	2.45	0.42
1:C:332:ASN:HB3	1:C:335:ASN:HD21	1.85	0.42
2:D:6:CYS:HA	2:D:12:CYS:HA	2.02	0.42
1:C:90:HIS:HE1	5:C:1435:HOH:O	2.03	0.41
1:C:95:ASP:HB3	5:C:1443:HOH:O	2.19	0.41
1:C:413:PRO:HA	1:C:427:ALA:HA	2.03	0.41
1:A:414:PHE:HD2	5:A:2904:HOH:O	2.04	0.41
1:C:12:GLY:HA3	1:C:515:SER:OG	2.20	0.41
1:C:298:PHE:O	1:C:299:ALA:C	2.62	0.41
1:C:497:GLU:HG2	5:C:1669:HOH:O	2.20	0.41
1:A:330:THR:C	1:A:331:LEU:HD12	2.46	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:330:THR:C	1:C:331:LEU:HD12	2.46	0.41
1:A:371:MET:HA	1:A:413:PRO:HG2	2.03	0.40
2:B:53:LYS:HG2	2:B:57:ASN:ND2	2.35	0.40
2:B:53:LYS:HZ3	2:B:69:LYS:HD2	1.85	0.40
1:C:70:ALA:O	1:C:71:PHE:C	2.64	0.40
1:A:26:ASN:C	1:A:26:ASN:ND2	2.78	0.40
1:C:554:ARG:NH1	1:C:555:GLU:OE1	2.54	0.40
1:A:269:LYS:HA	1:A:270:TRP:HA	1.79	0.40
1:C:420:ALA:HB3	2:D:39:LYS:HD2	2.02	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:2254:HOH:O	5:A:2254:HOH:O[2_555]	1.42	0.78

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	569/571 (100%)	537 (94%)	32 (6%)	0	100	100
1	C	569/571 (100%)	538 (95%)	31 (5%)	0	100	100
2	B	67/69 (97%)	67 (100%)	0	0	100	100
2	D	67/69 (97%)	67 (100%)	0	0	100	100
All	All	1272/1280 (99%)	1209 (95%)	63 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	452/452 (100%)	445 (98%)	7 (2%)	57	31
1	C	452/452 (100%)	447 (99%)	5 (1%)	65	41
2	B	58/58 (100%)	58 (100%)	0	100	100
2	D	58/58 (100%)	58 (100%)	0	100	100
All	All	1020/1020 (100%)	1008 (99%)	12 (1%)	63	38

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	26	ASN
1	A	36	ASN
1	A	38	LYS
1	A	121	LYS
1	A	335	ASN
1	A	388	GLN
1	A	484	ASP
1	C	26	ASN
1	C	121	LYS
1	C	335	ASN
1	C	388	GLN
1	C	429	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (42) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	26	ASN
1	A	36	ASN
1	A	81	ASN
1	A	90	HIS
1	A	216	GLN
1	A	236	ASN
1	A	268	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	289	GLN
1	A	302	ASN
1	A	303	GLN
1	A	309	GLN
1	A	312	ASN
1	A	321	HIS
1	A	335	ASN
1	A	388	GLN
1	A	405	ASN
1	A	492	ASN
1	A	558	ASN
2	B	4	GLN
2	B	5	ASN
2	B	57	ASN
1	C	26	ASN
1	C	81	ASN
1	C	90	HIS
1	C	117	GLN
1	C	179	ASN
1	C	268	ASN
1	C	289	GLN
1	C	302	ASN
1	C	303	GLN
1	C	309	GLN
1	C	321	HIS
1	C	335	ASN
1	C	388	GLN
1	C	405	ASN
1	C	492	ASN
1	C	557	GLN
1	C	558	ASN
2	D	4	GLN
2	D	5	ASN
2	D	38	ASN
2	D	63	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 2 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	PQQ	A	701	3	26,26,26	2.52	3 (11%)	34,40,40	2.67	8 (23%)
4	PQQ	C	703	3	26,26,26	2.44	3 (11%)	34,40,40	2.64	8 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	PQQ	A	701	3	-	0/12/28/28	0/3/3/3
4	PQQ	C	703	3	-	1/12/28/28	0/3/3/3

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	701	PQQ	O5-C5	9.03	1.42	1.23
4	C	703	PQQ	O5-C5	8.80	1.41	1.23
4	A	701	PQQ	C6A-C5	6.93	1.58	1.50
4	C	703	PQQ	C6A-C5	6.46	1.57	1.50
4	A	701	PQQ	C8-C9	2.16	1.43	1.39
4	C	703	PQQ	C8-C9	2.03	1.43	1.39

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	701	PQQ	O5-C5-C6A	-10.80	109.41	121.76
4	C	703	PQQ	O5-C5-C6A	-10.70	109.53	121.76
4	A	701	PQQ	O5-C5-C4	-7.42	108.46	118.14
4	C	703	PQQ	O5-C5-C4	-7.33	108.57	118.14
4	A	701	PQQ	C3-C2-C2X	-3.01	125.59	132.53
4	C	703	PQQ	C3-C2-C2X	-2.96	125.71	132.53
4	C	703	PQQ	C8-C9-C9A	-2.67	116.91	120.33
4	A	701	PQQ	C8-C9-C9A	-2.65	116.93	120.33
4	A	701	PQQ	O9A-C9X-C9	-2.32	116.43	121.97
4	A	701	PQQ	O2A-C2X-C2	-2.31	116.32	121.01
4	C	703	PQQ	O9A-C9X-C9	-2.31	116.45	121.97
4	A	701	PQQ	O7A-C7X-C7	-2.26	116.74	121.30
4	C	703	PQQ	O2A-C2X-C2	-2.25	116.44	121.01
4	C	703	PQQ	O7A-C7X-C7	-2.19	116.89	121.30
4	C	703	PQQ	C5-C6A-N6	-2.19	111.41	115.06
4	A	701	PQQ	C5-C6A-N6	-2.10	111.55	115.06

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	C	703	PQQ	C3-C2-C2X-O2B


There are no ring outliers.


2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	701	PQQ	1	0
4	C	703	PQQ	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient

equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	571/571 (100%)	-0.17	5 (0%) 81 84	6, 10, 18, 26	0
1	C	571/571 (100%)	-0.27	8 (1%) 73 77	5, 9, 16, 24	0
2	B	69/69 (100%)	0.52	5 (7%) 21 23	10, 15, 27, 49	0
2	D	69/69 (100%)	0.31	6 (8%) 16 17	8, 13, 22, 49	0
All	All	1280/1280 (100%)	-0.15	24 (1%) 66 70	5, 10, 19, 49	0

All (24) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	D	68	VAL	7.5
2	B	68	VAL	5.9
1	C	272	MET	5.9
2	B	69	LYS	4.4
2	D	69	LYS	4.2
1	C	429	LEU	4.1
1	A	518	GLY	4.0
1	C	547	LEU	3.9
1	A	312	ASN	3.7
1	A	547	LEU	3.5
2	B	67	ASP	3.1
1	C	518	GLY	3.1
2	B	57	ASN	3.0
1	A	438	PRO	3.0
1	C	312	ASN	2.8
2	D	67	ASP	2.8
2	D	7	LYS	2.4
2	D	57	ASN	2.4
1	C	95	ASP	2.2
1	C	554	ARG	2.1
2	D	63	ASN	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	63	ASN	2.1
1	C	555	GLU	2.0
1	A	357	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	CA	A	702	1/1	0.83	0.22	27,27,27,27	0
3	CA	C	704	1/1	0.86	0.18	23,23,23,23	0
4	PQQ	A	701	24/24	0.96	0.05	9,10,12,12	0
4	PQQ	C	703	24/24	0.97	0.05	7,9,11,11	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around PQQ A 701:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.