



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 7, 2026 – 02:36 AM UTC

PDB ID : 3ADT / pdb_00003adt
Title : Human PPARgamma ligand-binding domain in complex with 5-hydroxy-indole acetate
Authors : Waku, T.; Shiraki, T.; Oyama, T.; Morikawa, K.
Deposited on : 2010-01-29
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3538 (2.70-2.70)
Clashscore	190562	3843 (2.70-2.70)
Ramachandran outliers	187476	3778 (2.70-2.70)
Sidechain outliers	187428	3778 (2.70-2.70)
RSRZ outliers	180081	3538 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	287	% 49% 35% 5% • 10%
1	B	287	4% 47% 36% 6% • 10%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	HID	A	3	-	X	-	-

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 4279 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Peroxisome proliferator-activated receptor gamma.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	259	Total	C	N	O	S	0	0	0
			2057	1325	335	387	10			
1	B	257	Total	C	N	O	S	0	0	0
			2060	1335	337	379	9			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	191	GLY	-	expression tag	UNP P37231
A	192	SER	-	expression tag	UNP P37231
A	193	HIS	-	expression tag	UNP P37231
A	194	MET	-	expression tag	UNP P37231
B	191	GLY	-	expression tag	UNP P37231
B	192	SER	-	expression tag	UNP P37231
B	193	HIS	-	expression tag	UNP P37231
B	194	MET	-	expression tag	UNP P37231

- Molecule 2 is (5-hydroxy-1H-indol-3-yl)acetic acid (CCD ID: HID) (formula: C₁₀H₉NO₃).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			14	10	1	3		
2	A	1	Total	C	N	O	0	0
			14	10	1	3		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	75	Total	O	0	0
			75	75		
3	B	59	Total	O	0	0
			59	59		

4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	92.99Å 60.89Å 118.22Å 90.00° 103.22° 90.00°	Depositor
Resolution (Å)	40.60 – 2.70 40.60 – 2.70	Depositor EDS
% Data completeness (in resolution range)	89.9 (40.60-2.70) 92.0 (40.60-2.70)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.94 (at 2.69Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.215 , 0.283 0.210 , 0.277	Depositor DCC
R_{free} test set	828 reflections (4.82%)	wwPDB-VP
Wilson B-factor (Å ²)	45.4	Xtriage
Anisotropy	0.548	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 66.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	4279	wwPDB-VP
Average B, all atoms (Å ²)	50.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.21% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: HID

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.48	0/2090	1.06	16/2818 (0.6%)
1	B	0.45	0/2094	0.94	5/2819 (0.2%)
All	All	0.46	0/4184	1.00	21/5637 (0.4%)

There are no bond length outliers.

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	266	HIS	N-CA-C	-9.84	101.84	114.04
1	B	354	LYS	N-CA-C	-7.94	103.38	113.23
1	A	245	SER	CA-C-N	7.33	127.91	120.14
1	A	245	SER	C-N-CA	7.33	127.91	120.14
1	A	335	ASN	N-CA-C	-7.22	98.68	108.86
1	B	403	VAL	N-CA-C	7.21	118.00	110.72
1	A	288	ARG	N-CA-C	-6.90	103.84	111.36
1	A	277	VAL	N-CA-C	6.78	116.90	110.53
1	A	396	ASP	N-CA-C	-6.66	105.02	113.02
1	A	322	VAL	N-CA-C	6.24	116.92	110.36
1	A	206	PRO	N-CA-CB	5.67	109.73	103.26
1	A	255	LEU	N-CA-C	-5.60	105.27	111.71
1	A	337	ASP	N-CA-C	5.53	120.14	113.17
1	A	226	PHE	CA-C-N	5.51	125.35	119.28
1	A	226	PHE	C-N-CA	5.51	125.35	119.28
1	A	237	LEU	N-CA-C	5.42	117.27	111.36
1	B	322	VAL	N-CA-C	5.34	115.96	110.36
1	A	381	ASP	N-CA-C	5.21	116.96	111.28
1	A	241	THR	N-CA-C	5.13	115.31	108.38
1	B	212	ARG	N-CA-C	-5.12	106.30	112.54
1	A	403	VAL	N-CA-C	5.07	116.53	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2057	0	2096	123	0
1	B	2060	0	2125	141	0
2	A	28	0	15	6	0
3	A	75	0	0	8	0
3	B	59	0	0	3	0
All	All	4279	0	4236	260	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 31.

All (260) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:440:THR:HG22	1:B:440:THR:HA	1.51	0.93
1:A:207:GLU:HG3	1:A:208:SER:H	1.31	0.92
1:B:358:LYS:HB3	1:B:359:PRO:CD	2.06	0.86
1:B:459:THR:HG22	1:B:460:GLU:HG3	1.58	0.85
1:B:330:LEU:HG	1:B:334:MET:HE3	1.57	0.83
1:A:307:VAL:HA	1:A:314:GLN:NE2	1.95	0.81
1:A:253:ASN:HA	1:A:256:MET:HE3	1.62	0.81
1:B:335:ASN:ND2	1:B:337:ASP:H	1.80	0.80
1:B:458:LYS:HD2	1:B:458:LYS:N	1.97	0.80
1:B:349:THR:HG23	1:B:352:PHE:H	1.46	0.79
1:B:270:LEU:HD22	1:B:270:LEU:H	1.46	0.79
1:B:357:ARG:HG2	1:B:358:LYS:N	1.97	0.78
1:A:394:SER:HB2	1:A:397:ARG:HG2	1.68	0.76
1:B:212:ARG:HA	1:B:212:ARG:HH11	1.50	0.75
1:A:456:ILE:HA	1:A:459:THR:HG22	1.70	0.74
1:A:441:ASP:O	1:A:445:ILE:HG12	1.88	0.74
1:A:244:LYS:HG2	3:A:1101:HOH:O	1.87	0.73
1:B:330:LEU:HD21	1:B:364:MET:HE1	1.71	0.72

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:335:ASN:HD22	1:B:337:ASP:H	1.34	0.72
1:A:465:LEU:HD12	1:A:470:GLN:HG3	1.72	0.72
1:B:335:ASN:HD22	1:B:335:ASN:C	1.97	0.72
1:A:433:ALA:O	1:A:437:GLN:HG3	1.90	0.71
1:B:278:ALA:HB3	1:B:357:ARG:NH1	2.05	0.71
1:B:357:ARG:HE	1:B:358:LYS:HG3	1.55	0.71
1:B:212:ARG:HA	1:B:212:ARG:NH1	2.05	0.71
1:B:358:LYS:HB3	1:B:359:PRO:HD3	1.74	0.69
1:B:270:LEU:HD12	1:B:469:LEU:HD11	1.74	0.69
1:B:263:LYS:C	1:B:265:LYS:H	2.00	0.68
1:A:227:PRO:HD2	2:A:3:HID:OAC	1.94	0.68
1:B:460:GLU:O	1:B:461:THR:HG23	1.94	0.68
1:B:453:LEU:O	1:B:457:LYS:HG2	1.94	0.68
1:A:241:THR:CG2	1:A:244:LYS:HD3	2.23	0.68
1:B:263:LYS:HB2	1:B:263:LYS:NZ	2.09	0.68
1:A:363:PHE:CE1	1:A:364:MET:HG2	2.28	0.67
1:A:252:MET:HE3	1:A:252:MET:HA	1.75	0.67
1:B:270:LEU:HD22	1:B:270:LEU:N	2.09	0.67
1:A:243:ASP:CG	1:A:244:LYS:HD2	2.19	0.67
1:A:456:ILE:HA	1:A:459:THR:CG2	2.25	0.67
1:A:359:PRO:HG2	1:A:360:PHE:CD1	2.30	0.67
1:A:241:THR:HG21	1:A:244:LYS:HB2	1.76	0.66
1:A:357:ARG:HD3	1:A:359:PRO:HD2	1.77	0.66
1:B:446:VAL:O	1:B:450:VAL:HG23	1.95	0.66
1:A:277:VAL:HG12	1:A:280:ARG:NH2	2.10	0.66
1:A:252:MET:HE2	1:A:277:VAL:HG11	1.77	0.66
1:B:457:LYS:C	1:B:458:LYS:HD2	2.22	0.65
1:A:440:THR:HG23	3:B:1080:HOH:O	1.96	0.65
1:B:456:ILE:HD13	1:B:456:ILE:O	1.96	0.65
1:A:277:VAL:HG12	1:A:280:ARG:HH22	1.62	0.64
1:A:459:THR:HG23	1:A:460:GLU:HG2	1.78	0.63
1:B:270:LEU:H	1:B:270:LEU:CD2	2.11	0.63
1:A:465:LEU:HD12	1:A:470:GLN:CG	2.28	0.62
1:A:236:ILE:HG23	1:A:244:LYS:O	1.99	0.62
1:B:357:ARG:HG2	1:B:358:LYS:HG3	1.82	0.61
1:B:207:GLU:O	1:B:209:ALA:N	2.33	0.61
1:A:290:VAL:HG23	1:A:469:LEU:HD22	1.82	0.61
1:B:368:PHE:O	1:B:372:VAL:HG23	2.00	0.61
1:B:357:ARG:NE	1:B:358:LYS:HG3	2.16	0.61
1:B:357:ARG:HG2	1:B:358:LYS:H	1.63	0.60
1:A:239:GLY:C	1:A:241:THR:H	2.10	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:320:TYR:HB3	1:A:397:ARG:NH1	2.16	0.60
1:A:293:VAL:HG22	1:A:322:VAL:HG11	1.81	0.60
1:A:293:VAL:HG13	1:A:322:VAL:HG21	1.83	0.60
1:A:290:VAL:O	1:A:294:GLN:HG3	2.02	0.60
1:B:447:THR:O	1:B:451:GLN:HG2	2.01	0.60
1:B:456:ILE:C	1:B:458:LYS:H	2.10	0.59
1:B:292:ALA:O	1:B:296:ILE:HG12	2.02	0.59
1:A:207:GLU:CG	1:A:208:SER:H	2.05	0.59
1:B:473:TYR:CD1	1:B:473:TYR:N	2.70	0.59
1:B:276:GLU:N	1:B:276:GLU:OE1	2.35	0.59
1:A:317:LEU:HD11	1:A:406:ILE:HD13	1.85	0.59
1:B:402:ASN:O	1:B:405:PRO:HD2	2.03	0.58
1:A:334:MET:HE2	1:A:368:PHE:CE1	2.38	0.58
1:B:263:LYS:HB2	1:B:263:LYS:HZ3	1.68	0.58
1:A:307:VAL:HG22	3:A:1005:HOH:O	2.03	0.58
1:A:379:LEU:HD11	1:A:435:LEU:HD13	1.85	0.58
1:B:207:GLU:N	1:B:207:GLU:OE1	2.38	0.57
1:A:466:HIS:ND1	1:A:467:PRO:HD2	2.20	0.57
1:B:472:ILE:HB	1:B:473:TYR:CE1	2.40	0.56
1:B:219:TYR:CZ	1:B:223:ILE:HD11	2.41	0.56
1:B:379:LEU:HD11	1:B:435:LEU:HD13	1.87	0.56
1:B:402:ASN:ND2	1:B:405:PRO:HG2	2.20	0.56
1:A:286:GLN:HG2	3:A:1166:HOH:O	2.04	0.56
1:A:240:LYS:O	1:A:241:THR:HG23	2.06	0.56
1:B:338:GLY:HA3	1:B:347:PHE:CZ	2.41	0.56
1:A:357:ARG:HD3	1:A:357:ARG:O	2.06	0.55
1:B:211:LEU:N	1:B:211:LEU:HD12	2.21	0.55
1:B:466:HIS:O	1:B:467:PRO:C	2.48	0.55
1:B:262:ILE:HB	1:B:264:PHE:HD1	1.72	0.55
1:B:230:LYS:NZ	1:B:379:LEU:O	2.39	0.55
1:B:472:ILE:HB	1:B:473:TYR:CD1	2.42	0.55
1:A:320:TYR:HB3	1:A:397:ARG:HH11	1.73	0.54
1:A:365:GLU:O	1:A:369:GLU:HG2	2.06	0.54
1:A:465:LEU:HD13	1:A:466:HIS:N	2.23	0.54
1:B:259:GLU:O	1:B:263:LYS:HA	2.07	0.54
1:B:386:ILE:HB	1:B:417:LEU:HD13	1.90	0.54
1:A:307:VAL:HA	1:A:314:GLN:HE22	1.69	0.54
1:B:212:ARG:NH2	1:B:420:GLN:OE1	2.40	0.54
1:A:357:ARG:HD3	1:A:357:ARG:C	2.33	0.54
1:A:277:VAL:HG23	1:A:278:ALA:N	2.23	0.54
1:B:288:ARG:HH11	1:B:292:ALA:HB2	1.74	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:450:VAL:O	1:A:454:GLN:HG3	2.08	0.53
1:A:253:ASN:HA	1:A:256:MET:CE	2.38	0.53
1:A:397:ARG:HB2	1:A:400:LEU:HD11	1.91	0.53
1:A:443:ARG:HG3	1:B:440:THR:CG2	2.38	0.53
1:A:243:ASP:OD2	1:A:244:LYS:HD2	2.09	0.52
1:B:252:MET:HE1	1:B:277:VAL:HG11	1.92	0.52
1:B:277:VAL:HG23	1:B:278:ALA:N	2.24	0.52
1:B:259:GLU:HG2	1:B:264:PHE:CZ	2.44	0.52
1:B:325:ILE:HD11	1:B:392:ILE:HG12	1.92	0.52
1:A:329:MET:C	2:A:3:HID:HAF	2.35	0.52
1:A:436:LEU:HA	1:A:439:MET:HE2	1.91	0.52
1:B:267:ILE:HD13	1:B:284:GLY:CA	2.40	0.52
1:A:239:GLY:C	1:A:241:THR:N	2.68	0.52
1:A:252:MET:HE1	1:A:352:PHE:HZ	1.75	0.52
1:A:286:GLN:NE2	2:A:2:HID:HAH	2.25	0.52
1:B:357:ARG:CG	1:B:358:LYS:N	2.69	0.52
1:A:334:MET:HE2	1:A:368:PHE:CD1	2.45	0.51
1:A:404:LYS:HB3	1:A:405:PRO:HD3	1.92	0.51
1:B:330:LEU:O	1:B:334:MET:HG2	2.11	0.51
1:A:241:THR:CB	1:A:244:LYS:HB2	2.40	0.51
1:A:329:MET:O	2:A:3:HID:HAF	2.09	0.51
1:B:404:LYS:HG2	1:B:408:ASP:OD2	2.11	0.51
1:B:263:LYS:C	1:B:265:LYS:N	2.68	0.51
1:A:241:THR:HG22	1:A:244:LYS:HD3	1.91	0.51
1:A:437:GLN:OE1	1:B:439:MET:HE1	2.11	0.50
1:A:465:LEU:HD11	1:A:469:LEU:HB3	1.93	0.50
1:A:205:ASN:C	1:A:207:GLU:HG2	2.37	0.50
1:A:358:LYS:CB	1:A:359:PRO:CD	2.89	0.50
1:B:341:ILE:C	1:B:341:ILE:HD12	2.36	0.50
1:B:351:GLU:OE2	1:B:354:LYS:HE2	2.11	0.50
1:B:465:LEU:C	1:B:467:PRO:HD2	2.37	0.50
1:B:208:SER:HB3	1:B:211:LEU:HD13	1.94	0.50
1:A:291:GLU:HA	1:A:294:GLN:OE1	2.11	0.50
1:A:320:TYR:HB2	1:A:397:ARG:HD2	1.94	0.49
1:B:427:GLU:HG3	1:B:428:SER:H	1.76	0.49
1:B:454:GLN:O	1:B:457:LYS:HB2	2.12	0.49
1:B:451:GLN:O	1:B:454:GLN:HB3	2.12	0.49
1:A:240:LYS:C	1:A:241:THR:HG23	2.37	0.49
1:A:386:ILE:HD12	1:A:420:GLN:HG2	1.93	0.49
1:B:335:ASN:HD22	1:B:337:ASP:N	2.06	0.49
1:B:267:ILE:HD12	1:B:267:ILE:C	2.38	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:394:SER:O	1:B:397:ARG:HG2	2.12	0.49
1:A:207:GLU:HG3	1:A:208:SER:N	2.14	0.49
1:A:387:PHE:CE2	1:A:391:ILE:HD11	2.48	0.48
1:B:267:ILE:HG22	1:B:287:PHE:CD1	2.48	0.48
1:B:453:LEU:C	1:B:456:ILE:HG22	2.38	0.48
1:B:457:LYS:HB2	1:B:458:LYS:HE3	1.94	0.48
1:A:250:TYR:CD2	1:A:250:TYR:N	2.81	0.48
1:B:259:GLU:O	1:B:265:LYS:HD2	2.13	0.48
1:B:267:ILE:HD12	1:B:267:ILE:O	2.13	0.48
1:A:241:THR:CG2	1:A:244:LYS:HB2	2.41	0.48
1:A:393:LEU:O	1:A:410:GLN:HB2	2.13	0.48
1:A:394:SER:HB2	1:A:397:ARG:CG	2.41	0.48
1:B:325:ILE:HD11	1:B:392:ILE:CG1	2.43	0.48
1:A:373:LYS:O	1:A:376:ALA:HB3	2.14	0.47
1:B:259:GLU:OE2	1:B:268:THR:HG21	2.14	0.47
1:B:418:GLU:O	1:B:422:LYS:HG2	2.14	0.47
1:A:334:MET:HE1	1:A:367:LYS:HB2	1.96	0.47
1:A:465:LEU:HA	3:A:1166:HOH:O	2.14	0.47
1:B:363:PHE:HE1	1:B:449:HIS:HE1	1.61	0.47
1:A:252:MET:O	1:A:256:MET:HG3	2.14	0.47
1:B:219:TYR:OH	1:B:223:ILE:HD11	2.13	0.47
1:A:383:ASP:OD2	1:A:425:HIS:HE1	1.97	0.47
1:B:358:LYS:CB	1:B:359:PRO:CD	2.85	0.47
1:A:430:GLN:HA	3:A:1002:HOH:O	2.15	0.47
1:B:363:PHE:HE1	1:B:449:HIS:CE1	2.33	0.47
1:A:357:ARG:HD2	1:A:360:PHE:CD1	2.49	0.47
1:A:350:ARG:HG3	1:A:368:PHE:CD2	2.51	0.46
1:B:266:HIS:N	1:B:266:HIS:CD2	2.83	0.46
1:B:251:ASP:HA	1:B:352:PHE:CD1	2.51	0.46
1:A:366:PRO:HA	1:A:369:GLU:CG	2.45	0.46
1:A:393:LEU:HD12	1:A:409:ILE:HB	1.98	0.46
1:B:217:HIS:HE1	1:B:302:SER:O	1.99	0.46
1:B:330:LEU:CG	1:B:334:MET:HE3	2.38	0.46
1:A:241:THR:HG21	1:A:244:LYS:CB	2.46	0.46
1:B:268:THR:O	1:B:270:LEU:N	2.48	0.46
1:B:357:ARG:HH21	1:B:358:LYS:HD2	1.81	0.46
1:A:329:MET:SD	2:A:3:HID:HAH	2.57	0.45
1:B:335:ASN:ND2	1:B:337:ASP:N	2.58	0.45
1:B:449:HIS:NE2	1:B:453:LEU:HD11	2.31	0.45
1:A:351:GLU:HA	1:A:351:GLU:OE2	2.17	0.45
1:A:366:PRO:HA	1:A:369:GLU:HG3	1.99	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:293:VAL:HG22	1:A:322:VAL:CG1	2.46	0.45
1:A:456:ILE:CA	1:A:459:THR:HG22	2.44	0.45
1:B:288:ARG:O	1:B:288:ARG:HD3	2.17	0.45
1:A:277:VAL:O	1:A:278:ALA:C	2.60	0.45
1:A:308:ASN:HB2	3:A:1128:HOH:O	2.16	0.45
1:A:454:GLN:O	1:A:457:LYS:HB3	2.17	0.45
1:B:265:LYS:HA	1:B:268:THR:OG1	2.17	0.45
1:B:456:ILE:O	1:B:458:LYS:N	2.50	0.44
1:B:350:ARG:HG3	1:B:368:PHE:CD2	2.52	0.44
1:B:456:ILE:C	1:B:458:LYS:N	2.76	0.44
1:A:214:LEU:HD23	1:A:416:ALA:HB2	1.99	0.44
1:B:311:LEU:HD23	3:B:1103:HOH:O	2.17	0.44
1:B:404:LYS:HB3	1:B:405:PRO:HD3	2.00	0.44
1:A:293:VAL:HG11	1:A:468:LEU:HD11	1.99	0.44
1:B:228:LEU:HD23	1:B:333:LEU:HD21	1.98	0.44
1:B:357:ARG:HE	1:B:358:LYS:CG	2.28	0.44
1:B:393:LEU:HB3	1:B:410:GLN:HB2	1.99	0.44
1:B:222:TYR:CE1	1:B:381:ASP:HB3	2.53	0.44
1:B:279:ILE:O	1:B:283:GLN:HG3	2.17	0.44
1:A:443:ARG:HG3	1:B:440:THR:HG23	2.00	0.43
1:B:276:GLU:O	1:B:276:GLU:HG2	2.18	0.43
1:B:268:THR:C	1:B:270:LEU:N	2.76	0.43
1:B:211:LEU:N	1:B:211:LEU:CD1	2.81	0.43
1:B:226:PHE:CG	1:B:329:MET:HE1	2.53	0.43
1:B:352:PHE:O	1:B:355:SER:HB3	2.18	0.43
1:B:340:LEU:HD12	1:B:340:LEU:HA	1.84	0.43
1:B:354:LYS:HD3	1:B:365:GLU:OE1	2.18	0.43
1:A:240:LYS:O	1:A:241:THR:CG2	2.67	0.43
1:B:441:ASP:O	1:B:445:ILE:HG12	2.18	0.43
1:A:288:ARG:HD3	1:A:288:ARG:C	2.44	0.43
1:B:358:LYS:HB3	1:B:359:PRO:HD2	1.97	0.43
1:A:232:LYS:O	1:A:236:ILE:HG13	2.19	0.43
1:A:253:ASN:O	1:A:256:MET:HB2	2.18	0.43
1:B:262:ILE:HG22	1:B:264:PHE:HB3	2.00	0.43
1:B:278:ALA:HB3	1:B:357:ARG:HH11	1.78	0.43
1:B:454:GLN:O	1:B:458:LYS:HE3	2.18	0.43
1:A:359:PRO:HG2	1:A:360:PHE:H	1.84	0.42
1:A:459:THR:HG23	1:A:460:GLU:N	2.34	0.42
1:B:466:HIS:O	1:B:469:LEU:N	2.51	0.42
1:A:442:LEU:O	1:A:446:VAL:HG23	2.19	0.42
1:B:208:SER:C	1:B:210:ASP:N	2.77	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:252:MET:CE	1:B:277:VAL:HG11	2.49	0.42
1:A:380:ASP:HB2	3:A:1083:HOH:O	2.18	0.42
1:A:452:LEU:O	1:A:452:LEU:HD22	2.18	0.42
1:B:230:LYS:HB3	1:B:381:ASP:OD2	2.19	0.42
1:B:380:ASP:HB2	3:B:1039:HOH:O	2.18	0.42
1:A:290:VAL:CG2	1:A:469:LEU:HD22	2.48	0.42
1:A:252:MET:HE1	1:A:352:PHE:CZ	2.53	0.42
1:A:397:ARG:HA	1:A:398:PRO:HD3	1.83	0.42
1:B:348:MET:SD	1:B:353:LEU:HD21	2.60	0.42
1:A:396:ASP:HB3	3:A:1158:HOH:O	2.20	0.42
1:B:250:TYR:HA	1:B:349:THR:CG2	2.49	0.42
1:A:205:ASN:CB	1:A:207:GLU:HG2	2.50	0.41
1:A:354:LYS:HA	1:A:361:GLY:O	2.20	0.41
1:B:279:ILE:HD12	1:B:279:ILE:N	2.35	0.41
1:B:328:THR:OG1	1:B:442:LEU:HD11	2.19	0.41
1:B:268:THR:C	1:B:270:LEU:H	2.28	0.41
1:B:341:ILE:HD12	1:B:341:ILE:O	2.21	0.41
1:A:289:SER:HB2	2:A:2:HID:HAG	2.01	0.41
1:A:324:GLU:OE2	1:A:443:ARG:HD3	2.21	0.41
1:B:342:SER:C	1:B:344:GLY:N	2.76	0.41
1:B:288:ARG:NH1	1:B:292:ALA:HB2	2.35	0.41
1:B:334:MET:HB3	1:B:339:VAL:HB	2.03	0.41
1:A:239:GLY:O	1:A:241:THR:N	2.41	0.41
1:B:335:ASN:ND2	1:B:335:ASN:C	2.68	0.41
1:A:205:ASN:O	1:A:206:PRO:C	2.64	0.41
1:B:349:THR:HG22	1:B:352:PHE:HB3	2.03	0.41
1:B:427:GLU:HG3	1:B:428:SER:N	2.35	0.41
1:B:216:LYS:HE3	1:B:220:ASP:OD1	2.21	0.40
1:A:313:ASP:O	1:A:317:LEU:HG	2.21	0.40
1:A:335:ASN:C	1:A:335:ASN:OD1	2.64	0.40
1:A:387:PHE:O	1:A:391:ILE:HG13	2.21	0.40
1:A:428:SER:OG	1:A:431:LEU:HB2	2.22	0.40
1:B:296:ILE:HD12	1:B:325:ILE:HG21	2.04	0.40
1:B:318:LEU:HD12	1:B:318:LEU:HA	1.77	0.40
1:B:384:LEU:O	1:B:388:ILE:HG13	2.22	0.40
1:A:212:ARG:HD2	1:A:212:ARG:HA	1.84	0.40
1:A:342:SER:O	1:A:343:GLU:HB2	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	255/287 (89%)	241 (94%)	9 (4%)	5 (2%)	6	16
1	B	249/287 (87%)	224 (90%)	18 (7%)	7 (3%)	4	9
All	All	504/574 (88%)	465 (92%)	27 (5%)	12 (2%)	4	12

All (12) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	207	GLU
1	A	358	LYS
1	B	208	SER
1	A	204	LEU
1	B	270	LEU
1	B	358	LYS
1	B	457	LYS
1	A	394	SER
1	B	342	SER
1	A	359	PRO
1	B	466	HIS
1	B	269	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	228/258 (88%)	216 (95%)	12 (5%)	20	46

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	230/258 (89%)	213 (93%)	17 (7%)	13	32
All	All	458/516 (89%)	429 (94%)	29 (6%)	16	39

All (29) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	242	THR
1	A	244	LYS
1	A	252	MET
1	A	257	MET
1	A	286	GLN
1	A	288	ARG
1	A	322	VAL
1	A	407	GLU
1	A	427	GLU
1	A	452	LEU
1	A	468	LEU
1	A	469	LEU
1	B	207	GLU
1	B	212	ARG
1	B	260	ASP
1	B	263	LYS
1	B	266	HIS
1	B	267	ILE
1	B	318	LEU
1	B	335	ASN
1	B	340	LEU
1	B	382	SER
1	B	452	LEU
1	B	456	ILE
1	B	458	LYS
1	B	460	GLU
1	B	461	THR
1	B	466	HIS
1	B	473	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	286	GLN
1	A	312	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	323	HIS
1	A	425	HIS
1	A	430	GLN
1	A	451	GLN
1	A	470	GLN
1	B	217	HIS
1	B	266	HIS
1	B	271	GLN
1	B	283	GLN
1	B	308	ASN
1	B	312	ASN
1	B	335	ASN
1	B	412	ASN
1	B	424	ASN
1	B	430	GLN
1	B	454	GLN
1	B	466	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	HID	A	3	-	15,15,15	2.68	11 (73%)	21,21,21	1.35	2 (9%)
2	HID	A	2	-	15,15,15	2.44	9 (60%)	21,21,21	1.21	2 (9%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HID	A	3	-	-	4/4/4/4	0/2/2/2
2	HID	A	2	-	-	2/4/4/4	0/2/2/2

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	3	HID	CAH-CAL	5.20	1.56	1.50
2	A	2	HID	CAH-CAL	4.28	1.55	1.50
2	A	3	HID	CAH-CAJ	3.55	1.56	1.51
2	A	3	HID	CAG-CAK	3.32	1.44	1.39
2	A	2	HID	CAE-CAD	3.16	1.43	1.38
2	A	3	HID	CAE-CAD	3.11	1.43	1.38
2	A	2	HID	CAG-CAK	2.98	1.43	1.39
2	A	3	HID	CAM-NAI	-2.93	1.33	1.37
2	A	2	HID	CAH-CAJ	2.70	1.55	1.51
2	A	2	HID	CAD-CAK	2.70	1.44	1.39
2	A	3	HID	CAN-CAL	-2.70	1.39	1.44
2	A	2	HID	CAN-CAL	-2.69	1.39	1.44
2	A	3	HID	CAD-CAK	2.55	1.43	1.39
2	A	2	HID	CAM-NAI	-2.54	1.33	1.37
2	A	3	HID	CAG-CAN	2.54	1.43	1.39
2	A	2	HID	CAE-CAM	2.44	1.43	1.39
2	A	2	HID	CAG-CAN	2.42	1.43	1.39
2	A	3	HID	CAE-CAM	2.27	1.43	1.39
2	A	3	HID	CAN-CAM	2.16	1.44	1.41
2	A	3	HID	CAF-NAI	-2.16	1.33	1.37

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	3	HID	CAJ-CAH-CAL	4.42	121.71	114.93
2	A	2	HID	CAJ-CAH-CAL	3.80	120.76	114.93

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	2	HID	OAA-CAJ-CAH	-2.26	115.67	122.11
2	A	3	HID	OAA-CAJ-CAH	-2.24	115.74	122.11

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	3	HID	CAJ-CAH-CAL-CAN
2	A	3	HID	CAJ-CAH-CAL-CAF
2	A	3	HID	CAL-CAH-CAJ-OAA
2	A	3	HID	CAL-CAH-CAJ-OAB
2	A	2	HID	CAL-CAH-CAJ-OAA
2	A	2	HID	CAL-CAH-CAJ-OAB

There are no ring outliers.

2 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	3	HID	4	0
2	A	2	HID	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	259/287 (90%)	-0.05	3 (1%) 76 75	21, 44, 72, 102	0
1	B	257/287 (89%)	0.16	12 (4%) 36 33	25, 46, 98, 122	0
All	All	516/574 (89%)	0.05	15 (2%) 53 50	21, 45, 89, 122	0

All (15) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	267	ILE	4.9
1	B	465	LEU	3.8
1	B	266	HIS	3.7
1	B	264	PHE	3.2
1	B	473	TYR	3.1
1	B	464	SER	2.9
1	B	459	THR	2.7
1	A	258	GLY	2.6
1	B	208	SER	2.4
1	B	269	PRO	2.2
1	B	268	THR	2.1
1	A	476	LEU	2.1
1	B	262	ILE	2.1
1	B	270	LEU	2.1
1	A	203	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	HID	A	3	14/14	0.83	0.26	104,108,109,109	0
2	HID	A	2	14/14	0.86	0.24	115,116,116,117	0

6.5 Other polymers [i](#)

There are no such residues in this entry.