



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 20, 2026 – 04:05 AM UTC

PDB ID : 3ADU / pdb_00003adu
Title : Human PPARgamma ligand-binding domain in complex with 5-methoxy-indole acetate
Authors : Waku, T.; Shiraki, T.; Oyama, T.; Morikawa, K.
Deposited on : 2010-01-29
Resolution : 2.77 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.77 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5248 (2.80-2.76)
Clashscore	190562	5693 (2.80-2.76)
Ramachandran outliers	187476	5590 (2.80-2.76)
Sidechain outliers	187428	5592 (2.80-2.76)
RSRZ outliers	180081	5251 (2.80-2.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	287	
1	B	287	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 4329 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Peroxisome proliferator-activated receptor gamma.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	259	Total	C	N	O	S	0	0	0
			2057	1325	335	387	10			
1	B	261	Total	C	N	O	S	0	0	0
			2093	1354	343	387	9			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	191	GLY	-	expression tag	UNP P37231
A	192	SER	-	expression tag	UNP P37231
A	193	HIS	-	expression tag	UNP P37231
A	194	MET	-	expression tag	UNP P37231
B	191	GLY	-	expression tag	UNP P37231
B	192	SER	-	expression tag	UNP P37231
B	193	HIS	-	expression tag	UNP P37231
B	194	MET	-	expression tag	UNP P37231

- Molecule 2 is (5-methoxy-1H-indol-3-yl)acetic acid (CCD ID: MYI) (formula: C₁₁H₁₁NO₃).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total 15	C 11	N 1	O 3	0	0
2	A	1	Total 15	C 11	N 1	O 3	0	0
2	B	1	Total 15	C 11	N 1	O 3	0	0
2	B	1	Total 15	C 11	N 1	O 3	0	0
2	B	1	Total 15	C 11	N 1	O 3	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	64	Total O 64 64	0	0
3	B	40	Total O 40 40	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Peroxisome proliferator-activated receptor gamma



- Molecule 1: Peroxisome proliferator-activated receptor gamma



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	92.95Å 60.60Å 118.19Å 90.00° 104.03° 90.00°	Depositor
Resolution (Å)	43.90 – 2.77 43.90 – 2.77	Depositor EDS
% Data completeness (in resolution range)	92.2 (43.90-2.77) 94.3 (43.90-2.77)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.58 (at 2.77Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.204 , 0.276 0.202 , 0.273	Depositor DCC
R_{free} test set	769 reflections (4.88%)	wwPDB-VP
Wilson B-factor (Å ²)	46.8	Xtriage
Anisotropy	0.826	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 66.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	4329	wwPDB-VP
Average B, all atoms (Å ²)	52.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.83% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MYI

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.49	0/2090	1.04	9/2818 (0.3%)
1	B	0.44	0/2128	0.95	6/2865 (0.2%)
All	All	0.46	0/4218	0.99	15/5683 (0.3%)

There are no bond length outliers.

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	322	VAL	N-CA-C	8.62	119.41	110.36
1	B	266	HIS	N-CA-C	-7.21	105.01	113.88
1	A	335	ASN	N-CA-C	-6.89	99.15	108.86
1	B	358	LYS	CA-C-N	-6.68	112.96	121.04
1	B	358	LYS	C-N-CA	-6.68	112.96	121.04
1	A	245	SER	CA-C-N	6.54	126.72	120.31
1	A	245	SER	C-N-CA	6.54	126.72	120.31
1	A	206	PRO	N-CA-CB	6.40	110.30	103.52
1	A	242	THR	N-CA-C	-6.25	106.62	114.56
1	B	322	VAL	N-CA-C	5.93	116.59	110.36
1	A	364	MET	N-CA-C	5.92	120.66	112.90
1	B	403	VAL	N-CA-C	5.79	118.33	111.09
1	A	237	LEU	N-CA-C	5.48	118.17	111.82
1	A	367	LYS	N-CA-C	-5.35	105.36	111.14
1	B	267	ILE	N-CA-C	-5.23	106.79	112.80

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2057	0	2096	95	0
1	B	2093	0	2158	137	0
2	A	30	0	20	1	0
2	B	45	0	30	9	0
3	A	64	0	0	6	0
3	B	40	0	0	1	0
All	All	4329	0	4304	230	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 27.

All (230) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:241:THR:HG21	1:A:244:LYS:HD3	1.15	1.10
1:B:336:LYS:H	1:B:336:LYS:HD3	1.21	1.06
1:B:451:GLN:HE21	1:B:451:GLN:HA	1.23	1.03
1:B:358:LYS:HB3	1:B:359:PRO:CD	1.86	1.02
1:B:252:MET:HE1	1:B:277:VAL:HG21	1.42	1.00
1:B:270:LEU:HD13	1:B:270:LEU:H	1.25	0.99
1:A:443:ARG:HE	1:B:444:GLN:NE2	1.67	0.92
1:A:241:THR:OG1	1:A:244:LYS:HB2	1.69	0.92
1:A:241:THR:HG21	1:A:244:LYS:CD	2.00	0.92
1:A:279:ILE:HG23	1:A:463:MET:HE2	1.49	0.91
1:B:330:LEU:HG	1:B:334:MET:HE3	1.53	0.89
1:A:240:LYS:O	1:A:241:THR:HG23	1.74	0.87
1:A:212:ARG:HH12	1:A:420:GLN:HE21	1.20	0.87
1:A:241:THR:CG2	1:A:244:LYS:HD3	2.03	0.86
1:A:288:ARG:HH21	1:A:291:GLU:HG2	1.39	0.85
1:B:358:LYS:HB3	1:B:359:PRO:HD2	1.57	0.84
1:A:325:ILE:HD11	1:A:392:ILE:HG13	1.61	0.82
1:B:260:ASP:HA	1:B:265:LYS:HE2	1.59	0.82
1:A:253:ASN:HA	1:A:256:MET:HE3	1.66	0.77
1:B:335:ASN:C	1:B:335:ASN:HD22	1.93	0.77
1:B:286:GLN:HG2	2:B:5:MYI:HAE	1.67	0.75

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:451:GLN:O	1:B:454:GLN:HG3	1.87	0.75
1:B:270:LEU:H	1:B:270:LEU:CD1	1.99	0.75
1:A:219:TYR:CZ	1:A:223:ILE:HD11	2.23	0.73
1:A:363:PHE:HZ	1:A:456:ILE:HG13	1.54	0.72
1:B:342:SER:O	1:B:345:GLN:HB2	1.90	0.71
1:B:336:LYS:HD3	1:B:336:LYS:N	2.02	0.70
1:B:397:ARG:NH1	1:B:443:ARG:HH12	1.90	0.70
1:A:441:ASP:O	1:A:445:ILE:HG12	1.92	0.69
1:B:451:GLN:HE21	1:B:451:GLN:CA	2.00	0.69
1:A:446:VAL:O	1:A:450:VAL:HG23	1.93	0.69
1:B:456:ILE:HD13	1:B:456:ILE:O	1.92	0.69
1:B:270:LEU:HD13	1:B:270:LEU:N	2.06	0.68
1:B:384:LEU:O	1:B:388:ILE:HG12	1.94	0.67
1:A:334:MET:HE2	1:A:368:PHE:CE1	2.30	0.67
1:A:433:ALA:O	1:A:437:GLN:HG3	1.95	0.67
1:B:274:SER:C	1:B:276:GLU:H	2.03	0.66
1:A:363:PHE:CZ	1:A:456:ILE:HG13	2.30	0.66
1:A:383:ASP:OD2	1:A:425:HIS:HE1	1.78	0.66
1:B:263:LYS:C	1:B:265:LYS:H	2.03	0.66
1:A:288:ARG:HH11	2:A:1:MYI:HAH	1.60	0.65
1:B:457:LYS:O	1:B:458:LYS:HE3	1.96	0.65
1:B:358:LYS:HB3	1:B:359:PRO:HD3	1.79	0.64
1:B:330:LEU:HD11	2:B:4:MYI:HAA	1.80	0.64
1:B:275:LYS:HB2	1:B:275:LYS:NZ	2.13	0.63
1:B:358:LYS:HD2	1:B:359:PRO:HD3	1.79	0.63
1:A:212:ARG:HH12	1:A:420:GLN:NE2	1.94	0.63
1:A:387:PHE:HE1	1:A:439:MET:HE2	1.62	0.63
1:A:236:ILE:HG23	1:A:244:LYS:O	2.00	0.62
1:A:379:LEU:HD11	1:A:435:LEU:HD13	1.81	0.62
1:B:357:ARG:HG3	1:B:358:LYS:N	2.14	0.62
1:B:253:ASN:HB2	3:B:1073:HOH:O	1.99	0.61
1:A:354:LYS:HD3	1:A:365:GLU:CG	2.30	0.61
1:B:357:ARG:HH22	1:B:459:THR:HG23	1.65	0.61
1:B:357:ARG:HE	1:B:358:LYS:HB2	1.66	0.60
1:B:358:LYS:CB	1:B:359:PRO:CD	2.73	0.60
1:B:323:HIS:NE2	2:B:5:MYI:HAG	2.17	0.60
1:B:265:LYS:O	1:B:269:PRO:HD3	2.02	0.60
1:A:452:LEU:O	1:A:456:ILE:HG12	2.01	0.60
1:B:273:GLN:HE21	1:B:273:GLN:HA	1.67	0.59
1:A:305:GLY:HA2	1:A:308:ASN:HD22	1.67	0.59
1:B:262:ILE:HB	1:B:264:PHE:HD1	1.68	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:335:ASN:ND2	1:B:337:ASP:H	2.01	0.59
1:B:466:HIS:O	1:B:467:PRO:C	2.44	0.59
1:B:453:LEU:O	1:B:457:LYS:HG2	2.03	0.59
1:B:451:GLN:HA	1:B:451:GLN:NE2	2.06	0.58
1:B:290:VAL:HG21	1:B:473:TYR:CD2	2.39	0.58
1:B:263:LYS:NZ	1:B:263:LYS:HA	2.19	0.57
1:A:279:ILE:CG2	1:A:463:MET:HE2	2.28	0.57
1:B:458:LYS:HE3	1:B:458:LYS:HA	1.86	0.57
1:A:239:GLY:C	1:A:241:THR:H	2.12	0.57
1:B:402:ASN:O	1:B:405:PRO:HD2	2.06	0.56
1:A:411:ASP:O	1:A:415:GLN:HG3	2.05	0.56
1:B:325:ILE:HG23	1:B:388:ILE:HD12	1.87	0.56
1:B:320:TYR:HB2	1:B:397:ARG:HD2	1.87	0.56
1:B:441:ASP:O	1:B:445:ILE:HG12	2.06	0.56
1:A:244:LYS:HG2	3:A:1091:HOH:O	2.06	0.56
1:A:325:ILE:HD13	1:A:388:ILE:HG23	1.88	0.56
1:B:336:LYS:H	1:B:336:LYS:CD	2.07	0.55
1:B:373:LYS:HB3	1:B:438:LYS:HZ3	1.70	0.55
1:B:286:GLN:HG2	2:B:5:MYI:CAE	2.34	0.55
1:B:373:LYS:HB3	1:B:438:LYS:NZ	2.21	0.55
1:B:460:GLU:HG3	1:B:461:THR:N	2.22	0.54
1:A:288:ARG:O	1:A:291:GLU:HB3	2.07	0.54
1:B:259:GLU:HA	1:B:264:PHE:CE1	2.43	0.54
1:A:465:LEU:O	1:A:470:GLN:HG3	2.08	0.54
1:A:325:ILE:HD11	1:A:392:ILE:CG1	2.35	0.54
1:B:226:PHE:CD2	1:B:329:MET:HE1	2.44	0.53
1:A:466:HIS:ND1	1:A:467:PRO:HD2	2.23	0.53
1:B:397:ARG:NH1	1:B:443:ARG:NH1	2.56	0.53
1:B:457:LYS:C	1:B:458:LYS:HE3	2.33	0.53
1:A:286:GLN:NE2	1:A:466:HIS:H	2.06	0.53
1:B:456:ILE:C	1:B:458:LYS:H	2.16	0.53
1:B:447:THR:O	1:B:451:GLN:HG2	2.09	0.53
1:B:328:THR:OG1	1:B:442:LEU:HD11	2.09	0.52
1:B:334:MET:HE2	1:B:339:VAL:HB	1.90	0.52
1:B:335:ASN:C	1:B:335:ASN:ND2	2.65	0.52
1:A:293:VAL:HG11	1:A:468:LEU:HD11	1.91	0.52
1:B:340:LEU:HG	1:B:344:GLY:HA2	1.90	0.52
1:B:357:ARG:HH22	1:B:459:THR:CG2	2.23	0.52
1:A:358:LYS:HB3	1:A:359:PRO:CD	2.39	0.52
1:A:243:ASP:OD2	1:A:244:LYS:HD2	2.10	0.52
1:A:253:ASN:ND2	1:A:256:MET:HE3	2.25	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:330:LEU:O	1:B:334:MET:HG2	2.10	0.52
1:B:365:GLU:HB3	1:B:366:PRO:HD3	1.92	0.52
1:A:334:MET:HE2	1:A:368:PHE:CD1	2.45	0.51
1:B:263:LYS:HA	1:B:263:LYS:HZ1	1.75	0.51
1:A:336:LYS:HG3	3:A:1077:HOH:O	2.10	0.51
1:B:244:LYS:O	1:B:244:LYS:HG3	2.11	0.51
1:A:277:VAL:HG13	1:A:278:ALA:N	2.25	0.51
1:A:222:TYR:CE2	1:A:381:ASP:HB3	2.46	0.51
1:B:386:ILE:HD12	1:B:420:GLN:HG2	1.93	0.51
1:A:241:THR:CB	1:A:244:LYS:HB2	2.41	0.50
1:A:320:TYR:CE2	1:A:476:LEU:HD12	2.47	0.50
1:B:262:ILE:HB	1:B:264:PHE:CD1	2.46	0.50
1:A:251:ASP:HB2	1:A:252:MET:SD	2.51	0.50
1:B:263:LYS:O	1:B:263:LYS:HG3	2.11	0.50
1:B:335:ASN:HD22	1:B:337:ASP:H	1.60	0.50
1:B:275:LYS:HB2	1:B:275:LYS:HZ2	1.75	0.50
1:B:267:ILE:C	1:B:270:LEU:HD11	2.36	0.49
1:B:270:LEU:HD22	1:B:270:LEU:O	2.12	0.49
1:B:273:GLN:HA	1:B:273:GLN:NE2	2.26	0.49
1:B:265:LYS:C	1:B:269:PRO:HD3	2.37	0.49
1:B:460:GLU:O	1:B:461:THR:C	2.55	0.49
1:B:357:ARG:NH2	1:B:459:THR:HG23	2.28	0.49
1:A:357:ARG:HH11	1:A:357:ARG:HG2	1.78	0.49
1:A:440:THR:HG22	1:B:440:THR:HA	1.93	0.49
1:A:257:MET:HE2	1:A:257:MET:HA	1.95	0.49
1:B:326:ILE:HG23	2:B:3:MYI:HAE	1.94	0.49
1:A:249:ILE:HA	1:A:254:SER:HB3	1.95	0.48
1:B:397:ARG:HH12	1:B:443:ARG:NH1	2.11	0.48
1:A:465:LEU:O	1:A:466:HIS:C	2.56	0.48
1:B:274:SER:C	1:B:276:GLU:N	2.66	0.48
1:B:465:LEU:C	1:B:467:PRO:HD2	2.39	0.48
1:A:360:PHE:HZ	1:A:463:MET:HE1	1.78	0.48
1:A:394:SER:HB2	1:A:397:ARG:HG2	1.95	0.48
1:B:236:ILE:HG21	1:B:340:LEU:HD11	1.95	0.48
1:B:453:LEU:HA	1:B:456:ILE:HG22	1.96	0.48
1:B:274:SER:O	1:B:276:GLU:N	2.47	0.47
1:A:354:LYS:HD3	1:A:365:GLU:HG3	1.95	0.47
1:A:244:LYS:CG	3:A:1091:HOH:O	2.62	0.47
1:A:238:THR:O	1:A:240:LYS:N	2.48	0.47
1:A:252:MET:HG2	1:A:253:ASN:N	2.29	0.47
1:B:339:VAL:HG21	2:B:4:MYI:HAAA	1.97	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:394:SER:O	1:B:397:ARG:HG2	2.15	0.47
1:A:330:LEU:HD23	3:A:1013:HOH:O	2.15	0.47
1:B:349:THR:HG22	1:B:351:GLU:H	1.80	0.47
1:B:354:LYS:HD2	1:B:354:LYS:O	2.15	0.46
1:B:364:MET:HE2	2:B:4:MYI:HAD	1.97	0.46
1:B:457:LYS:HB2	1:B:458:LYS:NZ	2.30	0.46
1:B:460:GLU:HG3	1:B:461:THR:H	1.80	0.46
1:B:268:THR:N	1:B:269:PRO:CD	2.78	0.46
1:B:458:LYS:HE3	1:B:458:LYS:CA	2.46	0.46
1:B:292:ALA:O	1:B:295:GLU:HB2	2.15	0.46
1:B:379:LEU:HD11	1:B:435:LEU:HD13	1.98	0.46
1:A:219:TYR:O	1:A:222:TYR:HB3	2.16	0.46
1:A:240:LYS:NZ	1:A:240:LYS:HB2	2.31	0.46
1:B:339:VAL:HG21	2:B:4:MYI:CAA	2.46	0.46
1:A:279:ILE:HG23	1:A:463:MET:CE	2.34	0.45
1:A:386:ILE:HD12	1:A:420:GLN:HG2	1.98	0.45
1:B:454:GLN:HA	1:B:457:LYS:HG2	1.97	0.45
1:A:239:GLY:C	1:A:241:THR:N	2.74	0.45
1:A:225:SER:O	1:A:295:GLU:HG2	2.17	0.45
1:B:330:LEU:CG	1:B:334:MET:HE3	2.37	0.45
1:B:370:PHE:CZ	1:B:442:LEU:HG	2.51	0.45
1:A:253:ASN:ND2	1:A:256:MET:CE	2.80	0.45
1:A:360:PHE:C	1:A:362:ASP:H	2.25	0.45
1:A:373:LYS:O	1:A:376:ALA:HB3	2.17	0.45
1:B:276:GLU:OE2	1:B:357:ARG:NH1	2.50	0.45
1:B:456:ILE:C	1:B:458:LYS:N	2.75	0.45
1:A:387:PHE:O	1:A:391:ILE:HG12	2.16	0.44
1:A:240:LYS:O	1:A:241:THR:CG2	2.57	0.44
1:A:358:LYS:HB3	1:A:359:PRO:HD3	2.00	0.44
1:B:276:GLU:OE2	1:B:357:ARG:HD3	2.17	0.44
1:B:357:ARG:CG	1:B:358:LYS:H	2.30	0.44
1:A:239:GLY:O	1:A:241:THR:N	2.48	0.44
1:B:237:LEU:HD12	1:B:237:LEU:H	1.82	0.44
1:B:287:PHE:HA	1:B:473:TYR:CE2	2.52	0.44
1:A:252:MET:HG2	1:A:253:ASN:H	1.82	0.44
1:A:360:PHE:CZ	1:A:463:MET:HE1	2.52	0.44
1:B:237:LEU:HD23	1:B:335:ASN:OD1	2.17	0.44
1:B:290:VAL:HG21	1:B:473:TYR:HD2	1.81	0.44
1:B:311:LEU:N	1:B:311:LEU:HD22	2.32	0.44
1:A:226:PHE:HA	1:A:227:PRO:HD3	1.86	0.43
1:B:219:TYR:CZ	1:B:223:ILE:HD11	2.53	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:271:GLN:O	1:B:273:GLN:HG2	2.18	0.43
1:B:353:LEU:C	1:B:355:SER:H	2.25	0.43
1:B:357:ARG:CG	1:B:358:LYS:N	2.75	0.43
1:B:325:ILE:HD11	1:B:392:ILE:HG12	1.99	0.43
1:B:466:HIS:O	1:B:470:GLN:N	2.43	0.43
1:B:356:LEU:O	1:B:357:ARG:O	2.36	0.43
1:A:311:LEU:HD12	1:A:311:LEU:HA	1.87	0.43
1:B:335:ASN:HD22	1:B:337:ASP:N	2.16	0.43
1:B:363:PHE:O	1:B:366:PRO:HD2	2.18	0.43
1:B:263:LYS:C	1:B:265:LYS:N	2.70	0.43
1:A:226:PHE:CG	1:A:329:MET:HE1	2.54	0.42
1:A:253:ASN:N	1:A:253:ASN:HD22	2.15	0.42
1:A:291:GLU:O	1:A:294:GLN:HB2	2.19	0.42
1:A:402:ASN:O	1:A:406:ILE:HD13	2.19	0.42
1:B:217:HIS:HE1	1:B:302:SER:O	2.01	0.42
1:A:404:LYS:N	1:A:405:PRO:HD2	2.34	0.42
1:A:469:LEU:HD12	1:A:469:LEU:HA	1.91	0.42
1:B:237:LEU:HD12	1:B:237:LEU:N	2.34	0.42
1:B:436:LEU:O	1:B:439:MET:HB2	2.19	0.42
1:B:335:ASN:ND2	1:B:337:ASP:N	2.68	0.42
1:B:453:LEU:O	1:B:456:ILE:HG22	2.19	0.42
1:B:424:ASN:C	1:B:426:PRO:HD3	2.45	0.42
1:B:446:VAL:O	1:B:450:VAL:HG23	2.19	0.42
1:A:216:LYS:HE3	1:A:216:LYS:HB2	1.84	0.42
1:B:268:THR:O	1:B:269:PRO:C	2.62	0.42
1:A:417:LEU:O	1:A:421:LEU:HG	2.20	0.42
1:A:212:ARG:HD2	1:A:212:ARG:HA	1.84	0.41
1:B:411:ASP:O	1:B:415:GLN:HG3	2.20	0.41
1:A:321:GLY:O	1:A:325:ILE:HG13	2.20	0.41
1:B:357:ARG:O	1:B:358:LYS:O	2.38	0.41
1:A:427:GLU:HB2	3:A:1093:HOH:O	2.19	0.41
1:A:465:LEU:HD23	1:A:470:GLN:HG2	2.02	0.41
1:A:327:TYR:HE1	1:A:446:VAL:HG22	1.84	0.41
1:A:253:ASN:HD22	1:A:256:MET:HE3	1.84	0.41
1:B:286:GLN:NE2	2:B:5:MYI:HNAI	2.19	0.41
1:B:348:MET:SD	1:B:353:LEU:HD21	2.61	0.41
1:A:243:ASP:CG	1:A:244:LYS:HD2	2.45	0.41
1:B:439:MET:O	1:B:443:ARG:HG2	2.21	0.41
1:B:468:LEU:O	1:B:472:ILE:HG13	2.20	0.41
1:A:323:HIS:HB2	3:A:1071:HOH:O	2.21	0.41
1:A:228:LEU:HD12	1:A:232:LYS:HB3	2.01	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:419:LEU:HD11	1:B:423:LEU:HD11	2.02	0.40
1:B:212:ARG:HA	1:B:212:ARG:NE	2.36	0.40
1:B:453:LEU:C	1:B:456:ILE:HG22	2.47	0.40
1:A:252:MET:HG2	1:A:253:ASN:ND2	2.36	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	255/287 (89%)	243 (95%)	7 (3%)	5 (2%)	6	18
1	B	255/287 (89%)	229 (90%)	19 (8%)	7 (3%)	4	12
All	All	510/574 (89%)	472 (92%)	26 (5%)	12 (2%)	4	15

All (12) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	358	LYS
1	B	357	ARG
1	B	358	LYS
1	A	239	GLY
1	B	274	SER
1	A	204	LEU
1	B	275	LYS
1	B	270	LEU
1	B	277	VAL
1	B	467	PRO
1	A	304	PRO
1	A	466	HIS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	228/258 (88%)	216 (95%)	12 (5%)	20	49
1	B	234/258 (91%)	214 (92%)	20 (8%)	10	28
All	All	462/516 (90%)	430 (93%)	32 (7%)	14	38

All (32) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	240	LYS
1	A	241	THR
1	A	246	PRO
1	A	252	MET
1	A	255	LEU
1	A	280	ARG
1	A	288	ARG
1	A	322	VAL
1	A	402	ASN
1	A	443	ARG
1	A	447	THR
1	A	469	LEU
1	B	230	LYS
1	B	234	ARG
1	B	253	ASN
1	B	263	LYS
1	B	270	LEU
1	B	276	GLU
1	B	318	LEU
1	B	335	ASN
1	B	336	LYS
1	B	354	LYS
1	B	357	ARG
1	B	427	GLU
1	B	442	LEU
1	B	451	GLN
1	B	454	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	456	ILE
1	B	458	LYS
1	B	466	HIS
1	B	467	PRO
1	B	468	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (26) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	253	ASN
1	A	283	GLN
1	A	286	GLN
1	A	308	ASN
1	A	312	ASN
1	A	345	GLN
1	A	410	GLN
1	A	415	GLN
1	A	420	GLN
1	A	425	HIS
1	A	430	GLN
1	A	470	GLN
1	B	217	HIS
1	B	253	ASN
1	B	273	GLN
1	B	283	GLN
1	B	286	GLN
1	B	308	ASN
1	B	312	ASN
1	B	335	ASN
1	B	424	ASN
1	B	430	GLN
1	B	437	GLN
1	B	444	GLN
1	B	451	GLN
1	B	466	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	MYI	B	3	-	16,16,16	2.48	9 (56%)	22,22,22	0.98	1 (4%)
2	MYI	A	2	-	16,16,16	2.47	11 (68%)	22,22,22	0.95	1 (4%)
2	MYI	A	1	-	16,16,16	2.59	9 (56%)	22,22,22	1.00	0
2	MYI	B	4	-	16,16,16	2.34	9 (56%)	22,22,22	0.86	0
2	MYI	B	5	-	16,16,16	2.34	10 (62%)	22,22,22	0.89	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	MYI	B	3	-	-	2/6/6/6	0/2/2/2
2	MYI	A	2	-	-	0/6/6/6	0/2/2/2
2	MYI	A	1	-	-	6/6/6/6	0/2/2/2
2	MYI	B	4	-	-	4/6/6/6	0/2/2/2
2	MYI	B	5	-	-	6/6/6/6	0/2/2/2

All (48) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	3	MYI	CAH-CAM	4.57	1.55	1.50
2	A	1	MYI	CAG-CAL	4.25	1.46	1.39
2	A	1	MYI	CAH-CAM	4.18	1.55	1.50
2	B	5	MYI	CAG-CAL	4.02	1.45	1.39
2	A	2	MYI	CAG-CAL	4.00	1.45	1.39
2	B	4	MYI	CAG-CAL	3.82	1.45	1.39
2	B	3	MYI	CAG-CAL	3.69	1.45	1.39
2	A	1	MYI	CAH-CAK	3.62	1.56	1.51
2	B	4	MYI	CAH-CAM	3.60	1.54	1.50
2	A	2	MYI	CAN-NAI	-3.52	1.32	1.37
2	A	2	MYI	CAH-CAM	3.33	1.54	1.50
2	B	5	MYI	CAH-CAM	3.26	1.54	1.50
2	A	1	MYI	CAG-CAO	3.17	1.44	1.39
2	A	1	MYI	CAN-NAI	-3.08	1.32	1.37
2	A	2	MYI	CAD-CAL	3.03	1.44	1.38
2	B	5	MYI	CAD-CAL	2.98	1.44	1.38
2	A	2	MYI	CAE-CAD	2.95	1.43	1.38
2	B	3	MYI	CAH-CAK	2.94	1.55	1.51
2	B	3	MYI	CAD-CAL	2.94	1.44	1.38
2	B	4	MYI	CAD-CAL	2.89	1.44	1.38
2	B	4	MYI	CAN-NAI	-2.89	1.33	1.37
2	B	3	MYI	CAE-CAD	2.86	1.43	1.38
2	A	1	MYI	CAD-CAL	2.86	1.44	1.38
2	B	5	MYI	CAN-NAI	-2.80	1.33	1.37
2	B	4	MYI	CAE-CAD	2.78	1.43	1.38
2	B	3	MYI	CAN-NAI	-2.78	1.33	1.37
2	B	5	MYI	CAE-CAN	2.66	1.44	1.39
2	B	5	MYI	CAE-CAD	2.60	1.43	1.38
2	A	2	MYI	CAE-CAN	2.60	1.43	1.39
2	A	1	MYI	CAF-NAI	-2.49	1.33	1.37
2	A	2	MYI	CAO-CAM	-2.45	1.40	1.44
2	B	4	MYI	CAE-CAN	2.45	1.43	1.39
2	A	1	MYI	CAE-CAD	2.45	1.42	1.38
2	B	4	MYI	CAG-CAO	2.45	1.43	1.39
2	A	2	MYI	CAH-CAK	2.44	1.54	1.51
2	B	3	MYI	CAE-CAN	2.40	1.43	1.39
2	B	5	MYI	CAF-NAI	-2.40	1.33	1.37
2	B	3	MYI	CAG-CAO	2.35	1.43	1.39
2	A	2	MYI	CAF-NAI	-2.32	1.33	1.37
2	B	5	MYI	CAG-CAO	2.32	1.43	1.39
2	B	4	MYI	CAF-NAI	-2.28	1.33	1.37
2	B	4	MYI	CAO-CAM	-2.21	1.40	1.44
2	B	3	MYI	CAF-NAI	-2.20	1.33	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1	MYI	CAE-CAN	2.16	1.43	1.39
2	B	5	MYI	CAO-CAM	-2.14	1.40	1.44
2	A	2	MYI	CAF-CAM	-2.12	1.33	1.36
2	B	5	MYI	CAH-CAK	2.06	1.54	1.51
2	A	2	MYI	CAG-CAO	2.03	1.43	1.39

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	3	MYI	CAA-OAJ-CAL	2.33	122.50	117.50
2	A	2	MYI	CAA-OAJ-CAL	2.02	121.83	117.50

There are no chirality outliers.

All (18) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	1	MYI	CAK-CAH-CAM-CAF
2	B	4	MYI	CAD-CAL-OAJ-CAA
2	B	4	MYI	CAG-CAL-OAJ-CAA
2	B	5	MYI	CAD-CAL-OAJ-CAA
2	B	5	MYI	CAG-CAL-OAJ-CAA
2	A	1	MYI	CAG-CAL-OAJ-CAA
2	A	1	MYI	CAD-CAL-OAJ-CAA
2	B	3	MYI	CAD-CAL-OAJ-CAA
2	B	3	MYI	CAG-CAL-OAJ-CAA
2	A	1	MYI	CAK-CAH-CAM-CAO
2	B	5	MYI	CAK-CAH-CAM-CAO
2	B	5	MYI	CAK-CAH-CAM-CAF
2	B	5	MYI	CAM-CAH-CAK-OAB
2	B	5	MYI	CAM-CAH-CAK-OAC
2	A	1	MYI	CAM-CAH-CAK-OAC
2	A	1	MYI	CAM-CAH-CAK-OAB
2	B	4	MYI	CAM-CAH-CAK-OAC
2	B	4	MYI	CAM-CAH-CAK-OAB

There are no ring outliers.

4 monomers are involved in 10 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	3	MYI	1	0
2	A	1	MYI	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	4	MYI	4	0
2	B	5	MYI	4	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	259/287 (90%)	-0.24	1 (0%) 88 85	27, 44, 73, 101	0
1	B	261/287 (90%)	0.00	10 (3%) 44 37	28, 49, 107, 137	0
All	All	520/574 (90%)	-0.12	11 (2%) 63 56	27, 46, 90, 137	0

All (11) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	267	ILE	4.8
1	B	465	LEU	3.6
1	B	464	SER	3.5
1	B	461	THR	2.8
1	B	264	PHE	2.6
1	B	266	HIS	2.6
1	B	456	ILE	2.5
1	B	273	GLN	2.4
1	B	265	LYS	2.4
1	A	463	MET	2.2
1	B	363	PHE	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	MYI	B	3	15/15	0.79	0.17	89,90,91,92	0
2	MYI	B	5	15/15	0.83	0.15	102,104,105,105	0
2	MYI	B	4	15/15	0.86	0.20	107,109,110,110	0
2	MYI	A	1	15/15	0.86	0.18	88,89,91,92	0
2	MYI	A	2	15/15	0.94	0.10	63,66,71,71	0

6.5 Other polymers [i](#)

There are no such residues in this entry.