



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 2, 2026 – 02:49 AM UTC

PDB ID : 3ADW / pdb_00003adw
Title : Human PPARgamma ligand-binding domain in complex with 5-methoxy-indole acetate and 15-oxo-eicosatetraenoic acid
Authors : Waku, T.; Shiraki, T.; Oyama, T.; Morikawa, K.
Deposited on : 2010-01-29
Resolution : 2.07 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.07 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3774 (2.08-2.04)
Clashscore	190562	3883 (2.08-2.04)
Ramachandran outliers	187476	3860 (2.08-2.04)
Sidechain outliers	187428	3860 (2.08-2.04)
RSRZ outliers	180081	3775 (2.08-2.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	287	12% 63% 27% 5% • 5%
1	B	287	11% 58% 28% • 9%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 4466 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Peroxisome proliferator-activated receptor gamma.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	274	Total	C	N	O	S	0	0	0
			2197	1417	360	410	10			
1	B	260	Total	C	N	O	S	0	0	0
			2088	1351	343	385	9			

There are 8 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	191	GLY	-	expression tag	UNP P37231
A	192	SER	-	expression tag	UNP P37231
A	193	HIS	-	expression tag	UNP P37231
A	194	MET	-	expression tag	UNP P37231
B	191	GLY	-	expression tag	UNP P37231
B	192	SER	-	expression tag	UNP P37231
B	193	HIS	-	expression tag	UNP P37231
B	194	MET	-	expression tag	UNP P37231

- Molecule 2 is (5-methoxy-1H-indol-3-yl)acetic acid (CCD ID: MYI) (formula: C₁₁H₁₁NO₃).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			15	11	1	3		

- Molecule 3 is (5E,8E,11Z,13E)-15-oxoicosa-5,8,11,13-tetraenoic acid (CCD ID: OCR) (formula: C₂₀H₃₀O₃).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			23	20	3		
3	B	1	Total	C	O	0	0
			23	20	3		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	59	Total 59	O 59	0	0
4	B	61	Total 61	O 61	0	0

- Molecule 1: Peroxisome proliferator-activated receptor gamma



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	93.03Å 61.18Å 118.47Å 90.00° 102.84° 90.00°	Depositor
Resolution (Å)	29.00 – 2.07 29.00 – 2.07	Depositor EDS
% Data completeness (in resolution range)	93.2 (29.00-2.07) 93.2 (29.00-2.07)	Depositor EDS
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.87 (at 2.06Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.230 , 0.265 0.228 , 0.263	Depositor DCC
R_{free} test set	1934 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	36.9	Xtriage
Anisotropy	0.563	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 40.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	4466	wwPDB-VP
Average B, all atoms (Å ²)	51.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.49% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: OCR, MYI

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.43	0/2235	0.90	6/3013 (0.2%)
1	B	0.42	0/2123	0.86	2/2857 (0.1%)
All	All	0.42	0/4358	0.88	8/5870 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	322	VAL	N-CA-C	6.81	117.51	110.36
1	A	335	ASN	N-CA-C	-6.72	99.12	109.14
1	A	363	PHE	N-CA-C	6.68	118.56	111.28
1	B	322	VAL	N-CA-C	6.49	117.24	110.62
1	A	466	HIS	CA-C-N	6.24	125.73	119.24
1	A	466	HIS	C-N-CA	6.24	125.73	119.24
1	B	335	ASN	N-CA-C	-5.98	100.23	109.14
1	A	267	ILE	N-CA-C	-5.75	103.61	111.89

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	222	TYR	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2197	0	2263	95	0
1	B	2088	0	2154	104	0
2	A	15	0	10	1	0
3	A	23	0	28	5	0
3	B	23	0	28	6	0
4	A	59	0	0	1	0
4	B	61	0	0	1	0
All	All	4466	0	4483	195	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 22.

All (195) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:358:LYS:HB3	1:B:359:PRO:HD2	1.34	1.08
1:B:358:LYS:HB3	1:B:359:PRO:CD	1.82	1.06
1:B:261:LYS:HE3	1:B:261:LYS:HA	1.39	1.05
1:B:349:THR:HG22	1:B:352:PHE:H	1.23	1.00
1:A:358:LYS:HB2	1:A:359:PRO:HD3	1.47	0.93
1:B:335:ASN:HD22	1:B:335:ASN:C	1.81	0.87
1:B:442:LEU:O	1:B:445:ILE:HG22	1.75	0.86
1:A:459:THR:HG23	1:A:460:GLU:HG2	1.57	0.85
1:A:240:LYS:HG3	1:A:241:THR:H	1.44	0.81
1:B:357:ARG:HH11	1:B:358:LYS:HB2	1.45	0.80
1:B:335:ASN:ND2	1:B:337:ASP:H	1.80	0.79
1:B:267:ILE:HD11	1:B:280:ARG:O	1.86	0.74
1:B:268:THR:OG1	1:B:269:PRO:HD3	1.87	0.73
1:B:357:ARG:HH11	1:B:358:LYS:CB	2.02	0.72
1:B:443:ARG:O	1:B:447:THR:HG23	1.88	0.72
1:A:212:ARG:O	1:A:216:LYS:HG2	1.90	0.70

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:437:GLN:O	1:A:440:THR:HG23	1.92	0.69
1:A:261:LYS:HD2	1:A:262:ILE:HG23	1.74	0.68
1:B:288:ARG:HE	3:B:2:OCR:C19	2.07	0.68
1:A:267:ILE:O	1:A:267:ILE:HD13	1.94	0.67
1:B:290:VAL:HG21	1:B:473:TYR:CD1	2.30	0.67
1:A:203:GLN:HG3	1:A:204:LEU:HD13	1.76	0.66
1:A:263:LYS:HE2	1:A:265:LYS:HE3	1.77	0.66
1:B:357:ARG:HD2	1:B:358:LYS:HB2	1.77	0.66
1:B:404:LYS:HB3	1:B:405:PRO:HD3	1.78	0.66
1:B:247:PHE:HE1	1:B:257:MET:HE2	1.61	0.65
1:B:358:LYS:CB	1:B:359:PRO:CD	2.70	0.65
1:B:402:ASN:O	1:B:405:PRO:HD2	1.94	0.65
1:B:217:HIS:HE1	1:B:302:SER:O	1.79	0.65
1:B:335:ASN:ND2	1:B:338:GLY:H	1.94	0.65
1:A:441:ASP:O	1:A:445:ILE:HG12	1.96	0.64
1:B:349:THR:HG22	1:B:352:PHE:N	2.06	0.64
1:B:258:GLY:O	1:B:262:ILE:HG13	1.97	0.64
1:B:267:ILE:HD12	1:B:273:GLN:OE1	1.98	0.63
1:A:305:GLY:HA2	1:A:308:ASN:HD22	1.63	0.63
1:B:226:PHE:HE1	1:B:296:ILE:HD13	1.64	0.63
1:B:358:LYS:HD2	1:B:359:PRO:HD3	1.79	0.63
1:B:360:PHE:CE1	1:B:456:ILE:HD11	2.34	0.62
1:A:273:GLN:O	1:A:273:GLN:HG2	1.98	0.62
1:B:325:ILE:HG23	1:B:388:ILE:HD12	1.82	0.62
1:A:249:ILE:HD11	1:A:262:ILE:HD11	1.82	0.61
1:A:290:VAL:HG21	1:A:466:HIS:CD2	2.35	0.60
1:B:264:PHE:O	1:B:266:HIS:N	2.33	0.59
1:A:456:ILE:HA	1:A:459:THR:HG22	1.84	0.59
1:A:433:ALA:O	1:A:437:GLN:HG3	2.02	0.59
1:A:443:ARG:HG3	1:B:440:THR:CG2	2.33	0.59
1:B:357:ARG:CD	1:B:358:LYS:HB2	2.31	0.59
1:B:367:LYS:HD3	1:B:445:ILE:HD11	1.84	0.59
1:B:296:ILE:HD12	1:B:325:ILE:HG21	1.83	0.59
1:A:293:VAL:HG22	1:A:322:VAL:HG11	1.84	0.58
1:B:335:ASN:C	1:B:335:ASN:ND2	2.55	0.58
1:B:226:PHE:CE1	1:B:296:ILE:HD13	2.39	0.58
1:B:335:ASN:ND2	1:B:337:ASP:N	2.52	0.57
1:A:237:LEU:C	1:A:239:GLY:H	2.11	0.57
1:A:358:LYS:HB2	1:A:359:PRO:CD	2.28	0.57
1:B:453:LEU:C	1:B:457:LYS:HZ2	2.11	0.57
1:A:325:ILE:HD13	1:A:388:ILE:HG23	1.87	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:290:VAL:HG21	1:B:473:TYR:HD1	1.69	0.56
1:B:330:LEU:HD21	1:B:364:MET:HE1	1.88	0.55
1:A:205:ASN:ND2	1:A:207:GLU:HB2	2.22	0.55
1:B:252:MET:SD	1:B:277:VAL:HG11	2.47	0.55
1:B:456:ILE:HG22	1:B:457:LYS:HD2	1.88	0.55
1:B:468:LEU:O	1:B:472:ILE:HG13	2.06	0.55
1:A:325:ILE:HD11	1:A:392:ILE:CG1	2.37	0.55
1:A:273:GLN:C	1:A:275:LYS:H	2.15	0.55
1:A:274:SER:HB3	1:A:280:ARG:HG3	1.90	0.54
1:A:240:LYS:HG3	1:A:241:THR:N	2.18	0.54
1:B:359:PRO:HB2	1:B:452:LEU:HD21	1.90	0.54
1:B:453:LEU:O	1:B:456:ILE:HG22	2.08	0.54
1:A:277:VAL:HG13	1:A:278:ALA:N	2.23	0.53
1:A:282:PHE:CZ	2:A:3:MYI:HAD	2.42	0.53
1:B:325:ILE:HD11	1:B:392:ILE:HG13	1.90	0.53
1:A:383:ASP:OD2	1:A:425:HIS:HE1	1.91	0.53
1:A:325:ILE:HD11	1:A:392:ILE:HG13	1.92	0.52
1:B:349:THR:CG2	1:B:352:PHE:H	2.08	0.52
1:A:208:SER:O	1:A:212:ARG:HG2	2.09	0.52
1:B:333:LEU:CD2	3:B:2:OCR:H20	2.40	0.52
1:A:264:PHE:O	1:A:266:HIS:N	2.39	0.52
1:B:277:VAL:HG23	1:B:278:ALA:N	2.25	0.52
1:B:333:LEU:HD23	3:B:2:OCR:H20	1.90	0.52
1:B:456:ILE:C	1:B:458:LYS:H	2.17	0.52
1:B:247:PHE:CE1	1:B:257:MET:HE2	2.44	0.51
1:B:328:THR:OG1	1:B:442:LEU:HD11	2.11	0.51
1:A:275:LYS:O	1:A:276:GLU:HB2	2.09	0.51
1:B:288:ARG:HE	3:B:2:OCR:H19	1.74	0.51
1:B:411:ASP:O	1:B:415:GLN:HG3	2.11	0.51
1:A:205:ASN:HD21	1:A:207:GLU:HB2	1.75	0.51
1:A:203:GLN:HG3	1:A:204:LEU:CD1	2.40	0.51
1:B:454:GLN:HA	1:B:454:GLN:OE1	2.11	0.50
1:A:436:LEU:HA	1:A:439:MET:HE2	1.94	0.50
1:B:259:GLU:O	1:B:263:LYS:HA	2.11	0.50
1:B:288:ARG:HE	3:B:2:OCR:H19A	1.73	0.50
1:B:360:PHE:O	1:B:363:PHE:HD1	1.94	0.50
1:A:203:GLN:HG3	1:A:204:LEU:N	2.26	0.50
1:A:330:LEU:HD21	1:A:364:MET:HE1	1.93	0.50
1:B:453:LEU:HD22	1:B:457:LYS:HZ1	1.76	0.50
1:B:367:LYS:HA	1:B:445:ILE:HD11	1.93	0.50
1:A:263:LYS:O	1:A:263:LYS:HD2	2.12	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:272:GLU:HG2	1:A:273:GLN:H	1.77	0.49
1:A:273:GLN:H	1:A:273:GLN:CD	2.19	0.49
1:A:277:VAL:O	1:A:281:ILE:HG12	2.12	0.49
1:A:357:ARG:NH2	1:A:360:PHE:HE1	2.10	0.49
1:B:363:PHE:O	1:B:367:LYS:HE2	2.12	0.49
1:A:293:VAL:HG22	1:A:322:VAL:CG1	2.43	0.49
1:A:396:ASP:O	1:A:396:ASP:CG	2.55	0.49
1:B:357:ARG:HH11	1:B:358:LYS:CG	2.24	0.49
1:B:279:ILE:HG23	1:B:461:THR:HB	1.95	0.49
1:B:335:ASN:HD21	1:B:338:GLY:N	2.10	0.49
1:A:262:ILE:HG13	1:A:262:ILE:O	2.13	0.48
1:B:466:HIS:N	1:B:467:PRO:CD	2.75	0.48
1:B:226:PHE:CG	1:B:329:MET:HE1	2.49	0.48
1:A:455:VAL:O	1:A:459:THR:HG22	2.14	0.48
1:B:335:ASN:ND2	1:B:338:GLY:N	2.61	0.48
1:B:237:LEU:HD21	1:B:340:LEU:HD13	1.96	0.48
1:B:367:LYS:CD	1:B:445:ILE:HD11	2.43	0.48
1:B:338:GLY:HA3	1:B:347:PHE:CZ	2.49	0.47
1:A:272:GLU:HG2	1:A:273:GLN:OE1	2.15	0.47
1:A:357:ARG:O	1:A:358:LYS:C	2.58	0.47
1:B:277:VAL:HG23	1:B:278:ALA:H	1.79	0.47
1:A:456:ILE:HA	1:A:459:THR:CG2	2.45	0.47
1:B:334:MET:HE1	1:B:367:LYS:HB2	1.96	0.47
1:B:271:GLN:O	1:B:272:GLU:C	2.58	0.47
1:A:456:ILE:HG21	1:A:463:MET:HE1	1.96	0.47
1:B:261:LYS:HA	1:B:261:LYS:CE	2.22	0.47
1:B:325:ILE:HD11	1:B:392:ILE:CG1	2.45	0.47
1:B:274:SER:C	1:B:276:GLU:N	2.71	0.46
1:B:365:GLU:HB3	1:B:366:PRO:HD3	1.97	0.46
1:A:263:LYS:HD2	1:A:263:LYS:C	2.40	0.46
1:A:288:ARG:NH1	3:A:1:OCR:H20A	2.30	0.46
1:A:395:GLY:HA2	1:A:400:LEU:CD1	2.46	0.46
1:A:357:ARG:HH11	1:A:357:ARG:HG2	1.81	0.46
1:A:439:MET:HE1	1:B:437:GLN:HG2	1.97	0.46
1:A:443:ARG:HG3	1:B:440:THR:HG21	1.97	0.46
1:B:273:GLN:CD	1:B:280:ARG:HG2	2.40	0.46
1:B:273:GLN:CG	1:B:283:GLN:HE22	2.29	0.46
1:B:340:LEU:O	3:B:2:OCR:H21A	2.15	0.46
1:B:459:THR:O	1:B:460:GLU:HB2	2.15	0.45
1:B:394:SER:O	1:B:397:ARG:HG2	2.16	0.45
1:A:277:VAL:HG13	1:A:278:ALA:H	1.80	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:363:PHE:CZ	1:A:452:LEU:HB3	2.51	0.45
1:B:322:VAL:O	1:B:326:ILE:HG13	2.16	0.45
1:A:273:GLN:C	1:A:275:LYS:N	2.74	0.45
1:A:235:ALA:HA	1:A:240:LYS:HZ2	1.82	0.45
1:B:274:SER:O	1:B:276:GLU:N	2.50	0.45
1:A:269:PRO:HD2	1:A:283:GLN:HB3	1.99	0.44
1:A:255:LEU:CD1	1:A:277:VAL:HG23	2.47	0.44
1:B:335:ASN:HD22	1:B:337:ASP:H	1.60	0.44
1:A:237:LEU:C	1:A:239:GLY:N	2.76	0.44
1:B:251:ASP:OD1	1:B:251:ASP:C	2.60	0.44
1:B:453:LEU:HD22	1:B:457:LYS:NZ	2.33	0.44
1:A:288:ARG:NH1	3:A:1:OCR:H18	2.33	0.44
1:A:288:ARG:HH11	3:A:1:OCR:C18	2.31	0.43
1:A:363:PHE:CZ	1:A:456:ILE:HG13	2.53	0.43
1:A:203:GLN:HG3	1:A:204:LEU:H	1.81	0.43
1:A:235:ALA:HA	1:A:240:LYS:NZ	2.32	0.43
1:B:357:ARG:NH1	1:B:358:LYS:HG3	2.32	0.43
1:A:261:LYS:C	1:A:261:LYS:HD3	2.42	0.43
1:B:245:SER:HA	1:B:246:PRO:HD3	1.86	0.43
1:A:466:HIS:HA	1:A:467:PRO:HD3	1.83	0.43
1:A:333:LEU:HD11	3:A:1:OCR:H20	2.00	0.43
1:A:288:ARG:HH21	1:A:291:GLU:CG	2.32	0.42
1:A:288:ARG:HH21	1:A:291:GLU:HG2	1.84	0.42
1:A:379:LEU:HD11	1:A:435:LEU:HD13	2.01	0.42
1:A:275:LYS:O	1:A:276:GLU:CB	2.67	0.42
1:A:325:ILE:CD1	1:A:388:ILE:HG23	2.49	0.42
1:B:292:ALA:O	1:B:296:ILE:HG12	2.20	0.42
1:B:360:PHE:CZ	1:B:456:ILE:HD11	2.54	0.42
1:B:466:HIS:HB3	1:B:467:PRO:HD3	2.01	0.42
1:B:357:ARG:HD2	1:B:357:ARG:C	2.45	0.42
1:A:226:PHE:HA	1:A:227:PRO:HD3	1.92	0.42
1:A:395:GLY:HA2	1:A:400:LEU:HD13	2.02	0.42
1:A:424:ASN:C	1:A:426:PRO:HD3	2.45	0.42
1:A:454:GLN:NE2	1:A:454:GLN:HA	2.35	0.42
1:A:330:LEU:HD13	3:A:1:OCR:C16	2.50	0.41
1:B:266:HIS:HB3	1:B:267:ILE:H	1.62	0.41
1:B:384:LEU:O	1:B:388:ILE:HG12	2.20	0.41
1:B:453:LEU:O	1:B:457:LYS:HD2	2.20	0.41
1:A:443:ARG:HG3	1:B:440:THR:HG23	2.01	0.41
1:A:476:LEU:C	1:A:476:LEU:HD23	2.45	0.41
1:A:226:PHE:CG	1:A:329:MET:HE1	2.55	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:270:LEU:C	1:A:270:LEU:HD23	2.45	0.41
1:A:452:LEU:O	1:A:456:ILE:HG12	2.21	0.41
1:B:349:THR:HG23	4:B:1072:HOH:O	2.21	0.41
1:A:356:LEU:O	1:A:357:ARG:HB2	2.21	0.41
1:B:290:VAL:CG2	1:B:473:TYR:HD1	2.33	0.41
1:A:227:PRO:HD2	4:A:1066:HOH:O	2.21	0.41
1:A:310:ASP:OD1	1:A:312:ASN:N	2.52	0.41
1:B:402:ASN:OD1	1:B:405:PRO:HD3	2.21	0.41
1:B:267:ILE:O	1:B:268:THR:C	2.63	0.41
1:A:262:ILE:O	1:A:263:LYS:C	2.65	0.40
1:A:281:ILE:HD12	1:A:348:MET:HE1	2.04	0.40
1:A:269:PRO:O	1:A:271:GLN:N	2.54	0.40
1:A:275:LYS:O	1:A:275:LYS:CD	2.70	0.40
1:A:327:TYR:CE2	1:A:367:LYS:HE3	2.56	0.40
1:B:349:THR:HG22	1:B:351:GLU:N	2.37	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	272/287 (95%)	250 (92%)	14 (5%)	8 (3%)	3	0
1	B	254/287 (88%)	233 (92%)	14 (6%)	7 (3%)	4	0
All	All	526/574 (92%)	483 (92%)	28 (5%)	15 (3%)	3	0

All (15) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	270	LEU
1	A	276	GLU
1	A	358	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	265	LYS
1	B	358	LYS
1	A	261	LYS
1	B	263	LYS
1	B	274	SER
1	A	239	GLY
1	A	274	SER
1	B	275	LYS
1	B	460	GLU
1	B	272	GLU
1	A	269	PRO
1	A	262	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	247/258 (96%)	237 (96%)	10 (4%)	28	22
1	B	233/258 (90%)	225 (97%)	8 (3%)	32	27
All	All	480/516 (93%)	462 (96%)	18 (4%)	29	23

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	263	LYS
1	A	267	ILE
1	A	283	GLN
1	A	288	ARG
1	A	322	VAL
1	A	396	ASP
1	A	411	ASP
1	A	440	THR
1	A	444	GLN
1	A	469	LEU
1	B	261	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	270	LEU
1	B	276	GLU
1	B	318	LEU
1	B	335	ASN
1	B	340	LEU
1	B	349	THR
1	B	452	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	205	ASN
1	A	271	GLN
1	A	308	ASN
1	A	312	ASN
1	A	410	GLN
1	A	425	HIS
1	A	454	GLN
1	B	217	HIS
1	B	273	GLN
1	B	283	GLN
1	B	308	ASN
1	B	314	GLN
1	B	335	ASN
1	B	424	ASN
1	B	437	GLN
1	B	444	GLN
1	B	466	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	MYI	A	3	-	16,16,16	3.42	10 (62%)	22,22,22	1.25	2 (9%)
3	OCR	A	1	1	22,22,22	2.06	3 (13%)	22,23,23	1.77	1 (4%)
3	OCR	B	2	1	22,22,22	2.14	4 (18%)	22,23,23	1.73	1 (4%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	MYI	A	3	-	-	5/6/6/6	0/2/2/2
3	OCR	A	1	1	-	12/21/21/21	-
3	OCR	B	2	1	-	9/21/21/21	-

All (17) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	3	MYI	CAG-CAL	10.23	1.55	1.39
3	B	2	OCR	C9-C8	8.30	1.56	1.34
3	A	1	OCR	C9-C8	8.04	1.55	1.34
2	A	3	MYI	CAH-CAM	4.15	1.55	1.50
2	A	3	MYI	CAF-CAM	-3.28	1.31	1.36
2	A	3	MYI	CAN-NAI	-3.12	1.32	1.37
3	A	1	OCR	C4-C5	-3.03	1.41	1.52
3	B	2	OCR	C4-C5	-2.93	1.41	1.52
2	A	3	MYI	CAG-CAO	2.84	1.44	1.39
3	B	2	OCR	C11-C9	2.68	1.52	1.44
2	A	3	MYI	CAD-CAL	2.49	1.43	1.38
2	A	3	MYI	CAF-NAI	-2.48	1.33	1.37
3	A	1	OCR	C11-C9	2.46	1.52	1.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	2	OCR	C8-C6	2.27	1.55	1.48
2	A	3	MYI	CAO-CAN	2.19	1.44	1.41
2	A	3	MYI	CAE-CAD	2.18	1.42	1.38
2	A	3	MYI	CAE-CAN	2.11	1.43	1.39

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1	OCR	C11-C9-C8	-7.63	106.59	124.65
3	B	2	OCR	C11-C9-C8	-7.28	107.42	124.65
2	A	3	MYI	CAG-CAO-CAN	2.76	122.08	119.39
2	A	3	MYI	CAO-CAG-CAL	-2.69	115.02	119.41

There are no chirality outliers.

All (26) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	1	OCR	O7-C6-C8-C9
3	B	2	OCR	C12-C11-C9-C8
3	A	1	OCR	C12-C11-C9-C8
2	A	3	MYI	CAD-CAL-OAJ-CAA
2	A	3	MYI	CAG-CAL-OAJ-CAA
3	A	1	OCR	C18-C19-C20-C21
3	B	2	OCR	C2-C3-C4-C5
3	B	2	OCR	C3-C4-C5-C6
2	A	3	MYI	CAK-CAH-CAM-CAO
3	B	2	OCR	C19-C20-C21-C22
3	A	1	OCR	C5-C6-C8-C9
3	B	2	OCR	C18-C19-C20-C21
3	A	1	OCR	C1-C2-C3-C4
3	B	2	OCR	C1-C2-C3-C4
3	A	1	OCR	C15-C16-C17-C18
3	A	1	OCR	C3-C4-C5-C6
3	A	1	OCR	C2-C3-C4-C5
2	A	3	MYI	CAM-CAH-CAK-OAC
3	A	1	OCR	C12-C13-C14-C15
3	B	2	OCR	C11-C12-C13-C14
3	A	1	OCR	C20-C21-C22-O23
3	A	1	OCR	C17-C18-C19-C20
3	B	2	OCR	C20-C21-C22-O23
3	A	1	OCR	C20-C21-C22-O24
3	B	2	OCR	C20-C21-C22-O24

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	A	3	MYI	CAM-CAH-CAK-OAB


There are no ring outliers.

3 monomers are involved in 12 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	3	MYI	1	0
3	A	1	OCR	5	0
3	B	2	OCR	6	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	274/287 (95%)	0.73	34 (12%) 8 8	28, 45, 101, 126	0
1	B	260/287 (90%)	0.67	31 (11%) 9 9	28, 45, 97, 115	0
All	All	534/574 (93%)	0.70	65 (12%) 8 8	28, 45, 98, 126	0

All (65) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	267	ILE	6.2
1	A	267	ILE	5.9
1	B	266	HIS	5.8
1	A	239	GLY	5.7
1	A	268	THR	5.5
1	A	241	THR	5.3
1	B	363	PHE	5.0
1	B	268	THR	4.8
1	B	459	THR	4.5
1	A	262	ILE	4.2
1	B	461	THR	4.2
1	B	264	PHE	4.2
1	A	270	LEU	4.1
1	A	264	PHE	4.0
1	A	359	PRO	3.7
1	B	274	SER	3.6
1	B	265	LYS	3.6
1	B	456	ILE	3.5
1	A	363	PHE	3.5
1	A	476	LEU	3.5
1	A	263	LYS	3.4
1	A	269	PRO	3.4
1	A	427	GLU	3.4
1	B	287	PHE	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	270	LEU	3.2
1	A	275	LYS	3.2
1	A	362	ASP	3.1
1	B	473	TYR	3.1
1	B	469	LEU	2.9
1	A	274	SER	2.9
1	A	255	LEU	2.8
1	B	262	ILE	2.8
1	A	357	ARG	2.7
1	B	269	PRO	2.7
1	A	311	LEU	2.7
1	B	445	ILE	2.6
1	B	455	VAL	2.6
1	A	360	PHE	2.6
1	A	285	CYS	2.6
1	A	401	LEU	2.5
1	A	395	GLY	2.5
1	B	343	GLU	2.4
1	A	266	HIS	2.4
1	A	258	GLY	2.4
1	B	457	LYS	2.4
1	A	265	LYS	2.3
1	A	257	MET	2.3
1	A	273	GLN	2.3
1	B	361	GLY	2.3
1	B	460	GLU	2.3
1	B	411	ASP	2.3
1	A	361	GLY	2.3
1	A	271	GLN	2.2
1	B	355	SER	2.2
1	B	466	HIS	2.2
1	B	470	GLN	2.2
1	B	468	LEU	2.1
1	A	240	LYS	2.1
1	B	272	GLU	2.1
1	B	260	ASP	2.1
1	B	453	LEU	2.1
1	A	459	THR	2.1
1	B	244	LYS	2.1
1	A	260	ASP	2.0
1	A	238	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	OCR	B	2	23/23	0.62	0.24	70,74,84,85	0
2	MYI	A	3	15/15	0.63	0.29	113,114,115,115	0
3	OCR	A	1	23/23	0.73	0.20	74,80,89,90	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around OCR B 2:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.