



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 11:50 AM UTC

PDB ID : 4AD7 / pdb_00004ad7
Title : Crystal structure of full-length N-glycosylated human glypican-1
Authors : Svensson, G.; Awad, W.; Mani, K.; Logan, D.T.
Deposited on : 2011-12-22
Resolution : 2.94 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.94 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1159 (2.96-2.92)
Clashscore	190562	1184 (2.96-2.92)
Ramachandran outliers	187476	1131 (2.96-2.92)
Sidechain outliers	187428	1131 (2.96-2.92)
RSRZ outliers	180081	1159 (2.96-2.92)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	528	3% 58% 10% 32%
1	B	528	0% 67% 13% 19%
1	C	528	3% 64% 8% 27%
1	D	528	0% 69% 11% 19%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NAG	B	1500	X	-	-	-

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 12754 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called GLYPICAN-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	358	Total	C	N	O	S	0	0	0
			2811	1751	512	526	22			
1	B	426	Total	C	N	O	S	0	0	0
			3341	2085	608	624	24			
1	C	385	Total	C	N	O	S	0	0	0
			3035	1894	554	565	22			
1	D	428	Total	C	N	O	S	0	0	0
			3357	2093	611	629	24			

There are 88 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	2	ALA	-	expression tag	UNP P35052
A	3	PRO	-	expression tag	UNP P35052
A	4	GLN	-	expression tag	UNP P35052
A	5	LEU	-	expression tag	UNP P35052
A	6	HIS	-	expression tag	UNP P35052
A	7	HIS	-	expression tag	UNP P35052
A	8	HIS	-	expression tag	UNP P35052
A	9	HIS	-	expression tag	UNP P35052
A	10	HIS	-	expression tag	UNP P35052
A	11	HIS	-	expression tag	UNP P35052
A	12	ASP	-	expression tag	UNP P35052
A	13	LEU	-	expression tag	UNP P35052
A	14	TYR	-	expression tag	UNP P35052
A	15	GLU	-	expression tag	UNP P35052
A	16	ASN	-	expression tag	UNP P35052
A	17	LEU	-	expression tag	UNP P35052
A	18	TYR	-	expression tag	UNP P35052
A	19	PHE	-	expression tag	UNP P35052
A	20	GLN	-	expression tag	UNP P35052
A	21	GLY	-	expression tag	UNP P35052
A	22	LYS	-	expression tag	UNP P35052

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	23	LEU	-	expression tag	UNP P35052
B	2	ALA	-	expression tag	UNP P35052
B	3	PRO	-	expression tag	UNP P35052
B	4	GLN	-	expression tag	UNP P35052
B	5	LEU	-	expression tag	UNP P35052
B	6	HIS	-	expression tag	UNP P35052
B	7	HIS	-	expression tag	UNP P35052
B	8	HIS	-	expression tag	UNP P35052
B	9	HIS	-	expression tag	UNP P35052
B	10	HIS	-	expression tag	UNP P35052
B	11	HIS	-	expression tag	UNP P35052
B	12	ASP	-	expression tag	UNP P35052
B	13	LEU	-	expression tag	UNP P35052
B	14	TYR	-	expression tag	UNP P35052
B	15	GLU	-	expression tag	UNP P35052
B	16	ASN	-	expression tag	UNP P35052
B	17	LEU	-	expression tag	UNP P35052
B	18	TYR	-	expression tag	UNP P35052
B	19	PHE	-	expression tag	UNP P35052
B	20	GLN	-	expression tag	UNP P35052
B	21	GLY	-	expression tag	UNP P35052
B	22	LYS	-	expression tag	UNP P35052
B	23	LEU	-	expression tag	UNP P35052
C	2	ALA	-	expression tag	UNP P35052
C	3	PRO	-	expression tag	UNP P35052
C	4	GLN	-	expression tag	UNP P35052
C	5	LEU	-	expression tag	UNP P35052
C	6	HIS	-	expression tag	UNP P35052
C	7	HIS	-	expression tag	UNP P35052
C	8	HIS	-	expression tag	UNP P35052
C	9	HIS	-	expression tag	UNP P35052
C	10	HIS	-	expression tag	UNP P35052
C	11	HIS	-	expression tag	UNP P35052
C	12	ASP	-	expression tag	UNP P35052
C	13	LEU	-	expression tag	UNP P35052
C	14	TYR	-	expression tag	UNP P35052
C	15	GLU	-	expression tag	UNP P35052
C	16	ASN	-	expression tag	UNP P35052
C	17	LEU	-	expression tag	UNP P35052
C	18	TYR	-	expression tag	UNP P35052
C	19	PHE	-	expression tag	UNP P35052
C	20	GLN	-	expression tag	UNP P35052

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	21	GLY	-	expression tag	UNP P35052
C	22	LYS	-	expression tag	UNP P35052
C	23	LEU	-	expression tag	UNP P35052
D	2	ALA	-	expression tag	UNP P35052
D	3	PRO	-	expression tag	UNP P35052
D	4	GLN	-	expression tag	UNP P35052
D	5	LEU	-	expression tag	UNP P35052
D	6	HIS	-	expression tag	UNP P35052
D	7	HIS	-	expression tag	UNP P35052
D	8	HIS	-	expression tag	UNP P35052
D	9	HIS	-	expression tag	UNP P35052
D	10	HIS	-	expression tag	UNP P35052
D	11	HIS	-	expression tag	UNP P35052
D	12	ASP	-	expression tag	UNP P35052
D	13	LEU	-	expression tag	UNP P35052
D	14	TYR	-	expression tag	UNP P35052
D	15	GLU	-	expression tag	UNP P35052
D	16	ASN	-	expression tag	UNP P35052
D	17	LEU	-	expression tag	UNP P35052
D	18	TYR	-	expression tag	UNP P35052
D	19	PHE	-	expression tag	UNP P35052
D	20	GLN	-	expression tag	UNP P35052
D	21	GLY	-	expression tag	UNP P35052
D	22	LYS	-	expression tag	UNP P35052
D	23	LEU	-	expression tag	UNP P35052


- Molecule 2 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	B	1	Total	C	N	O	0	0
			14	8	1	5		
2	B	1	Total	C	N	O	0	0
			14	8	1	5		
2	C	1	Total	C	N	O	0	0
			14	8	1	5		
2	D	1	Total	C	N	O	0	0
			14	8	1	5		
2	D	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	18	Total	O	0	0
			18	18		
3	B	39	Total	O	0	0
			39	39		
3	C	30	Total	O	0	0
			30	30		
3	D	39	Total	O	0	0
			39	39		



- Molecule 1: GLYPICAN-1



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	47.25Å 169.20Å 151.71Å 90.00° 94.96° 90.00°	Depositor
Resolution (Å)	29.76 – 2.94 29.76 – 2.94	Depositor EDS
% Data completeness (in resolution range)	99.0 (29.76-2.94) 99.0 (29.76-2.94)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.15 (at 2.95Å)	Xtriage
Refinement program	PHENIX (PHENIX.REFINE: DEV_938)	Depositor
R, R_{free}	0.218 , 0.278 0.216 , 0.276	Depositor DCC
R_{free} test set	2533 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å ²)	52.5	Xtriage
Anisotropy	0.945	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 65.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	12754	wwPDB-VP
Average B, all atoms (Å ²)	74.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 39.33 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 3.2232e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.29	0/2859	0.77	4/3860 (0.1%)
1	B	0.32	0/3402	0.81	6/4601 (0.1%)
1	C	0.31	0/3088	0.76	4/4171 (0.1%)
1	D	0.32	0/3418	0.79	5/4623 (0.1%)
All	All	0.31	0/12767	0.78	19/17255 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

There are no bond length outliers.

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	184	LEU	CA-C-N	7.88	127.54	119.82
1	B	184	LEU	C-N-CA	7.88	127.54	119.82
1	A	130	PHE	N-CA-C	7.38	117.74	108.45
1	D	184	LEU	CA-C-N	7.22	126.90	119.82
1	D	184	LEU	C-N-CA	7.22	126.90	119.82
1	C	448	LYS	CA-C-N	6.32	126.50	120.31
1	C	448	LYS	C-N-CA	6.32	126.50	120.31
1	C	49	VAL	N-CA-C	5.79	114.20	107.89
1	A	448	LYS	CA-C-N	5.64	125.83	120.31
1	A	448	LYS	C-N-CA	5.64	125.83	120.31
1	C	306	GLY	N-CA-C	-5.63	106.30	112.04
1	B	49	VAL	N-CA-C	5.58	114.02	107.77

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	187	ASP	N-CA-C	-5.45	105.44	111.71
1	A	472	ASN	N-CA-C	5.43	120.01	113.17
1	B	187	ASP	N-CA-C	-5.32	105.40	111.14
1	D	439	ASN	CA-C-N	5.09	124.40	118.85
1	D	439	ASN	C-N-CA	5.09	124.40	118.85
1	B	370	PRO	CA-C-N	5.01	124.45	119.24
1	B	370	PRO	C-N-CA	5.01	124.45	119.24

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	39	TYR	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2811	0	2763	25	0
1	B	3341	0	3299	37	0
1	C	3035	0	2989	23	0
1	D	3357	0	3308	29	0
2	A	14	0	13	0	0
2	B	28	0	26	0	0
2	C	14	0	13	0	0
2	D	28	0	26	0	0
3	A	18	0	0	0	0
3	B	39	0	0	2	0
3	C	30	0	0	0	0
3	D	39	0	0	1	0
All	All	12754	0	12437	113	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (113) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:313:VAL:HA	1:C:316:SER:HB3	1.72	0.71
1:D:61:ILE:HG23	1:D:248:ARG:HG2	1.71	0.71
1:D:414:ARG:HH21	1:D:421:ARG:HD3	1.58	0.67
1:D:454:ARG:NH2	3:D:2018:HOH:O	2.29	0.65
1:B:133:LEU:O	1:B:137:ASN:ND2	2.30	0.64
1:C:133:LEU:O	1:C:137:ASN:ND2	2.26	0.64
1:A:212:ARG:NH2	1:A:307:THR:O	2.30	0.63
1:B:114:LEU:HD21	1:B:311:GLU:HG3	1.80	0.63
1:B:260:LEU:HD12	1:B:416:TRP:HH2	1.63	0.62
1:D:125:THR:HG22	1:D:126:PHE:HD1	1.64	0.62
1:D:133:LEU:O	1:D:137:ASN:ND2	2.34	0.61
1:A:36:ARG:HG3	1:A:49:VAL:HG11	1.82	0.60
1:A:260:LEU:HD12	1:A:416:TRP:HH2	1.65	0.60
1:B:176:LYS:HE3	1:B:189:LEU:HD11	1.84	0.59
1:C:137:ASN:OD1	1:C:173:ARG:NH1	2.36	0.59
1:A:216:ALA:HA	1:A:310:VAL:HG22	1.85	0.58
1:B:285:ASP:OD2	1:B:454:ARG:NH2	2.39	0.56
1:D:91:ASP:OD1	1:D:94:ARG:NH2	2.39	0.56
1:B:172:GLU:HG3	1:B:189:LEU:HD13	1.87	0.55
1:D:216:ALA:HB1	1:D:310:VAL:HA	1.88	0.55
1:B:37:GLN:O	1:B:40:GLY:HA3	2.07	0.55
1:B:163:LEU:HD12	1:B:210:ARG:HG3	1.89	0.54
1:C:335:LEU:O	1:C:336:THR:OG1	2.25	0.54
1:A:373:GLY:HA2	1:A:377:LYS:HE2	1.91	0.53
1:B:429:MET:HG3	1:B:439:ASN:HD22	1.74	0.52
1:A:316:SER:OG	1:A:319:THR:OG1	2.27	0.52
1:B:282:ASN:HB3	1:B:453:ILE:HD12	1.92	0.52
1:A:110:HIS:CE1	1:A:375:LEU:HB2	2.45	0.52
1:D:337:ALA:O	1:D:340:ILE:HG13	2.11	0.51
1:B:319:THR:HG21	1:B:367:ARG:HB3	1.91	0.51
1:D:282:ASN:HB3	1:D:453:ILE:HD12	1.92	0.50
1:B:474:ASN:ND2	3:B:2039:HOH:O	2.37	0.49
1:C:233:VAL:HG13	1:C:456:GLN:HB3	1.94	0.49
1:A:252:LYS:HA	1:A:256:CYS:SG	2.53	0.48
1:B:186:ASP:HA	1:B:189:LEU:HB2	1.95	0.48
1:C:281:ALA:HB1	1:C:433:LEU:HA	1.95	0.48
1:C:132:GLU:HA	1:C:135:THR:HG1	1.78	0.48
1:D:260:LEU:HD12	1:D:416:TRP:HH2	1.79	0.48
1:D:132:GLU:HA	1:D:135:THR:OG1	2.13	0.47
1:B:132:GLU:HA	1:B:135:THR:OG1	2.14	0.47
1:B:421:ARG:NH2	3:B:2018:HOH:O	2.46	0.47
1:A:54:ILE:HG22	1:A:55:SER:H	1.79	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:304:PHE:HA	1:A:310:VAL:HB	1.97	0.47
1:C:323:GLU:O	1:C:326:ASN:ND2	2.47	0.47
1:D:348:VAL:HG12	1:D:349:ASN:H	1.80	0.46
1:D:429:MET:HG3	1:D:439:ASN:HD22	1.79	0.46
1:C:159:LEU:O	1:C:162:THR:OG1	2.25	0.46
1:C:252:LYS:HA	1:C:256:CYS:SG	2.55	0.46
1:C:429:MET:HG3	1:C:439:ASN:HD22	1.81	0.46
1:D:186:ASP:HA	1:D:189:LEU:HB2	1.96	0.46
1:A:77:LEU:HD13	1:A:255:TYR:HB3	1.98	0.46
1:B:237:VAL:HG21	1:B:286:LEU:HD11	1.97	0.46
1:A:236:LYS:HD2	1:A:456:GLN:NE2	2.31	0.46
1:C:116:ASN:HB3	1:C:120:ARG:HH12	1.80	0.45
1:C:227:LEU:HG	1:C:297:MET:HE1	1.98	0.45
1:C:245:GLU:H	1:C:245:GLU:CD	2.24	0.45
1:A:58:HIS:H	1:A:58:HIS:HD1	1.63	0.45
1:C:453:ILE:O	1:C:457:ILE:HG13	2.17	0.45
1:D:240:VAL:HA	1:D:241:PRO:HD3	1.78	0.45
1:B:216:ALA:HB1	1:B:310:VAL:HA	1.99	0.45
1:D:439:ASN:HA	1:D:440:PRO:HD3	1.76	0.45
1:B:61:ILE:HG23	1:B:248:ARG:HB2	1.99	0.44
1:D:452:THR:O	1:D:456:GLN:HG2	2.17	0.44
1:D:56:GLY:HA3	1:D:65:GLY:O	2.17	0.44
1:D:258:HIS:CD2	1:D:263:PRO:HB3	2.53	0.44
1:A:237:VAL:HG21	1:A:286:LEU:HD11	2.00	0.44
1:A:316:SER:HG	1:A:319:THR:HG1	1.61	0.44
1:C:212:ARG:HB3	1:C:313:VAL:HG11	2.00	0.44
1:D:252:LYS:HA	1:D:256:CYS:SG	2.58	0.44
1:C:328:LEU:HD23	1:C:328:LEU:HA	1.84	0.43
1:C:291:ARG:NH2	1:D:302:ASP:OD2	2.30	0.43
1:A:163:LEU:HD12	1:A:210:ARG:HG3	2.01	0.43
1:A:318:HIS:ND1	1:A:319:THR:HG23	2.33	0.43
1:A:152:TYR:O	1:A:221:ARG:HG3	2.18	0.43
1:A:269:PRO:O	1:A:273:ARG:HB2	2.17	0.43
1:B:139:ARG:HG3	1:B:142:ARG:HH21	1.84	0.43
1:B:240:VAL:HA	1:B:241:PRO:HD3	1.83	0.43
1:A:110:HIS:HE1	1:A:375:LEU:HB2	1.82	0.43
1:A:240:VAL:HG21	1:A:453:ILE:HD11	2.01	0.43
1:B:316:SER:HB2	1:B:320:TRP:CZ3	2.53	0.43
1:A:429:MET:HA	1:A:429:MET:HE2	2.01	0.43
1:B:139:ARG:HG3	1:B:142:ARG:NH2	2.34	0.42
1:B:196:ALA:O	1:B:201:PRO:HD3	2.18	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:260:LEU:HD12	1:C:416:TRP:HH2	1.83	0.42
1:D:44:PHE:CZ	1:D:76:ASN:HB3	2.55	0.42
1:B:281:ALA:HB1	1:B:433:LEU:HA	2.01	0.42
1:B:252:LYS:HA	1:B:256:CYS:SG	2.59	0.42
1:B:452:THR:O	1:B:456:GLN:HG2	2.20	0.42
1:C:297:MET:HE2	1:C:297:MET:HB3	1.88	0.42
1:B:337:ALA:O	1:B:340:ILE:HG13	2.20	0.42
1:B:338:LYS:HB3	1:B:338:LYS:HE2	1.84	0.42
1:D:283:GLN:OE1	1:D:283:GLN:N	2.47	0.42
1:B:49:VAL:HA	1:B:50:PRO:HD3	1.79	0.42
1:D:39:TYR:CZ	1:D:73:MET:HG2	2.55	0.42
1:B:132:GLU:H	1:B:132:GLU:CD	2.28	0.41
1:D:178:LEU:HD23	1:D:178:LEU:HA	1.92	0.41
1:B:126:PHE:HB3	1:B:134:TYR:CG	2.55	0.41
1:A:447:THR:O	1:A:449:PRO:HD3	2.20	0.41
1:D:237:VAL:HG21	1:D:286:LEU:HD11	2.02	0.41
1:B:218:VAL:HG12	1:B:221:ARG:HH12	1.85	0.41
1:B:390:GLN:HE21	1:B:390:GLN:HB3	1.66	0.41
1:C:199:LEU:C	1:C:201:PRO:HD3	2.45	0.41
1:D:396:LEU:HB2	1:D:397:PRO:HD3	2.03	0.41
1:B:300:ILE:HD12	1:B:300:ILE:HA	1.93	0.41
1:C:199:LEU:HD12	1:C:199:LEU:HA	1.86	0.41
1:B:170:LEU:HG	1:B:174:LEU:HD13	2.03	0.41
1:D:184:LEU:HA	1:D:185:PRO:HD2	1.79	0.41
1:A:387:ARG:O	1:A:390:GLN:HG2	2.20	0.41
1:B:183:LEU:HB3	1:B:347:LYS:HG3	2.03	0.40
1:B:450:ASP:O	1:B:454:ARG:HG2	2.22	0.40
1:C:152:TYR:O	1:C:221:ARG:HG3	2.21	0.40
1:D:51:GLN:H	1:D:51:GLN:CD	2.28	0.40
1:A:116:ASN:OD1	1:A:149:ARG:NH1	2.54	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	350/528 (66%)	339 (97%)	10 (3%)	1 (0%)	36	59
1	B	420/528 (80%)	410 (98%)	10 (2%)	0	100	100
1	C	375/528 (71%)	363 (97%)	12 (3%)	0	100	100
1	D	422/528 (80%)	412 (98%)	10 (2%)	0	100	100
All	All	1567/2112 (74%)	1524 (97%)	42 (3%)	1 (0%)	48	71

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	206	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	301/444 (68%)	293 (97%)	8 (3%)	39	64
1	B	358/444 (81%)	345 (96%)	13 (4%)	31	56
1	C	324/444 (73%)	317 (98%)	7 (2%)	45	69
1	D	360/444 (81%)	347 (96%)	13 (4%)	31	56
All	All	1343/1776 (76%)	1302 (97%)	41 (3%)	35	60

All (41) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	51	GLN
1	A	114	LEU
1	A	132	GLU
1	A	136	GLN
1	A	208	GLU
1	A	235	ARG
1	A	402	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	442	VAL
1	B	58	HIS
1	B	114	LEU
1	B	174	LEU
1	B	186	ASP
1	B	187	ASP
1	B	347	LYS
1	B	369	ARG
1	B	380	SER
1	B	381	GLU
1	B	425	LEU
1	B	442	VAL
1	B	451	MET
1	B	465	ASN
1	C	37	GLN
1	C	64	GLN
1	C	174	LEU
1	C	200	ARG
1	C	326	ASN
1	C	333	ASP
1	C	335	LEU
1	D	113	HIS
1	D	114	LEU
1	D	125	THR
1	D	186	ASP
1	D	187	ASP
1	D	250	VAL
1	D	289	GLU
1	D	308	SER
1	D	311	GLU
1	D	345	ASN
1	D	348	VAL
1	D	413	ASP
1	D	467	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	51	GLN
1	B	64	GLN
1	B	239	GLN
1	B	390	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	97	GLN
1	C	123	GLN
1	C	158	HIS
1	D	195	GLN
1	D	326	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	B	1500	1	14,14,15	0.65	0	17,19,21	0.71	0
2	NAG	C	1501	1	14,14,15	0.61	0	17,19,21	1.24	4 (23%)
2	NAG	A	1501	1	14,14,15	0.52	0	17,19,21	0.81	0
2	NAG	B	1501	1	14,14,15	0.49	0	17,19,21	0.86	1 (5%)
2	NAG	D	1501	1	14,14,15	0.49	0	17,19,21	0.83	1 (5%)
2	NAG	D	1500	1	14,14,15	0.65	0	17,19,21	1.02	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	B	1500	1	1/1/5/7	2/6/23/26	0/1/1/1
2	NAG	C	1501	1	-	3/6/23/26	0/1/1/1
2	NAG	A	1501	1	-	4/6/23/26	0/1/1/1
2	NAG	B	1501	1	-	0/6/23/26	0/1/1/1
2	NAG	D	1501	1	-	4/6/23/26	0/1/1/1
2	NAG	D	1500	1	-	4/6/23/26	0/1/1/1

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	1501	NAG	C1-O5-C5	2.67	115.77	112.19
2	D	1500	NAG	C4-C3-C2	2.42	114.56	111.02
2	B	1501	NAG	C1-O5-C5	2.30	115.27	112.19
2	C	1501	NAG	C4-C3-C2	-2.29	107.66	111.02
2	D	1501	NAG	C2-N2-C7	2.13	125.75	122.90
2	C	1501	NAG	O5-C1-C2	-2.13	108.00	111.29
2	C	1501	NAG	O5-C5-C6	2.02	111.60	107.66

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	B	1500	NAG	C1

All (17) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	1501	NAG	C3-C2-N2-C7
2	A	1501	NAG	C8-C7-N2-C2
2	A	1501	NAG	O7-C7-N2-C2
2	D	1501	NAG	C3-C2-N2-C7
2	D	1501	NAG	O7-C7-N2-C2
2	D	1501	NAG	C8-C7-N2-C2
2	D	1500	NAG	C8-C7-N2-C2
2	D	1500	NAG	O7-C7-N2-C2
2	C	1501	NAG	O5-C5-C6-O6
2	B	1500	NAG	C8-C7-N2-C2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	D	1500	NAG	O5-C5-C6-O6
2	A	1501	NAG	O5-C5-C6-O6
2	B	1500	NAG	O7-C7-N2-C2
2	C	1501	NAG	C8-C7-N2-C2
2	D	1501	NAG	C4-C5-C6-O6
2	D	1500	NAG	C4-C5-C6-O6
2	C	1501	NAG	O7-C7-N2-C2

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	358/528 (67%)	0.25	16 (4%) 38 30	33, 75, 142, 171	0
1	B	426/528 (80%)	0.02	5 (1%) 76 70	24, 64, 110, 146	0
1	C	385/528 (72%)	0.21	14 (3%) 46 38	34, 75, 134, 174	0
1	D	428/528 (81%)	0.10	7 (1%) 70 62	28, 66, 117, 150	0
All	All	1597/2112 (75%)	0.14	42 (2%) 57 48	24, 69, 127, 174	0

All (42) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	362	GLY	4.9
1	D	364	LEU	4.8
1	A	209	LEU	3.5
1	C	305	TRP	3.3
1	B	363	LYS	3.2
1	C	307	THR	3.2
1	C	336	THR	3.1
1	A	211	LEU	3.1
1	D	366	PRO	3.1
1	A	405	MET	3.0
1	C	312	SER	3.0
1	B	405	MET	3.0
1	A	130	PHE	2.9
1	A	206	PRO	2.8
1	C	44	PHE	2.8
1	A	207	ARG	2.7
1	B	371	PRO	2.7
1	A	127	PRO	2.7
1	A	316	SER	2.7
1	C	335	LEU	2.6
1	A	157	LEU	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	391	ASP	2.5
1	D	363	LYS	2.5
1	A	310	VAL	2.4
1	A	205	ALA	2.4
1	C	199	LEU	2.4
1	C	113	HIS	2.4
1	A	202	PHE	2.3
1	A	305	TRP	2.3
1	B	362	GLY	2.3
1	C	180	PRO	2.3
1	C	372	SER	2.3
1	C	313	VAL	2.3
1	A	314	ILE	2.2
1	D	372	SER	2.2
1	D	371	PRO	2.2
1	C	405	MET	2.2
1	B	316	SER	2.1
1	A	404	LYS	2.1
1	C	373	GLY	2.0
1	D	187	ASP	2.0
1	C	215	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	NAG	D	1500	14/15	0.51	0.17	103,125,137,142	0
2	NAG	B	1500	14/15	0.63	0.12	77,104,117,121	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	NAG	D	1501	14/15	0.73	0.20	65,88,119,140	0
2	NAG	A	1501	14/15	0.81	0.13	89,99,102,104	0
2	NAG	B	1501	14/15	0.82	0.15	77,87,102,117	0
2	NAG	C	1501	14/15	0.89	0.10	66,75,87,92	0

6.5 Other polymers [i](#)

There are no such residues in this entry.