



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 02:18 PM UTC

PDB ID : 4ADE / pdb_00004ade
Title : Structural and functional study of succinyl-ornithine transaminase from E. coli
Authors : Newman, J.; Peat, T.S.
Deposited on : 2011-12-23
Resolution : 2.75 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1009 (2.76-2.76)
Clashscore	190562	1044 (2.76-2.76)
Ramachandran outliers	187476	1024 (2.76-2.76)
Sidechain outliers	187428	1024 (2.76-2.76)
RSRZ outliers	180081	1009 (2.76-2.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	406	
1	B	406	

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 5775 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called SUCCINYLORNITHINE TRANSAMINASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	400	3046	1927	539	569	11	0	1	0
1	B	350	2669	1687	478	495	9	0	3	0


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	44	Total 44	O 44	0	0
2	B	16	Total 16	O 16	0	0


3 Residue-property plots i

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: SUCCINYLORNITHINE TRANSAMINASE



• Molecule 1: SUCCINYLORNITHINE TRANSAMINASE



4 Data and refinement statistics

Property	Value	Source
Space group	H 3 2	Depositor
Cell constants a, b, c, α , β , γ	231.47Å 231.47Å 110.42Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	115.73 – 2.75 115.73 – 2.75	Depositor EDS
% Data completeness (in resolution range)	99.2 (115.73-2.75) 99.2 (115.73-2.75)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.41 (at 2.75Å)	Xtrriage
Refinement program	REFMAC 5.6.0117	Depositor
R, R_{free}	0.154 , 0.201 0.154 , 0.199	Depositor DCC
R_{free} test set	1480 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å ²)	40.2	Xtrriage
Anisotropy	0.015	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 28.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	5775	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.89% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.20	3/3115 (0.1%)	1.16	13/4232 (0.3%)
1	B	1.22	4/2725 (0.1%)	1.17	4/3691 (0.1%)
All	All	1.21	7/5840 (0.1%)	1.17	17/7923 (0.2%)

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	34	TRP	NE1-CE2	-6.01	1.30	1.37
1	B	399	HIS	CG-CD2	5.61	1.42	1.35
1	B	73	HIS	CE1-NE2	5.36	1.38	1.32
1	B	240	HIS	CG-CD2	5.28	1.41	1.35
1	A	104	SER	CA-C	-5.18	1.46	1.52
1	A	381	VAL	N-CA	5.11	1.52	1.46
1	A	121	HIS	CG-CD2	5.08	1.41	1.35

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	370	GLY	N-CA-C	6.20	127.87	113.18
1	A	62	GLU	N-CA-CB	6.01	119.06	110.16
1	A	103	ASN	N-CA-C	5.80	120.48	113.17
1	B	165	ILE	CB-CA-C	-5.77	103.86	110.73
1	A	161	LEU	CA-C-N	-5.72	114.07	119.90
1	A	161	LEU	C-N-CA	-5.72	114.07	119.90
1	A	380	ASN	N-CA-C	-5.70	106.13	112.57
1	A	225	VAL	N-CA-CB	5.63	119.03	110.58
1	A	391	ASP	N-CA-C	-5.53	105.17	111.14
1	A	3	GLN	CA-C-N	-5.37	114.71	120.03
1	A	3	GLN	C-N-CA	-5.37	114.71	120.03
1	A	19	ALA	CA-C-N	-5.37	115.20	120.52
1	A	19	ALA	C-N-CA	-5.37	115.20	120.52
1	B	299	ILE	CB-CA-C	-5.34	105.08	112.24
1	A	371	ASN	N-CA-C	5.27	119.67	112.88

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	76	ASN	N-CA-C	5.25	119.33	113.02
1	B	246	ASP	N-CA-C	-5.05	107.24	113.41

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3046	0	2970	39	0
1	B	2669	0	2609	60	0
2	A	44	0	0	2	0
2	B	16	0	0	0	0
All	All	5775	0	5579	99	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (99) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:50:VAL:HG22	1:B:252:LYS:HG3	1.55	0.89
1:A:223:ASP:OD1	1:A:225:VAL:HG13	1.73	0.88
1:A:323:ASN:HD21	1:A:329:PHE:H	1.20	0.88
1:B:246:ASP:O	1:B:247:LEU:HD23	1.78	0.83
1:B:285:ASN:HD22	1:B:288:ALA:H	1.25	0.82
1:B:323:ASN:HD21	1:B:329:PHE:H	1.32	0.78
1:A:323:ASN:ND2	1:A:329:PHE:H	1.83	0.76
1:A:304:MET:HE1	1:A:380:ASN:HB3	1.69	0.74
1:A:353:GLN:HE21	1:A:353:GLN:H	1.36	0.73
1:B:215:ARG:HH11	1:B:216:HIS:HE1	1.38	0.71
1:A:139:HIS:HD2	1:A:223:ASP:OD2	1.74	0.70
1:B:349:GLY:H	1:B:371:ASN:HD22	1.41	0.68
1:B:250:THR:CG2	1:B:262:ALA:HB3	2.24	0.67
1:B:32:ARG:NH2	1:B:384:GLU:OE1	2.30	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:215:ARG:HD2	1:B:216:HIS:CE1	2.31	0.65
1:B:400:PHE:C	1:B:402:SER:H	2.06	0.64
1:A:352:LYS:O	1:A:356:GLN:HG3	1.98	0.63
1:A:350:GLN:HA	1:A:353:GLN:NE2	2.13	0.62
1:A:350:GLN:HA	1:A:353:GLN:HE22	1.65	0.62
1:B:349:GLY:H	1:B:371:ASN:ND2	1.98	0.61
1:B:272:VAL:O	1:B:272:VAL:HG22	2.00	0.61
1:B:223:ASP:OD1	1:B:223:ASP:C	2.44	0.60
1:B:401:VAL:CG1	1:B:401:VAL:O	2.50	0.59
1:B:110:GLU:O	1:B:111:ALA:C	2.45	0.59
1:B:401:VAL:O	1:B:401:VAL:HG12	2.02	0.59
1:B:170:TYR:OH	1:B:201:ALA:HB2	2.03	0.58
1:B:34:TRP:NE1	1:B:40:GLU:HB2	2.21	0.56
1:B:285:ASN:ND2	1:B:288:ALA:H	2.02	0.55
1:A:225:VAL:HG23	1:A:252:LYS:HD2	1.88	0.55
1:A:6:THR:H	1:A:9:ASN:ND2	2.05	0.54
1:B:329:PHE:HB3	1:B:342:VAL:O	2.07	0.54
1:B:299:ILE:HD12	1:B:379:LEU:HD12	1.89	0.54
1:B:348:ALA:HA	1:B:371:ASN:HD21	1.72	0.54
1:B:358:ALA:HB1	1:B:363:VAL:HG13	1.90	0.53
1:A:139:HIS:HE1	2:A:2027:HOH:O	1.92	0.52
1:A:330:SER:HB3	1:A:344:ASN:HB3	1.91	0.52
1:A:318:ARG:NH2	1:A:391:ASP:OD1	2.35	0.51
1:B:134:PHE:CE2	1:B:205:PHE:HZ	2.29	0.51
1:B:253:ALA:O	1:B:254:LEU:C	2.53	0.51
1:B:299:ILE:HA	1:B:304:MET:HG2	1.92	0.51
1:B:238:TYR:C	1:B:238:TYR:CD1	2.89	0.50
1:A:57:HIS:CE1	1:A:59:GLU:HB2	2.47	0.50
1:A:6:THR:O	1:A:9:ASN:HB2	2.12	0.49
1:B:311:ARG:HB3	1:B:337:LEU:HD21	1.95	0.48
1:B:50:VAL:CG2	1:B:252:LYS:HG3	2.36	0.48
1:B:269:CYS:O	1:B:272:VAL:HG12	2.13	0.48
1:B:32:ARG:HH22	1:B:384:GLU:CD	2.22	0.48
1:B:57:HIS:CE1	1:B:59:GLU:HB2	2.49	0.48
1:A:18:TYR:HD2	2:A:2002:HOH:O	1.96	0.47
1:A:3:GLN:HB3	1:A:4:PRO:HD3	1.96	0.47
1:A:181:ASP:OD1	1:A:183:SER:HB2	2.14	0.47
1:B:133:ALA:C	1:B:134:PHE:CD1	2.93	0.47
1:A:6:THR:H	1:A:9:ASN:HD22	1.62	0.47
1:A:48:ILE:O	1:A:252:LYS:HE3	2.13	0.47
1:A:31:SER:HB2	1:A:385:GLU:CD	2.40	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:323:ASN:ND2	1:B:329:PHE:H	2.07	0.47
1:A:70:LYS:O	1:A:71:PHE:HB3	2.14	0.47
1:A:161:LEU:O	1:A:162:PRO:C	2.56	0.46
1:B:134:PHE:CE2	1:B:205:PHE:CZ	3.03	0.46
1:B:174:ASN:ND2	1:B:174:ASN:H	2.13	0.46
1:B:250:THR:HG23	1:B:262:ALA:HB3	1.97	0.46
1:B:134:PHE:CD1	1:B:134:PHE:N	2.84	0.46
1:B:223:ASP:HA	1:B:249:THR:OG1	2.15	0.46
1:A:192:ILE:HD11	1:A:335:LEU:HD23	1.98	0.45
1:A:401:VAL:O	1:A:402:SER:HB2	2.16	0.45
1:B:234:GLU:O	1:B:235:LEU:C	2.58	0.45
1:B:323:ASN:ND2	1:B:328:LEU:H	2.14	0.45
1:B:307:GLY:O	1:B:311:ARG:HD2	2.17	0.45
1:A:72:TRP:O	1:A:286:PRO:HD2	2.17	0.44
1:A:139:HIS:CD2	1:A:223:ASP:OD2	2.63	0.44
1:B:366:LEU:HB2	1:B:374:ARG:HB3	1.99	0.44
1:A:34:TRP:NE1	1:A:40:GLU:HG3	2.33	0.44
1:B:121:HIS:CE1	1:B:126:SER:HB3	2.52	0.44
1:B:179:LEU:HD23	1:B:179:LEU:HA	1.85	0.44
1:A:134:PHE:CE2	1:A:205:PHE:HZ	2.36	0.44
1:B:115:LEU:O	1:B:115:LEU:HG	2.17	0.44
1:B:321:THR:O	1:B:322:ILE:C	2.61	0.44
1:A:72:TRP:CD1	1:A:72:TRP:N	2.85	0.44
1:B:369:GLY:O	1:B:371:ASN:N	2.51	0.44
1:B:21:ALA:HB1	1:B:22:PRO:HD2	2.00	0.43
1:B:181:ASP:OD1	1:B:183:SER:N	2.45	0.43
1:B:72:TRP:O	1:B:286:PRO:HG2	2.18	0.43
1:A:173:ILE:HD13	1:A:173:ILE:HA	1.77	0.42
1:A:353:GLN:H	1:A:353:GLN:NE2	2.11	0.42
1:B:215:ARG:NH1	1:B:216:HIS:HE1	2.13	0.42
1:B:110:GLU:O	1:B:112:ALA:N	2.53	0.42
1:A:335:LEU:O	1:A:336:GLY:C	2.62	0.42
1:B:110:GLU:O	1:B:113:LEU:N	2.52	0.42
1:B:329:PHE:CD1	1:B:341:CYS:HB3	2.55	0.42
1:B:250:THR:HG22	1:B:262:ALA:HB3	2.01	0.41
1:A:121:HIS:HE1	1:A:129:SER:OG	2.03	0.41
1:B:122:ASP:O	1:B:123:ARG:HB2	2.21	0.41
1:B:400:PHE:C	1:B:402:SER:N	2.74	0.41
1:A:394:ALA:O	1:A:395:ALA:C	2.63	0.41
1:A:296:LEU:HA	1:A:296:LEU:HD23	1.79	0.41
1:B:95:PHE:CD1	1:B:95:PHE:C	2.99	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:96:ALA:HB2	1:A:264:LEU:HB3	2.03	0.40
1:A:95:PHE:CD2	1:A:95:PHE:C	2.98	0.40
1:B:188:ILE:HA	1:B:221:ILE:O	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	399/406 (98%)	383 (96%)	15 (4%)	1 (0%)	36 56
1	B	347/406 (86%)	304 (88%)	33 (10%)	10 (3%)	3 6
All	All	746/812 (92%)	687 (92%)	48 (6%)	11 (2%)	8 15

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	111	ALA
1	B	123	ARG
1	B	370	GLY
1	B	401	VAL
1	B	95	PHE
1	B	110	GLU
1	B	369	GLY
1	B	252	LYS
1	B	48	ILE
1	B	256	GLY
1	A	48	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	308/312 (99%)	294 (96%)	14 (4%)	24	46
1	B	267/312 (86%)	239 (90%)	28 (10%)	6	13
All	All	575/624 (92%)	533 (93%)	42 (7%)	13	24

All (42) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	29	GLU
1	A	37	GLN
1	A	123	ARG
1	A	173	ILE
1	A	195	GLU
1	A	203	ASN
1	A	212	LEU
1	A	225	VAL
1	A	272	VAL
1	A	287	LEU
1	A	303	GLU
1	A	353	GLN
1	A	355	SER
1	A	402	SER
1	B	24	ILE
1	B	27	ARG
1	B	37	GLN
1	B	42	ILE
1	B	62	GLU
1	B	102	CYS
1	B	117	ARG
1	B	118	LYS
1	B	126	SER
1	B	165	ILE
1	B	174	ASN
1	B	183	SER
1	B	184	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	199	VAL
1	B	203	ASN
1	B	212	LEU
1	B	223	ASP
1	B	225	VAL
1	B	238	TYR
1	B	252	LYS
1	B	269	CYS
1	B	303	GLU
1	B	310	GLN
1	B	317	GLU
1	B	335	LEU
1	B	366	LEU
1	B	371	ASN
1	B	402	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	9	ASN
1	A	121	HIS
1	A	139	HIS
1	A	207	GLN
1	A	323	ASN
1	A	353	GLN
1	B	36	GLN
1	B	37	GLN
1	B	67	GLN
1	B	167	HIS
1	B	174	ASN
1	B	203	ASN
1	B	216	HIS
1	B	217	ASN
1	B	285	ASN
1	B	310	GLN
1	B	323	ASN
1	B	350	GLN
1	B	371	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	400/406 (98%)	-1.03	0 100 100	13, 28, 45, 69	24 (6%)
1	B	350/406 (86%)	-0.46	6 (1%) 69 67	10, 38, 71, 94	48 (13%)
All	All	750/812 (92%)	-0.76	6 (0%) 82 82	10, 31, 61, 94	72 (9%)

All (6) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	164	ASP	10.5
1	B	21	ALA	7.2
1	B	141	ARG	4.9
1	B	100[A]	PHE	2.9
1	B	129	SER	2.2
1	B	174	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.