



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 18, 2026 – 02:14 AM UTC

PDB ID : 2AEF / pdb_00002aef
Title : Crystal Structures of the MthK RCK Domain in Ca²⁺ bound form
Authors : Dong, J.; Shi, N.; Berke, I.; Chen, L.; Jiang, Y.
Deposited on : 2005-07-22
Resolution : 1.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5551 (1.70-1.70)
Clashscore	190562	5924 (1.70-1.70)
Ramachandran outliers	187476	5846 (1.70-1.70)
Sidechain outliers	187428	5846 (1.70-1.70)
RSRZ outliers	180081	5554 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	234	
1	B	234	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 3878 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Calcium-gated potassium channel mthK.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	221	Total 1672	C 1051	N 289	O 325	S 7	0	0	0
1	B	219	Total 1662	C 1039	N 292	O 324	S 7	0	0	0

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	337	LEU	-	cloning artifact	UNP O27564
A	338	VAL	-	cloning artifact	UNP O27564
A	339	PRO	-	cloning artifact	UNP O27564
A	340	ARG	-	cloning artifact	UNP O27564
B	337	LEU	-	cloning artifact	UNP O27564
B	338	VAL	-	cloning artifact	UNP O27564
B	339	PRO	-	cloning artifact	UNP O27564
B	340	ARG	-	cloning artifact	UNP O27564

- Molecule 2 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total 1	Ca 1	0	0
2	B	1	Total 1	Ca 1	0	0

- Molecule 3 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	280	Total 280	O 280	0	0
3	B	262	Total 262	O 262	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Calcium-gated potassium channel mthK

Chain A: 



- Molecule 1: Calcium-gated potassium channel mthK

Chain B: 



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	57.98Å 37.91Å 96.65Å 90.00° 95.49° 90.00°	Depositor
Resolution (Å)	29.20 – 1.70 29.20 – 1.70	Depositor EDS
% Data completeness (in resolution range)	(Not available) (29.20-1.70) 99.2 (29.20-1.70)	Depositor EDS
R_{merge}	0.03	Depositor
R_{sym}	0.03	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.52 (at 1.60Å)	Xtrriage
Refinement program	CNS	Depositor
R, R_{free}	0.228 , 0.268 0.228 , 0.231	Depositor DCC
R_{free} test set	2765 reflections (5.08%)	wwPDB-VP
Wilson B-factor (Å ²)	22.8	Xtrriage
Anisotropy	0.289	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 54.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	3878	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.02% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.52	0/1693	0.93	1/2292 (0.0%)
1	B	0.43	0/1683	0.90	4/2279 (0.2%)
All	All	0.48	0/3376	0.92	5/4571 (0.1%)

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	285	ILE	N-CA-C	6.78	117.48	110.36
1	B	254	ASP	N-CA-C	5.57	117.15	111.14
1	A	158	ASN	N-CA-C	-5.44	101.60	110.20
1	B	230	SER	CA-C-N	5.30	125.36	119.32
1	B	230	SER	C-N-CA	5.30	125.36	119.32

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1672	0	1666	65	0
1	B	1662	0	1643	69	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	280	0	0	12	0
3	B	262	0	0	33	0
All	All	3878	0	3309	130	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 20.

All (130) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:262:ARG:HD3	3:B:785:HOH:O	1.27	1.30
1:B:222:MET:HG2	3:B:809:HOH:O	1.19	1.28
1:A:116:ARG:HB3	3:A:818:HOH:O	1.38	1.22
3:A:875:HOH:O	1:B:250:MET:SD	2.04	1.15
1:A:239:MET:HE2	3:B:762:HOH:O	1.46	1.14
1:B:274:LYS:HE3	3:B:813:HOH:O	1.47	1.13
1:A:239:MET:HG2	3:B:762:HOH:O	1.51	1.08
1:B:263:ARG:CZ	3:B:858:HOH:O	2.00	1.07
1:B:172:LYS:CE	3:B:807:HOH:O	2.03	1.06
1:B:323:LYS:CB	3:B:845:HOH:O	2.04	1.05
1:B:116:ARG:CB	3:B:829:HOH:O	2.07	1.02
1:B:172:LYS:CD	3:B:807:HOH:O	2.07	1.00
1:B:172:LYS:HD2	3:B:807:HOH:O	1.61	0.98
1:B:172:LYS:HE3	3:B:807:HOH:O	1.62	0.96
1:B:276:GLU:HG3	3:B:767:HOH:O	1.69	0.92
1:B:263:ARG:NE	3:B:858:HOH:O	2.01	0.92
1:A:116:ARG:HA	3:A:882:HOH:O	1.77	0.82
1:B:265:VAL:HG21	1:B:327:ILE:HD12	1.61	0.81
1:B:263:ARG:NH2	3:B:858:HOH:O	2.07	0.81
1:A:275:LEU:HD23	1:A:334:ILE:HD12	1.64	0.80
1:B:189:SER:CB	3:B:861:HOH:O	2.33	0.76
1:B:189:SER:HB3	3:B:861:HOH:O	1.85	0.76
1:A:239:MET:CE	3:B:762:HOH:O	2.16	0.75
1:A:188:ASP:CG	1:A:213:ARG:HH21	1.96	0.74
1:A:261:THR:N	3:A:797:HOH:O	2.20	0.73
1:B:325:GLU:O	1:B:328:GLU:HG2	1.91	0.71
1:B:274:LYS:CE	3:B:813:HOH:O	2.17	0.69
1:B:222:MET:HE2	3:B:826:HOH:O	1.92	0.69
1:A:275:LEU:HD21	1:A:333:TYR:O	1.92	0.69
1:A:292:ILE:C	1:A:292:ILE:HD13	2.16	0.69
1:A:239:MET:CG	3:B:762:HOH:O	2.25	0.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:158:ASN:ND2	3:B:818:HOH:O	2.26	0.68
1:A:117:HIS:HE1	1:A:174:ASN:O	1.77	0.68
1:A:323:LYS:O	1:A:327:ILE:HG12	1.94	0.66
1:A:187:SER:HB3	1:A:190:GLU:HB2	1.78	0.65
1:B:222:MET:CE	3:B:826:HOH:O	2.46	0.64
1:B:144:GLU:O	1:B:161:HIS:HE1	1.80	0.64
1:A:123:TRP:HH2	1:A:131:LEU:HD12	1.63	0.63
1:B:292:ILE:C	1:B:292:ILE:HD13	2.25	0.61
1:A:265:VAL:HG21	1:A:327:ILE:HD12	1.82	0.60
1:B:292:ILE:CG2	1:B:321:ILE:HB	2.30	0.60
1:A:128:LEU:C	1:A:128:LEU:HD23	2.26	0.59
1:B:148:VAL:O	1:B:152:VAL:HG23	2.01	0.59
1:A:123:TRP:CH2	1:A:131:LEU:HD12	2.38	0.59
1:A:285:ILE:HD11	1:A:312:PHE:HE1	1.68	0.59
1:A:188:ASP:OD1	1:A:213:ARG:NH2	2.37	0.58
1:A:275:LEU:CD2	1:A:334:ILE:HD12	2.33	0.58
1:A:296:VAL:HG22	1:A:318:ILE:HD13	1.86	0.57
1:A:292:ILE:HD13	1:A:293:ILE:N	2.19	0.57
1:B:265:VAL:CG2	1:B:327:ILE:HD12	2.36	0.55
1:B:176:ARG:HB2	1:B:176:ARG:NH1	2.22	0.55
1:B:135:ARG:HG3	1:B:135:ARG:HH11	1.71	0.55
1:B:189:SER:HA	3:B:861:HOH:O	2.07	0.55
1:B:222:MET:CG	3:B:809:HOH:O	2.05	0.54
1:A:275:LEU:N	1:A:275:LEU:HD22	2.23	0.54
1:A:116:ARG:CB	3:A:818:HOH:O	2.19	0.53
1:B:330:LEU:O	1:B:334:ILE:HD13	2.09	0.53
1:A:285:ILE:HD11	1:A:312:PHE:CE1	2.43	0.53
1:B:323:LYS:O	1:B:327:ILE:HG12	2.09	0.52
1:B:150:LYS:O	1:B:154:ARG:HG3	2.10	0.52
1:B:135:ARG:HD3	3:B:717:HOH:O	2.10	0.52
1:B:189:SER:CA	3:B:861:HOH:O	2.59	0.51
1:B:167:VAL:HG12	3:B:700:HOH:O	2.10	0.51
1:B:266:GLU:HG2	1:B:319:LEU:CD2	2.41	0.51
1:A:269:ILE:HD13	1:A:334:ILE:HG12	1.92	0.51
1:A:296:VAL:HG22	1:A:318:ILE:CD1	2.41	0.51
1:B:330:LEU:HD12	1:B:334:ILE:HD13	1.93	0.51
1:B:296:VAL:HG13	1:B:303:ILE:HB	1.93	0.50
1:A:328:GLU:CD	3:A:843:HOH:O	2.54	0.50
1:B:269:ILE:HD12	1:B:316:ASP:HB2	1.93	0.50
1:B:266:GLU:HG2	1:B:319:LEU:HD23	1.94	0.49
1:A:283:ALA:O	1:A:284:ASP:C	2.55	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:275:LEU:HD22	1:A:275:LEU:H	1.77	0.49
1:A:278:VAL:HG12	1:A:279:SER:N	2.27	0.48
1:B:256:LEU:HD23	1:B:264:MET:CE	2.44	0.48
1:A:244:ASP:CG	1:B:179:ARG:HH21	2.22	0.48
1:A:292:ILE:HD13	1:A:293:ILE:C	2.39	0.48
1:A:131:LEU:HD21	1:A:157:ALA:HB2	1.97	0.47
1:A:203:GLU:HG2	3:A:677:HOH:O	2.14	0.47
1:A:204:SER:HA	3:A:714:HOH:O	2.13	0.47
1:B:149:ARG:O	1:B:153:LEU:HG	2.14	0.47
1:B:185:LEU:O	3:B:620:HOH:O	2.21	0.47
1:B:185:LEU:HD12	1:B:190:GLU:O	2.13	0.47
1:A:153:LEU:HD13	1:A:157:ALA:O	2.15	0.47
1:A:264:MET:HE3	1:B:248:GLU:OE2	2.15	0.47
1:B:123:TRP:CZ2	1:B:128:LEU:HD13	2.49	0.46
1:A:145:ASP:O	1:A:148:VAL:HG22	2.15	0.46
1:A:148:VAL:O	1:A:152:VAL:HG23	2.15	0.46
1:A:248:GLU:OE2	1:B:264:MET:HE3	2.16	0.46
1:B:185:LEU:HD12	1:B:190:GLU:C	2.41	0.45
1:A:188:ASP:OD2	1:A:216:ASN:ND2	2.50	0.45
1:A:292:ILE:C	1:A:292:ILE:CD1	2.86	0.45
1:A:251:PHE:O	1:A:255:VAL:HG22	2.17	0.45
1:B:128:LEU:HD21	1:B:132:ARG:HH21	1.81	0.45
1:A:150:LYS:N	3:A:756:HOH:O	2.49	0.44
1:A:292:ILE:CG2	1:A:321:ILE:HB	2.48	0.44
1:B:300:ASP:CB	3:B:801:HOH:O	2.65	0.44
1:A:217:ILE:HB	3:A:665:HOH:O	2.18	0.44
1:A:280:VAL:HG22	1:A:312:PHE:HE2	1.82	0.44
1:B:135:ARG:HG3	1:B:135:ARG:NH1	2.33	0.44
1:B:296:VAL:CG1	1:B:303:ILE:HB	2.47	0.44
1:A:296:VAL:HG23	1:A:306:PRO:HG2	1.99	0.44
1:A:128:LEU:C	1:A:128:LEU:CD2	2.91	0.43
1:B:131:LEU:HD11	1:B:157:ALA:HB2	2.00	0.43
1:B:222:MET:HE3	3:B:809:HOH:O	2.17	0.43
1:A:274:LYS:NZ	1:A:335:SER:OG	2.51	0.43
1:A:116:ARG:CG	3:A:818:HOH:O	2.57	0.43
1:A:306:PRO:HA	1:A:307:PRO:HD3	1.91	0.43
1:A:262:ARG:HG3	1:A:262:ARG:HH11	1.84	0.43
1:A:116:ARG:CZ	1:A:179:ARG:HA	2.48	0.43
1:A:280:VAL:HG23	1:A:310:TYR:HB3	2.01	0.43
1:A:245:ASP:OD2	1:B:266:GLU:OE2	2.37	0.42
1:B:292:ILE:HD13	1:B:293:ILE:N	2.35	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:275:LEU:HD23	1:A:334:ILE:CD1	2.40	0.42
1:A:312:PHE:CD2	1:A:312:PHE:N	2.87	0.42
1:A:293:ILE:HD12	1:A:318:ILE:CG2	2.50	0.42
1:B:302:LEU:HD11	1:B:319:LEU:HD12	2.01	0.42
1:B:330:LEU:HD12	1:B:334:ILE:CD1	2.50	0.42
1:B:145:ASP:O	1:B:148:VAL:HG22	2.20	0.41
1:B:253:GLN:NE2	3:B:722:HOH:O	2.52	0.41
1:A:151:LYS:HG2	3:A:684:HOH:O	2.20	0.41
1:B:284:ASP:O	1:B:288:VAL:HG23	2.20	0.41
1:B:134:LEU:O	1:B:137:SER:HB3	2.20	0.41
1:A:116:ARG:HB3	1:A:117:HIS:H	1.60	0.41
1:A:153:LEU:HD13	1:A:153:LEU:HA	1.91	0.41
1:B:298:ARG:CZ	1:B:313:ARG:HD2	2.51	0.40
1:A:279:SER:HA	1:A:310:TYR:O	2.21	0.40
1:B:215:GLU:H	1:B:215:GLU:HG3	1.65	0.40
1:B:250:MET:HG3	3:B:693:HOH:O	2.21	0.40
1:B:257:ALA:HB3	1:B:260:SER:OG	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	217/234 (93%)	208 (96%)	7 (3%)	2 (1%)	14 4
1	B	217/234 (93%)	216 (100%)	1 (0%)	0	100 100
All	All	434/468 (93%)	424 (98%)	8 (2%)	2 (0%)	24 12

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	276	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	300	ASP

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	180/200 (90%)	175 (97%)	5 (3%)	38	21
1	B	178/200 (89%)	175 (98%)	3 (2%)	53	38
All	All	358/400 (90%)	350 (98%)	8 (2%)	45	29

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	128	LEU
1	A	153	LEU
1	A	275	LEU
1	A	292	ILE
1	A	334	ILE
1	B	215	GLU
1	B	292	ILE
1	B	325	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	117	HIS
1	A	216	ASN
1	A	332	ASN
1	B	158	ASN
1	B	161	HIS
1	B	253	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	221/234 (94%)	0.92	32 (14%) 6 5	12, 31, 56, 68	0
1	B	219/234 (93%)	0.93	16 (7%) 21 23	17, 37, 53, 60	0
All	All	440/468 (94%)	0.92	48 (10%) 10 10	12, 34, 54, 68	0

All (48) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	299	GLY	4.8
1	A	261	THR	4.2
1	A	339	PRO	4.0
1	A	137	SER	4.0
1	A	214	TYR	3.6
1	A	257	ALA	3.5
1	B	152	VAL	3.5
1	B	334	ILE	3.4
1	A	188	ASP	3.4
1	A	306	PRO	3.4
1	A	255	VAL	3.3
1	B	156	GLY	3.1
1	A	334	ILE	3.0
1	A	146	GLU	3.0
1	A	310	TYR	2.9
1	B	327	ILE	2.9
1	A	156	GLY	2.8
1	A	152	VAL	2.7
1	B	272	GLY	2.6
1	A	283	ALA	2.6
1	B	155	SER	2.6
1	A	278	VAL	2.6
1	A	256	LEU	2.5
1	B	167	VAL	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	269	ILE	2.4
1	A	145	ASP	2.4
1	A	203	GLU	2.4
1	B	311	SER	2.4
1	A	279	SER	2.3
1	A	327	ILE	2.3
1	A	300	ASP	2.3
1	B	157	ALA	2.3
1	B	329	ARG	2.3
1	A	155	SER	2.2
1	B	154	ARG	2.2
1	A	157	ALA	2.2
1	B	292	ILE	2.2
1	A	148	VAL	2.1
1	B	153	LEU	2.1
1	B	151	LYS	2.1
1	A	325	GLU	2.1
1	B	324	PRO	2.1
1	B	310	TYR	2.1
1	A	116	ARG	2.1
1	A	270	PRO	2.1
1	A	312	PHE	2.1
1	A	281	LEU	2.0
1	A	303	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	CA	A	602	1/1	0.98	0.13	28,28,28,28	0
2	CA	B	601	1/1	0.98	0.06	29,29,29,29	0

6.5 Other polymers [i](#)

There are no such residues in this entry.