



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 12, 2026 – 02:44 PM UTC

PDB ID : 2AET / pdb_00002aet
Title : R304K trichodiene synthase: Complex with Mg, pyrophosphate, and (4S)-7-azabisabolene
Authors : Vedula, L.S.; Cane, D.E.; Christianson, D.W.
Deposited on : 2005-07-23
Resolution : 2.75 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1009 (2.76-2.76)
Clashscore	190562	1044 (2.76-2.76)
Ramachandran outliers	187476	1024 (2.76-2.76)
Sidechain outliers	187428	1024 (2.76-2.76)
RSRZ outliers	180081	1009 (2.76-2.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	374	2% 61% 32% 6%
1	B	374	11% 63% 28% 6%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	EDO	B	751	-	X	-	-

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 5956 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Trichodiene synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	352	Total	C	N	O	S	89	0	0
			2921	1872	489	543	17			
1	B	353	Total	C	N	O	S	197	0	0
			2926	1874	489	546	17			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	304	LYS	ARG	engineered mutation	UNP P13513
B	304	LYS	ARG	engineered mutation	UNP P13513

- Molecule 2 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			4	2	2		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	B	1	Total	C	O	0	0
			4	2	2		

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	3	Total	Mg	0	0
			3	3		

- Molecule 4 is PYROPHOSPHATE 2- (CCD ID: POP) (formula: $\text{H}_2\text{O}_7\text{P}_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	O	P	0	0
			9	7	2		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	48	Total	O	0	0
			48	48		
5	B	41	Total	O	0	0
			41	41		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Trichodiene synthase



• Molecule 1: Trichodiene synthase



4 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	122.38Å 122.38Å 151.09Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	60.00 – 2.75 60.00 – 2.75	Depositor EDS
% Data completeness (in resolution range)	88.8 (60.00-2.75) 88.7 (60.00-2.75)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.65 (at 2.73Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.216 , 0.256 0.235 , 0.269	Depositor DCC
R_{free} test set	1523 reflections (4.93%)	wwPDB-VP
Wilson B-factor (Å ²)	61.8	Xtriage
Anisotropy	0.265	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 31.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.016 for -h,-k,l	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	5956	wwPDB-VP
Average B, all atoms (Å ²)	55.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.42% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: POP, EDO, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.46	0/3006	0.91	6/4081 (0.1%)
1	B	0.44	0/3011	0.92	11/4089 (0.3%)
All	All	0.45	0/6017	0.92	17/8170 (0.2%)

There are no bond length outliers.

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	54	GLN	OE1-CD-NE2	-9.78	112.82	122.60
1	A	264	GLN	OE1-CD-NE2	-9.77	112.83	122.60
1	B	28	THR	N-CA-C	-7.92	97.04	109.72
1	A	103	LYS	N-CA-C	-7.87	103.80	113.41
1	B	276	VAL	N-CA-C	7.17	117.96	110.72
1	B	105	ASP	CA-C-N	6.85	126.31	118.85
1	B	105	ASP	C-N-CA	6.85	126.31	118.85
1	B	54	GLN	CG-CD-NE2	6.66	126.39	116.40
1	A	264	GLN	CG-CD-NE2	6.62	126.33	116.40
1	B	311	TYR	N-CA-C	-6.22	105.52	113.23
1	B	250	SER	N-CA-C	5.75	117.36	111.14
1	B	277	PHE	N-CA-C	5.61	120.24	113.17
1	A	6	THR	N-CA-C	5.54	117.75	111.11
1	A	79	ALA	N-CA-C	5.45	117.92	111.33
1	B	247	TYR	N-CA-C	-5.34	105.54	111.36
1	A	142	PHE	N-CA-C	5.32	117.06	109.14
1	B	79	ALA	N-CA-C	5.20	119.11	112.87

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2921	0	2775	99	0
1	B	2926	0	2770	96	0
2	A	4	0	6	0	0
2	B	4	0	6	0	0
3	B	3	0	0	0	0
4	B	9	0	0	0	0
5	A	48	0	0	1	0
5	B	41	0	0	1	0
All	All	5956	0	5557	182	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (182) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:27:TYR:HB3	1:A:32:ARG:HH12	1.40	0.85
1:B:240:GLN:NE2	1:B:245:LYS:HE2	1.94	0.82
1:A:12:THR:HG21	1:A:263:THR:HG22	1.61	0.80
1:A:69:THR:HG23	1:A:298:TRP:HZ2	1.48	0.78
1:A:107:TYR:HB3	1:A:108:PRO:HD3	1.66	0.78
1:A:62:ARG:NH1	1:A:101:ASP:OD2	2.18	0.77
1:B:225:ASN:HD22	1:B:299:HIS:HE1	1.32	0.77
1:A:17:LEU:HD21	1:A:296:VAL:HG11	1.68	0.76
1:B:80:LYS:HE2	1:B:290:CYS:SG	2.26	0.76
1:B:12:THR:HB	1:B:263:THR:HG21	1.69	0.74
1:B:300:LEU:HD23	1:B:307:LEU:CD1	2.20	0.72
1:B:186:GLY:O	1:B:221:MET:HE1	1.89	0.71
1:B:347:PRO:HD2	1:B:350:GLN:HE21	1.56	0.70
1:B:300:LEU:HD23	1:B:307:LEU:HD13	1.73	0.68
1:A:82:SER:O	1:A:86:MET:HG3	1.93	0.68
1:B:347:PRO:HD2	1:B:350:GLN:NE2	2.09	0.68
1:B:288:ILE:HG22	1:B:292:MET:HE2	1.77	0.65
1:A:38:TYR:CD2	1:A:83:LYS:HB3	2.31	0.65
1:A:76:TYR:O	1:A:294:GLY:HA3	1.97	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:175:HIS:HD2	1:B:268:HIS:NE2	1.96	0.63
1:A:120:GLY:HA2	5:A:772:HOH:O	1.98	0.63
1:A:16:LEU:O	1:A:20:ILE:HG12	2.01	0.61
1:A:12:THR:HG21	1:A:263:THR:CG2	2.31	0.60
1:B:153:SER:HB3	1:B:190:CYS:HB2	1.81	0.60
1:B:29:ARG:HG3	1:B:29:ARG:HH11	1.66	0.60
1:A:17:LEU:HD23	1:A:20:ILE:HD11	1.83	0.60
1:A:276:VAL:O	1:A:280:LYS:HD3	2.02	0.60
1:B:240:GLN:HE21	1:B:245:LYS:HE2	1.67	0.60
1:A:73:MET:HB2	1:A:298:TRP:CE2	2.36	0.59
1:A:80:LYS:HE2	1:A:290:CYS:SG	2.43	0.59
1:A:69:THR:HG23	1:A:298:TRP:CZ2	2.36	0.59
1:A:184:MET:HE1	1:B:152:ARG:NH2	2.19	0.58
1:A:78:TRP:O	1:A:81:VAL:HG22	2.03	0.58
1:A:191:VAL:HG21	1:A:221:MET:HE2	1.85	0.58
1:A:268:HIS:NE2	1:B:175:HIS:HD2	2.02	0.57
1:A:155:LEU:HD23	1:B:152:ARG:HG2	1.85	0.57
1:B:229:SER:O	1:B:233:GLU:HG3	2.06	0.56
1:B:28:THR:OG1	1:B:31:GLU:HG3	2.06	0.56
1:B:300:LEU:HA	1:B:307:LEU:HD12	1.88	0.56
1:A:28:THR:OG1	1:A:31:GLU:HG3	2.06	0.56
1:B:46:HIS:O	1:B:52:GLN:HG3	2.05	0.55
1:A:156:ASP:CG	1:B:152:ARG:HH11	2.15	0.54
1:B:224:VAL:O	1:B:228:MET:HG2	2.07	0.54
1:A:280:LYS:O	1:A:281:ASP:C	2.50	0.54
1:A:278:SER:N	1:A:285:MET:HE2	2.22	0.54
1:B:167:ASN:OD1	1:B:241:ILE:HG12	2.08	0.53
1:B:101:ASP:O	1:B:102:SER:C	2.51	0.53
1:A:319:THR:HB	1:A:322:ALA:HB3	1.90	0.53
1:B:225:ASN:HD22	1:B:299:HIS:CE1	2.18	0.53
1:B:38:TYR:CD2	1:B:83:LYS:HB3	2.43	0.53
1:B:71:VAL:O	1:B:75:VAL:HG23	2.09	0.53
1:B:168:PHE:CE2	1:B:170:GLY:HA2	2.44	0.53
1:A:220:TRP:O	1:A:224:VAL:HG23	2.09	0.52
1:A:242:SER:OG	1:A:245:LYS:HG3	2.09	0.52
1:A:81:VAL:HG12	1:A:197:PRO:HG2	1.91	0.52
1:A:228:MET:HE3	1:A:299:HIS:HB2	1.90	0.52
1:A:268:HIS:CD2	1:A:272:GLN:HG2	2.45	0.52
1:B:152:ARG:NH2	1:B:189:HIS:ND1	2.57	0.52
1:A:197:PRO:C	1:A:199:GLU:H	2.17	0.52
1:A:49:GLN:HB2	1:A:52:GLN:HG2	1.91	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:328:PHE:O	1:A:331:GLN:HB2	2.10	0.52
1:B:311:TYR:O	1:B:315:LYS:HB3	2.10	0.52
1:A:77:SER:HB3	1:A:291:PHE:CD1	2.45	0.51
1:A:153:SER:HB3	1:A:190:CYS:HB2	1.91	0.51
1:A:228:MET:HE1	1:A:296:VAL:HG13	1.91	0.51
1:A:278:SER:HA	1:A:285:MET:HE2	1.92	0.51
1:B:140:ARG:O	1:B:198:LYS:HE2	2.11	0.50
1:A:30:GLU:O	1:A:34:GLU:HG3	2.11	0.50
1:A:46:HIS:O	1:A:52:GLN:HG3	2.12	0.50
1:A:152:ARG:NH2	1:A:189:HIS:ND1	2.58	0.50
1:B:276:VAL:O	1:B:280:LYS:HD3	2.12	0.50
1:B:77:SER:HB3	1:B:291:PHE:CD1	2.46	0.50
1:B:28:THR:HG23	1:B:31:GLU:OE1	2.11	0.50
1:B:39:ALA:HB3	1:B:71:VAL:HG13	1.93	0.50
1:B:166:TYR:O	1:B:167:ASN:C	2.55	0.49
1:A:152:ARG:HG2	1:B:155:LEU:CD2	2.42	0.49
1:A:186:GLY:O	1:A:187:LEU:HB2	2.13	0.49
1:A:191:VAL:HG11	1:A:221:MET:HG3	1.93	0.49
1:B:168:PHE:CZ	1:B:170:GLY:HA2	2.46	0.49
1:A:152:ARG:CZ	1:B:184:MET:HE1	2.42	0.49
1:B:99:LEU:C	1:B:101:ASP:H	2.21	0.49
1:A:23:ARG:NH2	1:A:289:GLU:OE2	2.42	0.48
1:A:288:ILE:HG22	1:A:292:MET:HE2	1.94	0.48
1:B:62:ARG:HH12	1:B:101:ASP:HB3	1.79	0.48
1:B:62:ARG:NH1	1:B:101:ASP:HB3	2.28	0.48
1:A:73:MET:HB2	1:A:298:TRP:CZ2	2.49	0.48
1:A:177:TYR:HB3	1:A:178:PRO:HD3	1.96	0.48
1:A:272:GLN:O	1:A:276:VAL:HG23	2.13	0.48
1:A:155:LEU:CD2	1:B:152:ARG:HG2	2.44	0.47
1:B:76:TYR:O	1:B:294:GLY:HA3	2.14	0.47
1:A:142:PHE:CE2	1:A:194:SER:HA	2.48	0.47
1:B:27:TYR:OH	1:B:79:ALA:HA	2.15	0.47
1:A:32:ARG:HH11	1:A:32:ARG:HG3	1.79	0.47
1:B:107:TYR:HB3	1:B:108:PRO:CD	2.45	0.47
1:A:17:LEU:HD22	1:A:22:TYR:CG	2.50	0.47
1:A:159:GLU:HB2	1:B:148:LEU:HD21	1.96	0.47
1:A:220:TRP:CE2	1:A:224:VAL:HG21	2.49	0.47
1:B:222:VAL:HG23	1:B:223:TRP:N	2.30	0.47
1:B:73:MET:HB2	1:B:298:TRP:CE2	2.50	0.47
1:B:12:THR:HB	1:B:263:THR:CG2	2.41	0.46
1:B:240:GLN:O	1:B:245:LYS:HD3	2.15	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:80:LYS:CE	1:A:290:CYS:SG	3.03	0.46
1:A:151:ILE:HD11	1:B:114:PHE:HB2	1.97	0.46
1:A:279:ASP:O	1:A:280:LYS:HD2	2.15	0.46
1:A:281:ASP:C	1:A:281:ASP:OD1	2.57	0.46
1:A:278:SER:CA	1:A:285:MET:HE2	2.45	0.46
1:A:350:GLN:O	1:A:354:VAL:HG23	2.16	0.46
1:A:99:LEU:HD23	1:A:161:CYS:SG	2.56	0.46
1:B:82:SER:O	1:B:86:MET:HG3	2.15	0.46
1:B:27:TYR:HB3	1:B:31:GLU:HB2	1.98	0.46
1:A:277:PHE:O	1:A:280:LYS:HB2	2.16	0.45
1:A:197:PRO:C	1:A:199:GLU:N	2.74	0.45
1:B:99:LEU:C	1:B:101:ASP:N	2.73	0.45
1:B:142:PHE:CE2	1:B:194:SER:HA	2.51	0.45
1:B:306:ARG:HG2	1:B:306:ARG:HH11	1.82	0.45
1:A:174:SER:OG	1:B:216:GLN:NE2	2.49	0.45
1:B:230:PHE:CE2	1:B:259:LEU:HD21	2.52	0.45
1:B:329:TYR:CD1	1:B:329:TYR:O	2.70	0.45
1:B:58:VAL:HG21	1:B:98:VAL:HG13	1.99	0.45
1:B:177:TYR:HB3	1:B:178:PRO:HD3	1.97	0.45
1:B:228:MET:HE1	1:B:296:VAL:HG13	1.99	0.45
1:A:353:ASN:O	1:A:353:ASN:ND2	2.48	0.45
1:A:152:ARG:HG2	1:B:155:LEU:HD23	1.98	0.44
1:B:120:GLY:HA2	5:B:767:HOH:O	2.17	0.44
1:A:156:ASP:OD1	1:B:152:ARG:HD2	2.18	0.44
1:B:225:ASN:ND2	1:B:299:HIS:HE1	2.09	0.44
1:B:188:GLY:HA3	1:B:218:GLU:HG3	2.00	0.44
1:A:27:TYR:HB3	1:A:32:ARG:NH1	2.21	0.44
1:A:219:ASN:HB3	1:A:223:TRP:CZ3	2.53	0.44
1:B:74:VAL:HA	1:B:78:TRP:CE3	2.53	0.44
1:A:216:GLN:HE22	1:A:276:VAL:HG11	1.82	0.44
1:B:291:PHE:O	1:B:295:TYR:HB2	2.18	0.44
1:A:274:VAL:C	1:A:276:VAL:H	2.27	0.43
1:A:38:TYR:CE2	1:A:83:LYS:HB3	2.53	0.43
1:A:197:PRO:O	1:A:199:GLU:N	2.52	0.43
1:A:199:GLU:HB3	1:A:200:GLN:NE2	2.34	0.43
1:B:80:LYS:HE3	1:B:286:ASP:OD2	2.18	0.43
1:B:29:ARG:HG3	1:B:29:ARG:NH1	2.31	0.43
1:B:107:TYR:CD1	1:B:107:TYR:C	2.97	0.42
1:A:353:ASN:HD22	1:A:353:ASN:C	2.26	0.42
1:B:12:THR:CB	1:B:263:THR:HG21	2.43	0.42
1:A:85:CYS:HA	1:A:141:HIS:CE1	2.54	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:36:LEU:HB3	1:A:343:TRP:CD2	2.54	0.42
1:B:80:LYS:CE	1:B:290:CYS:SG	3.04	0.42
1:B:242:SER:OG	1:B:245:LYS:HG3	2.19	0.42
1:B:232:LYS:NZ	1:B:304:LYS:HE2	2.35	0.42
1:A:329:TYR:C	1:A:329:TYR:CD1	2.98	0.42
1:B:220:TRP:O	1:B:224:VAL:HG23	2.20	0.42
1:A:319:THR:HB	1:A:322:ALA:CB	2.50	0.42
1:A:20:ILE:O	1:A:21:ARG:HB2	2.20	0.42
1:A:99:LEU:HD13	1:A:127:TRP:CG	2.55	0.42
1:B:241:ILE:HG22	1:B:246:ASN:HD21	1.85	0.42
1:B:223:TRP:CZ3	1:B:265:ASP:HB3	2.55	0.41
1:B:254:SER:OG	1:B:257:GLU:HG3	2.20	0.41
1:B:300:LEU:HD23	1:B:307:LEU:HD12	1.98	0.41
1:A:99:LEU:HD13	1:A:127:TRP:CD1	2.55	0.41
1:B:313:LYS:O	1:B:313:LYS:HG3	2.20	0.41
1:B:216:GLN:HB3	1:B:273:MET:HE2	2.01	0.41
1:A:191:VAL:CG2	1:A:221:MET:HE2	2.50	0.41
1:B:241:ILE:CG2	1:B:246:ASN:HD21	2.34	0.41
1:A:4:PHE:HA	1:A:5:PRO:HD3	1.76	0.41
1:A:51:ARG:HG2	1:A:52:GLN:NE2	2.36	0.41
1:A:316:GLU:O	1:A:317:GLU:HG2	2.21	0.41
1:A:80:LYS:HE3	1:A:286:ASP:OD2	2.21	0.41
1:B:253:ILE:HB	1:B:257:GLU:OE1	2.20	0.41
1:A:295:TYR:O	1:A:299:HIS:HD2	2.03	0.41
1:A:206:LEU:O	1:A:209:GLU:HG2	2.20	0.41
1:A:254:SER:OG	1:A:257:GLU:HG3	2.21	0.41
1:B:113:TYR:HD1	1:B:123:GLN:OE1	2.04	0.41
1:B:206:LEU:HD22	1:B:209:GLU:HG3	2.03	0.41
1:B:220:TRP:CE2	1:B:224:VAL:HG21	2.56	0.41
1:B:228:MET:CE	1:B:296:VAL:HG13	2.51	0.41
1:A:310:ILE:O	1:A:314:VAL:HG22	2.21	0.41
1:A:268:HIS:HD2	1:A:272:GLN:HG2	1.83	0.40
1:B:310:ILE:O	1:B:310:ILE:HG22	2.20	0.40
1:A:182:ARG:HG2	1:A:243:LEU:HD22	2.03	0.40
1:A:277:PHE:C	1:A:285:MET:HE2	2.46	0.40
1:B:32:ARG:NH1	1:B:76:TYR:CD1	2.89	0.40
1:B:339:SER:HA	1:B:340:PRO:HD3	1.88	0.40
1:A:92:HIS:HB2	1:A:138:VAL:HG21	2.03	0.40
1:B:89:LEU:HD23	1:B:89:LEU:HA	1.90	0.40
1:B:232:LYS:HD3	1:B:233:GLU:CG	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	350/374 (94%)	329 (94%)	19 (5%)	2 (1%)	21	38
1	B	351/374 (94%)	320 (91%)	25 (7%)	6 (2%)	7	14
All	All	701/748 (94%)	649 (93%)	44 (6%)	8 (1%)	11	22

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	304	LYS
1	B	306	ARG
1	B	102	SER
1	A	198	LYS
1	A	275	ALA
1	B	239	ASP
1	B	5	PRO
1	B	178	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	318/340 (94%)	310 (98%)	8 (2%)	42	64
1	B	318/340 (94%)	309 (97%)	9 (3%)	38	61
All	All	636/680 (94%)	619 (97%)	17 (3%)	39	62

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	51	ARG
1	A	69	THR
1	A	98	VAL
1	A	103	LYS
1	A	135	PHE
1	A	209	GLU
1	A	212	SER
1	A	335	VAL
1	B	29	ARG
1	B	51	ARG
1	B	60	PRO
1	B	111	VAL
1	B	135	PHE
1	B	184	MET
1	B	209	GLU
1	B	232	LYS
1	B	259	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	41	ASN
1	A	46	HIS
1	A	137	ASN
1	A	175	HIS
1	A	200	GLN
1	A	216	GLN
1	A	272	GLN
1	A	299	HIS
1	A	323	GLN
1	A	350	GLN
1	A	353	ASN
1	B	11	ASN
1	B	46	HIS
1	B	49	GLN
1	B	137	ASN
1	B	165	GLN
1	B	175	HIS
1	B	216	GLN
1	B	225	ASN
1	B	240	GLN
1	B	323	GLN
1	B	350	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	353	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 6 ligands modelled in this entry, 3 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	EDO	A	750	-	3,3,3	2.34	2 (66%)	2,2,2	0.53	0
4	POP	B	700	3	6,8,8	1.57	1 (16%)	12,13,13	1.60	1 (8%)
2	EDO	B	751	-	3,3,3	2.35	2 (66%)	2,2,2	0.48	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	EDO	A	750	-	-	0/1/1/1	-
4	POP	B	700	3	-	0/6/6/6	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	EDO	B	751	-	-	1/1/1/1	-

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	751	EDO	O2-C2	2.94	1.57	1.42
2	A	750	EDO	O2-C2	2.92	1.57	1.42
2	A	750	EDO	O1-C1	2.69	1.55	1.42
2	B	751	EDO	O1-C1	2.65	1.55	1.42
4	B	700	POP	P2-O6	-2.50	1.45	1.54

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	700	POP	O2-P1-O	4.68	120.34	104.64

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	751	EDO	O1-C1-C2-O2

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	342/374 (91%)	0.08	8 (2%) 61 59	33, 51, 77, 100	0
1	B	333/374 (89%)	0.58	42 (12%) 8 6	4, 56, 100, 125	1 (0%)
All	All	675/748 (90%)	0.33	50 (7%) 20 20	4, 53, 92, 125	1 (0%)

All (50) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	317	GLU	7.5
1	B	54	GLN	7.4
1	B	314	VAL	7.1
1	B	316	GLU	7.0
1	B	22	TYR	6.5
1	B	318	LYS	6.3
1	B	313	LYS	5.8
1	B	319	THR	5.8
1	B	232	LYS	5.6
1	B	24	ASP	5.3
1	B	17	LEU	4.7
1	B	310	ILE	4.2
1	B	6	THR	4.2
1	B	335	VAL	4.1
1	B	304	LYS	4.1
1	B	9	PHE	4.0
1	B	321	ASP	3.9
1	B	56	LEU	3.8
1	B	315	LYS	3.8
1	B	5	PRO	3.6
1	B	325	PHE	3.6
1	B	326	CYS	3.6
1	B	20	ILE	3.5
1	A	25	SER	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	240	GLN	3.4
1	A	314	VAL	3.3
1	B	333	ALA	3.3
1	A	333	ALA	3.2
1	B	235	ASP	3.1
1	B	302	ASP	3.0
1	B	241	ILE	2.9
1	B	62	ARG	2.9
1	A	354	VAL	2.9
1	A	319	THR	2.8
1	B	311	TYR	2.7
1	B	305	TYR	2.6
1	B	328	PHE	2.6
1	B	19	TYR	2.6
1	B	354	VAL	2.6
1	B	233	GLU	2.5
1	B	11	ASN	2.5
1	B	15	ARG	2.5
1	B	324	LYS	2.3
1	B	323	GLN	2.3
1	A	263	THR	2.3
1	A	335	VAL	2.2
1	B	14	VAL	2.1
1	B	102	SER	2.1
1	B	55	LEU	2.1
1	A	326	CYS	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	MG	B	703	1/1	0.74	0.29	91,91,91,91	0
3	MG	B	702	1/1	0.83	0.15	68,68,68,68	0
4	POP	B	700	9/9	0.83	0.13	116,117,119,119	0
2	EDO	B	751	4/4	0.90	0.13	44,46,49,50	0
2	EDO	A	750	4/4	0.90	0.15	49,52,52,53	0
3	MG	B	701	1/1	0.96	0.10	71,71,71,71	0

6.5 Other polymers [i](#)

There are no such residues in this entry.