



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 09:13 AM UTC

PDB ID : 3AEC / pdb\_00003aec  
Title : Crystal structure of porcine heart mitochondrial complex II bound with 2-Iodo-N-(1-methylethyl)-benzamid  
Authors : Harada, S.; Sasaki, T.; Shindo, M.; Kido, Y.; Inaoka, D.K.; Omori, J.; Osanai, A.; Sakamoto, K.; Mao, J.; Matsuoka, S.; Inoue, M.; Honma, T.; Tanaka, A.; Kita, K.  
Deposited on : 2010-02-04  
Resolution : 3.61 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0  
Mogul : 2022.3.0, CSD as543be (2022)  
Xtrriage (Phenix) : 2.0  
EDS : 3.0  
Buster-report : wwPDB partial adaption of 1.1.7 (2018)  
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)  
CCP4 : 9.0.010 (Gargrove)  
Density-Fitness : 1.0.12  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.49


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.61 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	180053	1062 (3.72-3.52)
Clashscore	190562	1092 (3.72-3.52)
Ramachandran outliers	187476	1057 (3.72-3.52)
Sidechain outliers	187428	1055 (3.72-3.52)
RSRZ outliers	180081	1060 (3.72-3.52)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	622	<div style="display: flex; align-items: center;"> <div style="width: 2%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 83%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 14%; height: 10px; background-color: yellow; margin-right: 2px;"></div> <div style="width: 1%; height: 10px; background-color: orange; margin-right: 2px;"></div> <div style="width: 1%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">83% 14% ..</p>
2	B	252	<div style="display: flex; align-items: center;"> <div style="width: 2%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 78%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 15%; height: 10px; background-color: yellow; margin-right: 2px;"></div> <div style="width: 5%; height: 10px; background-color: orange; margin-right: 2px;"></div> <div style="width: 1%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">78% 15% • 5%</p>
3	C	140	<div style="display: flex; align-items: center;"> <div style="width: 2%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 86%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 11%; height: 10px; background-color: yellow; margin-right: 2px;"></div> <div style="width: 1%; height: 10px; background-color: orange; margin-right: 2px;"></div> <div style="width: 1%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">86% 11% ..</p>
4	D	103	<div style="display: flex; align-items: center;"> <div style="width: 2%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 92%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 6%; height: 10px; background-color: yellow; margin-right: 2px;"></div> <div style="width: 1%; height: 10px; background-color: orange; margin-right: 2px;"></div> <div style="width: 1%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">92% 6% ..</p>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
11	EPH	D	1306	X	-	-	-

## 2 Entry composition

There are 11 unique types of molecules in this entry. The entry contains 8652 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Succinate dehydrogenase [ubiquinone] flavoprotein subunit, mitochondrial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	613	4729	2954	848	895	32	0	0	0

- Molecule 2 is a protein called Succinate dehydrogenase [ubiquinone] iron-sulfur subunit, mitochondrial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	239	1922	1214	326	360	22	0	0	0


- Molecule 3 is a protein called Succinate dehydrogenase cytochrome b560 subunit, mitochondrial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	C	138	1064	695	179	183	7	0	0	0

- Molecule 4 is a protein called Succinate dehydrogenase [ubiquinone] cytochrome b small subunit, mitochondrial.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
4	D	102	765	499	128	133	5	0	0	0

- Molecule 5 is FLAVIN-ADENINE DINUCLEOTIDE (CCD ID: FAD) (formula:  $C_{27}H_{33}N_9O_{15}P_2$ ).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
5	A	1	53	27	9	15	2	0	0

- Molecule 6 is FE2/S2 (INORGANIC) CLUSTER (CCD ID: FES) (formula: Fe<sub>2</sub>S<sub>2</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	Fe	S		
6	B	1	4	2	2	0	0

- Molecule 7 is IRON/SULFUR CLUSTER (CCD ID: SF4) (formula: Fe<sub>4</sub>S<sub>4</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	B	1	Total	Fe	S	0	0
			8	4	4		

- Molecule 8 is FE3-S4 CLUSTER (CCD ID: F3S) (formula:  $\text{Fe}_3\text{S}_4$ ).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	B	1	Total	Fe	S	0	0
			7	3	4		

- Molecule 9 is PROTOPORPHYRIN IX CONTAINING FE (CCD ID: HEM) (formula:  $\text{C}_{34}\text{H}_{32}\text{FeN}_4\text{O}_4$ ).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
9	C	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 10 is 2-iodo-N-(1-methylethyl)benzamide (CCD ID: EBM) (formula:  $C_{10}H_{12}INO$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
10	C	1	Total	C	I	N	O	0	0
			13	10	1	1	1		

- Molecule 11 is L-ALPHA-PHOSPHATIDYL-BETA-OLEOYL-GAMMA-PALMITOYL-PHOSPHATIDYLETHANOLAMINE (CCD ID: EPH) (formula:  $C_{39}H_{68}NO_8P$ ).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
11	D	1	44	34	1	8	1	0	0


### 3 Residue-property plots i

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Succinate dehydrogenase [ubiquinone] flavoprotein subunit, mitochondrial




- Molecule 2: Succinate dehydrogenase [ubiquinone] iron-sulfur subunit, mitochondrial



- Molecule 3: Succinate dehydrogenase cytochrome b560 subunit, mitochondrial



- Molecule 4: Succinate dehydrogenase [ubiquinone] cytochrome b small subunit, mitochondrial



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	70.97Å 83.99Å 295.25Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	42.46 – 3.61 42.46 – 3.61	Depositor EDS
% Data completeness (in resolution range)	97.8 (42.46-3.61) 97.7 (42.46-3.61)	Depositor EDS
$R_{merge}$	0.16	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	7.71 (at 3.57Å)	Xtrriage
Refinement program	REFMAC	Depositor
R, $R_{free}$	0.245 , 0.294 0.249 , 0.292	Depositor DCC
$R_{free}$ test set	1044 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	77.4	Xtrriage
Anisotropy	0.140	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.29 , 55.5	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.89	EDS
Total number of atoms	8652	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	92.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.63% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: EPH, SF4, EBM, FES, HEM, FAD, F3S

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.41	0/4828	0.77	2/6531 (0.0%)
2	B	0.40	0/1964	0.74	4/2648 (0.2%)
3	C	0.45	0/1091	0.79	0/1483
4	D	0.37	0/784	0.77	0/1066
All	All	0.41	0/8667	0.77	6/11728 (0.1%)

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	58	THR	N-CA-C	-6.44	104.52	112.38
1	A	57	HIS	CB-CA-C	-5.86	99.17	109.02
2	B	102	LEU	CA-C-N	5.60	125.61	119.90
2	B	102	LEU	C-N-CA	5.60	125.61	119.90
2	B	180	GLY	CA-C-N	5.29	124.93	119.05
2	B	180	GLY	C-N-CA	5.29	124.93	119.05

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4729	0	4618	66	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	1922	0	1902	25	0
3	C	1064	0	1104	12	0
4	D	765	0	773	5	0
5	A	53	0	31	15	0
6	B	4	0	0	1	0
7	B	8	0	0	0	0
8	B	7	0	0	0	0
9	C	43	0	30	1	0
10	C	13	0	12	1	0
11	D	44	0	53	1	0
All	All	8652	0	8523	105	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (105) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:57:HIS:NE2	5:A:700:FAD:HM82	1.16	1.39
1:A:415:LEU:HG	5:A:700:FAD:C2	2.12	0.79
1:A:258:ILE:HD11	1:A:265:ILE:HG23	1.64	0.78
1:A:61:ALA:HA	5:A:700:FAD:N5	2.00	0.76
1:A:57:HIS:CD2	5:A:700:FAD:HM82	2.16	0.75
1:A:150:VAL:H	1:A:154:THR:HG22	1.51	0.75
1:A:57:HIS:NE2	5:A:700:FAD:C8	2.50	0.74
1:A:57:HIS:CE1	5:A:700:FAD:HM82	2.15	0.72
1:A:577:GLN:H	1:A:577:GLN:HE21	1.41	0.69
2:B:73:CYS:SG	6:B:302:FES:FE2	1.87	0.64
2:B:214:ARG:HA	2:B:214:ARG:HH11	1.61	0.64
10:C:1201:EBM:I	10:C:1201:EBM:O	2.86	0.64
1:A:415:LEU:HG	5:A:700:FAD:O2	1.98	0.63
1:A:104:ALA:HA	1:A:416:LEU:HD11	1.82	0.62
1:A:61:ALA:HB3	1:A:155:GLY:HA3	1.80	0.61
1:A:52:PHE:HB3	1:A:55:ARG:HG3	1.83	0.61
2:B:219:MET:HE1	2:B:232:GLY:HA3	1.83	0.60
1:A:67:ALA:HB2	1:A:108:VAL:HG21	1.83	0.59
1:A:118:PHE:HA	1:A:150:VAL:HG22	1.84	0.59
1:A:556:LYS:H	1:A:556:LYS:HD2	1.69	0.58
1:A:246:GLN:HE22	1:A:600:ARG:HE	1.51	0.57
2:B:101:PRO:HB3	2:B:111:LEU:HA	1.88	0.55
1:A:246:GLN:NE2	1:A:600:ARG:HE	2.04	0.54

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:51:LEU:HD21	1:A:229:THR:HG21	1.89	0.54
1:A:516:TRP:HB3	2:B:60:THR:HG21	1.90	0.54
1:A:246:GLN:HE22	1:A:600:ARG:HH21	1.55	0.53
2:B:60:THR:O	2:B:110:ASP:O	2.27	0.53
1:A:278:ASN:HD22	1:A:284:PHE:HB3	1.72	0.53
2:B:102:LEU:HD22	2:B:166:THR:HG21	1.91	0.53
1:A:111:LEU:HD11	1:A:419:VAL:HG21	1.91	0.53
2:B:219:MET:CE	2:B:232:GLY:HA3	2.40	0.52
1:A:116:MET:HA	1:A:161:THR:HG21	1.91	0.52
2:B:219:MET:HE2	2:B:219:MET:HA	1.92	0.52
3:C:52:LEU:HB3	9:C:1305:HEM:HAC	1.92	0.52
3:C:29:HIS:HD2	3:C:30:ILE:HD13	1.75	0.51
1:A:620:ARG:O	1:A:620:ARG:HG3	2.10	0.50
2:B:51:ILE:HD11	2:B:59:LEU:HD22	1.93	0.50
2:B:116:SER:HB2	3:C:15:PHE:HD1	1.77	0.50
2:B:155:LEU:HD23	2:B:185:MET:HE2	1.95	0.49
1:A:514:MET:HA	1:A:514:MET:HE2	1.94	0.48
2:B:10:ARG:HD3	2:B:38:ASN:HD21	1.78	0.48
2:B:233:LYS:HA	3:C:117:LEU:HD13	1.95	0.48
1:A:608:ASN:HD22	1:A:611:ASP:HB2	1.78	0.48
1:A:104:ALA:HB3	1:A:105:PRO:HD3	1.94	0.48
1:A:197:ILE:HD11	1:A:521:VAL:HG11	1.96	0.48
1:A:338:LEU:HB3	1:A:341:ILE:HG12	1.96	0.48
1:A:179:ALA:N	5:A:700:FAD:N1A	2.52	0.47
2:B:210:PHE:HA	2:B:214:ARG:HG2	1.96	0.47
11:D:1306:EPH:H72	11:D:1306:EPH:H191	1.97	0.47
1:A:28:GLY:HA3	5:A:700:FAD:O1P	2.14	0.46
1:A:518:THR:HA	1:A:521:VAL:HG22	1.96	0.46
2:B:23:LYS:HB3	2:B:26:ASP:HB2	1.97	0.46
1:A:351:VAL:HG13	1:A:356:GLU:HB2	1.98	0.46
1:A:49:THR:HG1	5:A:700:FAD:HO2A	1.49	0.45
3:C:82:LEU:H	3:C:82:LEU:HD12	1.81	0.45
1:A:258:ILE:HD13	1:A:263:CYS:HB2	1.99	0.45
2:B:181:PRO:HA	2:B:235:ILE:HD11	1.98	0.45
3:C:71:GLU:HG2	4:D:132:MET:HE1	1.97	0.45
1:A:221:TYR:CG	1:A:364:VAL:HG21	2.51	0.45
1:A:252:GLN:HB3	1:A:366:TYR:H	1.80	0.45
1:A:353:VAL:HG12	1:A:358:ILE:HD11	1.97	0.44
3:C:29:HIS:CD2	3:C:30:ILE:HD13	2.52	0.44
1:A:57:HIS:C	1:A:59:VAL:N	2.70	0.44
2:B:203:LEU:HD11	2:B:241:MET:HE2	1.98	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:119:ILE:N	3:C:120:PRO:HD2	2.32	0.44
1:A:10:SER:C	1:A:12:GLN:H	2.25	0.44
1:A:25:VAL:HG21	1:A:192:VAL:HG11	1.99	0.44
2:B:230:ASN:C	2:B:230:ASN:HD22	2.25	0.44
1:A:49:THR:OG1	5:A:700:FAD:O2B	2.22	0.43
2:B:108:ILE:HD12	2:B:112:VAL:HG12	1.99	0.43
1:A:177:TYR:O	5:A:700:FAD:H2A	2.18	0.43
1:A:258:ILE:HG22	1:A:260:GLY:H	1.82	0.43
2:B:165:SER:HA	2:B:181:PRO:HD2	2.01	0.43
1:A:57:HIS:O	1:A:58:THR:C	2.61	0.43
3:C:96:PHE:HB3	3:C:97:PRO:HD3	2.00	0.43
1:A:374:ASN:HD21	1:A:378:GLN:HB2	1.83	0.42
3:C:52:LEU:HD21	3:C:98:LEU:HA	2.00	0.42
1:A:414:SER:HA	1:A:417:ASP:HB3	2.02	0.42
1:A:65:ILE:HD12	1:A:108:VAL:CG2	2.50	0.42
1:A:129:ARG:HD2	1:A:129:ARG:HA	1.79	0.42
2:B:188:TYR:HB2	2:B:238:ILE:HD11	2.01	0.42
1:A:61:ALA:HB1	5:A:700:FAD:C4	2.50	0.42
1:A:49:THR:HA	5:A:700:FAD:N3A	2.35	0.41
4:D:72:LEU:O	4:D:76:LEU:HB2	2.19	0.41
1:A:269:CYS:SG	1:A:341:ILE:HD13	2.60	0.41
3:C:46:ARG:NH2	4:D:87:VAL:HA	2.35	0.41
1:A:215:GLY:H	1:A:399:ALA:HB2	1.86	0.41
3:C:40:ALA:HA	3:C:43:ILE:HD12	2.03	0.41
1:A:397:GLY:HA2	1:A:418:LEU:HD12	2.01	0.41
1:A:486:VAL:HG22	1:A:553:GLU:HG3	2.02	0.41
1:A:129:ARG:O	1:A:147:CYS:HB3	2.20	0.41
1:A:577:GLN:HE21	1:A:577:GLN:N	2.13	0.41
1:A:217:TYR:HB3	1:A:232:GLY:HA3	2.03	0.41
5:A:700:FAD:H1'1	5:A:700:FAD:H9	1.82	0.41
1:A:65:ILE:HD12	1:A:108:VAL:HG22	2.03	0.41
1:A:100:MET:HA	1:A:420:VAL:HG11	2.02	0.41
2:B:207:GLN:HE22	4:D:40:SER:HB2	1.86	0.41
1:A:616:PRO:HA	1:A:617:PRO:HD3	1.98	0.41
2:B:81:ASN:HD22	2:B:167:SER:HB3	1.86	0.41
1:A:414:SER:O	1:A:418:LEU:HD13	2.21	0.40
1:A:202:ILE:HD13	1:A:451:VAL:HG22	2.01	0.40
1:A:52:PHE:CD1	1:A:53:PRO:HD2	2.57	0.40
1:A:199:ASP:HA	1:A:515:VAL:HG22	2.03	0.40
2:B:112:VAL:HA	2:B:113:PRO:HD3	1.89	0.40
4:D:47:ARG:HA	4:D:47:ARG:HD3	1.77	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	611/622 (98%)	573 (94%)	35 (6%)	3 (0%)	24	55
2	B	237/252 (94%)	215 (91%)	19 (8%)	3 (1%)	9	37
3	C	136/140 (97%)	127 (93%)	9 (7%)	0	100	100
4	D	100/103 (97%)	98 (98%)	2 (2%)	0	100	100
All	All	1084/1117 (97%)	1013 (94%)	65 (6%)	6 (1%)	21	51

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	110	ASP
1	A	56	SER
2	B	24	THR
1	A	273	GLY
2	B	64	SER
1	A	260	GLY

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	499/506 (99%)	482 (97%)	17 (3%)	32	53
2	B	214/220 (97%)	206 (96%)	8 (4%)	30	52

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	C	117/118 (99%)	112 (96%)	5 (4%)	26	49
4	D	76/76 (100%)	74 (97%)	2 (3%)	40	58
All	All	906/920 (98%)	874 (96%)	32 (4%)	32	53

All (32) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	59	VAL
1	A	65	ILE
1	A	121	THR
1	A	165	ARG
1	A	167	LEU
1	A	197	ILE
1	A	206	ARG
1	A	311	GLU
1	A	458	ARG
1	A	486	VAL
1	A	508	LYS
1	A	523	THR
1	A	541	GLU
1	A	556	LYS
1	A	561	GLU
1	A	577	GLN
1	A	622	TYR
2	B	51	ILE
2	B	69	ILE
2	B	89	ILE
2	B	164	CYS
2	B	189	ARG
2	B	192	ILE
2	B	214	ARG
2	B	235	ILE
3	C	29	HIS
3	C	30	ILE
3	C	109	LEU
3	C	122	LEU
3	C	140	LEU
4	D	47	ARG
4	D	78	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (26) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	44	ASN
1	A	62	GLN
1	A	98	HIS
1	A	128	GLN
1	A	143	GLN
1	A	228	HIS
1	A	246	GLN
1	A	278	ASN
1	A	325	GLN
1	A	333	GLN
1	A	384	ASN
1	A	386	GLN
1	A	408	ASN
1	A	453	ASN
1	A	474	GLN
1	A	527	GLN
1	A	550	HIS
1	A	577	GLN
1	A	608	ASN
2	B	38	ASN
2	B	121	GLN
2	B	144	GLN
2	B	174	ASN
2	B	230	ASN
3	C	29	HIS
3	C	104	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry

7 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
11	EPH	D	1306	-	43,43,48	1.51	6 (13%)	46,48,53	1.28	3 (6%)
10	EBM	C	1201	-	13,13,13	0.90	1 (7%)	17,17,17	0.61	0
8	F3S	B	304	2	0,9,9	-	-	-	-	-
5	FAD	A	700	1	58,58,58	1.13	5 (8%)	85,89,89	1.61	15 (17%)
6	FES	B	302	2	0,4,4	-	-	-	-	-
7	SF4	B	303	2	0,12,12	-	-	-	-	-
9	HEM	C	1305	3,4	50,50,50	1.94	11 (22%)	67,82,82	1.27	4 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
11	EPH	D	1306	-	1/1/4/14	23/47/47/52	-
10	EBM	C	1201	-	-	3/8/8/8	0/1/1/1
8	F3S	B	304	2	-	-	0/3/3/3
6	FES	B	302	2	-	-	0/1/1/1
5	FAD	A	700	1	-	10/34/50/50	0/6/6/6
7	SF4	B	303	2	-	-	0/6/5/5
9	HEM	C	1305	3,4	-	9/14/54/54	-

All (23) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	C	1305	HEM	C3D-C2D	7.99	1.54	1.36
9	C	1305	HEM	FE-ND	4.71	2.09	1.94
11	D	1306	EPH	O1-C3	4.36	1.46	1.34
11	D	1306	EPH	O2-C4	4.34	1.46	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	C	1305	HEM	FE-NB	4.24	2.08	1.94
9	C	1305	HEM	FE-NA	3.87	2.07	1.95
11	D	1306	EPH	C13-C12	3.76	1.53	1.31
11	D	1306	EPH	C25-C24	3.75	1.53	1.31
11	D	1306	EPH	C29-C28	3.73	1.52	1.31
5	A	700	FAD	C4X-N5	3.59	1.38	1.30
11	D	1306	EPH	C15-C16	3.22	1.52	1.29
9	C	1305	HEM	FE-NC	3.03	2.05	1.95
9	C	1305	HEM	CAB-C3B	2.86	1.55	1.47
9	C	1305	HEM	CAC-C3C	2.84	1.55	1.47
5	A	700	FAD	C10-N1	2.81	1.38	1.33
10	C	1201	EBM	C2-C1	2.74	1.49	1.39
5	A	700	FAD	C2A-N1A	2.64	1.38	1.33
5	A	700	FAD	C2A-N3A	2.58	1.38	1.33
9	C	1305	HEM	CMB-C2B	2.19	1.55	1.50
9	C	1305	HEM	CMA-C3A	2.18	1.55	1.50
5	A	700	FAD	C8A-N7A	2.12	1.35	1.31
9	C	1305	HEM	CMC-C2C	2.10	1.55	1.50
9	C	1305	HEM	CMD-C2D	2.01	1.54	1.50

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	700	FAD	N3A-C2A-N1A	-6.02	119.47	128.58
9	C	1305	HEM	C4D-ND-C1D	5.58	111.81	105.21
5	A	700	FAD	C5A-C4A-N3A	-4.28	120.82	126.72
11	D	1306	EPH	O1-C3-C5	4.01	120.17	111.48
5	A	700	FAD	N9A-C8A-N7A	-3.93	108.36	113.94
5	A	700	FAD	C2A-N3A-C4A	3.51	120.41	111.83
5	A	700	FAD	C5A-N7A-C8A	3.39	108.77	103.45
5	A	700	FAD	C4-N3-C2	-3.32	119.74	125.64
5	A	700	FAD	N3A-C4A-N9A	2.83	131.97	127.17
5	A	700	FAD	C4X-C4-N3	2.83	120.45	113.25
11	D	1306	EPH	O2-C4-C18	2.77	120.28	111.83
5	A	700	FAD	C4X-C10-N10	2.60	120.20	116.48
11	D	1306	EPH	C30-C29-C28	-2.59	110.82	126.42
5	A	700	FAD	C10-C4X-N5	-2.49	119.73	124.81
5	A	700	FAD	O4-C4-C4X	-2.41	120.18	126.53
5	A	700	FAD	C9A-C5X-N5	-2.35	119.96	122.45
9	C	1305	HEM	C1B-NB-C4B	2.35	107.99	105.21
5	A	700	FAD	C4A-C5A-N7A	-2.34	107.90	110.58
9	C	1305	HEM	CAD-C3D-C4D	2.34	128.77	124.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	C	1305	HEM	C3B-C4B-NB	-2.27	107.84	109.47
5	A	700	FAD	C4X-C10-N1	-2.23	119.13	124.59
5	A	700	FAD	C5X-C9A-N10	2.16	119.92	117.97

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
11	D	1306	EPH	C2

All (45) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	700	FAD	N10-C1'-C2'-O2'
5	A	700	FAD	N10-C1'-C2'-C3'
5	A	700	FAD	C2'-C3'-C4'-O4'
5	A	700	FAD	O3'-C3'-C4'-O4'
5	A	700	FAD	O3'-C3'-C4'-C5'
5	A	700	FAD	PA-O3P-P-O5'
9	C	1305	HEM	C2B-C3B-CAB-CBB
9	C	1305	HEM	C4B-C3B-CAB-CBB
9	C	1305	HEM	C2C-C3C-CAC-CBC
9	C	1305	HEM	C4C-C3C-CAC-CBC
10	C	1201	EBM	C2-C7-N-C8
11	D	1306	EPH	C37-O5-P1-O7
11	D	1306	EPH	C5-C3-O1-C2
11	D	1306	EPH	O8-C38-C39-N1
10	C	1201	EBM	O-C7-N-C8
11	D	1306	EPH	O3-C3-O1-C2
11	D	1306	EPH	C23-C24-C25-C26
5	A	700	FAD	C2'-C3'-C4'-C5'
9	C	1305	HEM	C3D-CAD-CBD-CGD
11	D	1306	EPH	C18-C4-O2-C1
11	D	1306	EPH	O4-C4-O2-C1
5	A	700	FAD	O4B-C4B-C5B-O5B
11	D	1306	EPH	C1-C2-O1-C3
5	A	700	FAD	C3B-C4B-C5B-O5B
11	D	1306	EPH	C19-C20-C21-C22
11	D	1306	EPH	C7-C8-C9-C10
11	D	1306	EPH	C9-C10-C11-C12
11	D	1306	EPH	C3-C5-C6-C7
9	C	1305	HEM	C4D-C3D-CAD-CBD
11	D	1306	EPH	C5-C6-C7-C8

*Continued on next page...*

*Continued from previous page...*



Mol	Chain	Res	Type	Atoms
11	D	1306	EPH	C20-C21-C22-C23
11	D	1306	EPH	C14-C15-C16-C17
11	D	1306	EPH	C25-C26-C27-C28
11	D	1306	EPH	C12-C13-C14-C15
11	D	1306	EPH	C13-C14-C15-C16
9	C	1305	HEM	C2D-C3D-CAD-CBD
11	D	1306	EPH	O1-C2-C37-O5
11	D	1306	EPH	C1-C2-C37-O5
11	D	1306	EPH	C2-C37-O5-P1
11	D	1306	EPH	O2-C1-C2-C37
9	C	1305	HEM	CAA-CBA-CGA-O2A
9	C	1305	HEM	CAA-CBA-CGA-O1A
11	D	1306	EPH	C24-C25-C26-C27
5	A	700	FAD	P-O3P-PA-O2A
10	C	1201	EBM	C1-C2-C7-O


There are no ring outliers.


5 monomers are involved in 19 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
11	D	1306	EPH	1	0
10	C	1201	EBM	1	0
5	A	700	FAD	15	0
6	B	302	FES	1	0
9	C	1305	HEM	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	613/622 (98%)	0.28	7 (1%) 78 53	64, 90, 122, 146	0
2	B	239/252 (94%)	0.28	2 (0%) 82 60	59, 82, 119, 138	0
3	C	138/140 (98%)	0.19	1 (0%) 84 62	69, 96, 148, 172	0
4	D	102/103 (99%)	0.17	2 (1%) 65 40	70, 92, 123, 147	0
All	All	1092/1117 (97%)	0.26	12 (1%) 78 53	59, 90, 123, 172	0

All (12) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	110	ASP	2.9
1	A	298	ARG	2.5
1	A	417	ASP	2.4
4	D	96	ALA	2.4
4	D	122	HIS	2.3
3	C	112	ASP	2.3
1	A	315	CYS	2.1
1	A	215	GLY	2.1
1	A	133	GLY	2.0
1	A	598	GLU	2.0
2	B	223	GLY	2.0
1	A	124	GLY	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
5	FAD	A	700	53/53	0.85	0.18	71,71,73,73	0
11	EPH	D	1306	44/49	0.90	0.22	136,139,142,142	0
10	EBM	C	1201	13/13	0.95	0.21	118,118,118,119	0
9	HEM	C	1305	43/43	0.95	0.14	82,83,84,84	0
6	FES	B	302	4/4	0.99	0.03	66,66,67,67	0
7	SF4	B	303	8/8	0.99	0.04	71,71,71,71	0
8	F3S	B	304	7/7	0.99	0.04	68,68,68,68	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







**Electron density around EPH D 1306:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around EBM C 1201:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [i](#)

There are no such residues in this entry.