



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 04:49 AM UTC

PDB ID : 4AE3 / pdb_00004ae3
Title : Crystal structure of ammosamide 272:myosin-2 motor domain complex
Authors : Chinthalapudi, K.; Heissler, S.M.; Fenical, W.; Manstein, D.J.
Deposited on : 2012-01-05
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5829 (2.50-2.50)
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	776	5% 76% 17% • •

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 6491 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called MYOSIN-2 HEAVY CHAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	743	5963	3795	1027	1125	16	0	0	0

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	762	LEU	-	expression tag	UNP P08799
A	763	GLU	-	expression tag	UNP P08799
A	764	SER	-	expression tag	UNP P08799
A	765	ASN	-	expression tag	UNP P08799
A	766	GLU	-	expression tag	UNP P08799
A	767	PRO	-	expression tag	UNP P08799
A	768	PRO	-	expression tag	UNP P08799
A	769	MET	-	expression tag	UNP P08799
A	770	ASP	-	expression tag	UNP P08799
A	771	PHE	-	expression tag	UNP P08799
A	772	ASP	-	expression tag	UNP P08799
A	773	ASP	-	expression tag	UNP P08799
A	774	ASP	-	expression tag	UNP P08799
A	775	ILE	-	expression tag	UNP P08799
A	776	PRO	-	expression tag	UNP P08799
A	777	PHE	-	expression tag	UNP P08799

- Molecule 2 is ADP ORTHOVANADATE (CCD ID: AOV) (formula: $C_{10}H_{17}N_5O_{14}P_2V$).




Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	V	0	0
			32	10	5	14	2	1		

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Mg	0	0
			1	1		

- Molecule 4 is AMMOSAMIDE 272 (CCD ID: 27X) (formula: C₁₃H₁₂N₄O₃).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			20	13	4	3		
4	A	1	Total	C	N	O	0	0
			20	13	4	3		

- Molecule 5 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	439	Total	O	0	0
			439	439		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: MYOSIN-2 HEAVY CHAIN



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	88.05Å 145.52Å 153.83Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	41.91 – 2.50 41.91 – 2.50	Depositor EDS
% Data completeness (in resolution range)	98.8 (41.91-2.50) 98.5 (41.91-2.50)	Depositor EDS
R_{merge}	0.57	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.10 (at 2.51Å)	Xtriage
Refinement program	PHENIX (PHENIX.REFINE)	Depositor
R, R_{free}	0.214 , 0.254 0.208 , 0.244	Depositor DCC
R_{free} test set	1740 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	34.4	Xtriage
Anisotropy	0.517	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 55.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.009 for 1/2*h-1/2*k,-3/2*h-1/2*k,-l 0.013 for 1/2*h+1/2*k,3/2*h-1/2*k,-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	6491	wwPDB-VP
Average B, all atoms (Å ²)	42.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.87% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, EDO, 27X, AOV

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.71	1/6082 (0.0%)	1.04	15/8208 (0.2%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	630	VAL	CA-CB	5.49	1.61	1.54

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	711	ASN	N-CA-C	11.94	128.63	111.56
1	A	541	ASN	N-CA-C	7.97	120.05	111.36
1	A	692	PHE	CA-C-N	6.69	127.23	119.47
1	A	692	PHE	C-N-CA	6.69	127.23	119.47
1	A	689	ARG	N-CA-C	6.02	117.92	111.36
1	A	708	LEU	N-CA-C	-5.97	103.38	112.99
1	A	633	GLN	N-CA-C	5.86	117.47	111.14
1	A	254	SER	N-CA-C	-5.74	106.14	114.12
1	A	261	TYR	N-CA-C	5.74	118.31	109.07
1	A	440	VAL	N-CA-C	5.68	116.46	110.72
1	A	292	GLU	N-CA-C	-5.62	105.06	111.07
1	A	185	LYS	N-CA-C	5.31	116.76	111.07
1	A	314	ASP	N-CA-C	5.20	117.71	109.50
1	A	747	ARG	N-CA-C	5.16	118.03	111.69
1	A	685	ILE	N-CA-C	-5.14	105.53	110.72

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5963	0	5920	118	0
2	A	32	0	12	2	0
3	A	1	0	0	0	0
4	A	40	0	24	8	0
5	A	16	0	24	4	0
6	A	439	0	0	30	2
All	All	6491	0	5980	119	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (119) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:744:ILE:HG12	1:A:746:PHE:CZ	1.96	0.98
1:A:744:ILE:CG1	1:A:746:PHE:CZ	2.47	0.97
4:A:1752:27X:O10	6:A:2213:HOH:O	1.81	0.97
1:A:541:ASN:OD1	6:A:2351:HOH:O	1.84	0.96
1:A:86:ASP:OD2	6:A:2082:HOH:O	1.85	0.93
1:A:365:GLU:OE2	6:A:2257:HOH:O	1.85	0.93
1:A:744:ILE:HG13	1:A:746:PHE:CE2	2.10	0.87
1:A:492:GLU:OE2	6:A:2323:HOH:O	1.97	0.82
1:A:592:LEU:HB2	4:A:1752:27X:H132	1.63	0.81
1:A:57:SER:O	6:A:2064:HOH:O	2.00	0.79
1:A:744:ILE:HG13	1:A:746:PHE:CZ	2.17	0.78
1:A:744:ILE:HG12	1:A:746:PHE:HZ	1.44	0.77
1:A:747:ARG:HB3	6:A:2429:HOH:O	1.84	0.77
1:A:160:ASP:OD2	1:A:195:TYR:OH	2.04	0.75
1:A:26:LYS:NZ	6:A:2028:HOH:O	2.22	0.73
1:A:10:ASP:OD2	6:A:2011:HOH:O	2.05	0.73
1:A:4:ILE:HD13	1:A:146:ARG:HH12	1.51	0.72
1:A:164:ARG:NH2	6:A:2136:HOH:O	2.05	0.70
1:A:744:ILE:CG1	1:A:746:PHE:CE2	2.72	0.68
1:A:63:LYS:NZ	1:A:69:ASP:OD1	2.27	0.67
1:A:13:LYS:NZ	6:A:2017:HOH:O	2.29	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:160:ASP:OD1	6:A:2133:HOH:O	2.14	0.64
1:A:719:SER:O	1:A:723:THR:OG1	2.15	0.63
1:A:266:SER:OG	5:A:1754:EDO:H11	1.98	0.62
1:A:181:SER:HA	2:A:1750:AOV:O3G	2.01	0.61
1:A:289:THR:OG1	1:A:292:GLU:HB2	2.01	0.61
1:A:623:LYS:HE2	6:A:2407:HOH:O	2.00	0.60
1:A:94:LEU:O	1:A:689:ARG:NH1	2.24	0.60
1:A:147:ARG:HA	1:A:164:ARG:HH12	1.66	0.60
1:A:471:ILE:HA	5:A:1755:EDO:H11	1.83	0.59
1:A:737:TYR:HB3	1:A:746:PHE:CD1	2.38	0.59
1:A:195:TYR:CZ	1:A:199:VAL:HG11	2.38	0.58
1:A:193:ILE:HD12	1:A:245:ILE:HD11	1.85	0.58
1:A:265:LYS:NZ	4:A:1752:27X:O10	2.37	0.58
1:A:4:ILE:HD13	1:A:146:ARG:NH1	2.18	0.58
1:A:494:TYR:HE1	1:A:695:ARG:HH21	1.50	0.57
1:A:734:PRO:HA	1:A:737:TYR:CE2	2.40	0.57
1:A:490:GLU:OE2	1:A:695:ARG:NH2	2.34	0.57
1:A:302:GLU:H	1:A:302:GLU:CD	2.13	0.56
1:A:692:PHE:O	1:A:695:ARG:NH2	2.38	0.56
1:A:709:ALA:HB2	1:A:726:VAL:HA	1.87	0.56
1:A:454:ASP:OD1	6:A:2164:HOH:O	2.18	0.54
1:A:705:TYR:HE2	1:A:726:VAL:HG21	1.73	0.54
1:A:695:ARG:C	1:A:696:ILE:HG13	2.33	0.54
1:A:693:PRO:HD2	1:A:747:ARG:HA	1.91	0.53
1:A:293:LYS:HE3	6:A:2225:HOH:O	2.09	0.53
1:A:372:LYS:NZ	1:A:390:GLU:OE2	2.41	0.53
1:A:328:ARG:NH2	6:A:2226:HOH:O	2.32	0.52
1:A:79:GLN:NE2	6:A:2040:HOH:O	2.21	0.51
1:A:241:LYS:HD2	1:A:243:ILE:HD11	1.92	0.51
1:A:456:SER:HB2	5:A:1755:EDO:H21	1.93	0.51
1:A:712:VAL:HG11	1:A:722:ALA:HB1	1.93	0.50
1:A:477:LYS:HE2	1:A:638:LEU:HD21	1.93	0.50
1:A:44:ARG:HD3	1:A:45:ASP:OD1	2.11	0.50
1:A:585:LEU:O	1:A:589:LYS:HG3	2.12	0.50
1:A:18:LYS:HD2	6:A:2016:HOH:O	2.13	0.49
1:A:738:ARG:O	1:A:744:ILE:HD12	2.12	0.49
1:A:392:ALA:O	6:A:2274:HOH:O	2.20	0.49
1:A:747:ARG:NH2	6:A:2430:HOH:O	2.46	0.49
1:A:291:GLU:OE1	1:A:291:GLU:N	2.39	0.49
1:A:265:LYS:NZ	4:A:1752:27X:H11	2.28	0.48
1:A:565:LYS:NZ	6:A:2376:HOH:O	2.24	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:666:LYS:HE3	1:A:668:GLU:OE2	2.13	0.48
1:A:718:ASP:OD2	1:A:722:ALA:N	2.41	0.48
1:A:695:ARG:CG	1:A:743:LYS:HE2	2.44	0.48
1:A:293:LYS:HA	1:A:298:LEU:HD12	1.96	0.48
1:A:736:GLN:NE2	6:A:2432:HOH:O	2.47	0.48
1:A:131:ARG:HD3	1:A:131:ARG:HA	1.67	0.47
1:A:20:GLY:HA3	1:A:24:LEU:HD23	1.96	0.47
1:A:339:GLU:H	1:A:339:GLU:CD	2.23	0.47
1:A:615:PRO:O	1:A:619:SER:OG	2.18	0.47
1:A:241:LYS:NZ	1:A:454:ASP:OD2	2.48	0.47
1:A:4:ILE:HA	1:A:11:TYR:CD1	2.50	0.47
1:A:97:LEU:HD23	1:A:686:ARG:HG3	1.96	0.47
1:A:482:PHE:CZ	1:A:486:MET:HG3	2.50	0.47
1:A:265:LYS:HZ3	4:A:1752:27X:H11	1.78	0.46
1:A:679:ASN:ND2	6:A:2147:HOH:O	2.40	0.46
1:A:701:PHE:CE1	1:A:702:VAL:HG13	2.51	0.46
1:A:187:GLU:O	1:A:191:LYS:HG2	2.16	0.45
1:A:698:TYR:O	1:A:701:PHE:CE1	2.68	0.45
1:A:697:ILE:HG13	1:A:699:ALA:H	1.81	0.45
1:A:211:LEU:O	1:A:215:ILE:HG13	2.16	0.45
1:A:129:PHE:CE2	1:A:662:GLN:HA	2.51	0.45
1:A:16:LYS:O	1:A:18:LYS:NZ	2.50	0.45
1:A:2:ASN:N	6:A:2001:HOH:O	2.50	0.45
1:A:144:LYS:HG2	1:A:199:VAL:HG12	1.98	0.45
1:A:654:ARG:NH2	6:A:2148:HOH:O	2.50	0.45
1:A:690:LYS:O	6:A:2430:HOH:O	2.21	0.45
1:A:497:GLU:HG3	1:A:745:PHE:HZ	1.82	0.44
1:A:243:ILE:HD12	1:A:258:ILE:HG12	2.00	0.44
1:A:181:SER:OG	2:A:1750:AOV:O2G	2.35	0.44
1:A:264:GLU:OE1	1:A:267:ARG:NE	2.35	0.44
1:A:736:GLN:HA	1:A:747:ARG:HG3	1.98	0.44
1:A:567:GLU:HA	1:A:579:TYR:O	2.18	0.43
1:A:518:ASP:OD1	1:A:518:ASP:C	2.61	0.43
1:A:265:LYS:HZ3	4:A:1752:27X:C11	2.31	0.43
1:A:705:TYR:CE2	1:A:726:VAL:HG21	2.53	0.43
1:A:264:GLU:CD	5:A:1754:EDO:H12	2.44	0.43
1:A:132:ILE:HG22	1:A:134:ILE:HG23	2.01	0.42
1:A:289:THR:OG1	1:A:292:GLU:OE1	2.37	0.42
1:A:686:ARG:HG2	1:A:690:LYS:HE2	2.00	0.42
1:A:18:LYS:NZ	6:A:2016:HOH:O	2.48	0.42
1:A:562:ARG:HD2	6:A:2373:HOH:O	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:524:GLY:HA2	4:A:1753:27X:H151	1.84	0.42
1:A:701:PHE:CG	1:A:702:VAL:N	2.87	0.42
1:A:724:ASP:O	1:A:728:LYS:HB2	2.20	0.42
1:A:482:PHE:CE1	1:A:486:MET:HG3	2.55	0.42
1:A:737:TYR:O	1:A:738:ARG:NH1	2.37	0.42
1:A:18:LYS:HE3	1:A:18:LYS:HA	2.02	0.42
1:A:431:LEU:HD12	1:A:431:LEU:HA	1.87	0.42
1:A:522:PRO:HD2	4:A:1753:27X:C11	2.50	0.42
1:A:515:ASP:OD1	6:A:2331:HOH:O	2.21	0.41
1:A:670:LYS:NZ	6:A:2051:HOH:O	2.17	0.41
1:A:697:ILE:HD12	1:A:742:THR:O	2.19	0.41
1:A:73:LYS:HA	1:A:73:LYS:HD2	1.79	0.41
1:A:720:GLN:H	1:A:720:GLN:CD	2.28	0.41
1:A:109:ARG:HB3	1:A:114:LEU:HB2	2.03	0.41
1:A:147:ARG:HH12	1:A:149:ASN:HD21	1.68	0.40
1:A:37:TYR:OH	1:A:65:VAL:HG22	2.22	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:A:2232:HOH:O	6:A:2235:HOH:O[3_555]	1.91	0.29
6:A:2062:HOH:O	6:A:2062:HOH:O[4_556]	1.97	0.23

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	739/776 (95%)	708 (96%)	27 (4%)	4 (0%)	24 43

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	698	TYR
1	A	67	GLY
1	A	713	PRO
1	A	702	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	649/680 (95%)	618 (95%)	31 (5%)	23	46

All (31) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	12	HIS
1	A	18	LYS
1	A	44	ARG
1	A	65	VAL
1	A	68	GLN
1	A	73	LYS
1	A	107	ARG
1	A	175	LEU
1	A	292	GLU
1	A	302	GLU
1	A	342	MET
1	A	360	GLU
1	A	416	SER
1	A	442	CYS
1	A	443	GLN
1	A	488	LYS
1	A	520	ARG
1	A	553	LYS
1	A	636	GLU
1	A	690	LYS
1	A	695	ARG
1	A	696	ILE
1	A	697	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	706	TYR
1	A	711	ASN
1	A	719	SER
1	A	720	GLN
1	A	723	THR
1	A	730	LEU
1	A	736	GLN
1	A	747	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	188	ASN
1	A	297	HIS
1	A	484	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 1 is monoatomic - leaving 7 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	EDO	A	1756	-	3,3,3	0.48	0	2,2,2	0.45	0
4	27X	A	1753	-	21,22,22	1.27	2 (9%)	29,34,34	2.84	13 (44%)
4	27X	A	1752	-	21,22,22	1.44	3 (14%)	29,34,34	3.59	11 (37%)
5	EDO	A	1755	-	3,3,3	0.36	0	2,2,2	0.46	0
5	EDO	A	1757	-	3,3,3	0.57	0	2,2,2	0.13	0
2	AOV	A	1750	3	32,34,34	2.21	6 (18%)	42,56,56	2.88	14 (33%)
5	EDO	A	1754	-	3,3,3	0.68	0	2,2,2	0.15	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	EDO	A	1756	-	-	0/1/1/1	-
4	27X	A	1753	-	-	6/6/6/6	0/3/3/3
4	27X	A	1752	-	-	1/6/6/6	0/3/3/3
5	EDO	A	1755	-	-	0/1/1/1	-
5	EDO	A	1757	-	-	0/1/1/1	-
2	AOV	A	1750	3	-	1/16/39/39	0/3/3/3
5	EDO	A	1754	-	-	1/1/1/1	-

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1750	AOV	O1G-VG	8.07	1.75	1.61
2	A	1750	AOV	C5-C4	4.75	1.47	1.39
2	A	1750	AOV	PB-O3A	4.65	1.64	1.59
2	A	1750	AOV	C5-C6	3.49	1.50	1.41
4	A	1752	27X	C02-C03	3.25	1.45	1.40
4	A	1753	27X	C04-N07	3.23	1.43	1.40
4	A	1752	27X	C04-N07	2.93	1.43	1.40
4	A	1753	27X	C02-C03	2.64	1.44	1.40
2	A	1750	AOV	C8-N7	2.55	1.36	1.31
2	A	1750	AOV	PA-O3A	2.49	1.62	1.59
4	A	1752	27X	C03-C04	-2.17	1.39	1.43

All (38) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	1752	27X	C01-C06-N12	10.63	129.73	118.55

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	1752	27X	O10-C08-N07	8.88	130.05	124.74
2	A	1750	AOV	N3-C4-N9	8.56	141.72	127.17
4	A	1753	27X	C01-C06-N12	8.19	127.16	118.55
4	A	1753	27X	O19-C17-C14	7.57	128.25	112.48
2	A	1750	AOV	C4-N9-C8	6.71	112.78	105.74
4	A	1752	27X	C04-N07-C08	6.57	114.82	111.00
2	A	1750	AOV	C5-C4-N3	-6.56	117.69	126.72
2	A	1750	AOV	C2-N3-C4	5.00	124.04	111.83
4	A	1752	27X	O19-C17-C14	4.84	122.57	112.48
4	A	1753	27X	C04-N07-C08	4.83	113.81	111.00
2	A	1750	AOV	C5-C4-N9	-4.81	100.56	105.81
2	A	1750	AOV	O4'-C1'-N9	4.28	116.30	108.09
2	A	1750	AOV	C2'-C3'-C4'	-4.19	94.51	102.61
4	A	1752	27X	C20-O19-C17	4.11	123.71	115.81
2	A	1750	AOV	N3-C2-N1	-3.98	122.56	128.58
4	A	1752	27X	O10-C08-C09	-3.96	126.27	129.75
4	A	1752	27X	O18-C17-C14	-3.85	112.42	122.79
2	A	1750	AOV	O3'-C3'-C4'	-3.73	100.37	111.08
2	A	1750	AOV	C3'-C2'-C1'	3.57	108.22	101.46
4	A	1752	27X	O19-C17-O18	-3.50	116.64	123.46
4	A	1753	27X	O19-C17-O18	-3.45	116.75	123.46
2	A	1750	AOV	O2A-PA-O1A	3.42	128.36	112.44
4	A	1752	27X	C05-C06-N12	-3.42	116.57	122.84
4	A	1752	27X	C09-C11-C14	-3.38	115.58	120.41
2	A	1750	AOV	O4'-C4'-C3'	3.12	111.34	105.15
4	A	1753	27X	O10-C08-N07	3.05	126.56	124.74
4	A	1753	27X	C11-C09-C08	3.04	134.85	129.42
4	A	1753	27X	O18-C17-C14	-2.94	114.88	122.79
4	A	1752	27X	C01-C06-C05	-2.85	113.69	120.10
4	A	1753	27X	C01-C06-C05	-2.76	113.90	120.10
2	A	1750	AOV	N9-C8-N7	-2.67	110.15	113.94
2	A	1750	AOV	O3A-PB-O1B	-2.63	102.79	110.70
4	A	1753	27X	C09-C11-C14	-2.44	116.92	120.41
4	A	1753	27X	C02-C01-C06	2.39	121.47	119.13
4	A	1753	27X	C20-O19-C17	2.24	120.11	115.81
4	A	1753	27X	C05-C06-N12	-2.13	118.93	122.84
4	A	1753	27X	C02-C03-C04	-2.03	116.30	118.10

There are no chirality outliers.

All (9) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	A	1752	27X	C14-C17-O19-C20
4	A	1753	27X	C11-C14-C17-O19
4	A	1753	27X	N12-C14-C17-O19
4	A	1753	27X	C14-C17-O19-C20
4	A	1753	27X	N12-C14-C17-O18
4	A	1753	27X	O18-C17-O19-C20
4	A	1753	27X	C11-C14-C17-O18
5	A	1754	EDO	O1-C1-C2-O2
2	A	1750	AOV	PA-O3A-PB-O2B



There are no ring outliers.

5 monomers are involved in 14 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	1753	27X	2	0
4	A	1752	27X	6	0
5	A	1755	EDO	2	0
2	A	1750	AOV	2	0
5	A	1754	EDO	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	743/776 (95%)	0.14	38 (5%) 33 29	20, 37, 90, 138	1 (0%)

All (38) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	708	LEU	5.0
1	A	749	GLY	4.5
1	A	732	ILE	4.5
1	A	727	LEU	4.3
1	A	707	LEU	4.3
1	A	699	ALA	4.1
1	A	712	VAL	4.1
1	A	706	TYR	4.0
1	A	730	LEU	4.0
1	A	746	PHE	3.7
1	A	705	TYR	3.4
1	A	725	ALA	3.4
1	A	723	THR	3.3
1	A	702	VAL	3.3
1	A	697	ILE	3.2
1	A	709	ALA	3.1
1	A	700	ASP	3.1
1	A	701	PHE	3.1
1	A	696	ILE	2.8
1	A	719	SER	2.7
1	A	748	ALA	2.7
1	A	711	ASN	2.6
1	A	713	PRO	2.5
1	A	739	PHE	2.4
1	A	698	TYR	2.4
1	A	726	VAL	2.4
1	A	716	ALA	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	703	LYS	2.3
1	A	722	ALA	2.3
1	A	290	ALA	2.3
1	A	745	PHE	2.2
1	A	710	PRO	2.2
1	A	291	GLU	2.2
1	A	145	GLY	2.2
1	A	741	ILE	2.1
1	A	209	GLY	2.1
1	A	729	HIS	2.1
1	A	704	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	27X	A	1752	20/20	0.58	0.19	40,51,57,61	0
4	27X	A	1753	20/20	0.66	0.31	40,49,56,57	20
5	EDO	A	1757	4/4	0.79	0.17	40,47,47,47	0
5	EDO	A	1756	4/4	0.89	0.13	37,38,41,45	0
5	EDO	A	1755	4/4	0.94	0.11	23,24,24,30	0
5	EDO	A	1754	4/4	0.95	0.10	26,35,36,36	0
3	MG	A	1751	1/1	0.95	0.18	23,23,23,23	0
2	AOV	A	1750	32/32	0.98	0.06	18,26,30,35	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around 27X A 1752:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 27X A 1753:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around AOV A 1750:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.