



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 05:43 AM UTC

PDB ID : 2AF3 / pdb_00002af3
Title : Phosphotransacetylase from Methanosarcina thermophila soaked with Coenzyme A
Authors : Lawrence, S.H.; Luther, K.B.; Ferry, J.G.; Schindelin, H.
Deposited on : 2005-07-25
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4008 (2.60-2.60)
Clashscore	190562	4347 (2.60-2.60)
Ramachandran outliers	187476	4277 (2.60-2.60)
Sidechain outliers	187428	4277 (2.60-2.60)
RSRZ outliers	180081	4008 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	C	333	% 68% 25% 5%
1	D	333	4% 65% 30% .

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 5121 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Phosphate acetyltransferase.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	C	332	Total	C	N	O	S	0	0	0
			2463	1563	404	486	10			
1	D	332	Total	C	N	O	S	0	0	0
			2462	1563	404	485	10			

- Molecule 2 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	C	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is COENZYME A (CCD ID: COA) (formula: C₂₁H₃₆N₇O₁₆P₃S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
3	C	1	Total	C	N	O	P	S	0	0
			48	21	7	16	3	1		
3	C	1	Total	C	N	O	P	S	0	0
			48	21	7	16	3	1		
3	D	1	Total	C	N	O	P	S	0	0
			48	21	7	16	3	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	C	36	Total	O	0	0
			36	36		
4	D	11	Total	O	0	0
			11	11		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Phosphate acetyltransferase



• Molecule 1: Phosphate acetyltransferase



4 Data and refinement statistics

Property	Value	Source
Space group	I 41	Depositor
Cell constants a, b, c, α , β , γ	114.47Å 114.47Å 127.83Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.60 20.00 – 2.60	Depositor EDS
% Data completeness (in resolution range)	95.0 (20.00-2.60) 94.8 (20.00-2.60)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.10 (at 2.59Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.215 , 0.290 (Not available) , 0.282	Depositor DCC
R_{free} test set	1215 reflections (4.81%)	wwPDB-VP
Wilson B-factor (Å ²)	62.9	Xtriage
Anisotropy	0.049	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 63.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.033 for -h,k,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	5121	wwPDB-VP
Average B, all atoms (Å ²)	89.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.14% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, COA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	C	0.97	3/2496 (0.1%)	1.13	10/3379 (0.3%)
1	D	0.75	1/2495 (0.0%)	1.03	3/3379 (0.1%)
All	All	0.86	4/4991 (0.1%)	1.08	13/6758 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	143	LYS	CD-CE	6.61	1.72	1.52
1	C	143	LYS	CE-NZ	6.39	1.68	1.49
1	D	235	PRO	C-O	5.99	1.31	1.24
1	C	241	GLY	CA-C	-5.60	1.44	1.51

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	147	LEU	N-CA-C	8.77	121.92	108.42
1	C	240	ASP	CA-C-N	6.77	134.68	121.41
1	C	240	ASP	C-N-CA	6.77	134.68	121.41
1	D	156	VAL	CA-C-N	6.69	128.20	119.84
1	D	156	VAL	C-N-CA	6.69	128.20	119.84
1	C	145	ALA	N-CA-C	-6.43	98.78	109.46
1	C	248	ALA	N-CA-C	6.21	118.13	111.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	211	THR	CA-C-N	-5.91	113.30	122.16
1	C	211	THR	C-N-CA	-5.91	113.30	122.16
1	C	323	ILE	CB-CA-C	-5.50	104.84	111.88
1	C	240	ASP	N-CA-C	5.42	117.91	109.52
1	D	8	ILE	N-CA-C	5.39	116.02	110.36
1	C	112	ALA	N-CA-C	-5.03	105.51	111.69

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	295	GLY	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	2463	0	2529	97	0
1	D	2462	0	2529	82	0
2	C	5	0	0	0	0
3	C	96	0	64	5	0
3	D	48	0	32	3	0
4	C	36	0	0	1	0
4	D	11	0	0	1	0
All	All	5121	0	5154	180	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All (180) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:143:LYS:CE	1:C:143:LYS:NZ	1.68	1.53
1:C:331:GLN:HG3	1:C:332:ASP:H	1.12	1.09
1:C:331:GLN:HG3	1:C:332:ASP:N	1.73	1.01

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:161:TYR:HB3	1:D:249:ILE:HG21	1.42	0.98
1:C:132:LEU:HD23	1:C:174:MET:HE3	1.47	0.96
1:C:83:PHE:CE1	1:C:138:ILE:HD11	2.10	0.87
1:D:161:TYR:HB3	1:D:249:ILE:CG2	2.07	0.84
1:D:19:ILE:HD13	1:D:321:VAL:HG13	1.59	0.82
1:D:204:VAL:CG1	1:D:271:ILE:HD12	2.10	0.81
1:D:20:ALA:HB2	1:D:117:VAL:HG21	1.64	0.79
1:C:331:GLN:CG	1:C:332:ASP:H	1.94	0.78
1:C:152:PHE:CE2	1:C:295:GLY:O	2.37	0.77
1:D:203:LYS:HE2	1:D:238:ALA:HB3	1.65	0.77
1:C:83:PHE:HE1	1:C:138:ILE:HD11	1.49	0.74
1:D:139:VAL:HG21	1:D:305:ILE:HD11	1.71	0.73
1:C:2:VAL:HG21	1:C:7:LYS:HE2	1.72	0.72
1:C:145:ALA:CB	1:C:189:ILE:HD11	2.19	0.72
1:C:145:ALA:O	1:C:146:ALA:C	2.34	0.71
1:D:139:VAL:HG21	1:D:305:ILE:CD1	2.21	0.70
3:C:502:COA:H143	3:C:502:COA:O2A	1.92	0.70
1:D:68:VAL:HG13	1:D:73:TYR:HB2	1.73	0.70
1:C:132:LEU:HD23	1:C:174:MET:CE	2.20	0.69
1:D:41:ILE:HD13	1:D:318:VAL:HG13	1.73	0.69
1:C:240:ASP:OD1	1:C:241:GLY:N	2.20	0.69
1:C:132:LEU:CD2	1:C:174:MET:HE3	2.22	0.68
1:C:244:GLN:HE21	1:D:279:ASN:HD21	1.41	0.68
1:C:285:ALA:O	1:C:289:ALA:HB3	1.94	0.68
1:D:204:VAL:HG12	1:D:271:ILE:HD12	1.75	0.67
1:C:96:ASN:O	1:C:100:ILE:HG12	1.95	0.67
1:C:240:ASP:CG	1:C:241:GLY:H	2.03	0.66
1:D:193:THR:OG1	1:D:299:GLN:NE2	2.29	0.65
1:D:204:VAL:CG1	1:D:271:ILE:CD1	2.74	0.65
1:D:234:ALA:HB1	1:D:237:ILE:HD12	1.78	0.65
1:C:331:GLN:O	1:C:332:ASP:HB2	1.95	0.65
1:D:298:THR:H	1:D:306:ASN:ND2	1.95	0.65
1:D:298:THR:H	1:D:306:ASN:HD22	1.45	0.64
1:D:136:VAL:HG11	3:D:500:COA:H1B	1.78	0.64
1:D:11:ARG:NH2	1:D:326:VAL:HG11	2.13	0.63
1:D:151:PHE:CZ	1:D:193:THR:HG21	2.34	0.62
1:D:249:ILE:HG23	4:D:502:HOH:O	1.98	0.62
1:C:36:ILE:HD13	1:C:321:VAL:HG11	1.80	0.62
1:C:154:ILE:O	1:C:166:THR:HA	1.99	0.62
1:C:227:THR:HG21	1:C:241:GLY:HA2	1.81	0.61
1:D:187:ALA:HA	1:D:271:ILE:CD1	2.29	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:249:ILE:HD11	1:D:270:PHE:HZ	1.65	0.61
1:C:8:ILE:HG21	1:C:323:ILE:HD13	1.82	0.61
1:C:145:ALA:HB1	1:C:189:ILE:HD11	1.82	0.61
1:C:280:ILE:O	1:C:284:ILE:HG12	2.00	0.60
1:D:182:ASP:O	1:D:186:ILE:HG12	2.01	0.60
1:D:3:THR:HG22	1:D:5:LEU:H	1.66	0.59
1:D:147:LEU:HD21	1:D:182:ASP:HB3	1.84	0.59
1:C:331:GLN:CG	1:C:332:ASP:N	2.49	0.59
1:D:179:SER:OG	1:D:181:GLU:OE1	2.19	0.59
1:C:2:VAL:O	1:C:6:GLU:HB2	2.03	0.59
1:C:307:ASP:HB3	3:C:501:COA:C2A	2.34	0.58
1:C:203:LYS:NZ	1:C:266:LYS:HB2	2.19	0.58
1:D:105:VAL:O	1:D:109:VAL:HG23	2.04	0.57
1:C:83:PHE:CE1	1:C:138:ILE:CD1	2.86	0.57
1:C:145:ALA:O	1:C:147:LEU:N	2.38	0.57
1:C:83:PHE:CD1	1:C:138:ILE:HD11	2.40	0.57
1:C:249:ILE:HG13	1:C:250:VAL:HG23	1.87	0.57
1:C:203:LYS:HE2	1:C:266:LYS:HD3	1.87	0.57
1:C:93:THR:OG1	1:C:95:GLU:HG2	2.05	0.56
1:D:11:ARG:NH2	1:D:326:VAL:CG1	2.68	0.56
1:D:69:ASP:OD1	1:D:71:LYS:HG2	2.06	0.56
1:D:151:PHE:HE2	1:D:299:GLN:HB3	1.70	0.56
1:D:151:PHE:CE2	1:D:299:GLN:HB3	2.41	0.56
1:D:190:SER:HA	1:D:299:GLN:HE22	1.71	0.55
1:C:2:VAL:HG21	1:C:7:LYS:HG3	1.86	0.55
1:D:133:ARG:HB2	1:D:134:PRO:HD3	1.89	0.55
1:D:18:THR:HA	1:D:43:ASP:O	2.07	0.55
1:D:295:GLY:HA2	1:D:297:ILE:HG13	1.90	0.54
1:D:187:ALA:CB	1:D:271:ILE:HD13	2.37	0.54
1:C:207:LEU:HA	1:C:243:LEU:O	2.09	0.53
1:D:4:PHE:CZ	1:D:8:ILE:HD12	2.43	0.53
1:C:298:THR:H	1:C:306:ASN:ND2	2.06	0.53
1:D:282:TYR:CE2	1:D:283:LYS:HE2	2.44	0.53
1:C:227:THR:O	1:C:231:GLN:HG3	2.09	0.53
1:D:187:ALA:HA	1:D:271:ILE:HD13	1.89	0.53
1:C:17:LYS:NZ	1:C:332:ASP:OD1	2.41	0.52
1:D:107:PHE:HD2	1:D:111:MET:HE2	1.74	0.52
1:D:160:GLU:HG2	1:D:160:GLU:O	2.09	0.52
1:C:49:ASN:HD22	1:C:52:ASP:HB2	1.75	0.51
1:C:298:THR:H	1:C:306:ASN:HD21	1.56	0.51
1:D:52:ASP:O	1:D:56:LEU:HB2	2.10	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:124:ALA:HB2	1:D:308:LEU:HD13	1.91	0.51
1:C:83:PHE:CD1	1:C:138:ILE:CD1	2.93	0.51
1:C:232:GLU:HA	1:C:232:GLU:OE2	2.10	0.51
1:D:136:VAL:HG11	3:D:500:COA:C1B	2.39	0.51
1:C:274:ASP:OD2	1:C:276:ASN:HB2	2.10	0.51
1:D:204:VAL:HG11	1:D:271:ILE:CD1	2.42	0.50
1:D:47:VAL:HG21	1:D:108:ALA:HB2	1.92	0.50
1:C:47:VAL:HG22	1:C:111:MET:HE1	1.94	0.50
1:C:2:VAL:CG2	1:C:7:LYS:HG3	2.42	0.50
1:C:49:ASN:HD22	1:C:52:ASP:H	1.59	0.50
1:C:37:LEU:HD22	1:C:64:LYS:HB3	1.93	0.49
1:C:2:VAL:CG2	1:C:7:LYS:HE2	2.41	0.49
1:C:145:ALA:HB2	1:C:189:ILE:HD11	1.93	0.49
1:C:240:ASP:O	1:C:241:GLY:O	2.30	0.49
1:D:36:ILE:HA	1:D:41:ILE:HD12	1.94	0.49
1:C:170:ALA:O	1:C:271:ILE:HA	2.14	0.48
1:D:4:PHE:CZ	1:D:8:ILE:CD1	2.97	0.48
1:D:28:ARG:C	1:D:30:LEU:H	2.21	0.47
1:C:109:VAL:HG12	1:C:138:ILE:HB	1.97	0.47
1:C:276:ASN:O	1:C:280:ILE:HD12	2.15	0.47
1:D:19:ILE:CD1	1:D:321:VAL:HG13	2.38	0.47
1:C:171:ASP:C	1:C:171:ASP:OD1	2.57	0.47
1:D:128:SER:O	1:D:132:LEU:HD23	2.14	0.47
1:D:187:ALA:HA	1:D:271:ILE:HD11	1.94	0.47
1:C:2:VAL:O	1:C:3:THR:CG2	2.63	0.46
1:D:284:ILE:HG23	1:D:288:LEU:HD12	1.98	0.46
1:C:204:VAL:O	1:C:263:VAL:HG21	2.14	0.46
1:C:47:VAL:HG22	1:C:111:MET:CE	2.46	0.46
1:D:139:VAL:HG21	1:D:305:ILE:HD12	1.97	0.46
1:C:227:THR:HG21	1:C:241:GLY:CA	2.46	0.46
1:D:187:ALA:HB2	1:D:271:ILE:HD13	1.97	0.46
1:C:284:ILE:HG23	1:C:288:LEU:HD12	1.97	0.45
1:D:47:VAL:O	1:D:104:TYR:HB3	2.16	0.45
1:C:168:LEU:C	1:C:168:LEU:HD23	2.41	0.45
1:C:152:PHE:CE2	1:C:282:TYR:CE1	3.05	0.45
1:C:84:TYR:O	1:C:88:LYS:HG3	2.16	0.45
1:C:147:LEU:N	1:C:147:LEU:HD12	2.32	0.45
1:C:212:LYS:HD3	1:C:212:LYS:HA	1.82	0.45
1:C:298:THR:HG22	1:C:299:GLN:N	2.31	0.45
1:D:19:ILE:O	1:D:44:ILE:HG13	2.17	0.45
1:D:234:ALA:CB	1:D:237:ILE:HD12	2.45	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:2:VAL:O	1:C:3:THR:HG23	2.17	0.44
1:D:5:LEU:HD21	1:D:319:GLY:HA3	2.00	0.44
1:C:117:VAL:CG1	1:C:119:GLY:O	2.66	0.43
1:C:218:LYS:HB3	1:C:218:LYS:HE2	1.72	0.43
1:D:309:SER:O	1:D:310:ARG:C	2.61	0.43
1:C:203:LYS:NZ	1:C:203:LYS:HB2	2.33	0.43
1:D:152:PHE:HA	1:D:294:TYR:O	2.18	0.43
3:C:501:COA:O2B	3:C:501:COA:P3B	2.76	0.43
1:C:73:TYR:CE1	1:C:75:LYS:HB2	2.52	0.43
1:C:203:LYS:CE	1:C:266:LYS:HB2	2.49	0.43
1:C:331:GLN:O	1:C:332:ASP:CB	2.65	0.43
1:D:69:ASP:HB3	1:D:72:THR:HG23	2.00	0.43
1:D:211:THR:O	1:D:212:LYS:C	2.60	0.43
1:C:304:PRO:HB2	1:C:324:THR:HG23	2.00	0.43
1:C:5:LEU:HD12	1:C:5:LEU:HA	1.73	0.43
1:D:304:PRO:HB2	1:D:324:THR:HG23	2.01	0.43
1:D:187:ALA:CA	1:D:271:ILE:HD13	2.48	0.43
3:D:500:COA:O9P	3:D:500:COA:H141	2.18	0.43
1:C:233:LEU:HD23	1:C:233:LEU:HA	1.88	0.43
1:D:22:PRO:CB	1:D:105:VAL:HA	2.49	0.43
1:C:161:TYR:CZ	1:C:250:VAL:HG22	2.54	0.42
1:C:181:GLU:OE1	1:C:181:GLU:N	2.48	0.42
1:D:203:LYS:HE2	1:D:238:ALA:CB	2.42	0.42
1:D:11:ARG:HH21	1:D:326:VAL:CG1	2.32	0.42
1:D:21:LEU:HD13	1:D:29:THR:HG22	2.00	0.42
1:D:95:GLU:H	1:D:95:GLU:HG2	1.71	0.42
1:C:145:ALA:C	1:C:147:LEU:N	2.76	0.42
1:C:190:SER:HA	1:C:299:GLN:HE22	1.84	0.42
1:C:217:SER:HB2	1:D:177:MET:HE2	2.02	0.42
1:C:68:VAL:HG11	1:C:111:MET:HE2	2.02	0.42
1:C:123:GLY:HA3	1:C:308:LEU:H	1.84	0.42
1:C:114:LEU:HD23	1:C:114:LEU:HA	1.85	0.42
1:D:11:ARG:HH21	1:D:326:VAL:HG13	1.84	0.42
1:D:211:THR:HG21	1:D:257:LYS:HB3	2.01	0.42
1:C:109:VAL:CG1	1:C:138:ILE:HB	2.50	0.41
1:D:207:LEU:HA	1:D:243:LEU:O	2.20	0.41
1:C:308:LEU:HD13	1:C:317:ILE:HG12	2.02	0.41
3:C:501:COA:H8A	3:C:501:COA:H2B	1.81	0.41
1:D:302:ALA:O	1:D:303:LYS:HG3	2.20	0.41
1:D:8:ILE:HG22	1:D:9:SER:N	2.34	0.41
1:D:298:THR:OG1	1:D:305:ILE:O	2.28	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:147:LEU:HD22	1:C:175:VAL:HG21	2.03	0.41
1:C:211:THR:HG22	1:C:212:LYS:N	2.35	0.41
1:C:152:PHE:CD2	1:C:295:GLY:O	2.73	0.41
1:D:161:TYR:CB	1:D:249:ILE:HG21	2.31	0.41
1:D:192:LYS:HE3	1:D:237:ILE:HD11	2.03	0.41
1:D:223:THR:O	1:D:224:ILE:C	2.63	0.41
1:C:64:LYS:HB2	4:C:529:HOH:O	2.21	0.41
1:C:295:GLY:HA2	3:C:501:COA:H32	2.02	0.41
1:C:20:ALA:HB2	1:C:117:VAL:HG21	2.03	0.40
1:C:246:ASP:HB3	1:D:283:LYS:HD2	2.03	0.40
1:C:10:GLU:O	1:C:11:ARG:C	2.65	0.40
1:C:83:PHE:HE1	1:C:138:ILE:CD1	2.25	0.40
1:C:203:LYS:NZ	1:C:266:LYS:O	2.53	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	330/333 (99%)	304 (92%)	18 (6%)	8 (2%)	4	9
1	D	330/333 (99%)	294 (89%)	31 (9%)	5 (2%)	8	18
All	All	660/666 (99%)	598 (91%)	49 (7%)	13 (2%)	6	12

All (13) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	241	GLY
1	C	332	ASP
1	D	157	PRO
1	C	3	THR
1	D	53	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	91	GLY
1	C	146	ALA
1	C	331	GLN
1	C	157	PRO
1	D	93	THR
1	C	295	GLY
1	C	173	GLY
1	D	70	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	260/261 (100%)	243 (94%)	17 (6%)	15	35
1	D	260/261 (100%)	233 (90%)	27 (10%)	7	14
All	All	520/522 (100%)	476 (92%)	44 (8%)	10	22

All (44) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	2	VAL
1	C	27	ILE
1	C	64	LYS
1	C	78	GLU
1	C	95	GLU
1	C	117	VAL
1	C	129	SER
1	C	132	LEU
1	C	136	VAL
1	C	139	VAL
1	C	147	LEU
1	C	164	ASP
1	C	203	LYS
1	C	220	THR
1	C	228	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	266	LYS
1	C	282	TYR
1	D	2	VAL
1	D	8	ILE
1	D	9	SER
1	D	10	GLU
1	D	14	LYS
1	D	29	THR
1	D	44	ILE
1	D	56	LEU
1	D	59	ASP
1	D	76	LYS
1	D	85	GLU
1	D	89	HIS
1	D	92	ILE
1	D	95	GLU
1	D	104	TYR
1	D	117	VAL
1	D	131	THR
1	D	136	VAL
1	D	140	LYS
1	D	141	THR
1	D	143	LYS
1	D	147	LEU
1	D	160	GLU
1	D	203	LYS
1	D	242	GLU
1	D	282	TYR
1	D	331	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	16	ASN
1	C	49	ASN
1	C	137	GLN
1	C	279	ASN
1	C	299	GLN
1	C	306	ASN
1	C	331	GLN
1	D	31	GLN
1	D	279	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	299	GLN
1	D	306	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	SO4	C	503	-	4,4,4	0.30	0	6,6,6	0.75	0
3	COA	D	500	-	47,50,50	1.82	6 (12%)	69,75,75	1.74	12 (17%)
3	COA	C	501	-	47,50,50	1.78	6 (12%)	69,75,75	1.60	10 (14%)
3	COA	C	502	-	47,50,50	1.84	6 (12%)	69,75,75	1.60	12 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	COA	C	501	-	-	24/48/64/64	0/3/3/3
3	COA	D	500	-	-	21/48/64/64	0/3/3/3
3	COA	C	502	-	-	15/48/64/64	0/3/3/3

All (18) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	502	COA	O9P-C9P	10.01	1.42	1.23
3	D	500	COA	O9P-C9P	9.86	1.42	1.23
3	C	501	COA	O9P-C9P	9.64	1.41	1.23
3	C	502	COA	P1A-O3A	3.97	1.63	1.59
3	D	500	COA	P1A-O3A	3.45	1.63	1.59
3	D	500	COA	P2A-O3A	3.10	1.62	1.59
3	C	501	COA	P1A-O3A	2.97	1.62	1.59
3	C	501	COA	P3B-O3B	2.96	1.64	1.59
3	C	501	COA	P2A-O3A	2.80	1.62	1.59
3	C	502	COA	C2A-N3A	2.69	1.38	1.33
3	C	501	COA	C2A-N3A	2.64	1.38	1.33
3	C	502	COA	C2A-N1A	2.59	1.38	1.33
3	C	502	COA	P2A-O3A	2.58	1.62	1.59
3	C	501	COA	C2A-N1A	2.54	1.38	1.33
3	D	500	COA	C2A-N3A	2.49	1.38	1.33
3	D	500	COA	C2A-N1A	2.47	1.38	1.33
3	D	500	COA	C8A-N7A	2.17	1.35	1.31
3	C	502	COA	C8A-N7A	2.08	1.35	1.31

All (34) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	500	COA	N3A-C2A-N1A	-6.23	119.14	128.58
3	C	501	COA	N3A-C2A-N1A	-5.93	119.61	128.58
3	C	502	COA	N3A-C2A-N1A	-5.54	120.20	128.58
3	D	500	COA	O4B-C1B-N9A	4.76	117.23	108.09
3	C	502	COA	C5A-C4A-N3A	-4.22	120.90	126.72
3	C	501	COA	N9A-C8A-N7A	-4.16	108.03	113.94
3	D	500	COA	C5A-C4A-N3A	-4.14	121.01	126.72
3	D	500	COA	N9A-C8A-N7A	-4.09	108.14	113.94
3	C	501	COA	C5A-C4A-N3A	-3.99	121.22	126.72
3	C	502	COA	N9A-C8A-N7A	-3.71	108.67	113.94
3	D	500	COA	C5A-N7A-C8A	3.59	109.10	103.45
3	D	500	COA	C2A-N3A-C4A	3.59	120.61	111.83
3	C	501	COA	C2A-N3A-C4A	3.39	120.12	111.83

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	501	COA	C5A-N7A-C8A	3.33	108.69	103.45
3	C	502	COA	C5A-N7A-C8A	3.28	108.61	103.45
3	C	501	COA	N3A-C4A-N9A	3.21	132.63	127.17
3	C	502	COA	C2A-N3A-C4A	3.18	119.59	111.83
3	D	500	COA	C4A-N9A-C1B	-3.00	119.61	126.63
3	D	500	COA	C4A-C5A-N7A	-2.87	107.30	110.58
3	C	502	COA	N3A-C4A-N9A	2.87	132.05	127.17
3	D	500	COA	O6A-CCP-CBP	2.87	115.16	110.55
3	D	500	COA	OAP-CAP-CBP	2.86	116.80	110.18
3	C	502	COA	O6A-CCP-CBP	2.74	114.95	110.55
3	C	501	COA	C4A-N9A-C8A	2.66	108.53	105.74
3	C	501	COA	CEP-CBP-CAP	2.53	113.08	108.77
3	C	501	COA	C3B-C2B-C1B	2.40	105.17	99.89
3	C	502	COA	C4B-O4B-C1B	-2.36	104.27	109.47
3	D	500	COA	N3A-C4A-N9A	2.27	131.02	127.17
3	C	502	COA	CEP-CBP-CAP	2.26	112.62	108.77
3	C	502	COA	C4A-C5A-N7A	-2.24	108.02	110.58
3	D	500	COA	CEP-CBP-CAP	2.19	112.51	108.77
3	C	501	COA	O4B-C4B-C3B	2.16	109.48	104.92
3	C	502	COA	O5A-P2A-O3A	2.15	113.08	107.27
3	C	502	COA	C6A-C5A-C4A	2.04	119.97	117.18

There are no chirality outliers.

All (60) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	C	501	COA	C2B-C3B-O3B-P3B
3	C	501	COA	CCP-O6A-P2A-O3A
3	C	501	COA	OAP-CAP-CBP-CCP
3	C	501	COA	C9P-CAP-CBP-CCP
3	C	501	COA	OAP-CAP-CBP-CDP
3	C	501	COA	C9P-CAP-CBP-CDP
3	C	501	COA	OAP-CAP-CBP-CEP
3	C	501	COA	C9P-CAP-CBP-CEP
3	C	501	COA	N8P-C9P-CAP-OAP
3	C	501	COA	CAP-C9P-N8P-C7P
3	C	501	COA	C6P-C5P-N4P-C3P
3	C	501	COA	O5P-C5P-N4P-C3P
3	C	501	COA	S1P-C2P-C3P-N4P
3	C	502	COA	C3B-C4B-C5B-O5B
3	C	502	COA	O4B-C4B-C5B-O5B
3	C	502	COA	CDP-CBP-CCP-O6A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	C	502	COA	CEP-CBP-CCP-O6A
3	C	502	COA	CAP-CBP-CCP-O6A
3	C	502	COA	OAP-CAP-CBP-CCP
3	C	502	COA	C9P-CAP-CBP-CCP
3	C	502	COA	OAP-CAP-CBP-CDP
3	C	502	COA	C9P-CAP-CBP-CDP
3	C	502	COA	OAP-CAP-CBP-CEP
3	C	502	COA	C9P-CAP-CBP-CEP
3	D	500	COA	O4B-C4B-C5B-O5B
3	D	500	COA	CDP-CBP-CCP-O6A
3	D	500	COA	CEP-CBP-CCP-O6A
3	D	500	COA	CAP-CBP-CCP-O6A
3	D	500	COA	OAP-CAP-CBP-CCP
3	D	500	COA	OAP-CAP-CBP-CDP
3	D	500	COA	OAP-CAP-CBP-CEP
3	D	500	COA	C9P-CAP-CBP-CEP
3	D	500	COA	CAP-C9P-N8P-C7P
3	C	501	COA	O9P-C9P-N8P-C7P
3	D	500	COA	O9P-C9P-N8P-C7P
3	D	500	COA	C3B-C4B-C5B-O5B
3	C	502	COA	C5P-C6P-C7P-N8P
3	C	501	COA	O9P-C9P-CAP-OAP
3	C	501	COA	C2B-C1B-N9A-C8A
3	D	500	COA	O9P-C9P-CAP-CBP
3	D	500	COA	N8P-C9P-CAP-CBP
3	C	502	COA	C4B-C5B-O5B-P1A
3	D	500	COA	C9P-CAP-CBP-CCP
3	C	501	COA	C4B-C5B-O5B-P1A
3	C	501	COA	C3B-O3B-P3B-O7A
3	C	502	COA	S1P-C2P-C3P-N4P
3	D	500	COA	S1P-C2P-C3P-N4P
3	C	501	COA	C5B-O5B-P1A-O1A
3	C	501	COA	CCP-O6A-P2A-O4A
3	C	502	COA	C5B-O5B-P1A-O1A
3	D	500	COA	C4B-C5B-O5B-P1A
3	C	501	COA	C2B-C1B-N9A-C4A
3	C	501	COA	C5P-C6P-C7P-N8P
3	C	501	COA	C2P-C3P-N4P-C5P
3	D	500	COA	C9P-CAP-CBP-CDP
3	D	500	COA	P2A-O3A-P1A-O1A
3	D	500	COA	P2A-O3A-P1A-O2A
3	D	500	COA	C3B-O3B-P3B-O9A

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	C	501	COA	O4B-C1B-N9A-C8A
3	D	500	COA	C3B-O3B-P3B-O7A


There are no ring outliers.

3 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	D	500	COA	3	0
3	C	501	COA	4	0
3	C	502	COA	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	C	332/333 (99%)	-0.34	2 (0%) 85 83	41, 61, 88, 129	0
1	D	332/333 (99%)	0.31	13 (3%) 43 38	52, 105, 182, 211	0
All	All	664/666 (99%)	-0.02	15 (2%) 61 55	41, 78, 169, 211	0

All (15) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	80	ILE	4.4
1	C	241	GLY	3.1
1	D	241	GLY	2.9
1	D	86	LEU	2.9
1	D	92	ILE	2.8
1	D	34	ALA	2.6
1	C	146	ALA	2.6
1	D	2	VAL	2.6
1	D	53	ILE	2.5
1	D	94	LEU	2.4
1	D	144	GLY	2.2
1	D	139	VAL	2.1
1	D	32	ALA	2.1
1	D	41	ILE	2.0
1	D	84	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	COA	D	500	48/48	0.78	0.15	126,136,138,139	0
3	COA	C	502	48/48	0.83	0.12	80,106,119,120	0
2	SO4	C	503	5/5	0.86	0.10	91,92,94,94	0
3	COA	C	501	48/48	0.90	0.10	68,82,94,96	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around COA C 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around COA C 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.