



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 10:00 AM UTC

PDB ID : 4AG0 / pdb_00004ag0
Title : Crystal structure of FimX EAL domain
Authors : Robert-Paganin, J.; Nonin-Lecomte, S.; Rety, S.
Deposited on : 2012-01-23
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6319 (2.30-2.30)
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)
RSRZ outliers	180081	6325 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	274	
1	B	274	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	PO4	A	804	-	-	X	-
3	ACT	A	806	-	-	X	-

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 4031 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called FIMX.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	250	Total	C	N	O	S	0	0	0
			1954	1254	334	363	3			
1	B	249	Total	C	N	O	S	0	0	1
			1943	1248	333	359	3			

There are 42 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	418	MET	-	expression tag	UNP Q9HUK6
A	419	GLY	-	expression tag	UNP Q9HUK6
A	420	SER	-	expression tag	UNP Q9HUK6
A	421	SER	-	expression tag	UNP Q9HUK6
A	422	HIS	-	expression tag	UNP Q9HUK6
A	423	HIS	-	expression tag	UNP Q9HUK6
A	424	HIS	-	expression tag	UNP Q9HUK6
A	425	HIS	-	expression tag	UNP Q9HUK6
A	426	HIS	-	expression tag	UNP Q9HUK6
A	427	HIS	-	expression tag	UNP Q9HUK6
A	428	SER	-	expression tag	UNP Q9HUK6
A	429	SER	-	expression tag	UNP Q9HUK6
A	430	GLY	-	expression tag	UNP Q9HUK6
A	431	LEU	-	expression tag	UNP Q9HUK6
A	432	VAL	-	expression tag	UNP Q9HUK6
A	433	PRO	-	expression tag	UNP Q9HUK6
A	434	ARG	-	expression tag	UNP Q9HUK6
A	435	GLY	-	expression tag	UNP Q9HUK6
A	436	SER	-	expression tag	UNP Q9HUK6
A	437	HIS	-	expression tag	UNP Q9HUK6
A	438	MET	-	expression tag	UNP Q9HUK6
B	418	MET	-	expression tag	UNP Q9HUK6
B	419	GLY	-	expression tag	UNP Q9HUK6
B	420	SER	-	expression tag	UNP Q9HUK6
B	421	SER	-	expression tag	UNP Q9HUK6

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	422	HIS	-	expression tag	UNP Q9HUK6
B	423	HIS	-	expression tag	UNP Q9HUK6
B	424	HIS	-	expression tag	UNP Q9HUK6
B	425	HIS	-	expression tag	UNP Q9HUK6
B	426	HIS	-	expression tag	UNP Q9HUK6
B	427	HIS	-	expression tag	UNP Q9HUK6
B	428	SER	-	expression tag	UNP Q9HUK6
B	429	SER	-	expression tag	UNP Q9HUK6
B	430	GLY	-	expression tag	UNP Q9HUK6
B	431	LEU	-	expression tag	UNP Q9HUK6
B	432	VAL	-	expression tag	UNP Q9HUK6
B	433	PRO	-	expression tag	UNP Q9HUK6
B	434	ARG	-	expression tag	UNP Q9HUK6
B	435	GLY	-	expression tag	UNP Q9HUK6
B	436	SER	-	expression tag	UNP Q9HUK6
B	437	HIS	-	expression tag	UNP Q9HUK6
B	438	MET	-	expression tag	UNP Q9HUK6

- Molecule 2 is PHOSPHATE ION (CCD ID: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	P	0	0
			5	4	1		
2	A	1	Total	O	P	0	0
			5	4	1		
2	A	1	Total	O	P	0	0
			5	4	1		

- Molecule 3 is ACETATE ION (CCD ID: ACT) (formula: $C_2H_3O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			4	2	2		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	91	Total	O	0	0
			91	91		
4	B	24	Total	O	0	0
			24	24		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: FIMX



• Molecule 1: FIMX



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	64.53Å 87.66Å 108.24Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	40.63 – 2.30 40.63 – 2.30	Depositor EDS
% Data completeness (in resolution range)	99.1 (40.63-2.30) 99.1 (40.63-2.30)	Depositor EDS
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.04 (at 2.31Å)	Xtriage
Refinement program	PHENIX (PHENIX.REFINE)	Depositor
R, R_{free}	0.209 , 0.284 0.209 , 0.277	Depositor DCC
R_{free} test set	1357 reflections (4.92%)	wwPDB-VP
Wilson B-factor (Å ²)	44.1	Xtriage
Anisotropy	0.654	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 46.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	4031	wwPDB-VP
Average B, all atoms (Å ²)	57.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.66% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ACT, PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.02	2/1995 (0.1%)	1.10	6/2709 (0.2%)
1	B	0.78	1/1984 (0.1%)	0.98	5/2695 (0.2%)
All	All	0.91	3/3979 (0.1%)	1.04	11/5404 (0.2%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	686	PHE	C-N	-6.01	1.25	1.33
1	A	582	THR	CA-CB	5.18	1.61	1.53
1	A	558	PRO	CA-C	5.15	1.56	1.52

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	677	GLY	CA-C-N	7.70	128.14	119.83
1	A	677	GLY	C-N-CA	7.70	128.14	119.83
1	A	583	GLN	N-CA-C	-5.49	105.37	111.36
1	A	512	LEU	N-CA-C	-5.47	105.40	111.36
1	A	586	ALA	N-CA-C	-5.41	105.46	111.36
1	A	566	ILE	CB-CA-C	-5.35	102.86	110.83
1	B	572	THR	N-CA-C	-5.27	105.59	112.23
1	B	556	ARG	N-CA-C	-5.09	104.00	111.17
1	B	638	ILE	CB-CA-C	-5.06	105.24	112.22
1	B	489	PRO	CA-C-N	5.03	124.47	119.24
1	B	489	PRO	C-N-CA	5.03	124.47	119.24

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1954	0	1968	46	0
1	B	1943	0	1958	63	0
2	A	15	0	0	4	0
3	A	4	0	3	3	0
4	A	91	0	0	11	1
4	B	24	0	0	4	0
All	All	4031	0	3929	112	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (112) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:806:ACT:O	4:A:2091:HOH:O	1.87	0.92
1:B:570:ASP:O	1:B:571:ALA:CB	2.20	0.86
1:B:557:LEU:HD11	1:B:561:SER:OG	1.78	0.84
1:A:579:LYS:O	1:A:583:GLN:HG3	1.79	0.81
2:A:802:PO4:O3	4:A:2089:HOH:O	1.99	0.81
1:A:676:GLN:HG3	1:A:684:TYR:CD1	2.17	0.79
1:A:623:GLN:NE2	4:A:2073:HOH:O	2.17	0.76
1:B:570:ASP:O	1:B:571:ALA:HB2	1.87	0.74
1:A:604:PHE:CZ	1:A:640:GLU:HG3	2.22	0.74
1:A:618:ASP:OD2	1:A:620:SER:HB3	1.88	0.74
1:A:533:HIS:O	3:A:806:ACT:H3	1.87	0.73
1:B:605:ASN:O	1:B:608:LYS:HG2	1.89	0.73
3:A:806:ACT:O	4:A:2020:HOH:O	2.07	0.72
1:B:558:PRO:O	4:B:2009:HOH:O	2.09	0.71
1:B:608:LYS:HE3	1:B:609:HIS:CD2	2.26	0.70
1:A:522:ARG:NE	4:A:2027:HOH:O	2.17	0.69
1:B:449:GLN:O	1:B:453:THR:HG22	1.92	0.69
1:B:656:ALA:N	1:B:674:TYR:CE2	2.62	0.68
1:B:656:ALA:HB2	1:B:674:TYR:OH	1.93	0.67
1:B:557:LEU:HD13	1:B:558:PRO:N	2.15	0.62
1:B:507:ASP:O	1:B:511:ILE:HG13	2.00	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:674:TYR:CD1	1:B:674:TYR:O	2.54	0.61
1:A:676:GLN:CG	1:A:684:TYR:CE1	2.84	0.60
1:B:605:ASN:O	1:B:608:LYS:CG	2.51	0.59
1:B:482:ASN:HB3	1:B:486:GLN:O	2.01	0.59
1:B:453:THR:O	1:B:453:THR:OG1	2.21	0.58
1:A:522:ARG:NH1	1:A:558:PRO:HG3	2.18	0.58
1:B:557:LEU:CD1	1:B:561:SER:OG	2.49	0.58
1:B:570:ASP:O	1:B:571:ALA:HB3	2.04	0.57
1:B:584:GLY:O	1:B:588:LEU:CD1	2.53	0.57
1:B:676:GLN:HG3	1:B:684:TYR:CD1	2.38	0.57
1:B:545:LEU:HB2	1:B:546:PRO:HD3	1.86	0.57
1:A:604:PHE:CE2	1:A:640:GLU:HG3	2.40	0.57
1:B:602:ASN:O	4:B:2015:HOH:O	2.16	0.56
1:A:629:GLU:H	1:A:629:GLU:CD	2.13	0.56
1:A:522:ARG:NH2	4:A:2027:HOH:O	2.38	0.55
1:B:522:ARG:HD3	1:B:558:PRO:HG2	1.88	0.55
1:B:628:VAL:HG23	1:B:629:GLU:N	2.21	0.55
1:B:559:PRO:HA	4:B:2009:HOH:O	2.07	0.54
1:A:676:GLN:HG3	1:A:684:TYR:CE1	2.42	0.54
1:B:655:SER:C	1:B:674:TYR:CD2	2.85	0.54
1:A:625:LEU:HD12	1:A:658:VAL:CG2	2.38	0.54
1:B:657:SER:O	1:B:658:VAL:C	2.51	0.53
1:B:557:LEU:HD13	1:B:557:LEU:C	2.34	0.53
1:B:656:ALA:CB	1:B:674:TYR:OH	2.57	0.53
1:B:584:GLY:O	1:B:588:LEU:HD12	2.07	0.53
1:B:628:VAL:CG2	1:B:629:GLU:N	2.72	0.53
1:A:507:ASP:O	1:A:511:ILE:HG13	2.08	0.53
1:B:656:ALA:CA	1:B:674:TYR:CE2	2.92	0.52
1:A:676:GLN:CG	1:A:684:TYR:CD1	2.92	0.52
1:B:674:TYR:CD1	1:B:674:TYR:C	2.88	0.52
1:B:557:LEU:CD1	1:B:558:PRO:O	2.57	0.51
1:B:674:TYR:HD1	1:B:675:LEU:HD23	1.75	0.51
1:A:617:ILE:HG12	1:A:637:LEU:HD21	1.93	0.51
1:B:555:ALA:O	1:B:556:ARG:C	2.54	0.51
1:A:559:PRO:C	1:A:560:GLU:HG2	2.36	0.50
1:A:676:GLN:HG2	1:A:684:TYR:CE1	2.46	0.50
1:B:656:ALA:HB2	1:B:674:TYR:CZ	2.47	0.49
1:A:499:GLU:HG3	4:A:2016:HOH:O	2.12	0.49
1:A:579:LYS:O	1:A:583:GLN:CG	2.56	0.49
1:A:652:PHE:O	1:A:654:GLU:HG2	2.13	0.49
1:A:440:ARG:NE	1:B:674:TYR:O	2.45	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:658:VAL:O	1:A:662:LEU:HG	2.14	0.48
1:B:659:LEU:HD23	1:B:659:LEU:C	2.38	0.48
1:B:604:PHE:CE2	1:B:640:GLU:HG3	2.49	0.48
2:A:801:PO4:O3	4:A:2004:HOH:O	2.20	0.48
1:B:656:ALA:HB2	1:B:674:TYR:CE2	2.49	0.47
1:A:565:GLN:O	2:A:804:PO4:O2	2.33	0.47
1:B:439:GLN:O	1:B:439:GLN:HG3	2.14	0.47
1:B:616:LYS:HE2	1:B:651:PRO:HB3	1.96	0.47
1:B:522:ARG:O	1:B:525:GLY:N	2.48	0.47
1:A:627:GLN:HB3	1:A:629:GLU:OE2	2.14	0.47
1:A:456:PHE:HB2	1:A:509:TRP:CH2	2.51	0.46
1:B:463:VAL:N	1:B:473:ASN:O	2.40	0.46
1:A:440:ARG:NH1	4:A:2001:HOH:O	2.48	0.46
1:B:534:LEU:HB2	1:B:566:ILE:CD1	2.46	0.45
1:A:533:HIS:HB3	2:A:804:PO4:O2	2.15	0.45
1:B:615:ILE:HG13	1:B:641:LEU:HD22	1.98	0.45
1:B:655:SER:HA	1:B:674:TYR:HD2	1.81	0.45
1:A:482:ASN:O	1:A:483:PRO:C	2.58	0.45
1:A:622:VAL:HG12	1:A:622:VAL:O	2.17	0.45
1:A:522:ARG:NH1	1:A:558:PRO:CG	2.80	0.45
1:A:442:ASP:OD1	1:A:442:ASP:C	2.60	0.44
1:A:584:GLY:O	1:A:587:THR:HB	2.17	0.44
1:B:655:SER:CA	1:B:674:TYR:CD2	3.00	0.44
1:A:475:GLU:HA	1:A:531:PHE:HB2	2.00	0.44
1:A:625:LEU:HD12	1:A:658:VAL:HG23	1.99	0.44
1:B:541:ASP:OD1	1:B:541:ASP:C	2.61	0.44
1:A:575:LEU:HD11	4:A:2066:HOH:O	2.18	0.43
1:B:564:PHE:O	1:B:592:ALA:HA	2.18	0.43
1:A:511:ILE:O	1:A:515:ILE:HG13	2.17	0.43
1:B:528:THR:HG22	1:B:529:LYS:N	2.33	0.43
1:A:650:VAL:O	1:A:670:ILE:HA	2.20	0.42
1:B:482:ASN:HB2	4:B:2004:HOH:O	2.20	0.42
1:B:655:SER:C	1:B:674:TYR:CE2	2.97	0.42
1:B:583:GLN:O	1:B:584:GLY:C	2.63	0.42
1:B:629:GLU:H	1:B:629:GLU:CD	2.27	0.42
1:A:472:GLU:HB3	1:A:686:PHE:CE1	2.55	0.42
1:B:518:LEU:HD13	1:B:530:LEU:HG	2.02	0.42
1:A:449:GLN:O	1:A:452:GLU:HB3	2.19	0.41
1:B:489:PRO:HA	1:B:490:PRO:HD3	1.90	0.41
1:A:539:LEU:HD11	1:A:578:ALA:HA	2.02	0.41
1:A:522:ARG:HG2	1:A:526:HIS:O	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:557:LEU:HD12	1:B:558:PRO:O	2.19	0.41
1:A:600:SER:O	1:A:603:PRO:HD3	2.21	0.41
1:B:563:VAL:HG22	1:B:591:GLN:HB2	2.03	0.41
1:B:548:LEU:HG	1:B:552:LEU:HD12	2.01	0.41
1:B:553:LYS:C	1:B:555:ALA:H	2.29	0.41
1:A:499:GLU:CG	4:A:2016:HOH:O	2.70	0.40
1:B:656:ALA:HA	1:B:674:TYR:CZ	2.56	0.40
1:B:515:ILE:O	1:B:516:LYS:C	2.64	0.40
1:A:559:PRO:HB2	1:A:560:GLU:HG2	2.04	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:2023:HOH:O	4:A:2063:HOH:O[3_545]	2.15	0.05

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	248/274 (90%)	237 (96%)	10 (4%)	1 (0%)	30	38
1	B	247/274 (90%)	226 (92%)	18 (7%)	3 (1%)	10	12
All	All	495/548 (90%)	463 (94%)	28 (6%)	4 (1%)	16	20

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	501	GLY
1	B	571	ALA
1	B	468	GLY
1	A	471	HIS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	210/230 (91%)	199 (95%)	11 (5%)	21	31
1	B	208/230 (90%)	198 (95%)	10 (5%)	23	35
All	All	418/460 (91%)	397 (95%)	21 (5%)	22	33

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	516	LYS
1	A	560	GLU
1	A	575	LEU
1	A	576	LYS
1	A	587	THR
1	A	620	SER
1	A	629	GLU
1	A	634	LEU
1	A	640	GLU
1	A	657	SER
1	A	664	GLN
1	B	453	THR
1	B	480	LEU
1	B	511	ILE
1	B	516	LYS
1	B	601	LEU
1	B	612	VAL
1	B	627	GLN
1	B	644	GLN
1	B	657	SER
1	B	676	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	439	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	513	ASN
1	A	565	GLN
1	B	540	GLN
1	B	565	GLN
1	B	596	GLN
1	B	644	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	PO4	A	801	-	4,4,4	0.89	0	6,6,6	2.33	1 (16%)
2	PO4	A	804	-	4,4,4	2.26	1 (25%)	6,6,6	0.98	0
3	ACT	A	806	-	3,3,3	0.97	0	3,3,3	1.61	1 (33%)
2	PO4	A	802	-	4,4,4	1.05	0	6,6,6	1.33	1 (16%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	804	PO4	P-O1	4.46	1.60	1.50

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	801	PO4	O4-P-O2	4.61	122.24	107.91
2	A	802	PO4	O4-P-O3	2.24	114.87	107.91
3	A	806	ACT	OXT-C-O	-2.18	113.94	122.03

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	801	PO4	1	0
2	A	804	PO4	2	0
3	A	806	ACT	3	0
2	A	802	PO4	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	250/274 (91%)	0.02	8 (3%) 50 52	27, 43, 68, 117	0
1	B	249/274 (90%)	0.83	26 (10%) 11 13	39, 64, 101, 120	0
All	All	499/548 (91%)	0.42	34 (6%) 23 25	27, 54, 94, 120	0

All (34) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	439	GLN	3.8
1	A	485	GLY	3.6
1	A	468	GLY	3.6
1	B	470	SER	3.3
1	B	681	ALA	3.1
1	B	626	ASN	3.0
1	B	559	PRO	3.0
1	B	439	GLN	2.9
1	B	523	ALA	2.7
1	B	527	GLN	2.7
1	B	571	ALA	2.6
1	A	688	SER	2.6
1	B	519	ALA	2.5
1	B	471	HIS	2.4
1	B	486	GLN	2.4
1	B	481	LEU	2.4
1	B	551	ALA	2.4
1	B	526	HIS	2.4
1	A	484	GLN	2.3
1	B	483	PRO	2.3
1	B	547	TRP	2.3
1	B	656	ALA	2.3
1	B	558	PRO	2.2
1	B	556	ARG	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	623	GLN	2.2
1	B	472	GLU	2.1
1	A	642	HIS	2.1
1	B	550	VAL	2.1
1	B	561	SER	2.0
1	B	687	SER	2.0
1	B	562	LEU	2.0
1	B	601	LEU	2.0
1	A	440	ARG	2.0
1	B	554	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	PO4	A	804	5/5	0.75	0.37	49,60,65,72	0
3	ACT	A	806	4/4	0.86	0.17	39,46,49,55	0
2	PO4	A	802	5/5	0.87	0.24	53,55,73,88	0
2	PO4	A	801	5/5	0.88	0.18	35,48,70,79	0

6.5 Other polymers [i](#)

There are no such residues in this entry.