



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2026 – 07:44 AM UTC

PDB ID : 4AGD / pdb_00004agd
Title : CRYSTAL STRUCTURE OF VEGFR2 (JUXTAMEMBRANE AND KINASE DOMAINS) IN COMPLEX WITH SUNITINIB (SU11248) (N-2-diethylaminoethyl)-5-((Z)-(5-fluoro-2-oxo-1H-indol-3-ylidene)methyl)-2,4-dimethyl-1H-pyrrole-3-carboxamide)
Authors : McTigue, M.; Deng, Y.; Ryan, K.; Brooun, A.; Diehl, W.; Stewart, A.
Deposited on : 2012-01-26
Resolution : 2.81 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.81 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4591 (2.84-2.80)
Clashscore	190562	5010 (2.84-2.80)
Ramachandran outliers	187476	4916 (2.84-2.80)
Sidechain outliers	187428	4918 (2.84-2.80)
RSRZ outliers	180081	4594 (2.84-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	353	41% 40% 5% 14%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 2546 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called VASCULAR ENDOTHELIAL GROWTH FACTOR RECEPTOR 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	304	2430	1562	418	433	17	0	0	1

There are 19 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	769	MET	-	expression tag	UNP P35968
A	770	GLY	-	expression tag	UNP P35968
A	771	GLY	-	expression tag	UNP P35968
A	772	HIS	-	expression tag	UNP P35968
A	773	HIS	-	expression tag	UNP P35968
A	774	HIS	-	expression tag	UNP P35968
A	775	HIS	-	expression tag	UNP P35968
A	776	HIS	-	expression tag	UNP P35968
A	777	HIS	-	expression tag	UNP P35968
A	778	GLY	-	expression tag	UNP P35968
A	779	LEU	-	expression tag	UNP P35968
A	780	GLU	-	expression tag	UNP P35968
A	781	VAL	-	expression tag	UNP P35968
A	782	LEU	-	expression tag	UNP P35968
A	783	PHE	-	expression tag	UNP P35968
A	784	GLN	-	expression tag	UNP P35968
A	785	GLY	-	expression tag	UNP P35968
A	786	PRO	-	expression tag	UNP P35968
A	990	VAL	GLU	engineered mutation	UNP P35968

- Molecule 2 is N-[2-(diethylamino)ethyl]-5-[(Z)-(5-fluoro-2-oxo-1,2-dihydro-3H-indol-3-ylidene)methyl]-2,4-dimethyl-1H-pyrrole-3-carboxamide (CCD ID: B49) (formula: C₂₂H₂₇FN₄O₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	F	N	O	0	0
			29	22	1	4	2		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	87	Total	O	0	0
			87	87		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: VASCULAR ENDOTHELIAL GROWTH FACTOR RECEPTOR 2



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	134.69Å 56.98Å 52.72Å 90.00° 94.34° 90.00°	Depositor
Resolution (Å)	37.69 – 2.81 37.69 – 2.81	Depositor EDS
% Data completeness (in resolution range)	88.2 (37.69-2.81) 89.4 (37.69-2.81)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.10 (at 2.81Å)	Xtriage
Refinement program	CNS 2005	Depositor
R, R_{free}	0.210 , 0.307 0.208 , 0.301	Depositor DCC
R_{free} test set	295 reflections (3.25%)	wwPDB-VP
Wilson B-factor (Å ²)	62.0	Xtriage
Anisotropy	0.308	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 71.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	2546	wwPDB-VP
Average B, all atoms (Å ²)	66.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.42% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: B49

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.44	1/2489 (0.0%)	0.85	6/3364 (0.2%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	1168	ALA	C-N	-5.65	1.25	1.33

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1106	TYR	CA-C-N	5.94	126.14	119.90
1	A	1106	TYR	C-N-CA	5.94	126.14	119.90
1	A	1067	LEU	CA-C-N	5.94	127.26	119.84
1	A	1067	LEU	C-N-CA	5.94	127.26	119.84
1	A	829	PHE	CA-C-N	5.07	126.18	119.84
1	A	829	PHE	C-N-CA	5.07	126.18	119.84

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2430	0	2435	134	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A	29	0	27	1	0
3	A	87	0	0	3	0
All	All	2546	0	2462	135	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 27.

All (135) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1079:ASP:O	1:A:1080:ARG:HB2	1.79	0.81
1:A:1118:ARG:HG2	1:A:1118:ARG:HH11	1.50	0.76
1:A:804:ILE:HG13	1:A:1046:ASP:HB2	1.69	0.74
1:A:1122:GLY:HA2	1:A:1124:ARG:NH2	2.03	0.72
1:A:1002:LEU:HD21	1:A:1132:THR:CG2	2.22	0.70
1:A:912:LEU:HD12	1:A:913:MET:H	1.57	0.69
1:A:1051:ARG:CB	1:A:1051:ARG:HH11	2.05	0.69
1:A:1060:VAL:C	1:A:1066:ARG:HG3	2.17	0.68
1:A:895:HIS:H	1:A:900:ASN:HD21	1.41	0.68
1:A:1051:ARG:HH11	1:A:1051:ARG:CG	2.07	0.67
1:A:1075:GLU:HG2	1:A:1076:THR:N	2.09	0.67
1:A:1128:PRO:HG2	1:A:1131:THR:HB	1.76	0.67
1:A:1060:VAL:HB	1:A:1069:LEU:HD12	1.76	0.66
1:A:1153:PHE:O	1:A:1157:VAL:HG23	1.95	0.66
1:A:1075:GLU:OE2	1:A:1086:SER:HB3	1.96	0.66
1:A:936:VAL:O	1:A:1001:THR:HA	1.96	0.65
1:A:912:LEU:HD12	1:A:913:MET:N	2.10	0.65
1:A:1078:PHE:CE2	1:A:1120:LYS:HD2	2.32	0.65
1:A:1051:ARG:HH11	1:A:1051:ARG:HB2	1.62	0.64
1:A:929:ARG:HD3	1:A:1102:GLY:O	1.98	0.63
1:A:894:HIS:HA	1:A:900:ASN:ND2	2.14	0.62
1:A:811:LEU:HB3	1:A:812:PRO:HA	1.83	0.61
1:A:1060:VAL:O	1:A:1066:ARG:HA	2.01	0.61
1:A:907:LYS:HG2	1:A:908:PRO:O	2.01	0.60
1:A:831:ARG:HH12	1:A:907:LYS:HB3	1.65	0.60
1:A:858:LYS:HE2	1:A:861:THR:HG21	1.84	0.60
1:A:931:LYS:HG2	1:A:1000:LEU:HG	1.82	0.60
1:A:849:ILE:HD12	1:A:869:MET:SD	2.42	0.59
1:A:1068:PRO:O	1:A:1072:MET:HG3	2.02	0.59
1:A:892:ILE:HD12	1:A:893:GLY:O	2.03	0.59
1:A:1073:ALA:O	1:A:1077:ILE:HG13	2.03	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1159:HIS:O	1:A:1162:ASN:HB2	2.02	0.59
1:A:1128:PRO:O	1:A:1131:THR:HG22	2.02	0.59
1:A:997:LYS:O	1:A:998:ASP:HB2	2.02	0.58
1:A:895:HIS:ND1	1:A:896:LEU:N	2.52	0.58
1:A:820:LEU:N	1:A:821:PRO:CD	2.67	0.57
1:A:920:LYS:HD2	1:A:1038:GLU:HG2	1.87	0.57
1:A:1152:THR:OG1	1:A:1155:GLU:HG3	2.05	0.57
1:A:1034:ILE:HD12	1:A:1094:LEU:HD21	1.86	0.56
1:A:1085:GLN:C	1:A:1087:ASP:H	2.12	0.56
1:A:1099:PHE:CE1	1:A:1135:MET:HE2	2.40	0.56
1:A:883:MET:O	1:A:887:LYS:HD3	2.06	0.56
1:A:1059:TYR:HB3	1:A:1066:ARG:HG2	1.87	0.56
1:A:1079:ASP:O	1:A:1080:ARG:CB	2.52	0.56
1:A:1114:GLU:HA	1:A:1117:ARG:HD3	1.88	0.55
1:A:1073:ALA:HB1	1:A:1074:PRO:HD2	1.87	0.55
1:A:897:ASN:O	1:A:1043:LYS:HA	2.06	0.55
1:A:1118:ARG:HG2	1:A:1118:ARG:NH1	2.19	0.55
1:A:1010:PHE:CZ	1:A:1014:LYS:HD2	2.42	0.55
1:A:1134:GLU:OE1	1:A:1134:GLU:N	2.31	0.55
1:A:1124:ARG:HD2	1:A:1143:TRP:CB	2.37	0.54
2:A:2000:B49:HN25	2:A:2000:B49:H4	1.72	0.53
1:A:884:SER:O	1:A:888:ILE:HG22	2.08	0.53
1:A:858:LYS:HB2	1:A:861:THR:OG1	2.08	0.53
1:A:920:LYS:HD2	1:A:1038:GLU:CG	2.38	0.53
1:A:1053:ILE:O	1:A:1066:ARG:HD2	2.09	0.53
1:A:1060:VAL:CB	1:A:1069:LEU:HD12	2.39	0.53
1:A:831:ARG:NH1	1:A:907:LYS:HB3	2.25	0.52
1:A:872:GLU:HA	1:A:872:GLU:OE1	2.09	0.52
1:A:936:VAL:HG12	1:A:999:PHE:HD2	1.76	0.51
1:A:924:LEU:HD22	1:A:928:LEU:HG	1.92	0.50
1:A:1014:LYS:HG2	1:A:1157:VAL:HG13	1.93	0.50
1:A:1051:ARG:HH11	1:A:1051:ARG:HG2	1.74	0.50
1:A:923:ASN:HA	1:A:1035:LEU:HD23	1.94	0.50
1:A:896:LEU:HD23	1:A:897:ASN:CG	2.37	0.50
1:A:1060:VAL:O	1:A:1066:ARG:HG3	2.12	0.50
1:A:934:GLU:HA	1:A:999:PHE:CZ	2.47	0.49
1:A:1067:LEU:HB3	1:A:1072:MET:SD	2.52	0.49
1:A:1085:GLN:C	1:A:1087:ASP:N	2.69	0.49
1:A:1032:ARG:HG3	1:A:1051:ARG:NH2	2.28	0.49
1:A:828:GLU:HA	1:A:904:ALA:O	2.13	0.49
1:A:1084:ILE:O	1:A:1087:ASP:HB2	2.12	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1127:ALA:HB1	1:A:1131:THR:HG21	1.95	0.48
1:A:1167:ASN:O	1:A:1168:ALA:HB3	2.11	0.48
1:A:1164:LEU:HD12	1:A:1164:LEU:O	2.14	0.48
1:A:858:LYS:O	1:A:859:THR:C	2.57	0.48
1:A:892:ILE:HD12	1:A:893:GLY:N	2.29	0.48
1:A:1159:HIS:CD2	1:A:1163:LEU:HD13	2.48	0.48
1:A:804:ILE:O	1:A:888:ILE:HD13	2.14	0.47
1:A:1031:ALA:N	1:A:1094:LEU:HD22	2.29	0.47
1:A:1051:ARG:HG2	1:A:1051:ARG:NH1	2.29	0.47
1:A:1120:LYS:HG3	1:A:1121:GLU:OE1	2.15	0.47
1:A:1124:ARG:HD2	1:A:1143:TRP:HB2	1.96	0.47
1:A:1119:LEU:HD12	1:A:1124:ARG:HH12	1.79	0.47
1:A:1120:LYS:C	1:A:1122:GLY:H	2.22	0.47
1:A:920:LYS:HE2	3:A:2034:HOH:O	2.16	0.46
1:A:1079:ASP:O	1:A:1080:ARG:HD2	2.16	0.46
1:A:1099:PHE:O	1:A:1128:PRO:HB2	2.14	0.46
1:A:891:HIS:CE1	1:A:1022:ARG:HH21	2.33	0.46
1:A:936:VAL:HG22	1:A:938:TYR:H	1.80	0.46
1:A:1124:ARG:HD2	1:A:1143:TRP:HB3	1.98	0.46
1:A:829:PHE:HA	1:A:830:PRO:HD3	1.77	0.45
1:A:1062:LYS:HE2	1:A:1062:LYS:HB3	1.67	0.45
1:A:1144:HIS:HB2	1:A:1150:ARG:HB3	1.97	0.45
1:A:830:PRO:HG2	1:A:833:ARG:HD3	1.98	0.45
1:A:1049:LEU:N	1:A:1049:LEU:HD22	2.32	0.45
1:A:808:PRO:C	1:A:810:GLU:H	2.24	0.45
1:A:1106:TYR:CE1	1:A:1125:MET:HG3	2.52	0.44
1:A:1019:LEU:HD22	1:A:1019:LEU:HA	1.76	0.44
1:A:1089:TRP:CE3	1:A:1143:TRP:HA	2.52	0.44
1:A:1121:GLU:OE1	1:A:1121:GLU:N	2.50	0.44
1:A:1066:ARG:C	1:A:1067:LEU:HD23	2.43	0.44
1:A:1084:ILE:HG23	1:A:1085:GLN:OE1	2.17	0.44
1:A:1087:ASP:O	1:A:1090:SER:HB2	2.17	0.44
1:A:848:VAL:HG23	1:A:1050:ALA:CB	2.48	0.44
1:A:901:LEU:HD12	1:A:915:ILE:O	2.17	0.44
1:A:834:LEU:HD23	1:A:853:ALA:HB2	1.98	0.43
1:A:851:ALA:HB3	1:A:865:VAL:HG23	2.00	0.43
1:A:886:LEU:O	1:A:890:ILE:HG13	2.18	0.43
1:A:1114:GLU:O	1:A:1117:ARG:HB2	2.18	0.43
1:A:878:GLU:O	1:A:881:ALA:HB3	2.19	0.43
1:A:820:LEU:N	1:A:821:PRO:HD3	2.32	0.43
1:A:1010:PHE:O	1:A:1014:LYS:HG3	2.19	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1089:TRP:HZ2	1:A:1119:LEU:HD11	1.83	0.43
1:A:844:ALA:HB3	3:A:2024:HOH:O	2.17	0.43
1:A:1118:ARG:O	1:A:1123:THR:HB	2.18	0.43
1:A:806:MET:HE3	1:A:806:MET:HB3	1.92	0.42
1:A:895:HIS:HB2	1:A:1018:PHE:CE2	2.54	0.42
1:A:881:ALA:O	1:A:884:SER:HB2	2.20	0.42
1:A:1120:LYS:HE2	1:A:1120:LYS:HB2	1.86	0.42
1:A:1119:LEU:HD12	1:A:1124:ARG:NH1	2.35	0.41
1:A:924:LEU:HD23	1:A:924:LEU:HA	1.75	0.41
1:A:846:GLY:HA3	1:A:1049:LEU:CB	2.51	0.41
1:A:1035:LEU:O	1:A:1042:VAL:HA	2.20	0.41
1:A:1081:VAL:HG12	1:A:1083:THR:CG2	2.50	0.41
1:A:1096:TRP:CD1	1:A:1128:PRO:HD3	2.55	0.41
1:A:1107:PRO:C	1:A:1109:VAL:H	2.28	0.41
1:A:1146:GLU:HA	1:A:1147:PRO:HD3	1.94	0.41
1:A:1052:ASP:HB3	1:A:1055:LYS:HE2	2.03	0.40
1:A:1088:VAL:HG13	1:A:1156:LEU:HD11	2.04	0.40
1:A:1124:ARG:CD	1:A:1143:TRP:HB3	2.52	0.40
1:A:831:ARG:HH12	1:A:907:LYS:CB	2.32	0.40
1:A:1137:GLN:HG2	3:A:2071:HOH:O	2.22	0.40
1:A:1167:ASN:O	1:A:1167:ASN:CG	2.63	0.40
1:A:859:THR:O	1:A:860:ALA:HB3	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	298/353 (84%)	267 (90%)	28 (9%)	3 (1%)	12 36

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	1080	ARG
1	A	1117	ARG
1	A	891	HIS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	263/304 (86%)	244 (93%)	19 (7%)	13	37

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	802	LEU
1	A	809	ASP
1	A	835	LYS
1	A	858	LYS
1	A	867	VAL
1	A	880	ARG
1	A	883	MET
1	A	888	ILE
1	A	896	LEU
1	A	924	LEU
1	A	932	ARG
1	A	1003	GLU
1	A	1019	LEU
1	A	1051	ARG
1	A	1070	LYS
1	A	1094	LEU
1	A	1116	CYS
1	A	1121	GLU
1	A	1137	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	900	ASN
1	A	1159	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	B49	A	2000	-	31,31,31	2.10	10 (32%)	42,44,44	2.95	17 (40%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	B49	A	2000	-	-	4/18/30/30	0/3/3/3

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	2000	B49	C12-C20	4.37	1.42	1.35
2	A	2000	B49	C17-C20	3.94	1.52	1.45
2	A	2000	B49	C7-C17	3.55	1.45	1.39
2	A	2000	B49	C12-C18	3.47	1.48	1.40
2	A	2000	B49	C3-C13	3.44	1.57	1.50
2	A	2000	B49	C5-C15	3.03	1.43	1.37
2	A	2000	B49	C4-C14	2.55	1.54	1.49
2	A	2000	B49	C19-C22	2.40	1.52	1.48
2	A	2000	B49	C6-C5	2.32	1.42	1.38
2	A	2000	B49	C18-N23	-2.09	1.34	1.37

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	2000	B49	C17-C20-C21	-9.40	100.12	105.31
2	A	2000	B49	C20-C21-N24	9.01	111.85	106.91
2	A	2000	B49	C38-C37-N25	5.04	121.28	111.56
2	A	2000	B49	C14-C19-C13	-4.98	104.43	107.83
2	A	2000	B49	O28-C22-N25	-4.89	114.51	123.35
2	A	2000	B49	C6-C5-C15	4.04	122.53	118.38
2	A	2000	B49	C16-N24-C21	-3.21	109.37	111.35
2	A	2000	B49	C5-C15-C7	-3.12	119.11	123.23
2	A	2000	B49	F29-C15-C7	2.91	122.42	118.28
2	A	2000	B49	C19-C14-N23	2.60	109.42	107.48
2	A	2000	B49	C17-C16-N24	2.56	111.11	108.23
2	A	2000	B49	C18-N23-C14	2.52	111.92	110.31
2	A	2000	B49	O27-C21-C20	-2.37	124.73	127.70
2	A	2000	B49	C3-C13-C18	-2.19	122.44	125.62
2	A	2000	B49	C37-C38-N4	-2.19	107.49	112.84
2	A	2000	B49	O28-C22-C19	2.16	124.77	121.53
2	A	2000	B49	C3-C13-C19	2.05	132.15	125.67

There are no chirality outliers.

All (4) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	2000	B49	C14-C19-C22-N25
2	A	2000	B49	C14-C19-C22-O28
2	A	2000	B49	C41-C40-N4-C38
2	A	2000	B49	C41-C40-N4-C39

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	2000	B49	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	304/353 (86%)	-0.11	4 (1%) 75 66	36, 66, 99, 112	0

All (4) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	811	LEU	3.8
1	A	812	PRO	2.9
1	A	1169	GLN	2.8
1	A	1153	PHE	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.


6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	B49	A	2000	29/29	0.91	0.11	38,47,83,84	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers

as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers ⓘ

There are no such residues in this entry.