



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 09:31 PM UTC

PDB ID : 2AH9 / pdb_00002ah9
Title : Crystal Structure of Human M340H-Beta-1,4-Galactosyltransferase-I (M340H-B4Gal-T1) in Complex with Chitotriose
Authors : Ramasamy, V.; Ramakrishnan, B.; Boeggeman, E.; Ratner, D.M.; Seeberger, P.H.; Qasba, P.K.
Deposited on : 2005-07-27
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	287	4% 83% 11% • 5%
1	B	287	2% 79% 16% 5%
1	C	287	6% 72% 20% • 5%
2	D	3	100%
2	E	3	100%
2	F	3	100%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
7	DIO	A	432	-	-	X	-
8	MES	C	433	-	-	X	-

2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 7558 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Beta-1,4-galactosyltransferase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	272	Total	C	N	O	S	0	0	0
			2212	1417	385	399	11			
1	B	272	Total	C	N	O	S	0	0	0
			2212	1417	385	399	11			
1	C	272	Total	C	N	O	S	0	0	0
			2212	1417	385	399	11			

There are 51 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	112	ALA	-	SEE REMARK 999	UNP P15291
A	113	SER	-	SEE REMARK 999	UNP P15291
A	114	MET	-	SEE REMARK 999	UNP P15291
A	115	THR	-	SEE REMARK 999	UNP P15291
A	116	GLY	-	SEE REMARK 999	UNP P15291
A	117	GLY	-	SEE REMARK 999	UNP P15291
A	118	GLN	-	SEE REMARK 999	UNP P15291
A	119	GLN	-	SEE REMARK 999	UNP P15291
A	120	MET	-	SEE REMARK 999	UNP P15291
A	121	GLY	-	SEE REMARK 999	UNP P15291
A	122	ARG	-	SEE REMARK 999	UNP P15291
A	123	GLY	-	SEE REMARK 999	UNP P15291
A	124	SER	-	SEE REMARK 999	UNP P15291
A	125	ALA	-	SEE REMARK 999	UNP P15291
A	337	THR	ARG	engineered mutation	UNP P15291
A	338	THR	CYS	engineered mutation	UNP P15291
A	340	HIS	MET	engineered mutation	UNP P15291
B	112	ALA	-	SEE REMARK 999	UNP P15291
B	113	SER	-	SEE REMARK 999	UNP P15291
B	114	MET	-	SEE REMARK 999	UNP P15291
B	115	THR	-	SEE REMARK 999	UNP P15291
B	116	GLY	-	SEE REMARK 999	UNP P15291
B	117	GLY	-	SEE REMARK 999	UNP P15291

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	118	GLN	-	SEE REMARK 999	UNP P15291
B	119	GLN	-	SEE REMARK 999	UNP P15291
B	120	MET	-	SEE REMARK 999	UNP P15291
B	121	GLY	-	SEE REMARK 999	UNP P15291
B	122	ARG	-	SEE REMARK 999	UNP P15291
B	123	GLY	-	SEE REMARK 999	UNP P15291
B	124	SER	-	SEE REMARK 999	UNP P15291
B	125	ALA	-	SEE REMARK 999	UNP P15291
B	337	THR	ARG	engineered mutation	UNP P15291
B	338	THR	CYS	engineered mutation	UNP P15291
B	340	HIS	MET	engineered mutation	UNP P15291
C	112	ALA	-	SEE REMARK 999	UNP P15291
C	113	SER	-	SEE REMARK 999	UNP P15291
C	114	MET	-	SEE REMARK 999	UNP P15291
C	115	THR	-	SEE REMARK 999	UNP P15291
C	116	GLY	-	SEE REMARK 999	UNP P15291
C	117	GLY	-	SEE REMARK 999	UNP P15291
C	118	GLN	-	SEE REMARK 999	UNP P15291
C	119	GLN	-	SEE REMARK 999	UNP P15291
C	120	MET	-	SEE REMARK 999	UNP P15291
C	121	GLY	-	SEE REMARK 999	UNP P15291
C	122	ARG	-	SEE REMARK 999	UNP P15291
C	123	GLY	-	SEE REMARK 999	UNP P15291
C	124	SER	-	SEE REMARK 999	UNP P15291
C	125	ALA	-	SEE REMARK 999	UNP P15291
C	337	THR	ARG	engineered mutation	UNP P15291
C	338	THR	CYS	engineered mutation	UNP P15291
C	340	HIS	MET	engineered mutation	UNP P15291

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	D	3	Total	C	N	O	0	0	0
			43	24	3	16			
2	E	3	Total	C	N	O	0	0	0
			43	24	3	16			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	F	3	Total	C	N	O	0	0	0
			43	24	3	16			

- Molecule 3 is 6-AMINOHEXYL-URIDINE-C1,5'-DIPHOSPHATE (CCD ID: UDH) (formula: $C_{15}H_{27}N_3O_{12}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			32	15	3	12	2		
3	B	1	Total	C	N	O	P	0	0
			32	15	3	12	2		
3	C	1	Total	C	N	O	P	0	0
			32	15	3	12	2		

- Molecule 4 is MANGANESE (II) ION (CCD ID: MN) (formula: Mn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Mn	0	0
			1	1		
4	B	1	Total	Mn	0	0
			1	1		
4	C	1	Total	Mn	0	0
			1	1		

- Molecule 5 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			6	3	3		
5	A	1	Total	C	O	0	0
			6	3	3		
5	B	1	Total	C	O	0	0
			6	3	3		
5	B	1	Total	C	O	0	0
			6	3	3		
5	B	1	Total	C	O	0	0
			6	3	3		
5	C	1	Total	C	O	0	0
			6	3	3		

- Molecule 6 is SULFATE ION (CCD ID: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	O	S	0	0
			5	4	1		
6	A	1	Total	O	S	0	0
			5	4	1		
6	A	1	Total	O	S	0	0
			5	4	1		
6	A	1	Total	O	S	0	0
			5	4	1		
6	B	1	Total	O	S	0	0
			5	4	1		
6	B	1	Total	O	S	0	0
			5	4	1		
6	B	1	Total	O	S	0	0
			5	4	1		
6	B	1	Total	O	S	0	0
			5	4	1		
6	B	1	Total	O	S	0	0
			5	4	1		
6	C	1	Total	O	S	0	0
			5	4	1		
6	C	1	Total	O	S	0	0
			5	4	1		
6	C	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	C	1	Total	O	S	0	0
			5	4	1		
6	C	1	Total	O	S	0	0
			5	4	1		

- Molecule 7 is 1,4-DIETHYLENE DIOXIDE (CCD ID: DIO) (formula: $C_4H_8O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			6	4	2		
7	C	1	Total	C	O	0	0
			6	4	2		

- Molecule 8 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (CCD ID: MES) (formula: $C_6H_{13}NO_4S$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
8	C	1	Total	C	N	O	S	0	0
			12	6	1	4	1		


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	189	Total	O	0	0
			189	189		
9	B	206	Total	O	0	0
			206	206		
9	C	153	Total	O	0	0
			153	153		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Beta-1,4-galactosyltransferase 1



• Molecule 1: Beta-1,4-galactosyltransferase 1



• Molecule 1: Beta-1,4-galactosyltransferase 1



• Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D:  100%

MAG1
MAG2
MAG3

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E:  100%

MAG1
MAG2
MAG3

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F:  100%

MAG1
MAG2
MAG3

4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	107.50Å 195.36Å 144.02Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	40.00 – 2.00 40.00 – 2.00	Depositor EDS
% Data completeness (in resolution range)	99.8 (40.00-2.00) 99.8 (40.00-2.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.06	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.15 (at 2.00Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.202 , 0.224 0.218 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	23.0	Xtriage
Anisotropy	0.655	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 46.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.002 for 1/2*h-1/2*k,-3/2*h-1/2*k,-l 0.015 for 1/2*h+1/2*k,3/2*h-1/2*k,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	7558	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.86% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, MES, GOL, SO4, DIO, UDH, MN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.57	1/2274 (0.0%)	1.03	13/3089 (0.4%)
1	B	0.59	0/2274	1.04	15/3089 (0.5%)
1	C	0.53	1/2274 (0.0%)	1.00	21/3089 (0.7%)
All	All	0.56	2/6822 (0.0%)	1.02	49/9267 (0.5%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	273	MET	SD-CE	-7.01	1.62	1.79
1	C	141	MET	SD-CE	5.25	1.92	1.79

All (49) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	311	GLY	N-CA-C	10.70	125.42	112.48
1	B	178	VAL	N-CA-C	8.68	120.32	108.17
1	A	178	VAL	N-CA-C	7.64	118.87	108.17
1	B	269	ILE	N-CA-C	7.36	118.14	111.81
1	C	269	ILE	N-CA-C	7.02	118.34	111.67
1	A	209	TYR	N-CA-C	6.90	119.90	109.41
1	B	184	PHE	N-CA-C	6.87	119.77	108.99
1	A	184	PHE	N-CA-C	6.53	119.25	108.99
1	A	310	TRP	N-CA-C	6.42	119.54	110.23
1	C	178	VAL	N-CA-C	6.39	117.05	108.11
1	C	209	TYR	N-CA-C	6.38	119.11	109.41
1	C	184	PHE	N-CA-C	6.34	118.94	108.99
1	A	198	LEU	N-CA-C	6.26	118.18	111.36
1	B	139	GLY	CA-C-N	6.21	126.16	119.76
1	B	139	GLY	C-N-CA	6.21	126.16	119.76
1	B	331	PRO	N-CA-C	-6.17	101.94	111.13

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	355	ARG	N-CA-C	6.04	117.86	111.28
1	A	306	ASN	N-CA-C	6.00	120.18	112.26
1	B	208	ASP	N-CA-C	-5.91	96.77	107.75
1	A	331	PRO	N-CA-C	-5.88	102.37	111.13
1	C	306	ASN	N-CA-C	5.87	120.01	112.26
1	B	283	VAL	N-CA-C	5.84	118.36	111.05
1	C	208	ASP	N-CA-C	-5.66	96.46	107.62
1	C	171	ASP	N-CA-C	5.65	120.17	113.28
1	B	198	LEU	N-CA-C	5.65	117.52	111.36
1	A	355	ARG	N-CA-C	5.64	117.43	111.28
1	A	269	ILE	N-CA-C	5.64	116.66	111.81
1	C	310	TRP	N-CA-C	5.63	118.40	110.23
1	C	346	ASP	N-CA-C	-5.57	101.46	110.32
1	C	311	GLY	N-CA-C	5.54	126.31	113.18
1	B	347	LYS	N-CA-C	-5.52	102.36	110.52
1	B	311	GLY	N-CA-C	5.50	126.22	113.18
1	C	331	PRO	N-CA-C	-5.45	103.01	111.13
1	B	209	TYR	N-CA-C	5.40	117.62	109.41
1	C	374	LEU	N-CA-C	5.40	117.53	109.59
1	A	259	ALA	N-CA-C	5.38	117.50	109.59
1	A	248	ASP	N-CA-C	-5.35	103.42	110.43
1	C	248	ASP	N-CA-C	-5.33	103.50	110.53
1	C	283	VAL	N-CA-C	5.32	118.51	111.17
1	C	347	LYS	N-CA-C	-5.24	103.47	110.55
1	C	158	ASN	CA-C-N	5.24	125.04	119.28
1	C	158	ASN	C-N-CA	5.24	125.04	119.28
1	B	259	ALA	N-CA-C	5.22	117.75	109.96
1	A	208	ASP	N-CA-C	-5.22	97.45	107.57
1	B	262	CYS	N-CA-C	5.19	118.21	110.52
1	C	183	PRO	N-CA-C	-5.17	103.08	111.19
1	C	198	LEU	N-CA-C	5.15	117.80	111.82
1	C	262	CYS	N-CA-C	5.12	118.09	110.52
1	C	247	SER	N-CA-C	5.04	117.27	108.76

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2212	0	2157	24	0
1	B	2212	0	2157	28	0
1	C	2212	0	2157	40	0
2	D	43	0	39	0	0
2	E	43	0	39	0	0
2	F	43	0	39	0	0
3	A	32	0	25	0	0
3	B	32	0	25	1	0
3	C	32	0	25	1	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
5	A	12	0	16	2	0
5	B	24	0	32	5	0
5	C	6	0	8	2	0
6	A	20	0	0	0	0
6	B	35	0	0	0	0
6	C	25	0	0	0	0
7	A	6	0	8	4	0
7	C	6	0	8	3	0
8	C	12	0	13	6	0
9	A	189	0	0	0	0
9	B	206	0	0	3	0
9	C	153	0	0	2	0
All	All	7558	0	6748	95	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (95) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:268:HIS:HD2	1:C:330:ARG:HE	1.11	0.94
1:C:163:MET:HE1	1:C:385:PRO:HG3	1.50	0.92
1:C:273:MET:HE1	1:C:275:LYS:HE2	1.58	0.86
1:B:324:ARG:HH11	1:B:367:LEU:HD21	1.43	0.83
1:B:268:HIS:HD2	1:B:330:ARG:HE	1.23	0.83
1:A:273:MET:HE1	1:A:275:LYS:HE2	1.64	0.80
1:A:268:HIS:HD2	1:A:330:ARG:HE	1.29	0.78

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:157:GLN:HE22	7:A:432:DIO:H11	1.53	0.74
1:C:268:HIS:CD2	1:C:330:ARG:HE	2.01	0.71
1:A:150:ASP:OD1	1:A:153:LEU:HD13	1.92	0.70
1:A:273:MET:CE	1:A:275:LYS:HE2	2.22	0.69
1:C:352:ASN:OD1	1:C:354:GLN:HG2	1.91	0.69
1:B:324:ARG:NH1	1:B:367:LEU:HD21	2.07	0.68
1:B:153:LEU:O	1:B:157:GLN:HG3	1.94	0.67
1:B:350:GLU:HG2	9:B:694:HOH:O	1.97	0.64
1:C:273:MET:CE	1:C:275:LYS:HE2	2.28	0.64
1:B:273:MET:CE	1:B:275:LYS:HE2	2.29	0.63
1:A:268:HIS:CD2	1:A:330:ARG:HE	2.14	0.62
1:B:268:HIS:CD2	1:B:330:ARG:HE	2.12	0.61
1:A:157:GLN:C	1:A:159:PRO:HD3	2.25	0.61
1:B:273:MET:HE1	1:B:275:LYS:HE2	1.85	0.58
1:C:306:ASN:HB3	7:C:431:DIO:H2'2	1.86	0.56
1:C:237:LYS:NZ	8:C:433:MES:H61	2.20	0.56
5:B:408:GOL:H31	9:B:445:HOH:O	2.06	0.55
1:C:273:MET:HE2	1:C:275:LYS:HG2	1.90	0.53
1:B:268:HIS:HE1	1:B:287:GLY:O	1.93	0.52
1:B:271:VAL:HG22	1:B:336:GLY:HA3	1.92	0.51
1:B:310:TRP:NE1	5:B:408:GOL:H12	2.25	0.51
1:C:157:GLN:C	1:C:159:PRO:HD3	2.36	0.51
1:A:254:MET:SD	1:A:337:THR:HG22	2.51	0.50
1:A:303:PHE:HB3	1:A:304:PRO:HD2	1.94	0.50
1:A:268:HIS:HB3	1:A:330:ARG:HG2	1.92	0.50
1:B:268:HIS:HB3	1:B:330:ARG:HG2	1.94	0.50
1:B:306:ASN:HB2	5:B:413:GOL:H2	1.93	0.49
1:C:223:ASN:HB3	1:C:394:ILE:CD1	2.43	0.48
1:A:268:HIS:HE1	1:A:287:GLY:O	1.97	0.48
1:C:347:LYS:O	1:C:348:LYS:HB2	2.13	0.48
1:C:310:TRP:CE2	5:C:412:GOL:H12	2.48	0.48
1:C:266:PRO:HG2	1:C:321:LEU:HD22	1.95	0.48
1:C:376:TYR:O	8:C:433:MES:H71	2.13	0.48
1:A:147:MET:HB2	1:A:148:PRO:HD2	1.95	0.48
1:B:157:GLN:C	1:B:159:PRO:HD3	2.39	0.48
1:A:347:LYS:O	1:A:348:LYS:HB2	2.13	0.47
1:C:303:PHE:HB3	1:C:304:PRO:HD2	1.96	0.47
1:C:163:MET:HE1	1:C:385:PRO:CG	2.34	0.47
1:B:271:VAL:CG2	1:B:336:GLY:HA3	2.44	0.47
1:C:376:TYR:N	8:C:433:MES:O3S	2.28	0.47
1:C:308:TRP:O	1:C:352:ASN:HB2	2.14	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:348:LYS:NZ	9:B:771:HOH:O	2.47	0.46
1:A:310:TRP:NE1	5:A:411:GOL:H12	2.30	0.46
1:B:254:MET:SD	1:B:337:THR:HG22	2.55	0.46
1:C:237:LYS:HZ3	8:C:433:MES:H61	1.80	0.46
1:A:177:LYS:NZ	1:A:240:ASP:OD2	2.49	0.46
1:A:150:ASP:H	7:A:432:DIO:C1'	2.29	0.45
1:C:220:THR:HG23	1:C:221:ILE:N	2.31	0.45
1:C:251:LEU:HD21	1:C:273:MET:HE3	1.97	0.45
8:C:433:MES:H51	9:C:908:HOH:O	2.16	0.45
1:C:268:HIS:HB3	1:C:330:ARG:HG2	1.99	0.45
1:C:220:THR:OG1	1:C:396:THR:HG22	2.16	0.45
1:A:310:TRP:CE2	5:A:411:GOL:H12	2.51	0.45
1:B:226:LYS:HD3	1:B:394:ILE:HB	1.98	0.45
1:A:150:ASP:CG	1:A:153:LEU:HD13	2.42	0.44
1:A:306:ASN:H	1:A:306:ASN:HD22	1.65	0.44
1:C:163:MET:HE2	1:C:385:PRO:HA	1.98	0.44
1:A:306:ASN:H	1:A:306:ASN:ND2	2.15	0.44
1:C:376:TYR:O	8:C:433:MES:O3S	2.34	0.44
1:B:254:MET:SD	1:B:339:ARG:HG3	2.57	0.44
1:B:310:TRP:CD1	5:B:408:GOL:H12	2.53	0.44
1:A:273:MET:HE1	1:A:275:LYS:CE	2.42	0.44
1:C:306:ASN:HD22	7:C:431:DIO:H21	1.83	0.44
1:B:216:GLN:OE1	1:B:394:ILE:HD11	2.18	0.43
1:A:157:GLN:NE2	7:A:432:DIO:H11	2.28	0.43
1:C:248:ASP:HB3	3:C:403:UDH:O3'	2.18	0.43
1:B:396:THR:HB	1:B:397:PRO:HD2	2.00	0.43
1:C:150:ASP:HB3	1:C:153:LEU:HD22	2.01	0.43
1:C:254:MET:SD	1:C:339:ARG:HG3	2.59	0.43
1:C:314:ASP:OD1	1:C:314:ASP:N	2.52	0.42
1:C:351:PRO:O	1:C:353:PRO:HD3	2.19	0.42
1:B:303:PHE:HB3	1:B:304:PRO:HD2	2.01	0.42
1:C:323:PHE:CE1	1:C:363:LYS:HB2	2.55	0.42
1:C:141:MET:HE2	1:C:143:ILE:HD11	2.02	0.42
1:C:271:VAL:HG22	1:C:336:GLY:HA3	2.01	0.42
1:C:300:ILE:HB	1:C:320:ARG:HB3	2.03	0.41
1:A:223:ASN:HB3	1:A:394:ILE:CD1	2.51	0.41
1:C:266:PRO:CG	1:C:321:LEU:HD22	2.51	0.41
1:B:314:ASP:OD1	1:B:314:ASP:N	2.53	0.41
5:C:412:GOL:H31	9:C:517:HOH:O	2.19	0.41
1:C:275:LYS:HE3	1:C:276:PHE:CZ	2.56	0.41
1:B:306:ASN:CB	5:B:413:GOL:H2	2.50	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:131:PRO:HG2	1:B:135:PRO:HD3	2.04	0.40
1:B:229:ASN:HB3	1:B:374:LEU:HD22	2.03	0.40
1:C:308:TRP:HE1	7:C:431:DIO:H1'1	1.86	0.40
1:B:345:ARG:HG2	3:B:401:UDH:H2'1	2.03	0.40
1:C:352:ASN:O	1:C:355:ARG:HG2	2.21	0.40
1:A:150:ASP:H	7:A:432:DIO:H1'1	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	270/287 (94%)	263 (97%)	7 (3%)	0	100	100
1	B	270/287 (94%)	265 (98%)	5 (2%)	0	100	100
1	C	270/287 (94%)	260 (96%)	10 (4%)	0	100	100
All	All	810/861 (94%)	788 (97%)	22 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	243/252 (96%)	241 (99%)	2 (1%)	73	80

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	243/252 (96%)	242 (100%)	1 (0%)	84	89
1	C	243/252 (96%)	238 (98%)	5 (2%)	47	52
All	All	729/756 (96%)	721 (99%)	8 (1%)	65	73

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	306	ASN
1	A	364	GLU
1	B	153	LEU
1	C	153	LEU
1	C	220	THR
1	C	233	GLN
1	C	364	GLU
1	C	380	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	157	GLN
1	A	186	ASN
1	A	206	GLN
1	A	215	ASN
1	A	268	HIS
1	A	306	ASN
1	A	377	GLN
1	B	160	ASN
1	B	186	ASN
1	B	215	ASN
1	B	268	HIS
1	B	389	GLN
1	C	157	GLN
1	C	215	ASN
1	C	268	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

9 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	NAG	D	1	2	15,15,15	2.12	5 (33%)	21,21,21	0.88	0
2	NAG	D	2	2	14,14,15	2.11	7 (50%)	17,19,21	1.00	1 (5%)
2	NAG	D	3	2	14,14,15	2.42	3 (21%)	17,19,21	0.90	0
2	NAG	E	1	2	15,15,15	2.30	6 (40%)	21,21,21	0.87	0
2	NAG	E	2	2	14,14,15	2.10	6 (42%)	17,19,21	0.97	1 (5%)
2	NAG	E	3	2	14,14,15	2.49	3 (21%)	17,19,21	0.75	0
2	NAG	F	1	2	15,15,15	2.17	6 (40%)	21,21,21	0.81	0
2	NAG	F	2	2	14,14,15	2.03	6 (42%)	17,19,21	1.03	1 (5%)
2	NAG	F	3	2	14,14,15	2.60	3 (21%)	17,19,21	0.84	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	D	1	2	-	0/6/26/26	0/1/1/1
2	NAG	D	2	2	-	0/6/23/26	0/1/1/1
2	NAG	D	3	2	-	0/6/23/26	0/1/1/1
2	NAG	E	1	2	-	0/6/26/26	0/1/1/1
2	NAG	E	2	2	-	0/6/23/26	0/1/1/1
2	NAG	E	3	2	-	0/6/23/26	0/1/1/1
2	NAG	F	1	2	-	0/6/26/26	0/1/1/1
2	NAG	F	2	2	-	0/6/23/26	0/1/1/1
2	NAG	F	3	2	-	0/6/23/26	0/1/1/1

All (45) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	F	3	NAG	C1-C2	7.12	1.62	1.52
2	E	3	NAG	C1-C2	7.01	1.61	1.52
2	D	3	NAG	C1-C2	6.67	1.61	1.52
2	E	1	NAG	C1-C2	4.81	1.58	1.52
2	F	1	NAG	C1-C2	4.40	1.58	1.52
2	E	2	NAG	C1-C2	4.23	1.58	1.52
2	D	1	NAG	C1-C2	4.17	1.57	1.52
2	D	3	NAG	C2-N2	4.15	1.53	1.46
2	F	3	NAG	C2-N2	3.89	1.52	1.46
2	D	2	NAG	C1-C2	3.75	1.57	1.52
2	F	3	NAG	C4-C5	3.74	1.61	1.53
2	F	1	NAG	O5-C1	3.66	1.51	1.42
2	D	1	NAG	O5-C1	3.66	1.51	1.42
2	E	1	NAG	C4-C5	3.65	1.60	1.53
2	E	3	NAG	C2-N2	3.60	1.52	1.46
2	E	1	NAG	O5-C1	3.57	1.51	1.42
2	F	2	NAG	C1-C2	3.51	1.57	1.52
2	F	1	NAG	C4-C5	3.47	1.60	1.53
2	E	3	NAG	C4-C5	3.41	1.60	1.53
2	D	1	NAG	C4-C5	3.38	1.60	1.53
2	E	1	NAG	O5-C5	3.33	1.52	1.44
2	F	2	NAG	O5-C1	3.19	1.49	1.43
2	F	2	NAG	C4-C5	3.18	1.59	1.53
2	D	2	NAG	O5-C1	3.15	1.49	1.43
2	F	1	NAG	O5-C5	3.12	1.52	1.44
2	E	2	NAG	C4-C5	3.10	1.59	1.53
2	D	2	NAG	C3-C2	3.10	1.59	1.52
2	E	2	NAG	C3-C2	3.07	1.58	1.52
2	D	1	NAG	O5-C5	3.06	1.51	1.44
2	D	3	NAG	C4-C5	3.01	1.59	1.53
2	D	2	NAG	C4-C5	2.94	1.59	1.53
2	E	2	NAG	O5-C1	2.69	1.48	1.43
2	F	2	NAG	C3-C2	2.60	1.58	1.52
2	E	1	NAG	C2-N2	2.55	1.49	1.45
2	D	1	NAG	C2-N2	2.54	1.49	1.45
2	F	2	NAG	O5-C5	2.45	1.48	1.43
2	D	2	NAG	C2-N2	2.45	1.50	1.46
2	E	1	NAG	C3-C2	2.39	1.57	1.53
2	F	1	NAG	C2-N2	2.31	1.49	1.45
2	D	2	NAG	C4-C3	2.18	1.58	1.52
2	F	2	NAG	C4-C3	2.18	1.58	1.52
2	E	2	NAG	O5-C5	2.09	1.47	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	2	NAG	O5-C5	2.07	1.47	1.43
2	F	1	NAG	C3-C2	2.02	1.56	1.53
2	E	2	NAG	C4-C3	2.02	1.57	1.52

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	2	NAG	C2-N2-C7	2.40	126.12	122.90
2	D	2	NAG	C2-N2-C7	2.06	125.66	122.90
2	E	2	NAG	C2-N2-C7	2.04	125.63	122.90

There are no chirality outliers.


There are no torsion outliers.

There are no ring outliers.


No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.


Oligosaccharide Chain D




Oligosaccharide Chain E




Bond lengths




Bond angles



Torsions



Rings



5.6 Ligand geometry [i](#)

Of 32 ligands modelled in this entry, 3 are monoatomic - leaving 29 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	GOL	A	414	-	5,5,5	0.46	0	5,5,5	0.66	0
6	SO4	B	418	-	4,4,4	1.82	1 (25%)	6,6,6	0.84	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	SO4	C	428	-	4,4,4	1.85	2 (50%)	6,6,6	0.84	0
6	SO4	B	422	-	4,4,4	1.79	1 (25%)	6,6,6	0.79	0
6	SO4	C	423	-	4,4,4	1.78	2 (50%)	6,6,6	0.85	0
5	GOL	B	409	-	5,5,5	0.43	0	5,5,5	0.80	0
5	GOL	A	411	-	5,5,5	0.51	0	5,5,5	0.86	0
6	SO4	A	417	-	4,4,4	1.82	1 (25%)	6,6,6	0.83	0
5	GOL	C	412	-	5,5,5	0.36	0	5,5,5	0.72	0
7	DIO	A	432	-	6,6,6	0.90	0	6,6,6	0.63	0
3	UDH	B	401	4	33,33,33	1.69	4 (12%)	44,47,47	1.43	8 (18%)
7	DIO	C	431	-	6,6,6	1.02	0	6,6,6	0.81	0
6	SO4	C	429	-	4,4,4	1.90	2 (50%)	6,6,6	0.80	0
5	GOL	B	408	-	5,5,5	0.49	0	5,5,5	0.99	0
6	SO4	B	430	-	4,4,4	1.79	1 (25%)	6,6,6	0.86	0
6	SO4	B	425	-	4,4,4	1.85	2 (50%)	6,6,6	0.85	0
3	UDH	C	403	4	33,33,33	1.46	3 (9%)	44,47,47	1.46	7 (15%)
6	SO4	A	415	-	4,4,4	1.86	2 (50%)	6,6,6	0.83	0
6	SO4	B	427	-	4,4,4	1.83	2 (50%)	6,6,6	0.81	0
5	GOL	B	413	-	5,5,5	0.36	0	5,5,5	0.57	0
6	SO4	B	421	-	4,4,4	1.80	2 (50%)	6,6,6	0.85	0
6	SO4	C	424	-	4,4,4	1.85	2 (50%)	6,6,6	0.84	0
5	GOL	B	410	-	5,5,5	0.42	0	5,5,5	0.52	0
8	MES	C	433	-	12,12,12	1.86	4 (33%)	15,16,16	0.85	0
6	SO4	A	416	-	4,4,4	1.79	1 (25%)	6,6,6	0.85	0
6	SO4	C	420	-	4,4,4	1.78	1 (25%)	6,6,6	0.80	0
6	SO4	A	426	-	4,4,4	1.87	2 (50%)	6,6,6	0.85	0
3	UDH	A	399	4	33,33,33	1.67	6 (18%)	44,47,47	1.48	9 (20%)
6	SO4	B	419	-	4,4,4	1.86	2 (50%)	6,6,6	0.82	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	UDH	B	401	4	-	4/25/41/41	0/2/2/2
5	GOL	A	414	-	-	3/4/4/4	-
5	GOL	B	413	-	-	3/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	DIO	C	431	-	-	-	0/1/1/1
5	GOL	B	410	-	-	0/4/4/4	-
5	GOL	B	409	-	-	4/4/4/4	-
8	MES	C	433	-	-	2/6/14/14	0/1/1/1
5	GOL	B	408	-	-	4/4/4/4	-
5	GOL	A	411	-	-	4/4/4/4	-
3	UDH	C	403	4	-	3/25/41/41	0/2/2/2
5	GOL	C	412	-	-	0/4/4/4	-
3	UDH	A	399	4	-	4/25/41/41	0/2/2/2
7	DIO	A	432	-	-	-	0/1/1/1

All (43) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	401	UDH	PA-O3A	6.77	1.66	1.59
3	A	399	UDH	PA-O3A	6.58	1.66	1.59
3	C	403	UDH	PA-O3A	5.57	1.65	1.59
8	C	433	MES	C3-N4	3.34	1.55	1.46
6	C	429	SO4	O1-S	3.15	1.63	1.44
6	A	415	SO4	O1-S	3.07	1.63	1.44
6	A	426	SO4	O1-S	3.07	1.63	1.44
6	B	419	SO4	O1-S	3.06	1.63	1.44
6	C	428	SO4	O1-S	3.06	1.63	1.44
6	C	424	SO4	O1-S	3.03	1.62	1.44
6	A	417	SO4	O1-S	3.03	1.62	1.44
6	B	418	SO4	O1-S	3.02	1.62	1.44
6	B	427	SO4	O1-S	3.02	1.62	1.44
6	B	425	SO4	O1-S	3.00	1.62	1.44
6	C	420	SO4	O1-S	2.95	1.62	1.44
6	B	430	SO4	O1-S	2.94	1.62	1.44
6	B	422	SO4	O1-S	2.94	1.62	1.44
6	B	421	SO4	O1-S	2.94	1.62	1.44
6	A	416	SO4	O1-S	2.93	1.62	1.44
3	B	401	UDH	C2-N1	2.88	1.43	1.38
6	C	423	SO4	O1-S	2.82	1.61	1.44
8	C	433	MES	O2S-S	2.81	1.53	1.45
3	B	401	UDH	PB-O1B	2.76	1.60	1.50
3	A	399	UDH	C2-N1	2.67	1.42	1.38
3	A	399	UDH	PB-O1B	2.56	1.59	1.50
3	A	399	UDH	PB-O3A	-2.47	1.56	1.59
8	C	433	MES	C5-N4	2.45	1.53	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	C	433	MES	O1S-S	2.33	1.51	1.45
3	C	403	UDH	PB-O2B	-2.29	1.50	1.59
3	A	399	UDH	PB-O2B	-2.29	1.50	1.59
3	C	403	UDH	PB-O1B	2.24	1.58	1.50
3	B	401	UDH	PB-O2B	-2.22	1.50	1.59
6	C	423	SO4	O3-S	-2.13	1.30	1.48
6	B	425	SO4	O3-S	-2.11	1.30	1.48
6	C	429	SO4	O3-S	-2.09	1.31	1.48
6	A	426	SO4	O3-S	-2.08	1.31	1.48
6	B	419	SO4	O3-S	-2.08	1.31	1.48
6	C	424	SO4	O3-S	-2.05	1.31	1.48
6	A	415	SO4	O3-S	-2.04	1.31	1.48
6	C	428	SO4	O3-S	-2.04	1.31	1.48
3	A	399	UDH	C6-N1	2.02	1.42	1.38
6	B	421	SO4	O3-S	-2.02	1.31	1.48
6	B	427	SO4	O3-S	-2.01	1.31	1.48

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	403	UDH	O3A-PB-O1B	-3.80	99.28	110.70
3	A	399	UDH	O3A-PB-O1B	-3.68	99.65	110.70
3	A	399	UDH	O4'-C4B-C3B	-3.54	98.13	105.15
3	B	401	UDH	O3A-PB-O1B	-3.51	100.14	110.70
3	B	401	UDH	O4'-C4B-C3B	-3.44	98.32	105.15
3	C	403	UDH	O3B-PB-O1B	3.16	127.13	112.44
3	C	403	UDH	O4'-C4B-C3B	-3.06	99.07	105.15
3	A	399	UDH	O3B-PB-O1B	2.95	126.15	112.44
3	B	401	UDH	O2-C2-N1	-2.80	119.15	122.80
3	A	399	UDH	O2-C2-N1	-2.75	119.22	122.80
3	B	401	UDH	O3B-PB-O1B	2.59	124.49	112.44
3	C	403	UDH	O2-C2-N1	-2.46	119.59	122.80
3	A	399	UDH	C2B-C1B-N1	2.44	120.05	113.25
3	C	403	UDH	C2B-C1B-N1	2.43	120.01	113.25
3	A	399	UDH	O2-C2-N3	2.30	125.72	121.49
3	B	401	UDH	C3'-C2'-C1'	-2.25	103.69	113.47
3	A	399	UDH	C3'-C2'-C1'	-2.24	103.71	113.47
3	B	401	UDH	C5'-C4'-C3'	-2.19	103.31	114.37
3	C	403	UDH	C5'-C4'-C3'	-2.18	103.37	114.37
3	A	399	UDH	C5'-C4'-C3'	-2.14	103.55	114.37
3	B	401	UDH	O2-C2-N3	2.13	125.42	121.49
3	C	403	UDH	O2-C2-N3	2.12	125.40	121.49

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	399	UDH	C4'-C3'-C2'	-2.09	103.81	114.37
3	B	401	UDH	C4'-C3'-C2'	-2.06	103.97	114.37

There are no chirality outliers.

All (31) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
5	B	408	GOL	O1-C1-C2-C3
5	B	409	GOL	O1-C1-C2-O2
5	B	409	GOL	O1-C1-C2-C3
5	B	409	GOL	O2-C2-C3-O3
5	B	413	GOL	O2-C2-C3-O3
5	A	411	GOL	O1-C1-C2-C3
5	A	411	GOL	C1-C2-C3-O3
5	A	414	GOL	C1-C2-C3-O3
5	B	409	GOL	C1-C2-C3-O3
5	B	413	GOL	O1-C1-C2-C3
5	B	413	GOL	C1-C2-C3-O3
5	A	411	GOL	O1-C1-C2-O2
5	A	411	GOL	O2-C2-C3-O3
5	B	408	GOL	O1-C1-C2-O2
3	B	401	UDH	C1'-C2'-C3'-C4'
3	A	399	UDH	C1'-C2'-C3'-C4'
3	C	403	UDH	C1'-C2'-C3'-C4'
8	C	433	MES	C8-C7-N4-C3
5	A	414	GOL	O1-C1-C2-O2
5	A	414	GOL	O2-C2-C3-O3
3	C	403	UDH	C3'-C4'-C5'-C6'
5	B	408	GOL	O2-C2-C3-O3
8	C	433	MES	C8-C7-N4-C5
3	B	401	UDH	O2B-C1'-C2'-C3'
3	A	399	UDH	O2B-C1'-C2'-C3'
5	B	408	GOL	C1-C2-C3-O3
3	B	401	UDH	C2'-C3'-C4'-C5'
3	A	399	UDH	C4B-C5B-O5'-PA
3	B	401	UDH	C4B-C5B-O5'-PA
3	A	399	UDH	O4'-C4B-C5B-O5'
3	C	403	UDH	C4B-C5B-O5'-PA


There are no ring outliers.

9 monomers are involved in 24 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	411	GOL	2	0
5	C	412	GOL	2	0
7	A	432	DIO	4	0
3	B	401	UDH	1	0
7	C	431	DIO	3	0
5	B	408	GOL	3	0
3	C	403	UDH	1	0
5	B	413	GOL	2	0
8	C	433	MES	6	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	272/287 (94%)	0.14	12 (4%) 39 38	15, 24, 41, 51	0
1	B	272/287 (94%)	-0.10	7 (2%) 57 56	14, 20, 35, 47	0
1	C	272/287 (94%)	0.58	17 (6%) 26 24	18, 28, 46, 56	0
All	All	816/861 (94%)	0.21	36 (4%) 39 38	14, 24, 42, 56	0

All (36) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	220	THR	5.4
1	B	323	PHE	4.0
1	B	398	SER	4.0
1	A	342	ARG	3.5
1	C	144	GLU	3.4
1	C	219	ASP	3.4
1	C	342	ARG	3.3
1	C	398	SER	3.3
1	A	144	GLU	3.1
1	C	323	PHE	3.1
1	A	344	SER	3.1
1	C	240	ASP	2.9
1	C	347	LYS	2.9
1	B	144	GLU	2.8
1	C	364	GLU	2.8
1	C	367	LEU	2.8
1	A	345	ARG	2.7
1	B	345	ARG	2.6
1	A	146	ASN	2.6
1	C	279	SER	2.6
1	A	156	LYS	2.4
1	C	132	GLU	2.4
1	A	347	LYS	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	369	ASP	2.2
1	A	153	LEU	2.2
1	B	146	ASN	2.2
1	A	219	ASP	2.2
1	B	350	GLU	2.1
1	C	133	GLU	2.1
1	A	162	LYS	2.1
1	B	347	LYS	2.1
1	A	350	GLU	2.0
1	C	380	ASP	2.0
1	A	170	ARG	2.0
1	C	353	PRO	2.0
1	C	396	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	NAG	D	1	15/15	0.64	0.22	56,63,66,67	0
2	NAG	F	1	15/15	0.68	0.21	61,67,71,72	0
2	NAG	E	1	15/15	0.78	0.17	46,53,57,58	0
2	NAG	D	2	14/15	0.87	0.14	35,47,54,55	0
2	NAG	F	2	14/15	0.90	0.13	45,54,58,59	0
2	NAG	F	3	14/15	0.90	0.12	35,38,38,40	0
2	NAG	E	2	14/15	0.91	0.12	27,36,46,46	0
2	NAG	E	3	14/15	0.95	0.07	19,21,22,22	0
2	NAG	D	3	14/15	0.96	0.07	20,26,27,29	0




The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.


Electron density around Chain D:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around Chain E:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
8	MES	C	433	12/12	0.62	0.28	52,56,66,67	0
7	DIO	C	431	6/6	0.63	0.29	55,56,56,57	0
5	GOL	A	414	6/6	0.69	0.22	51,52,54,55	0
6	SO4	C	428	5/5	0.69	0.15	94,95,95,95	0
6	SO4	B	430	5/5	0.74	0.17	79,80,80,81	0
7	DIO	A	432	6/6	0.75	0.27	68,68,69,69	0
5	GOL	B	409	6/6	0.76	0.23	39,42,43,47	0
6	SO4	C	429	5/5	0.77	0.17	77,78,79,79	0
6	SO4	C	424	5/5	0.79	0.13	86,86,87,87	0
6	SO4	B	418	5/5	0.80	0.14	62,62,63,64	0
6	SO4	A	417	5/5	0.80	0.15	66,67,67,68	0
5	GOL	B	413	6/6	0.82	0.22	46,49,50,53	0
6	SO4	B	421	5/5	0.83	0.18	71,71,72,73	0
6	SO4	B	419	5/5	0.84	0.14	88,88,88,88	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
6	SO4	C	423	5/5	0.84	0.15	76,76,77,77	0
5	GOL	A	411	6/6	0.85	0.19	30,36,37,40	0
6	SO4	A	426	5/5	0.86	0.12	81,81,81,82	0
6	SO4	A	416	5/5	0.87	0.14	51,54,55,55	0
6	SO4	B	425	5/5	0.87	0.13	74,74,74,74	0
6	SO4	B	427	5/5	0.88	0.14	67,68,69,69	0
6	SO4	B	422	5/5	0.88	0.16	54,56,57,58	0
5	GOL	C	412	6/6	0.88	0.14	36,38,39,41	0
5	GOL	B	408	6/6	0.90	0.15	24,30,32,32	0
6	SO4	A	415	5/5	0.92	0.10	72,72,73,73	0
6	SO4	C	420	5/5	0.93	0.14	40,43,44,44	0
5	GOL	B	410	6/6	0.96	0.07	18,22,24,25	0
3	UDH	C	403	32/32	0.96	0.09	26,30,51,55	0
3	UDH	B	401	32/32	0.97	0.08	14,18,51,55	0
3	UDH	A	399	32/32	0.98	0.07	21,25,48,51	0
4	MN	C	404	1/1	0.99	0.03	31,31,31,31	0
4	MN	A	400	1/1	0.99	0.02	26,26,26,26	0
4	MN	B	402	1/1	0.99	0.02	19,19,19,19	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around UDH C 403:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around UDH B 401:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around UDH A 399:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.