



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 06:13 PM UTC

PDB ID : 1AIX / pdb_00001aix
Title : HUMAN ALPHA-THROMBIN TERNARY COMPLEX WITH EXOSITE INHIBITOR HIRUGEN AND ACTIVE SITE INHIBITOR PHCH2OCO-D-DP A-PRO-BOROVAL
Authors : Skordalakes, E.; Dodson, G.; Elgendy, S.; Goodwin, C.A.; Green, D.; Tyrrel, R.; Scully, M.F.; Freyssinet, J.; Kakkar, V.V.; Deadman, J.
Deposited on : 1997-04-30
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtrriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	L	36	
2	H	259	
3	I	12	

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 2668 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ALPHA-THROMBIN (SMALL SUBUNIT).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	L	27	Total	C	N	O	S	0	0	0
			222	140	36	45	1			

- Molecule 2 is a protein called ALPHA-THROMBIN (LARGE SUBUNIT).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	H	251	Total	C	N	O	S	0	0	0
			2017	1288	355	360	14			


- Molecule 3 is a protein called HIRUGEN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	I	10	Total	C	N	O	S	0	0	0
			89	56	10	22	1			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
I	54	GLU	GLY	conflict	UNP P28510

- Molecule 4 is PHENYLMETHYLENECARBOXY-(METHYLENEAMINO-FORMYL-DIPHENYLMETHYL)METHY-PRO-BOROVAL (CCD ID: T19) (formula: C₃₂H₃₄BN₃O₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	H	1	Total	B	C	N	O	0
			42	1	32	3	6	

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	L	40	Total	O	0	0
			40	40		
5	H	250	Total	O	0	0
			250	250		
5	I	8	Total	O	0	0
			8	8		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: ALPHA-THROMBIN (SMALL SUBUNIT)

Chain L: 




• Molecule 2: ALPHA-THROMBIN (LARGE SUBUNIT)

Chain H: 



• Molecule 3: HIRUGEN

Chain I: 



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	69.91Å 71.19Å 71.89Å 90.00° 100.29° 90.00°	Depositor
Resolution (Å)	20.00 – 2.10	Depositor
% Data completeness (in resolution range)	99.5 (20.00-2.10)	Depositor
R_{merge}	0.06	Depositor
R_{sym}	0.06	Depositor
Refinement program	REFMAC	Depositor
R, R_{free}	0.170 , 0.230	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	2668	wwPDB-VP
Average B, all atoms (Å ²)	26.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: T19, TYS

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	L	0.98	0/224	1.39	2/298 (0.7%)
2	H	1.09	6/2069 (0.3%)	1.61	30/2796 (1.1%)
3	I	1.03	0/73	2.01	2/96 (2.1%)
All	All	1.08	6/2366 (0.3%)	1.60	34/3190 (1.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	L	0	1
2	H	0	2
All	All	0	3

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	H	29	TRP	NE1-CE2	-5.58	1.31	1.37
2	H	51	TRP	NE1-CE2	-5.49	1.31	1.37
2	H	215	TRP	NE1-CE2	-5.48	1.31	1.37
2	H	207	TRP	NE1-CE2	-5.42	1.31	1.37
2	H	237	TRP	NE1-CE2	-5.30	1.31	1.37
2	H	141	TRP	NE1-CE2	-5.17	1.31	1.37

All (34) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	I	61	GLU	O-C-N	10.01	134.37	122.46
3	I	55	ASP	CA-CB-CG	8.73	121.33	112.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	80	GLU	CA-C-O	8.23	130.53	121.56
2	H	146	GLU	CA-C-N	6.81	133.96	121.70
2	H	146	GLU	C-N-CA	6.81	133.96	121.70
2	H	91	HIS	CA-CB-CG	-6.57	107.23	113.80
2	H	97	ARG	NE-CZ-NH2	-6.46	113.39	119.20
2	H	66	VAL	N-CA-CB	-6.46	103.33	111.46
2	H	180	MET	CA-C-O	-6.22	114.17	121.44
2	H	60(E)	ASP	CA-CB-CG	-6.04	106.56	112.60
2	H	245	PHE	CA-C-O	-5.73	111.05	120.80
2	H	111	PRO	CA-C-O	-5.65	114.53	121.31
2	H	232	PHE	CA-CB-CG	-5.61	108.19	113.80
2	H	181	PHE	CA-CB-CG	5.60	119.40	113.80
2	H	181	PHE	CA-C-N	-5.55	113.87	122.59
2	H	181	PHE	C-N-CA	-5.55	113.87	122.59
2	H	95	ASN	O-C-N	-5.53	116.30	122.55
2	H	185	LYS	CA-C-N	5.50	125.16	119.05
2	H	185	LYS	C-N-CA	5.50	125.16	119.05
1	L	1(A)	ASP	N-CA-C	-5.45	105.26	112.94
2	H	97	ARG	CD-NE-CZ	-5.37	116.88	124.40
2	H	146	GLU	O-C-N	5.37	127.82	122.08
2	H	126	ARG	NE-CZ-NH2	5.36	124.02	119.20
2	H	137	ARG	NE-CZ-NH2	5.34	124.01	119.20
2	H	82	ILE	CB-CG1-CD1	5.33	125.00	113.80
1	L	4	ARG	NE-CZ-NH2	5.31	123.98	119.20
2	H	165	ARG	NE-CZ-NH2	5.29	123.96	119.20
2	H	101	ARG	NE-CZ-NH1	5.29	126.79	121.50
2	H	97	ARG	CG-CD-NE	-5.09	100.80	112.00
2	H	50	ARG	NE-CZ-NH2	5.09	123.78	119.20
2	H	181	PHE	N-CA-C	-5.07	101.36	109.07
2	H	60(B)	PRO	N-CA-C	5.07	116.88	110.70
2	H	35	ARG	NE-CZ-NH2	5.04	123.73	119.20
2	H	86	GLU	CB-CG-CD	-5.03	104.05	112.60

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	H	60(B)	PRO	Mainchain
2	H	77	GLU	Mainchain
1	L	4	ARG	Mainchain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	L	222	0	225	10	0
2	H	2017	0	1980	50	0
3	I	89	0	69	1	0
4	H	42	0	34	7	0
5	H	250	0	0	21	1
5	I	8	0	0	1	0
5	L	40	0	0	3	0
All	All	2668	0	2308	59	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (59) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:239:GLN:HG3	5:H:487:HOH:O	1.66	0.94
2:H:40:LEU:HD22	5:H:379:HOH:O	1.67	0.94
2:H:144:LEU:HB2	2:H:149(E):LYS:O	1.69	0.93
2:H:165:ARG:HD3	5:H:440:HOH:O	1.68	0.90
2:H:33:LEU:HD21	2:H:106:MET:HE1	1.57	0.84
2:H:139:THR:HG22	2:H:157:VAL:HG22	1.72	0.70
2:H:217:GLU:HG2	4:H:3:T19:C35	2.22	0.69
1:L:13:GLU:OE1	5:L:286:HOH:O	2.12	0.68
2:H:221:ARG:NE	5:H:397:HOH:O	2.27	0.67
2:H:221:ARG:CZ	5:H:397:HOH:O	2.44	0.66
1:L:1(A):ASP:OD1	1:L:1(A):ASP:O	2.15	0.64
2:H:236:LYS:HB2	5:H:378:HOH:O	1.96	0.63
2:H:40:LEU:HD13	5:H:379:HOH:O	1.98	0.63
2:H:36:LYS:NZ	5:H:404:HOH:O	2.29	0.62
2:H:60(A):TYR:CZ	4:H:3:T19:H7B	2.35	0.61
2:H:217:GLU:HG2	4:H:3:T19:C36	2.32	0.59
1:L:1:CYS:C	2:H:122:CYS:SG	2.86	0.59
1:L:14(H):GLU:OE2	5:L:138:HOH:O	2.17	0.58
2:H:40:LEU:CD2	5:H:379:HOH:O	2.38	0.58
2:H:60(E):ASP:OD2	5:H:425:HOH:O	2.17	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:165:ARG:CD	5:H:440:HOH:O	2.35	0.56
1:L:14(A):LYS:HB2	5:H:416:HOH:O	2.07	0.55
1:L:14(K):ILE:HD11	5:H:390:HOH:O	2.06	0.55
2:H:33:LEU:CD2	2:H:106:MET:HE1	2.35	0.54
2:H:136:GLY:HA3	2:H:199:PHE:CZ	2.43	0.53
2:H:195:SER:OG	4:H:3:T19:H3	2.09	0.52
2:H:33:LEU:HD11	2:H:106:MET:HE1	1.94	0.49
2:H:204(B):ASN:C	2:H:204(B):ASN:HD22	2.21	0.48
2:H:16:ILE:N	2:H:194:ASP:OD2	2.46	0.48
2:H:41:LEU:O	2:H:42:CYS:SG	2.72	0.48
1:L:1:CYS:O	2:H:122:CYS:SG	2.71	0.48
2:H:215:TRP:HA	4:H:3:T19:H22A	1.96	0.47
2:H:201:MET:SD	2:H:210:MET:HG3	2.54	0.47
2:H:143:ASN:ND2	2:H:192:GLU:HB3	2.28	0.47
2:H:40:LEU:CD1	5:H:379:HOH:O	2.60	0.47
2:H:169:LYS:NZ	5:H:440:HOH:O	2.42	0.47
2:H:136:GLY:HA3	2:H:199:PHE:CE1	2.50	0.47
2:H:22:ALA:HB2	2:H:157:VAL:HG23	1.96	0.46
2:H:129(C):LEU:O	2:H:201:MET:HE1	2.15	0.46
2:H:186(D):LYS:NZ	5:H:448:HOH:O	2.35	0.46
2:H:146:GLU:OE2	2:H:221:ARG:NH2	2.47	0.45
1:L:5:PRO:HA	1:L:9:LYS:HD3	1.99	0.45
2:H:36:LYS:CE	5:H:404:HOH:O	2.64	0.44
2:H:60(A):TYR:CE2	4:H:3:T19:H7B	2.53	0.44
2:H:127:GLU:O	2:H:129(B):SER:OG	2.30	0.44
2:H:35:ARG:HB2	2:H:41:LEU:HD21	1.99	0.44
1:L:14(D):ARG:NH2	5:L:217:HOH:O	2.52	0.43
2:H:99:LEU:O	2:H:102:ASP:HB2	2.19	0.43
2:H:29:TRP:CG	2:H:121:VAL:HB	2.53	0.43
2:H:221:ARG:CD	5:H:397:HOH:O	2.67	0.42
2:H:36:LYS:HE2	5:I:352:HOH:O	2.18	0.42
1:L:14(K):ILE:CD1	5:H:390:HOH:O	2.66	0.42
2:H:144:LEU:HD21	2:H:152:PRO:HB3	2.02	0.42
2:H:57:HIS:CD2	4:H:3:T19:H7A	2.54	0.41
2:H:217:GLU:HG3	5:H:280:HOH:O	2.19	0.41
3:I:59:ILE:O	3:I:60:PRO:C	2.62	0.41
2:H:35:ARG:O	2:H:38:GLN:HA	2.21	0.41
2:H:60(G):ASN:ND2	5:H:377:HOH:O	2.53	0.41
2:H:61:GLU:OE2	2:H:87:LYS:HD2	2.21	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:H:393:HOH:O	5:H:393:HOH:O[2_556]	2.17	0.03

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	H	102/259 (39%)	97 (95%)	5 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	L	25/31 (81%)	25 (100%)	0	100	100
2	H	216/225 (96%)	204 (94%)	12 (6%)	19	18
3	I	8/11 (73%)	7 (88%)	1 (12%)	4	2
All	All	249/267 (93%)	236 (95%)	13 (5%)	21	20

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	H	40	LEU
2	H	50	ARG
2	H	64	LEU
2	H	66	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	H	99	LEU
2	H	129(B)	SER
2	H	129(C)	LEU
2	H	145	LYS
2	H	169	LYS
2	H	185	LYS
2	H	233	ARG
2	H	235	LYS
3	I	62	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
2	H	38	GLN
2	H	204(B)	ASN
2	H	205	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	TYS	I	63	3	15,16,17	3.07	2 (13%)	15,22,24	2.55	2 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	TYS	I	63	3	-	0/10/11/13	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	I	63	TYS	OH-S	10.87	1.79	1.58
3	I	63	TYS	OH-CZ	-4.01	1.36	1.42

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	I	63	TYS	OH-S-O2	-7.56	84.53	107.56
3	I	63	TYS	OH-S-O1	5.58	124.57	107.56

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	T19	H	3	-	40,45,45	5.87	24 (60%)	48,61,61	4.65	16 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	T19	H	3	-	-	6/40/45/45	0/4/4/4

All (24) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	H	3	T19	O6-C6	18.71	1.59	1.23
4	H	3	T19	C7-N8	15.62	1.61	1.40
4	H	3	T19	C7C-C7B	12.09	1.63	1.37
4	H	3	T19	C7C-N8	11.74	1.58	1.39
4	H	3	T19	O9-C9	11.68	1.43	1.22
4	H	3	T19	C7A-C7	9.76	1.66	1.42
4	H	3	T19	C7B-C7A	5.92	1.71	1.42
4	H	3	T19	C13-N12	5.74	1.49	1.34
4	H	3	T19	C26-C21	5.34	1.47	1.39
4	H	3	T19	C33-C32	5.15	1.47	1.38
4	H	3	T19	C35-C36	4.41	1.46	1.38
4	H	3	T19	C32-C31	4.06	1.45	1.39
4	H	3	T19	C25-C26	3.78	1.45	1.38
4	H	3	T19	C34-C33	3.61	1.46	1.38
4	H	3	T19	C23-C22	3.26	1.44	1.38
4	H	3	T19	C6-N5	-3.01	1.27	1.34
4	H	3	T19	C23-C24	2.95	1.44	1.38
4	H	3	T19	C9-N8	-2.72	1.33	1.38
4	H	3	T19	C24-C25	2.59	1.43	1.38
4	H	3	T19	O14-C15	-2.55	1.40	1.45
4	H	3	T19	C35-C34	2.55	1.43	1.38
4	H	3	T19	C36-C31	2.32	1.42	1.39
4	H	3	T19	C21-C11	2.25	1.55	1.52
4	H	3	T19	O13-C13	2.01	1.25	1.21

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	H	3	T19	C7C-N8-C7	21.73	123.33	108.70
4	H	3	T19	C7B-C7C-N8	-10.43	95.79	107.88
4	H	3	T19	C7A-C7-N8	-9.75	100.01	107.19
4	H	3	T19	O6-C6-N5	-8.36	108.37	123.09
4	H	3	T19	O13-C13-N12	-7.72	112.21	124.86
4	H	3	T19	C7C-C7B-C7A	6.06	113.34	107.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	H	3	T19	O14-C13-O13	5.98	135.74	124.26
4	H	3	T19	C7A-C7-C6	-5.64	110.42	128.62
4	H	3	T19	O9-C9-C10	-4.68	111.16	119.96
4	H	3	T19	C15-O14-C13	-4.35	106.14	115.93
4	H	3	T19	C7B-C7A-C7	-3.47	104.25	107.29
4	H	3	T19	C7C-N8-C9	-3.02	121.00	127.24
4	H	3	T19	C3-C4-N5	-2.92	106.27	110.95
4	H	3	T19	C22-C21-C26	2.59	121.52	118.30
4	H	3	T19	C10-N12-C13	2.10	125.52	120.92
4	H	3	T19	C2-C3-C1	-2.07	104.89	110.58

There are no chirality outliers.

All (6) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	H	3	T19	O6-C6-C7-C7A
4	H	3	T19	N5-C6-C7-C7A
4	H	3	T19	N5-C6-C7-N8
4	H	3	T19	C3-C4-N5-C6
4	H	3	T19	C10-C9-N8-C7
4	H	3	T19	O13-C13-O14-C15

There are no ring outliers.

1 monomer is involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	H	3	T19	7	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.