



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 08:39 PM UTC

PDB ID : 3AIK / pdb_00003aik
Title : Crystal structure of a HSL-like carboxylesterase from *Sulfolobus tokodaii*
Authors : Angkawidjaja, C.; Kanaya, S.
Deposited on : 2010-05-16
Resolution : 1.95 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3494 (1.96-1.96)
Clashscore	190562	3612 (1.96-1.96)
Ramachandran outliers	187476	3587 (1.96-1.96)
Sidechain outliers	187428	3587 (1.96-1.96)
RSRZ outliers	180081	3495 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	323	2% 74% 12% 12%
1	B	323	3% 77% 9% 12%
1	C	323	4% 74% 13% 12%
1	D	323	5% 74% 11% 12%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	MPD	A	304	-	-	X	-
2	MPD	B	304	-	-	X	-
2	MPD	B	305	-	-	X	-

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 9684 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 303aa long hypothetical esterase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	283	Total	C	N	O	S	0	0	0
			2237	1449	368	417	3			
1	B	283	Total	C	N	O	S	0	0	0
			2237	1449	368	417	3			
1	C	283	Total	C	N	O	S	0	0	0
			2237	1449	368	417	3			
1	D	283	Total	C	N	O	S	0	0	0
			2237	1449	368	417	3			

There are 80 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	expression tag	UNP Q976W8
A	-18	GLY	-	expression tag	UNP Q976W8
A	-17	SER	-	expression tag	UNP Q976W8
A	-16	SER	-	expression tag	UNP Q976W8
A	-15	HIS	-	expression tag	UNP Q976W8
A	-14	HIS	-	expression tag	UNP Q976W8
A	-13	HIS	-	expression tag	UNP Q976W8
A	-12	HIS	-	expression tag	UNP Q976W8
A	-11	HIS	-	expression tag	UNP Q976W8
A	-10	HIS	-	expression tag	UNP Q976W8
A	-9	SER	-	expression tag	UNP Q976W8
A	-8	SER	-	expression tag	UNP Q976W8
A	-7	GLY	-	expression tag	UNP Q976W8
A	-6	LEU	-	expression tag	UNP Q976W8
A	-5	VAL	-	expression tag	UNP Q976W8
A	-4	PRO	-	expression tag	UNP Q976W8
A	-3	ARG	-	expression tag	UNP Q976W8
A	-2	GLY	-	expression tag	UNP Q976W8
A	-1	SER	-	expression tag	UNP Q976W8
A	0	HIS	-	expression tag	UNP Q976W8
B	-19	MET	-	expression tag	UNP Q976W8

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	-18	GLY	-	expression tag	UNP Q976W8
B	-17	SER	-	expression tag	UNP Q976W8
B	-16	SER	-	expression tag	UNP Q976W8
B	-15	HIS	-	expression tag	UNP Q976W8
B	-14	HIS	-	expression tag	UNP Q976W8
B	-13	HIS	-	expression tag	UNP Q976W8
B	-12	HIS	-	expression tag	UNP Q976W8
B	-11	HIS	-	expression tag	UNP Q976W8
B	-10	HIS	-	expression tag	UNP Q976W8
B	-9	SER	-	expression tag	UNP Q976W8
B	-8	SER	-	expression tag	UNP Q976W8
B	-7	GLY	-	expression tag	UNP Q976W8
B	-6	LEU	-	expression tag	UNP Q976W8
B	-5	VAL	-	expression tag	UNP Q976W8
B	-4	PRO	-	expression tag	UNP Q976W8
B	-3	ARG	-	expression tag	UNP Q976W8
B	-2	GLY	-	expression tag	UNP Q976W8
B	-1	SER	-	expression tag	UNP Q976W8
B	0	HIS	-	expression tag	UNP Q976W8
C	-19	MET	-	expression tag	UNP Q976W8
C	-18	GLY	-	expression tag	UNP Q976W8
C	-17	SER	-	expression tag	UNP Q976W8
C	-16	SER	-	expression tag	UNP Q976W8
C	-15	HIS	-	expression tag	UNP Q976W8
C	-14	HIS	-	expression tag	UNP Q976W8
C	-13	HIS	-	expression tag	UNP Q976W8
C	-12	HIS	-	expression tag	UNP Q976W8
C	-11	HIS	-	expression tag	UNP Q976W8
C	-10	HIS	-	expression tag	UNP Q976W8
C	-9	SER	-	expression tag	UNP Q976W8
C	-8	SER	-	expression tag	UNP Q976W8
C	-7	GLY	-	expression tag	UNP Q976W8
C	-6	LEU	-	expression tag	UNP Q976W8
C	-5	VAL	-	expression tag	UNP Q976W8
C	-4	PRO	-	expression tag	UNP Q976W8
C	-3	ARG	-	expression tag	UNP Q976W8
C	-2	GLY	-	expression tag	UNP Q976W8
C	-1	SER	-	expression tag	UNP Q976W8
C	0	HIS	-	expression tag	UNP Q976W8
D	-19	MET	-	expression tag	UNP Q976W8
D	-18	GLY	-	expression tag	UNP Q976W8
D	-17	SER	-	expression tag	UNP Q976W8

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-16	SER	-	expression tag	UNP Q976W8
D	-15	HIS	-	expression tag	UNP Q976W8
D	-14	HIS	-	expression tag	UNP Q976W8
D	-13	HIS	-	expression tag	UNP Q976W8
D	-12	HIS	-	expression tag	UNP Q976W8
D	-11	HIS	-	expression tag	UNP Q976W8
D	-10	HIS	-	expression tag	UNP Q976W8
D	-9	SER	-	expression tag	UNP Q976W8
D	-8	SER	-	expression tag	UNP Q976W8
D	-7	GLY	-	expression tag	UNP Q976W8
D	-6	LEU	-	expression tag	UNP Q976W8
D	-5	VAL	-	expression tag	UNP Q976W8
D	-4	PRO	-	expression tag	UNP Q976W8
D	-3	ARG	-	expression tag	UNP Q976W8
D	-2	GLY	-	expression tag	UNP Q976W8
D	-1	SER	-	expression tag	UNP Q976W8
D	0	HIS	-	expression tag	UNP Q976W8

- Molecule 2 is (4S)-2-METHYL-2,4-PENTANEDIOL (CCD ID: MPD) (formula: C₆H₁₄O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			8	6	2		
2	B	1	Total	C	O	0	0
			8	6	2		
2	B	1	Total	C	O	0	0
			8	6	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	B	1	Total	C	O	0	0
			8	6	2		

- Molecule 3 is (4R)-2-METHYLPENTANE-2,4-DIOL (CCD ID: MRD) (formula: C₆H₁₄O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			8	6	2		
3	C	1	Total	C	O	0	0
			8	6	2		
3	C	1	Total	C	O	0	0
			8	6	2		
3	C	1	Total	C	O	0	0
			8	6	2		
3	D	1	Total	C	O	0	0
			8	6	2		
3	D	1	Total	C	O	0	0
			8	6	2		

- Molecule 4 is PHOSPHATE ION (CCD ID: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	O	P	0	0
			5	4	1		
4	A	1	Total	O	P	0	0
			5	4	1		
4	B	1	Total	O	P	0	0
			5	4	1		
4	C	1	Total	O	P	0	0
			5	4	1		
4	D	1	Total	O	P	0	0
			5	4	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	176	Total	O	0	0
			176	176		
5	B	161	Total	O	0	0
			161	161		
5	C	175	Total	O	0	0
			175	175		
5	D	119	Total	O	0	0
			119	119		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 303aa long hypothetical esterase




- Molecule 1: 303aa long hypothetical esterase





- Molecule 1: 303aa long hypothetical esterase





● Molecule 1: 303aa long hypothetical esterase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	76.33Å 114.75Å 102.21Å 90.00° 108.84° 90.00°	Depositor
Resolution (Å)	44.28 – 1.95 44.28 – 1.95	Depositor EDS
% Data completeness (in resolution range)	99.0 (44.28-1.95) 98.9 (44.28-1.95)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	0.06	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.11 (at 1.95Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.159 , 0.194 0.166 , 0.199	Depositor DCC
R_{free} test set	6045 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	24.7	Xtriage
Anisotropy	0.049	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 43.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	9684	wwPDB-VP
Average B, all atoms (Å ²)	26.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.45% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MPD, MRD, PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.92	10/2292 (0.4%)	0.77	1/3108 (0.0%)
1	B	0.83	3/2292 (0.1%)	0.75	0/3108
1	C	0.82	6/2292 (0.3%)	0.76	1/3108 (0.0%)
1	D	0.81	3/2292 (0.1%)	0.77	0/3108
All	All	0.85	22/9168 (0.2%)	0.76	2/12432 (0.0%)

All (22) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	183	ASP	C-N	-9.42	1.21	1.33
1	A	184	LEU	C-N	-9.21	1.25	1.33
1	A	254	ASN	C-O	-7.28	1.15	1.24
1	C	150	SER	C-O	-6.21	1.18	1.24
1	C	176	ILE	C-O	-6.12	1.17	1.24
1	C	183	ASP	C-O	-6.06	1.17	1.23
1	B	177	TYR	C-O	-5.81	1.16	1.24
1	D	57	ILE	C-O	-5.77	1.18	1.24
1	D	177	TYR	C-O	-5.74	1.16	1.24
1	A	128	LEU	C-O	-5.72	1.17	1.24
1	C	185	ILE	C-O	-5.64	1.17	1.24
1	D	183	ASP	C-O	-5.64	1.17	1.23
1	A	266	VAL	C-O	-5.55	1.18	1.24
1	A	41	GLU	C-O	-5.49	1.17	1.23
1	C	30	PHE	C-O	-5.38	1.17	1.24
1	B	171	LYS	C-O	-5.36	1.17	1.24
1	A	230	ASN	CB-CG	-5.19	1.39	1.52
1	A	151	ALA	C-O	-5.17	1.18	1.24
1	C	151	ALA	C-O	-5.10	1.18	1.24
1	A	230	ASN	C-O	-5.09	1.17	1.23
1	A	177	TYR	C-O	-5.05	1.17	1.24
1	B	151	ALA	C-O	-5.01	1.17	1.24

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	184	LEU	O-C-N	-5.23	115.86	122.19
1	C	185	ILE	N-CA-C	5.01	119.77	109.34

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2237	0	2205	37	0
1	B	2237	0	2205	45	0
1	C	2237	0	2207	40	0
1	D	2237	0	2205	40	0
2	A	8	0	14	6	0
2	B	24	0	42	17	0
3	A	8	0	14	5	0
3	C	24	0	42	11	0
3	D	16	0	28	3	0
4	A	10	0	0	0	0
4	B	5	0	0	0	0
4	C	5	0	0	0	0
4	D	5	0	0	0	0
5	A	176	0	0	5	0
5	B	161	0	0	2	0
5	C	175	0	0	4	0
5	D	119	0	0	2	0
All	All	9684	0	8962	145	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (145) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:218:LEU:HD22	1:D:218:LEU:CD2	1.78	1.13
3:C:306:MRD:HMC2	3:C:306:MRD:O4	1.51	1.08
3:C:304:MRD:HMC2	3:C:304:MRD:H5C3	1.26	1.07
1:B:266:VAL:CG1	1:C:266:VAL:CG1	2.33	1.07
1:C:218:LEU:HD22	1:D:218:LEU:HD21	1.36	1.04
1:C:41:GLU:HG2	5:C:761:HOH:O	1.59	1.02
1:B:266:VAL:CG1	1:C:266:VAL:HG13	1.90	0.98
1:B:266:VAL:HG13	1:C:266:VAL:CG1	1.92	0.96
1:B:270:ASN:HD21	1:C:254:ASN:ND2	1.63	0.96
1:B:270:ASN:HD21	1:C:254:ASN:HD21	0.92	0.91
3:C:306:MRD:O4	3:C:306:MRD:CM	2.22	0.88
1:B:254:ASN:HD21	1:C:270:ASN:HD21	1.19	0.87
1:B:270:ASN:ND2	1:C:254:ASN:HD21	1.72	0.87
1:C:218:LEU:CD2	1:D:218:LEU:CD2	2.52	0.86
1:B:89:TYR:OH	2:B:306:MPD:H11	1.74	0.86
2:B:304:MPD:H52	2:B:304:MPD:H12	1.57	0.86
2:A:304:MPD:HM2	2:A:304:MPD:H52	1.58	0.85
3:C:304:MRD:HMC2	3:C:304:MRD:C5	2.08	0.83
3:C:305:MRD:H1C2	5:C:509:HOH:O	1.80	0.81
1:B:37:THR:OG1	2:B:305:MPD:H13	1.82	0.80
1:B:270:ASN:ND2	1:C:254:ASN:ND2	2.30	0.80
3:C:304:MRD:H5C3	3:C:304:MRD:CM	2.11	0.78
3:C:306:MRD:H4	5:C:410:HOH:O	1.83	0.77
1:B:34:SER:OG	2:B:305:MPD:H11	1.84	0.76
1:A:137:LYS:HE3	5:A:394:HOH:O	1.85	0.76
2:A:304:MPD:HM2	2:A:304:MPD:C5	2.16	0.76
1:D:31:LYS:HG3	5:D:470:HOH:O	1.86	0.75
1:C:128:LEU:HD22	1:C:159:THR:HG22	1.69	0.75
1:D:262:GLN:HG3	5:D:317:HOH:O	1.86	0.75
1:A:81:PHE:HE2	2:A:304:MPD:H53	1.53	0.74
1:A:266:VAL:HG13	1:D:266:VAL:CG1	2.17	0.74
3:A:305:MRD:C1	1:B:182:PHE:HD1	2.01	0.74
1:B:266:VAL:HG11	1:C:266:VAL:HG11	1.70	0.74
1:C:128:LEU:HD22	1:C:159:THR:CG2	2.19	0.73
2:B:304:MPD:H12	2:B:304:MPD:C5	2.18	0.73
1:A:270:ASN:HD21	1:D:254:ASN:HD21	1.39	0.71
1:B:266:VAL:HG11	1:C:266:VAL:CG1	2.21	0.70
3:D:305:MRD:O2	3:D:305:MRD:H5C3	1.92	0.70
1:B:266:VAL:HG12	1:C:266:VAL:HG13	1.74	0.70
1:A:128:LEU:HD22	1:A:159:THR:CG2	2.21	0.69
1:A:37:THR:HG23	1:A:280:PRO:HG2	1.73	0.69
1:B:136:GLU:H	1:B:136:GLU:CD	2.00	0.69

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:128:LEU:HD22	1:A:159:THR:HG22	1.75	0.69
1:B:254:ASN:HD21	1:C:270:ASN:ND2	1.90	0.69
1:D:22:SER:O	1:D:26:ILE:HG22	1.92	0.68
1:D:245:LEU:HD11	3:D:304:MRD:HMC3	1.76	0.68
1:B:277:SER:OG	2:B:306:MPD:H12	1.94	0.68
1:B:266:VAL:CG1	1:C:266:VAL:HG11	2.19	0.67
1:A:266:VAL:CG1	1:D:266:VAL:HG13	2.24	0.67
3:C:306:MRD:HMC2	3:C:306:MRD:HA	1.58	0.66
1:C:218:LEU:CD2	1:D:218:LEU:HD22	2.24	0.66
1:A:266:VAL:HG13	1:D:266:VAL:HG13	1.77	0.66
1:A:266:VAL:CG1	1:D:266:VAL:CG1	2.74	0.66
1:A:270:ASN:ND2	1:D:254:ASN:HD21	1.94	0.64
1:A:218:LEU:HD22	1:B:218:LEU:HD22	1.79	0.64
1:B:254:ASN:ND2	1:C:270:ASN:HD21	1.93	0.64
1:D:44:LYS:HG2	1:D:63:TYR:HB2	1.80	0.64
1:D:136:GLU:H	1:D:136:GLU:CD	2.07	0.63
3:A:305:MRD:H1C1	1:B:182:PHE:HD1	1.63	0.62
2:B:305:MPD:H12	2:B:305:MPD:H52	1.83	0.61
1:B:286:ARG:HD2	1:C:294:TYR:OH	2.00	0.61
2:B:304:MPD:H51	5:B:526:HOH:O	1.98	0.61
1:B:266:VAL:HG13	1:C:266:VAL:HG12	1.81	0.60
1:D:43:GLY:C	1:D:44:LYS:HD3	2.27	0.60
1:C:262:GLN:HG3	5:C:332:HOH:O	2.01	0.60
1:A:137:LYS:CE	5:A:394:HOH:O	2.45	0.59
1:A:270:ASN:HD21	1:D:254:ASN:ND2	2.01	0.59
1:D:257:LEU:HG	1:D:263:VAL:HG13	1.86	0.57
3:A:305:MRD:H1C1	1:B:182:PHE:CD1	2.40	0.57
3:C:305:MRD:H1C1	3:C:305:MRD:O4	2.03	0.56
1:D:21:ALA:HA	1:D:25:GLU:OE2	2.05	0.56
1:A:128:LEU:CD2	1:A:159:THR:CG2	2.84	0.55
1:B:81:PHE:HE2	2:B:304:MPD:H53	1.70	0.55
1:A:245:LEU:HD11	2:A:304:MPD:H13	1.87	0.55
1:D:44:LYS:HE2	1:D:63:TYR:HB3	1.88	0.55
1:A:128:LEU:CD2	1:A:159:THR:HG22	2.38	0.54
1:A:228:ASP:OD1	1:A:230:ASN:ND2	2.41	0.54
1:B:196:PHE:O	1:B:197:PHE:HB3	2.08	0.53
2:A:304:MPD:H51	5:A:347:HOH:O	2.07	0.53
1:B:254:ASN:ND2	1:C:270:ASN:ND2	2.55	0.52
1:D:279:PHE:CG	1:D:280:PRO:HD3	2.47	0.50
1:A:37:THR:HG23	1:A:280:PRO:CG	2.39	0.50
1:A:270:ASN:ND2	1:D:254:ASN:ND2	2.58	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:58:LYS:HZ1	1:C:108:ASP:CG	2.21	0.49
1:A:241:GLU:HB2	1:A:269:ASN:HA	1.95	0.48
1:D:128:LEU:O	1:D:128:LEU:HG	1.98	0.48
1:B:91:PRO:HG2	2:B:305:MPD:H12	1.96	0.48
1:D:196:PHE:O	1:D:197:PHE:HB3	2.13	0.47
1:D:279:PHE:CD2	1:D:280:PRO:HD3	2.50	0.47
1:A:81:PHE:CE2	2:A:304:MPD:H53	2.41	0.47
1:B:37:THR:CB	2:B:305:MPD:H13	2.45	0.47
1:C:245:LEU:HD11	3:C:304:MRD:H1C3	1.96	0.47
1:C:82:VAL:HG12	1:C:83:LEU:HD23	1.96	0.47
1:A:205:TRP:O	1:A:209:GLN:HG2	2.15	0.46
1:B:67:GLN:HG2	5:B:503:HOH:O	2.15	0.46
1:A:161:ILE:O	1:A:165:LYS:HG3	2.15	0.46
1:A:269:ASN:ND2	5:A:393:HOH:O	2.48	0.46
1:D:151:ALA:O	1:D:154:ASN:HB3	2.16	0.46
1:C:37:THR:HG22	1:C:38:PRO:O	2.16	0.46
1:B:92:LEU:H	2:B:305:MPD:H51	1.81	0.46
1:D:41:GLU:CD	1:D:41:GLU:H	2.23	0.45
1:C:257:LEU:HG	1:C:263:VAL:CG1	2.46	0.45
1:A:294:TYR:OH	1:D:286:ARG:HD2	2.16	0.45
1:D:26:ILE:HD11	1:D:83:LEU:CD2	2.47	0.45
1:A:218:LEU:HD21	1:B:215:ALA:HA	1.99	0.44
1:B:151:ALA:HB2	2:B:304:MPD:H11	1.99	0.44
1:A:279:PHE:CD2	1:A:280:PRO:HD3	2.52	0.44
1:A:257:LEU:HG	1:A:263:VAL:CG1	2.48	0.44
3:A:305:MRD:C1	1:B:182:PHE:CD1	2.90	0.44
1:C:187:LYS:HA	1:C:187:LYS:HD3	1.82	0.44
1:B:89:TYR:CZ	2:B:306:MPD:H11	2.51	0.43
1:B:294:TYR:OH	1:C:286:ARG:HD2	2.18	0.43
1:A:200:ARG:HD3	5:A:372:HOH:O	2.18	0.43
1:A:215:ALA:HA	1:B:218:LEU:HD21	2.00	0.43
1:A:286:ARG:HD2	1:D:294:TYR:OH	2.19	0.43
1:C:77:HIS:HB2	1:C:89:TYR:CD2	2.53	0.43
1:D:279:PHE:N	1:D:280:PRO:CD	2.81	0.43
1:D:149:ASP:HA	1:D:176:ILE:HB	2.00	0.43
1:D:205:TRP:O	1:D:209:GLN:HG2	2.19	0.43
1:A:171:LYS:HA	1:A:171:LYS:HD3	1.82	0.43
1:B:112:ALA:HB1	1:B:113:PRO:HA	2.00	0.43
1:C:218:LEU:HD21	1:D:218:LEU:HD22	2.01	0.43
1:A:136:GLU:OE2	1:A:141:LYS:NZ	2.45	0.43
1:C:100:CYS:SG	1:C:296:LEU:HD12	2.59	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:67:GLN:HG2	1:B:67:GLN:H	1.73	0.43
1:B:39:ARG:CZ	1:B:91:PRO:HG3	2.49	0.42
1:A:112:ALA:HB1	1:A:113:PRO:HA	2.00	0.42
1:A:232:LEU:HB3	1:A:233:PRO:HD2	2.01	0.42
1:C:226:LEU:HD21	3:C:306:MRD:H5C1	2.01	0.42
1:C:279:PHE:N	1:C:280:PRO:CD	2.82	0.42
1:B:34:SER:CB	2:B:305:MPD:H11	2.49	0.42
2:B:304:MPD:C5	2:B:304:MPD:C1	2.92	0.42
1:D:44:LYS:HE2	1:D:63:TYR:CB	2.49	0.42
1:B:239:THR:HG21	1:B:250:GLU:HG3	2.01	0.42
1:D:208:GLN:HA	3:D:305:MRD:H5C2	2.02	0.42
1:B:128:LEU:C	1:B:128:LEU:HD13	2.45	0.42
1:C:257:LEU:HG	1:C:263:VAL:HG13	2.02	0.41
3:A:305:MRD:H1C2	3:A:305:MRD:H4	1.48	0.41
1:D:141:LYS:H	1:D:141:LYS:HG2	1.60	0.41
1:D:241:GLU:HB2	1:D:269:ASN:HA	2.03	0.41
1:A:279:PHE:CG	1:A:280:PRO:HD3	2.57	0.40
1:C:147:GLY:HA2	1:C:174:VAL:O	2.21	0.40
1:D:26:ILE:HD11	1:D:83:LEU:HD22	2.03	0.40
1:B:277:SER:CB	2:B:306:MPD:H12	2.52	0.40
1:C:240:ALA:HB3	1:C:243:ASP:HB2	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	281/323 (87%)	270 (96%)	11 (4%)	0	100	100
1	B	281/323 (87%)	269 (96%)	12 (4%)	0	100	100
1	C	281/323 (87%)	267 (95%)	14 (5%)	0	100	100
1	D	281/323 (87%)	270 (96%)	11 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
All	All	1124/1292 (87%)	1076 (96%)	48 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	239/275 (87%)	231 (97%)	8 (3%)	33	24
1	B	239/275 (87%)	229 (96%)	10 (4%)	26	16
1	C	239/275 (87%)	227 (95%)	12 (5%)	22	11
1	D	239/275 (87%)	224 (94%)	15 (6%)	16	6
All	All	956/1100 (87%)	911 (95%)	45 (5%)	23	12

All (45) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	65	LYS
1	A	108	ASP
1	A	187	LYS
1	A	218	LEU
1	A	230	ASN
1	A	262	GLN
1	A	263	VAL
1	A	303	LYS
1	B	24	GLU
1	B	65	LYS
1	B	67	GLN
1	B	83	LEU
1	B	108	ASP
1	B	128	LEU
1	B	136	GLU
1	B	139	ASN
1	B	166	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	218	LEU
1	C	25	GLU
1	C	35	SER
1	C	36	LEU
1	C	65	LYS
1	C	83	LEU
1	C	139	ASN
1	C	165	LYS
1	C	169	LYS
1	C	187	LYS
1	C	218	LEU
1	C	263	VAL
1	C	281	PHE
1	D	25	GLU
1	D	26	ILE
1	D	31	LYS
1	D	35	SER
1	D	41	GLU
1	D	44	LYS
1	D	65	LYS
1	D	83	LEU
1	D	108	ASP
1	D	139	ASN
1	D	141	LYS
1	D	165	LYS
1	D	218	LEU
1	D	230	ASN
1	D	263	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (34) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	139	ASN
1	A	167	ASN
1	A	173	GLN
1	A	192	ASN
1	A	230	ASN
1	A	242	HIS
1	A	254	ASN
1	A	262	GLN
1	A	269	ASN
1	A	270	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	67	GLN
1	B	139	ASN
1	B	192	ASN
1	B	230	ASN
1	B	254	ASN
1	B	262	GLN
1	B	269	ASN
1	B	270	ASN
1	C	32	GLN
1	C	139	ASN
1	C	173	GLN
1	C	192	ASN
1	C	209	GLN
1	C	269	ASN
1	C	270	ASN
1	D	139	ASN
1	D	154	ASN
1	D	192	ASN
1	D	209	GLN
1	D	230	ASN
1	D	254	ASN
1	D	262	GLN
1	D	269	ASN
1	D	270	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

15 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	MRD	C	304	-	7,7,7	0.40	0	9,10,10	0.60	0
3	MRD	C	306	-	7,7,7	0.27	0	9,10,10	0.25	0
2	MPD	B	304	-	7,7,7	0.40	0	9,10,10	0.48	0
4	PO4	A	306	-	4,4,4	0.95	0	6,6,6	0.58	0
4	PO4	D	306	-	4,4,4	0.85	0	6,6,6	0.63	0
4	PO4	B	307	-	4,4,4	0.91	0	6,6,6	0.42	0
4	PO4	C	307	-	4,4,4	0.91	0	6,6,6	0.56	0
3	MRD	D	304	-	7,7,7	0.25	0	9,10,10	0.23	0
2	MPD	B	306	-	7,7,7	0.25	0	9,10,10	0.42	0
3	MRD	C	305	-	7,7,7	0.24	0	9,10,10	0.30	0
3	MRD	D	305	-	7,7,7	0.26	0	9,10,10	0.34	0
4	PO4	A	307	-	4,4,4	0.89	0	6,6,6	0.73	0
2	MPD	A	304	-	7,7,7	0.39	0	9,10,10	0.38	0
3	MRD	A	305	-	7,7,7	0.23	0	9,10,10	0.34	0
2	MPD	B	305	-	7,7,7	0.25	0	9,10,10	0.61	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	MRD	C	304	-	-	4/5/5/5	-
3	MRD	C	306	-	-	4/5/5/5	-
2	MPD	B	304	-	-	0/5/5/5	-
3	MRD	D	304	-	-	0/5/5/5	-
2	MPD	B	306	-	-	0/5/5/5	-
3	MRD	C	305	-	-	1/5/5/5	-
3	MRD	D	305	-	-	3/5/5/5	-
2	MPD	A	304	-	-	1/5/5/5	-
3	MRD	A	305	-	-	2/5/5/5	-
2	MPD	B	305	-	-	2/5/5/5	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (17) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	305	MRD	C2-C3-C4-O4
3	A	305	MRD	C2-C3-C4-C5
3	C	304	MRD	C2-C3-C4-O4
3	C	304	MRD	C2-C3-C4-C5
3	C	306	MRD	CM-C2-C3-C4
2	A	304	MPD	O2-C2-C3-C4
3	C	305	MRD	O2-C2-C3-C4
3	C	304	MRD	CM-C2-C3-C4
3	C	306	MRD	C1-C2-C3-C4
3	D	305	MRD	C1-C2-C3-C4
3	D	305	MRD	CM-C2-C3-C4
2	B	305	MPD	C2-C3-C4-C5
3	C	306	MRD	C2-C3-C4-C5
3	D	305	MRD	O2-C2-C3-C4
3	C	306	MRD	C2-C3-C4-O4
2	B	305	MPD	C1-C2-C3-C4
3	C	304	MRD	C1-C2-C3-C4

There are no ring outliers.

10 monomers are involved in 42 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	304	MRD	4	0
3	C	306	MRD	5	0
2	B	304	MPD	6	0
3	D	304	MRD	1	0
2	B	306	MPD	4	0
3	C	305	MRD	2	0
3	D	305	MRD	2	0
2	A	304	MPD	6	0
3	A	305	MRD	5	0
2	B	305	MPD	7	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	283/323 (87%)	-0.29	6 (2%) 63 70	15, 22, 37, 54	0
1	B	283/323 (87%)	-0.24	9 (3%) 50 56	15, 22, 40, 56	0
1	C	283/323 (87%)	-0.20	13 (4%) 37 43	15, 22, 46, 56	0
1	D	283/323 (87%)	0.04	17 (6%) 27 32	16, 25, 53, 70	0
All	All	1132/1292 (87%)	-0.17	45 (3%) 42 49	15, 23, 45, 70	0

All (45) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	33	PHE	7.2
1	D	281	PHE	6.7
1	D	30	PHE	5.3
1	A	303	LYS	5.1
1	C	303	LYS	5.1
1	B	303	LYS	4.7
1	C	214	PHE	4.4
1	D	303	LYS	4.0
1	A	281	PHE	3.9
1	C	30	PHE	3.9
1	A	100	CYS	3.9
1	B	33	PHE	3.7
1	D	21	ALA	3.6
1	B	167	ASN	3.5
1	B	100	CYS	3.5
1	C	33	PHE	3.3
1	A	167	ASN	3.2
1	B	21	ALA	3.1
1	D	26	ILE	3.1
1	C	21	ALA	3.0
1	C	37	THR	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	281	PHE	2.9
1	C	36	LEU	2.9
1	C	167	ASN	2.9
1	D	36	LEU	2.8
1	C	281	PHE	2.8
1	C	67	GLN	2.6
1	B	197	PHE	2.5
1	D	44	LYS	2.5
1	D	100	CYS	2.5
1	D	37	THR	2.5
1	B	302	GLY	2.4
1	B	214	PHE	2.4
1	D	302	GLY	2.4
1	D	41	GLU	2.4
1	A	302	GLY	2.3
1	A	36	LEU	2.3
1	D	29	LEU	2.3
1	D	24	GLU	2.2
1	C	165	LYS	2.2
1	C	38	PRO	2.2
1	D	31	LYS	2.2
1	D	214	PHE	2.1
1	D	102	CYS	2.1
1	C	302	GLY	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	PO4	D	306	5/5	0.68	0.14	59,65,69,70	0
4	PO4	A	306	5/5	0.82	0.15	77,77,80,81	0
3	MRD	C	306	8/8	0.82	0.20	46,49,52,53	0
2	MPD	B	306	8/8	0.83	0.18	28,43,47,50	0
2	MPD	B	305	8/8	0.83	0.13	23,31,37,39	0
4	PO4	B	307	5/5	0.84	0.11	44,50,54,58	0
4	PO4	A	307	5/5	0.84	0.11	53,56,64,67	0
4	PO4	C	307	5/5	0.88	0.10	51,51,55,58	0
3	MRD	C	305	8/8	0.88	0.17	49,50,54,55	0
3	MRD	A	305	8/8	0.90	0.20	41,49,53,57	0
3	MRD	D	305	8/8	0.91	0.12	42,48,48,49	0
2	MPD	B	304	8/8	0.91	0.11	16,27,32,38	0
2	MPD	A	304	8/8	0.92	0.09	16,25,31,32	0
3	MRD	C	304	8/8	0.92	0.11	19,27,35,37	0
3	MRD	D	304	8/8	0.94	0.09	27,32,33,34	0

6.5 Other polymers [i](#)

There are no such residues in this entry.