



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2026 – 05:31 PM UTC

PDB ID : 3AJ2 / pdb_00003aj2
Title : The structure of AxCeSD octamer (C-terminal HIS-tag) from Acetobacter xylinum
Authors : Hu, S.Q.; Tajima, K.; Zhou, Y.; Tanaka, I.; Yao, M.
Deposited on : 2010-05-20
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3538 (2.70-2.70)
Clashscore	190562	3843 (2.70-2.70)
Ramachandran outliers	187476	3778 (2.70-2.70)
Sidechain outliers	187428	3778 (2.70-2.70)
RSRZ outliers	180081	3538 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	162	4% 46% 35% 10% 9%
1	B	162	5% 53% 31% 12% ..
1	C	162	5% 48% 31% 10% 10%
1	D	162	4% 56% 29% 12% ..

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 5046 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cellulose synthase operon protein D.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	148	Total	C	N	O	S	0	0	0
			1155	732	198	220	5			
1	B	158	Total	C	N	O	S	0	0	0
			1247	786	221	235	5			
1	C	145	Total	C	N	O	S	0	0	0
			1137	725	193	214	5			
1	D	158	Total	C	N	O	S	0	0	0
			1246	786	221	234	5			

There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	157	HIS	-	expression tag	UNP P37719
A	158	HIS	-	expression tag	UNP P37719
A	159	HIS	-	expression tag	UNP P37719
A	160	HIS	-	expression tag	UNP P37719
A	161	HIS	-	expression tag	UNP P37719
A	162	HIS	-	expression tag	UNP P37719
B	157	HIS	-	expression tag	UNP P37719
B	158	HIS	-	expression tag	UNP P37719
B	159	HIS	-	expression tag	UNP P37719
B	160	HIS	-	expression tag	UNP P37719
B	161	HIS	-	expression tag	UNP P37719
B	162	HIS	-	expression tag	UNP P37719
C	157	HIS	-	expression tag	UNP P37719
C	158	HIS	-	expression tag	UNP P37719
C	159	HIS	-	expression tag	UNP P37719
C	160	HIS	-	expression tag	UNP P37719
C	161	HIS	-	expression tag	UNP P37719
C	162	HIS	-	expression tag	UNP P37719
D	157	HIS	-	expression tag	UNP P37719
D	158	HIS	-	expression tag	UNP P37719
D	159	HIS	-	expression tag	UNP P37719

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	160	HIS	-	expression tag	UNP P37719
D	161	HIS	-	expression tag	UNP P37719
D	162	HIS	-	expression tag	UNP P37719


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	65	Total 65	O 65	0	0
2	B	52	Total 52	O 52	0	0
2	C	65	Total 65	O 65	0	0
2	D	79	Total 79	O 79	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Cellulose synthase operon protein D




• Molecule 1: Cellulose synthase operon protein D



• Molecule 1: Cellulose synthase operon protein D



• Molecule 1: Cellulose synthase operon protein D



4 Data and refinement statistics

Property	Value	Source
Space group	I 41 2 2	Depositor
Cell constants a, b, c, α , β , γ	133.35Å 133.35Å 217.76Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.80 – 2.70 19.80 – 2.70	Depositor EDS
% Data completeness (in resolution range)	100.0 (19.80-2.70) 99.3 (19.80-2.70)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	0.06	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.05 (at 2.71Å)	Xtrriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.209 , 0.276 0.213 , 0.204	Depositor DCC
R_{free} test set	2715 reflections (10.01%)	wwPDB-VP
Wilson B-factor (Å ²)	57.3	Xtrriage
Anisotropy	0.174	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 42.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.56$, $\langle L^2 \rangle = 0.40$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	5046	wwPDB-VP
Average B, all atoms (Å ²)	64.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 50.29 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 6.6114e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.03	0/1176	1.24	6/1599 (0.4%)
1	B	0.98	1/1275 (0.1%)	1.25	10/1735 (0.6%)
1	C	0.96	0/1159	1.15	8/1577 (0.5%)
1	D	1.00	2/1274 (0.2%)	1.21	8/1735 (0.5%)
All	All	1.00	3/4884 (0.1%)	1.21	32/6646 (0.5%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
1	D	0	1
All	All	0	3

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	154	SER	N-CA	6.35	1.53	1.45
1	D	154	SER	N-CA	6.00	1.53	1.46
1	D	153	SER	N-CA	5.04	1.53	1.46

All (32) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	79	GLU	N-CA-C	-14.29	96.30	113.88
1	D	121	GLY	N-CA-C	-10.78	101.86	114.69
1	D	46	MET	N-CA-C	6.97	119.42	108.55
1	B	154	SER	N-CA-C	6.91	119.25	108.96
1	D	154	SER	N-CA-C	6.61	124.88	110.80
1	C	128	VAL	N-CA-C	6.60	117.77	107.28

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	138	ASN	N-CA-C	6.58	118.25	111.14
1	C	150	ARG	N-CA-C	6.55	123.89	114.39
1	A	25	VAL	N-CA-C	6.38	119.34	112.96
1	A	154	SER	N-CA-C	6.14	119.89	111.54
1	C	5	GLU	N-CA-C	6.13	119.57	109.94
1	B	27	ILE	N-CA-C	-5.81	104.70	110.62
1	B	152	ARG	N-CA-C	5.71	117.44	110.41
1	B	46	MET	N-CA-C	5.70	118.46	108.82
1	A	26	GLY	N-CA-C	-5.68	104.07	111.52
1	C	128	VAL	CB-CA-C	-5.63	103.67	110.99
1	A	82	SER	N-CA-C	5.62	118.75	110.59
1	D	43	THR	N-CA-C	-5.62	106.47	113.38
1	D	118	SER	N-CA-C	-5.52	106.55	113.28
1	C	107	VAL	N-CA-C	-5.46	105.05	110.62
1	A	15	GLN	N-CA-C	-5.41	105.28	111.07
1	D	153	SER	CA-C-O	-5.41	115.37	121.05
1	C	19	TRP	N-CA-C	-5.31	105.57	111.36
1	B	78	SER	N-CA-C	5.29	116.00	108.54
1	D	7	LYS	N-CA-C	-5.11	103.52	110.36
1	B	46	MET	CA-C-N	-5.08	115.15	120.38
1	B	46	MET	C-N-CA	-5.08	115.15	120.38
1	B	6	LYS	N-CA-C	5.05	116.64	108.26
1	C	6	LYS	N-CA-C	5.04	117.54	110.14
1	C	89	ASN	N-CA-C	5.03	118.18	111.24
1	A	122	ALA	N-CA-C	-5.01	100.90	108.67
1	B	142	ARG	N-CA-C	5.01	117.47	111.71

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	134	ALA	Peptide
1	B	78	SER	Peptide
1	D	160	HIS	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1155	0	1157	74	0
1	B	1247	0	1228	60	0
1	C	1137	0	1138	59	0
1	D	1246	0	1228	59	0
2	A	65	0	0	9	0
2	B	52	0	0	13	0
2	C	65	0	0	20	0
2	D	79	0	0	16	0
All	All	5046	0	4751	243	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 25.

All (243) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:160:HIS:CD2	1:D:161:HIS:H	1.51	1.29
1:A:50:CYS:H	1:A:119:GLN:NE2	1.44	1.13
1:B:50:CYS:H	1:B:119:GLN:NE2	1.47	1.10
1:C:112:TYR:HA	2:C:241:HOH:O	1.51	1.10
1:A:39:ARG:HH21	1:A:114:ARG:NH2	1.52	1.05
1:D:45:ILE:HD12	2:D:233:HOH:O	1.55	1.03
1:D:160:HIS:HD2	1:D:161:HIS:N	1.59	1.00
1:B:145:ILE:HG13	2:B:231:HOH:O	1.62	0.99
1:B:98:GLU:HG2	2:B:197:HOH:O	1.62	0.97
1:A:135:GLU:HG3	1:A:139:ALA:HA	1.49	0.95
1:A:39:ARG:HH21	1:A:114:ARG:HH21	1.07	0.94
1:D:160:HIS:CD2	1:D:161:HIS:N	2.35	0.92
1:C:102:THR:HG22	2:C:191:HOH:O	1.68	0.91
1:B:50:CYS:H	1:B:119:GLN:HE21	1.16	0.90
1:C:39:ARG:HE	1:C:114:ARG:NH2	1.70	0.89
1:C:116:VAL:O	1:C:119:GLN:HB2	1.72	0.88
1:B:128:VAL:HG22	1:B:149:MET:SD	2.14	0.87
1:A:50:CYS:N	1:A:119:GLN:NE2	2.23	0.87
1:A:30:ARG:HD2	1:A:103:TRP:NE1	1.90	0.85
1:B:30:ARG:HD2	1:B:103:TRP:NE1	1.92	0.85
1:B:46:MET:HE1	1:D:46:MET:SD	2.16	0.85
2:C:258:HOH:O	1:D:41:MET:HG2	1.77	0.83
1:C:30:ARG:HD2	1:C:103:TRP:NE1	1.92	0.83
1:D:30:ARG:HD2	1:D:103:TRP:NE1	1.94	0.83
1:D:128:VAL:HG22	1:D:149:MET:SD	2.19	0.82
1:C:39:ARG:HE	1:C:114:ARG:HH21	1.24	0.82

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:113:GLY:HA2	1:C:149:MET:HE1	1.63	0.81
1:C:128:VAL:HG13	1:C:149:MET:HE3	1.62	0.80
1:B:90:LEU:HD13	1:B:108:LEU:HD22	1.63	0.79
1:B:28:GLU:HB2	2:B:243:HOH:O	1.80	0.79
1:D:84:ARG:HG3	2:D:226:HOH:O	1.83	0.78
1:C:114:ARG:HD2	2:C:188:HOH:O	1.83	0.78
1:B:105:ALA:HA	2:B:231:HOH:O	1.84	0.77
1:B:45:ILE:HG22	1:D:45:ILE:HG22	1.65	0.77
1:D:98:GLU:HG2	2:D:171:HOH:O	1.86	0.76
1:A:50:CYS:H	1:A:119:GLN:HE21	1.30	0.76
1:A:116:VAL:O	1:A:119:GLN:HB2	1.86	0.75
1:B:90:LEU:HD22	2:B:231:HOH:O	1.87	0.75
1:A:140:VAL:HG13	1:A:144:THR:HB	1.67	0.75
1:B:22:ASP:OD1	1:B:30:ARG:HD3	1.89	0.73
1:D:90:LEU:HD13	1:D:108:LEU:HD22	1.69	0.73
1:B:120:ALA:O	1:B:122:ALA:N	2.21	0.73
1:A:30:ARG:HD2	1:A:103:TRP:HE1	1.54	0.73
1:D:147:MET:HE3	2:D:263:HOH:O	1.88	0.72
1:A:90:LEU:HD13	1:A:108:LEU:HD22	1.71	0.71
1:A:127:VAL:CG1	1:A:128:VAL:N	2.54	0.70
1:B:50:CYS:N	1:B:119:GLN:NE2	2.32	0.70
1:D:28:GLU:OE1	1:D:28:GLU:HA	1.91	0.70
1:D:130:ARG:HD2	2:D:192:HOH:O	1.90	0.70
1:C:99:PRO:O	1:C:102:THR:HB	1.91	0.70
1:C:151:VAL:HG12	2:C:205:HOH:O	1.92	0.70
1:C:63:LEU:HD12	2:C:202:HOH:O	1.93	0.68
1:A:119:GLN:HB3	1:A:122:ALA:HB3	1.74	0.68
1:A:39:ARG:NH2	1:A:114:ARG:NH2	2.34	0.68
1:B:99:PRO:O	1:B:102:THR:HB	1.93	0.67
1:C:22:ASP:OD1	1:C:30:ARG:HD3	1.95	0.67
1:C:113:GLY:HA2	1:C:149:MET:CE	2.24	0.67
1:A:130:ARG:HG3	1:A:131:ASP:N	2.07	0.67
1:B:130:ARG:HD2	2:B:185:HOH:O	1.94	0.67
1:A:50:CYS:H	1:A:119:GLN:HE22	1.42	0.67
1:C:117:THR:C	1:C:119:GLN:H	2.02	0.66
1:B:50:CYS:H	1:B:119:GLN:HE22	1.41	0.66
1:C:138:ASN:HA	2:C:275:HOH:O	1.95	0.66
1:B:116:VAL:HB	1:B:149:MET:HE2	1.78	0.65
1:C:115:TRP:HB2	2:C:241:HOH:O	1.95	0.65
1:A:6:LYS:HA	2:A:172:HOH:O	1.96	0.65
1:C:39:ARG:NE	1:C:114:ARG:HH21	1.95	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:78:SER:HA	1:B:80:ASP:O	1.97	0.65
1:A:127:VAL:HG13	1:A:128:VAL:H	1.62	0.64
1:A:46:MET:HG2	2:A:182:HOH:O	1.96	0.64
1:B:116:VAL:O	1:B:119:GLN:HB2	1.97	0.64
1:D:93:VAL:O	1:D:93:VAL:CG1	2.45	0.64
1:A:127:VAL:CG1	1:A:128:VAL:H	2.11	0.64
1:B:95:SER:O	1:B:100:SER:HB3	1.99	0.63
1:D:116:VAL:HB	1:D:149:MET:HE2	1.80	0.63
1:A:22:ASP:OD1	1:A:30:ARG:HD3	1.98	0.63
1:D:98:GLU:CG	2:D:171:HOH:O	2.45	0.63
1:D:152:ARG:HD2	2:D:199:HOH:O	1.98	0.63
1:A:39:ARG:CZ	1:A:39:ARG:HB3	2.28	0.62
1:C:80:ASP:HB2	1:C:82:SER:OG	2.00	0.61
1:B:30:ARG:HD2	1:B:103:TRP:HE1	1.64	0.61
1:D:90:LEU:HD13	1:D:108:LEU:CD2	2.31	0.61
1:D:30:ARG:HD2	1:D:103:TRP:HE1	1.66	0.60
1:C:127:VAL:HG12	1:C:128:VAL:N	2.16	0.60
1:C:128:VAL:HG13	1:C:149:MET:CE	2.32	0.60
1:C:56:LEU:HD11	2:C:249:HOH:O	2.00	0.60
1:D:130:ARG:HG2	1:D:132:VAL:HG13	1.84	0.59
1:B:30:ARG:NH2	1:B:98:GLU:OE2	2.28	0.59
1:D:152:ARG:CD	2:D:199:HOH:O	2.49	0.59
1:A:128:VAL:HG22	1:A:149:MET:HG2	1.84	0.59
1:B:116:VAL:HB	1:B:149:MET:CE	2.33	0.59
1:C:4:PHE:N	1:C:4:PHE:CD2	2.71	0.58
1:A:154:SER:O	1:A:155:ALA:HB3	2.03	0.58
1:B:98:GLU:CG	2:B:197:HOH:O	2.33	0.58
1:D:44:ARG:HD2	2:D:189:HOH:O	2.03	0.58
1:A:127:VAL:HG12	1:A:128:VAL:N	2.19	0.58
1:B:50:CYS:N	1:B:119:GLN:HE21	1.94	0.58
1:B:137:LEU:HB3	2:B:214:HOH:O	2.03	0.57
1:A:39:ARG:NH2	1:A:114:ARG:HH21	1.89	0.57
1:A:45:ILE:C	1:A:46:MET:HG3	2.29	0.57
1:A:32:GLU:OE1	1:A:32:GLU:HA	2.03	0.57
1:C:27:ILE:HG23	1:C:30:ARG:NH2	2.20	0.57
1:A:12:LEU:HD13	1:B:41:MET:HG2	1.87	0.57
1:D:160:HIS:HD2	1:D:161:HIS:H	0.74	0.57
1:A:132:VAL:CG1	1:A:132:VAL:O	2.53	0.57
1:C:30:ARG:HD2	1:C:103:TRP:HE1	1.67	0.57
1:A:140:VAL:CG1	1:A:144:THR:HB	2.35	0.57
1:B:123:PHE:O	1:B:125:ASP:N	2.38	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:140:VAL:HG13	1:D:144:THR:HB	1.85	0.56
1:B:49:PRO:HA	1:B:119:GLN:HE22	1.71	0.56
1:C:115:TRP:CE3	2:C:241:HOH:O	2.53	0.56
1:D:113:GLY:HA2	1:D:149:MET:HE1	1.86	0.56
1:A:50:CYS:N	1:A:119:GLN:HE22	2.00	0.56
1:D:133:ASP:N	1:D:133:ASP:OD1	2.38	0.56
1:A:9:ASP:HB2	2:A:209:HOH:O	2.06	0.56
1:B:102:THR:CG2	1:B:102:THR:O	2.53	0.55
1:A:105:ALA:O	1:A:108:LEU:HB2	2.06	0.55
1:D:93:VAL:O	1:D:93:VAL:HG13	2.06	0.55
1:B:123:PHE:C	1:B:125:ASP:H	2.14	0.55
1:C:12:LEU:HD22	2:C:258:HOH:O	2.07	0.55
2:C:258:HOH:O	1:D:41:MET:CG	2.44	0.55
1:C:4:PHE:N	1:C:4:PHE:HD2	2.05	0.55
1:D:162:HIS:HB2	2:D:285:HOH:O	2.06	0.54
1:A:67:ILE:HD12	1:A:69:TRP:CD1	2.43	0.54
1:B:26:GLY:HA3	2:B:191:HOH:O	2.08	0.53
1:B:80:ASP:OD1	1:B:81:GLN:N	2.40	0.53
1:B:84:ARG:HD3	2:B:178:HOH:O	2.08	0.53
1:A:123:PHE:O	1:A:126:TYR:HB2	2.09	0.53
1:B:5:GLU:OE1	1:C:6:LYS:HD3	2.08	0.53
1:C:117:THR:C	1:C:119:GLN:N	2.67	0.53
1:B:28:GLU:OE1	1:B:28:GLU:HA	2.09	0.52
1:C:30:ARG:NH2	1:C:98:GLU:OE2	2.35	0.52
1:D:119:GLN:O	1:D:121:GLY:N	2.41	0.52
1:A:90:LEU:HD13	1:A:108:LEU:CD2	2.38	0.52
1:B:120:ALA:C	1:B:122:ALA:N	2.68	0.52
1:D:162:HIS:HB2	2:D:262:HOH:O	2.09	0.52
1:B:44:ARG:HD2	2:B:165:HOH:O	2.09	0.52
1:C:45:ILE:HD12	2:C:202:HOH:O	2.08	0.52
1:C:113:GLY:CA	1:C:149:MET:HE1	2.36	0.52
1:D:83:LEU:HD23	2:D:269:HOH:O	2.09	0.51
1:D:162:HIS:CB	2:D:285:HOH:O	2.57	0.51
1:B:102:THR:O	1:B:102:THR:HG23	2.10	0.51
1:C:93:VAL:HG23	1:C:93:VAL:O	2.11	0.51
1:A:5:GLU:CA	1:A:5:GLU:OE1	2.58	0.51
1:A:6:LYS:O	1:A:6:LYS:HG3	2.11	0.51
1:C:90:LEU:HD13	1:C:108:LEU:HD22	1.92	0.51
1:D:25:VAL:HG13	1:D:29:VAL:HB	1.93	0.50
1:A:30:ARG:NH2	1:A:98:GLU:OE2	2.41	0.50
1:C:103:TRP:HE3	1:C:104:LEU:HD13	1.76	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:135:GLU:CG	1:A:139:ALA:HA	2.32	0.50
1:D:22:ASP:OD1	1:D:30:ARG:HD3	2.11	0.50
1:D:76:LEU:HA	1:D:83:LEU:HD12	1.94	0.50
1:B:117:THR:HB	1:B:124:GLY:HA2	1.94	0.49
1:A:5:GLU:OE1	1:A:5:GLU:HA	2.12	0.49
1:B:105:ALA:CB	2:B:231:HOH:O	2.60	0.49
1:D:18:SER:HB2	1:D:103:TRP:CE2	2.47	0.49
1:A:103:TRP:HE3	1:A:104:LEU:HD13	1.78	0.49
1:C:134:ALA:HB1	2:C:168:HOH:O	2.11	0.49
1:A:90:LEU:HD12	1:A:91:PRO:HD2	1.95	0.49
1:C:127:VAL:O	1:C:149:MET:HA	2.13	0.49
1:C:127:VAL:CG1	1:C:128:VAL:N	2.76	0.48
1:D:103:TRP:HE3	1:D:104:LEU:HD13	1.77	0.48
1:B:161:HIS:O	1:B:162:HIS:ND1	2.47	0.48
1:A:22:ASP:OD1	1:A:30:ARG:CD	2.61	0.48
1:A:120:ALA:HB3	2:A:257:HOH:O	2.13	0.48
1:A:123:PHE:C	1:A:125:ASP:H	2.21	0.48
1:A:154:SER:O	1:A:155:ALA:CB	2.62	0.48
1:A:114:ARG:HD2	2:A:193:HOH:O	2.13	0.48
1:B:130:ARG:HG2	1:B:132:VAL:HG13	1.96	0.47
1:C:98:GLU:O	1:C:130:ARG:NH1	2.48	0.47
1:B:54:ASP:OD2	1:C:142:ARG:NH2	2.47	0.47
1:C:120:ALA:HB1	2:C:187:HOH:O	2.14	0.47
1:C:32:GLU:HA	1:C:32:GLU:OE1	2.14	0.47
1:C:66:LEU:HD23	2:C:202:HOH:O	2.15	0.47
1:A:50:CYS:HB2	1:A:119:GLN:HE21	1.80	0.47
1:B:120:ALA:O	1:B:121:GLY:C	2.58	0.46
1:C:106:PRO:HA	1:C:109:GLU:HG3	1.97	0.46
1:B:93:VAL:HG23	1:B:93:VAL:O	2.15	0.46
1:D:90:LEU:HD12	1:D:91:PRO:HD2	1.96	0.46
1:D:139:ALA:N	2:D:290:HOH:O	2.47	0.46
1:D:160:HIS:O	1:D:161:HIS:CG	2.69	0.46
1:B:25:VAL:HG13	1:B:29:VAL:HB	1.97	0.46
1:D:46:MET:HE2	1:D:46:MET:HB3	1.69	0.46
1:C:95:SER:O	1:C:100:SER:HB3	2.17	0.45
1:C:17:LEU:HG	1:C:21:ILE:HD12	1.98	0.45
1:C:30:ARG:HD2	1:C:103:TRP:CD1	2.51	0.45
1:C:102:THR:O	1:C:102:THR:CG2	2.64	0.45
1:A:56:LEU:HG	1:A:60:LEU:HD22	1.98	0.45
1:A:125:ASP:HB3	1:A:151:VAL:HG23	1.98	0.45
1:A:131:ASP:CG	1:A:133:ASP:H	2.24	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:60:LEU:HD11	2:C:249:HOH:O	2.16	0.45
1:D:42:GLY:O	1:D:46:MET:HE2	2.16	0.45
1:D:43:THR:C	1:D:46:MET:HE1	2.42	0.45
1:C:130:ARG:HB2	1:C:147:MET:HG2	1.99	0.45
1:C:60:LEU:HD21	2:C:249:HOH:O	2.16	0.45
1:D:116:VAL:HG11	2:D:269:HOH:O	2.16	0.44
1:A:44:ARG:HD2	2:A:196:HOH:O	2.16	0.44
1:D:161:HIS:O	1:D:162:HIS:C	2.60	0.44
1:B:46:MET:HG2	2:B:199:HOH:O	2.18	0.44
1:A:50:CYS:HB2	1:A:119:GLN:NE2	2.32	0.44
1:A:109:GLU:O	1:A:110:GLY:C	2.60	0.43
1:A:56:LEU:HD21	1:A:116:VAL:HG22	2.01	0.43
1:A:37:VAL:HG11	1:B:13:PHE:CE1	2.54	0.43
1:A:63:LEU:HD12	1:A:63:LEU:HA	1.94	0.43
1:A:5:GLU:OE1	1:A:5:GLU:N	2.52	0.43
1:A:17:LEU:HD21	1:B:17:LEU:HD21	2.01	0.43
1:A:60:LEU:HG	1:A:115:TRP:CE3	2.54	0.42
1:D:105:ALA:O	1:D:108:LEU:HB2	2.19	0.42
1:A:117:THR:C	1:A:119:GLN:N	2.77	0.42
1:A:78:SER:O	1:A:79:GLU:C	2.62	0.42
1:D:112:TYR:O	1:D:116:VAL:HG23	2.20	0.42
1:D:116:VAL:HB	1:D:149:MET:CE	2.47	0.42
1:C:115:TRP:HE3	2:C:241:HOH:O	1.98	0.42
1:A:68:GLY:HA2	2:A:166:HOH:O	2.19	0.42
1:B:98:GLU:N	1:B:98:GLU:CD	2.78	0.42
1:B:34:LEU:HB3	1:B:106:PRO:HB2	2.01	0.42
1:A:100:SER:O	1:A:142:ARG:NH1	2.42	0.42
1:A:130:ARG:HG3	1:A:131:ASP:H	1.83	0.42
1:C:56:LEU:HD21	1:C:116:VAL:HG22	2.02	0.41
1:D:42:GLY:O	1:D:46:MET:CE	2.69	0.41
1:D:100:SER:O	1:D:142:ARG:HD2	2.19	0.41
1:D:77:LEU:O	1:D:81:GLN:N	2.54	0.41
1:A:117:THR:C	1:A:119:GLN:H	2.28	0.41
1:C:80:ASP:OD1	1:C:80:ASP:N	2.53	0.41
1:C:130:ARG:NH2	2:C:173:HOH:O	2.53	0.41
1:C:17:LEU:HD21	1:D:17:LEU:HD21	2.02	0.41
1:A:112:TYR:HB2	2:A:253:HOH:O	2.21	0.41
1:A:119:GLN:CB	1:A:122:ALA:HB3	2.47	0.41
2:A:209:HOH:O	1:B:7:LYS:CE	2.69	0.41
1:B:87:HIS:CD2	1:B:87:HIS:C	2.99	0.41
1:B:136:ASP:O	1:B:140:VAL:HG22	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:85:ILE:HD11	2:D:269:HOH:O	2.21	0.41
1:D:90:LEU:HD11	1:D:104:LEU:HB3	2.02	0.41
1:D:120:ALA:C	1:D:122:ALA:H	2.29	0.41
1:D:120:ALA:HB3	1:D:122:ALA:CB	2.51	0.41
1:A:22:ASP:CG	1:A:30:ARG:HH11	2.29	0.41
1:C:35:ARG:O	1:C:110:GLY:HA3	2.21	0.41
1:A:30:ARG:HH22	1:A:98:GLU:CD	2.28	0.40
1:B:34:LEU:HA	1:B:37:VAL:HG13	2.02	0.40
1:A:60:LEU:HD12	1:A:60:LEU:HA	1.85	0.40
1:B:54:ASP:CG	1:C:142:ARG:HH22	2.29	0.40
1:A:111:LEU:HD11	1:A:115:TRP:CE2	2.57	0.40
1:B:90:LEU:HD11	1:B:104:LEU:HB3	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	144/162 (89%)	135 (94%)	9 (6%)	0	100	100
1	B	156/162 (96%)	148 (95%)	6 (4%)	2 (1%)	9	25
1	C	141/162 (87%)	132 (94%)	7 (5%)	2 (1%)	9	23
1	D	156/162 (96%)	143 (92%)	11 (7%)	2 (1%)	9	25
All	All	597/648 (92%)	558 (94%)	33 (6%)	6 (1%)	12	32

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	121	GLY
1	D	120	ALA
1	B	124	GLY

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	135	GLU
1	C	124	GLY
1	C	132	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	126/140 (90%)	100 (79%)	26 (21%)	1	3
1	B	136/140 (97%)	108 (79%)	28 (21%)	1	3
1	C	124/140 (89%)	95 (77%)	29 (23%)	1	2
1	D	136/140 (97%)	108 (79%)	28 (21%)	1	3
All	All	522/560 (93%)	411 (79%)	111 (21%)	1	3

All (111) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	5	GLU
1	A	7	LYS
1	A	12	LEU
1	A	14	LEU
1	A	23	ASP
1	A	25	VAL
1	A	27	ILE
1	A	28	GLU
1	A	34	LEU
1	A	39	ARG
1	A	60	LEU
1	A	63	LEU
1	A	64	LEU
1	A	74	LEU
1	A	77	LEU
1	A	104	LEU
1	A	108	LEU
1	A	119	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	127	VAL
1	A	130	ARG
1	A	132	VAL
1	A	133	ASP
1	A	140	VAL
1	A	151	VAL
1	A	153	SER
1	A	154	SER
1	B	6	LYS
1	B	14	LEU
1	B	23	ASP
1	B	25	VAL
1	B	27	ILE
1	B	34	LEU
1	B	37	VAL
1	B	60	LEU
1	B	63	LEU
1	B	64	LEU
1	B	74	LEU
1	B	77	LEU
1	B	98	GLU
1	B	102	THR
1	B	104	LEU
1	B	108	LEU
1	B	119	GLN
1	B	125	ASP
1	B	127	VAL
1	B	130	ARG
1	B	132	VAL
1	B	137	LEU
1	B	138	ASN
1	B	149	MET
1	B	151	VAL
1	B	152	ARG
1	B	154	SER
1	B	156	THR
1	C	4	PHE
1	C	7	LYS
1	C	12	LEU
1	C	14	LEU
1	C	25	VAL
1	C	28	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	34	LEU
1	C	39	ARG
1	C	46	MET
1	C	60	LEU
1	C	63	LEU
1	C	64	LEU
1	C	74	LEU
1	C	77	LEU
1	C	79	GLU
1	C	80	ASP
1	C	100	SER
1	C	102	THR
1	C	104	LEU
1	C	108	LEU
1	C	119	GLN
1	C	125	ASP
1	C	128	VAL
1	C	129	THR
1	C	130	ARG
1	C	132	VAL
1	C	140	VAL
1	C	149	MET
1	C	151	VAL
1	D	6	LYS
1	D	7	LYS
1	D	28	GLU
1	D	34	LEU
1	D	46	MET
1	D	60	LEU
1	D	63	LEU
1	D	64	LEU
1	D	74	LEU
1	D	77	LEU
1	D	81	GLN
1	D	93	VAL
1	D	98	GLU
1	D	104	LEU
1	D	108	LEU
1	D	130	ARG
1	D	132	VAL
1	D	133	ASP
1	D	140	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	143	GLN
1	D	149	MET
1	D	150	ARG
1	D	151	VAL
1	D	152	ARG
1	D	153	SER
1	D	156	THR
1	D	158	HIS
1	D	159	HIS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	119	GLN
1	B	92	GLN
1	B	119	GLN
1	C	81	GLN
1	C	92	GLN
1	C	138	ASN
1	C	143	GLN
1	D	51	GLN
1	D	160	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	148/162 (91%)	-0.29	7 (4%)	36 33	39, 54, 108, 122	0
1	B	158/162 (97%)	-0.34	8 (5%)	33 29	38, 56, 104, 118	0
1	C	145/162 (89%)	-0.29	8 (5%)	30 27	42, 58, 114, 125	0
1	D	158/162 (97%)	-0.30	7 (4%)	39 35	41, 55, 96, 115	0
All	All	609/648 (93%)	-0.31	30 (4%)	35 31	38, 56, 105, 125	0

All (30) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	159	HIS	4.6
1	B	155	ALA	4.4
1	B	120	ALA	3.7
1	B	160	HIS	3.5
1	A	121	GLY	3.3
1	A	155	ALA	3.2
1	C	128	VAL	3.1
1	A	154	SER	3.0
1	A	122	ALA	3.0
1	D	5	GLU	2.9
1	A	132	VAL	2.8
1	D	156	THR	2.8
1	D	155	ALA	2.7
1	C	4	PHE	2.7
1	C	122	ALA	2.7
1	B	159	HIS	2.6
1	C	134	ALA	2.6
1	D	120	ALA	2.5
1	A	5	GLU	2.5
1	B	158	HIS	2.4
1	D	158	HIS	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	5	GLU	2.4
1	B	137	LEU	2.3
1	C	150	ARG	2.3
1	C	151	VAL	2.3
1	A	120	ALA	2.2
1	D	162	HIS	2.2
1	B	156	THR	2.1
1	C	123	PHE	2.1
1	C	120	ALA	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.