



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 02:40 PM UTC

PDB ID : 6AJA / pdb_00006aja
Title : Crystal structure of Trypanosoma brucei glycosomal isocitrate dehydrogenase in complex with NADPH, alpha-ketoglutarate and ca²⁺
Authors : Wang, X.; Inaoka, D.K.; Shiba, T.; Balogun, E.O.; Ziebart, N.; Allman, S.; Watanabe, Y.; Nozaki, T.; Boshart, M.; Bringaud, F.; Harada, S.; Kita, K.
Deposited on : 2018-08-27
Resolution : 2.85 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.85 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1407 (2.88-2.84)
Clashscore	190562	1446 (2.88-2.84)
Ramachandran outliers	187476	1406 (2.88-2.84)
Sidechain outliers	187428	1407 (2.88-2.84)
RSRZ outliers	180081	1408 (2.88-2.84)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	413	 79% 18% ..
1	B	413	 79% 18% .
1	C	413	 80% 18% .
1	D	413	 75% 21% .

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 13411 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Isocitrate dehydrogenase [NADP].

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	410	Total	C	N	O	S	0	1	0
			3268	2075	560	611	22			
1	B	411	Total	C	N	O	S	0	0	0
			3265	2073	560	610	22			
1	C	413	Total	C	N	O	S	0	2	0
			3302	2096	569	615	22			
1	D	413	Total	C	N	O	S	0	0	0
			3282	2084	563	613	22			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	SER	MET	engineered mutation	UNP Q387G0
B	1	SER	MET	engineered mutation	UNP Q387G0
C	1	SER	MET	engineered mutation	UNP Q387G0
D	1	SER	MET	engineered mutation	UNP Q387G0

- Molecule 2 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (CCD ID: NAP) (formula: C₂₁H₂₈N₇O₁₇P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	B	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	C	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	D	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

- Molecule 3 is CALCIUM ION (CCD ID: CA) (formula: Ca).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	2	Total	Ca	0	0
			2	2		
3	C	1	Total	Ca	0	0
			1	1		
3	D	1	Total	Ca	0	0
			1	1		

- Molecule 4 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	C	1	Total	C	O	0	0
			6	3	3		
4	C	1	Total	C	O	0	0
			6	3	3		

- Molecule 5 is 2-OXOGLUTARIC ACID (CCD ID: AKG) (formula: $C_5H_6O_5$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	D	1	Total	C	O	0	0
			10	5	5		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	39	Total	O	0	0
			39	39		
6	B	8	Total	O	0	0
			8	8		
6	C	7	Total	O	0	0
			7	7		
6	D	10	Total	O	0	0
			10	10		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Isocitrate dehydrogenase [NADP]



• Molecule 1: Isocitrate dehydrogenase [NADP]




• Molecule 1: Isocitrate dehydrogenase [NADP]





● Molecule 1: Isocitrate dehydrogenase [NADP]



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	120.89Å 70.45Å 122.05Å 90.00° 113.39° 90.00°	Depositor
Resolution (Å)	19.93 – 2.85 19.93 – 2.85	Depositor EDS
% Data completeness (in resolution range)	84.5 (19.93-2.85) 84.5 (19.93-2.85)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.89 (at 2.83Å)	Xtriage
Refinement program	REFMAC 5.8.0103	Depositor
R, R_{free}	0.198 , 0.288 0.199 , 0.282	Depositor DCC
R_{free} test set	1777 reflections (4.01%)	wwPDB-VP
Wilson B-factor (Å ²)	53.6	Xtriage
Anisotropy	0.116	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.24 , 21.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.036 for l,-k,h	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	13411	wwPDB-VP
Average B, all atoms (Å ²)	56.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.02% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, NAP, AKG, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.71	0/3336	0.98	1/4505 (0.0%)
1	B	0.72	0/3333	0.96	2/4501 (0.0%)
1	C	0.71	0/3370	1.01	2/4547 (0.0%)
1	D	0.77	0/3350	1.01	3/4522 (0.1%)
All	All	0.73	0/13389	0.99	8/18075 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
1	D	0	1
All	All	0	3

There are no bond length outliers.

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	16	ASP	N-CA-C	6.08	116.59	108.38
1	D	86	PHE	N-CA-C	-5.85	101.83	110.48
1	B	379	ILE	N-CA-CB	5.80	117.60	110.64
1	C	52	THR	N-CA-C	-5.73	101.99	110.48
1	A	383	LYS	N-CA-C	-5.38	103.79	110.41
1	C	228	GLU	N-CA-C	-5.13	105.33	111.03
1	B	332	ILE	CB-CA-C	-5.12	105.32	112.02
1	D	319	GLN	N-CA-C	-5.03	100.08	110.80

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	409	GLN	Peptide
1	B	105	GLY	Peptide
1	D	318	TYR	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3268	0	3252	23	0
1	B	3265	0	3252	35	0
1	C	3302	0	3298	26	0
1	D	3282	0	3274	48	0
2	A	48	0	25	1	0
2	B	48	0	25	0	0
2	C	48	0	25	0	0
2	D	48	0	25	1	0
3	A	2	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
4	A	12	0	16	0	0
4	C	12	0	16	0	0
5	D	10	0	4	1	0
6	A	39	0	0	0	0
6	B	8	0	0	0	0
6	C	7	0	0	0	0
6	D	10	0	0	0	0
All	All	13411	0	13212	120	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (120) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:179:MET:HE1	1:B:181:MET:HE2	1.54	0.90
1:A:179:MET:HE3	1:B:181:MET:HE3	1.58	0.84
1:D:289:MET:SD	1:D:329:VAL:HG11	2.28	0.74
1:B:289:MET:SD	1:B:329:VAL:HG11	2.28	0.74
1:C:289:MET:SD	1:C:329:VAL:HG21	2.30	0.71
1:B:332:ILE:HG21	1:B:362:ILE:HD11	1.74	0.69
1:C:22:ILE:CD1	1:C:393:THR:HG21	2.23	0.68
1:D:95:PRO:O	1:D:99:ILE:HG23	1.94	0.68
1:D:86:PHE:HB2	1:D:88:LEU:HD13	1.74	0.67
1:B:52:THR:HG21	1:B:56:VAL:HG23	1.75	0.67
1:B:114:CYS:HB2	1:B:117:VAL:HG12	1.78	0.64
1:C:177:VAL:HG21	1:D:218:TYR:HA	1.81	0.63
1:D:26:ILE:HD11	1:D:335:TRP:CD1	2.34	0.62
1:A:314:HIS:NE2	2:A:501:NAP:O3X	2.32	0.60
1:B:327:ASN:OD1	1:B:329:VAL:HG12	2.00	0.60
1:C:289:MET:SD	1:C:329:VAL:CG2	2.90	0.60
1:A:20:ARG:NH2	1:A:43:ASP:OD1	2.34	0.60
1:D:13:LEU:HD23	1:D:44:LEU:HD22	1.84	0.59
1:D:311:VAL:HG23	2:D:501:NAP:H3B	1.84	0.59
1:C:218:TYR:CD2	1:D:179:MET:HG2	2.38	0.59
1:C:252:ASP:OD2	1:D:313:ARG:NH2	2.37	0.58
1:B:179:MET:CE	1:B:181:MET:HE2	2.31	0.57
1:D:179:MET:HE1	1:D:181:MET:HE3	1.86	0.57
1:C:332:ILE:HG21	1:C:362:ILE:HD11	1.86	0.57
1:D:206:LEU:HD23	1:D:207:TYR:N	2.20	0.57
1:A:332:ILE:HG21	1:A:362:ILE:HD11	1.86	0.57
1:B:316:ARG:HH11	1:B:319:GLN:HE22	1.54	0.56
1:C:4:ILE:O	1:C:36:ASN:O	2.25	0.54
1:A:289:MET:SD	1:A:329:VAL:HG21	2.48	0.54
1:C:156:PHE:HB2	1:D:178:MET:HE1	1.90	0.54
1:D:18:MET:HB2	1:D:315:TYR:HB2	1.90	0.53
1:D:110:GLU:HB3	1:D:129:VAL:HG22	1.90	0.53
1:B:365:THR:HG21	1:B:400:VAL:HG12	1.92	0.52
1:D:26:ILE:HD11	1:D:335:TRP:CG	2.45	0.52
1:B:15:GLY:HA2	1:B:75:THR:HG22	1.92	0.52
1:A:114:CYS:HB2	1:A:117:VAL:HG12	1.92	0.51
1:A:80[A]:GLU:HA	1:A:80[A]:GLU:OE1	2.11	0.51
1:D:319:GLN:O	1:D:320:LYS:HB2	2.10	0.51
1:B:329:VAL:HG23	1:B:362:ILE:HG21	1.92	0.51
1:D:16:ASP:OD2	1:D:46:MET:N	2.44	0.51
1:C:18:MET:HE3	1:C:18:MET:HA	1.93	0.50
1:D:34:PHE:CZ	1:D:404:LEU:HD13	2.46	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:251:ASP:N	1:B:251:ASP:OD1	2.45	0.50
1:C:156:PHE:CZ	1:D:146:VAL:HG13	2.47	0.50
1:A:179:MET:HE3	1:B:181:MET:CE	2.37	0.50
1:C:266:TRP:CE2	1:C:268:CYS:SG	3.05	0.49
1:B:16:ASP:HA	1:B:20:ARG:HB2	1.94	0.49
1:C:204:TRP:HB3	1:C:264:TYR:HA	1.94	0.49
1:A:18:MET:HB3	1:A:311:VAL:HG13	1.94	0.49
1:D:329:VAL:HG23	1:D:362:ILE:HG21	1.94	0.49
1:C:200:LEU:HD21	1:C:237:LYS:HE2	1.94	0.49
1:D:124:TRP:CZ3	1:D:283:GLY:HA3	2.48	0.49
1:B:287:LEU:HB3	1:B:308:HIS:HB3	1.94	0.48
1:D:9:VAL:HG22	1:D:67:HIS:CG	2.48	0.48
1:B:6:ALA:HB2	1:B:348:ASN:OD1	2.13	0.48
1:A:215:LEU:HD11	1:B:138:GLN:HB2	1.95	0.48
1:C:54:ASP:HB2	1:C:92:TRP:CE3	2.49	0.48
1:A:9:VAL:HG22	1:A:67:HIS:CG	2.49	0.47
1:D:96:ASN:ND2	5:D:503:AKG:O3	2.47	0.47
1:C:13:LEU:HD11	1:C:64:ILE:HD11	1.96	0.47
1:D:133:HIS:O	1:D:134:ALA:HB3	2.15	0.47
1:B:27:LYS:HA	1:B:31:ILE:HG13	1.98	0.46
1:D:124:TRP:CH2	1:D:280:LEU:HD22	2.51	0.46
1:D:16:ASP:HA	1:D:20:ARG:HB2	1.97	0.45
1:D:83:VAL:O	1:D:86:PHE:O	2.34	0.45
1:D:22:ILE:O	1:D:26:ILE:HG23	2.16	0.45
1:D:73:CYS:SG	1:D:74:ALA:N	2.89	0.45
1:B:155:ARG:HG2	1:B:166:VAL:HG12	1.99	0.44
1:C:6:ALA:HB1	1:C:346:ASP:OD2	2.17	0.44
1:D:34:PHE:CE1	1:D:404:LEU:HD13	2.53	0.44
1:B:26:ILE:HD12	1:B:332:ILE:CG1	2.47	0.44
1:D:35:VAL:HG12	1:D:37:VAL:HG13	1.99	0.44
1:B:10:LEU:HD22	1:B:71:VAL:HG22	2.00	0.44
1:C:254:VAL:HG11	1:D:275:VAL:HG13	2.00	0.44
1:A:135:PHE:CE1	1:A:184:THR:HG23	2.53	0.43
1:C:22:ILE:HD11	1:C:393:THR:HG21	1.96	0.43
1:A:129:VAL:HG11	1:A:198:PHE:CE2	2.53	0.43
1:C:311:VAL:HG22	1:C:314:HIS:HB2	2.01	0.43
1:C:408:MET:HA	1:C:408:MET:HE2	2.00	0.43
1:D:144:ALA:HB3	1:D:178:MET:HE3	2.00	0.43
1:B:209:SER:HA	1:B:248:ARG:O	2.17	0.43
1:B:146:VAL:HG22	1:B:178:MET:HE3	2.01	0.43
1:C:333:PHE:HA	1:C:336:THR:OG1	2.19	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:32:PHE:N	1:A:33:PRO:CD	2.82	0.43
1:B:289:MET:SD	1:B:329:VAL:CG1	3.05	0.43
1:B:396:PHE:O	1:B:400:VAL:HG13	2.19	0.43
1:A:49:ARG:NH1	1:A:95:PRO:HG3	2.35	0.42
1:C:217:HIS:HB3	1:D:145:VAL:HG13	2.01	0.42
1:C:306:ALA:HB1	1:C:308:HIS:CD2	2.54	0.42
1:A:177:VAL:HG13	1:B:218:TYR:CD2	2.55	0.42
1:C:333:PHE:O	1:C:334:ALA:C	2.62	0.42
1:A:218:TYR:HA	1:B:177:VAL:HG21	2.01	0.42
1:B:174:SER:OG	1:B:175:GLY:N	2.51	0.42
1:C:129:VAL:HG21	1:C:204:TRP:CZ3	2.55	0.42
1:D:404:LEU:O	1:D:408:MET:N	2.51	0.42
1:D:62:TYR:CE1	1:D:102:ILE:HG23	2.55	0.42
1:D:4:ILE:HG23	1:D:35:VAL:HG13	2.02	0.42
1:D:289:MET:SD	1:D:329:VAL:CG1	3.04	0.42
1:A:189:ARG:O	1:A:229:MET:HE1	2.20	0.42
1:B:188:ILE:HG12	1:B:222:PHE:CE2	2.55	0.42
1:B:408:MET:HA	1:B:408:MET:HE2	2.02	0.41
1:D:308:HIS:HD2	1:D:309:GLY:O	2.03	0.41
1:D:383:LYS:HE3	1:D:384:ASN:HA	2.02	0.41
1:D:114:CYS:HB3	1:D:117:VAL:HG12	2.02	0.41
1:B:71:VAL:HG13	1:B:338:ALA:CB	2.50	0.41
1:B:257:CYS:HA	1:B:264:TYR:OH	2.21	0.41
1:B:25:LYS:O	1:B:26:ILE:C	2.63	0.41
1:D:4:ILE:HG22	1:D:34:PHE:O	2.21	0.41
1:A:45:SER:O	1:A:49:ARG:HB2	2.20	0.41
1:D:174:SER:OG	1:D:175:GLY:N	2.53	0.41
1:D:284:PHE:O	1:D:285:GLY:C	2.63	0.41
1:A:22:ILE:HD11	1:A:326:THR:HB	2.03	0.41
1:D:27:LYS:HA	1:D:31:ILE:HG13	2.02	0.41
1:D:327:ASN:OD1	1:D:329:VAL:HG12	2.21	0.41
1:D:71:VAL:HG22	1:D:338:ALA:CB	2.51	0.40
1:D:192:ALA:HA	1:D:226:PHE:CZ	2.56	0.40
1:A:40:GLU:HG2	1:A:42:TYR:CE2	2.57	0.40
1:A:352:LEU:O	1:A:356:GLN:HG3	2.22	0.40
1:A:340:ALA:O	1:A:341:HIS:C	2.64	0.40
1:B:17:GLU:HB2	1:B:310:THR:HB	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	409/413 (99%)	385 (94%)	22 (5%)	2 (0%)	24	42
1	B	409/413 (99%)	384 (94%)	22 (5%)	3 (1%)	18	35
1	C	413/413 (100%)	372 (90%)	31 (8%)	10 (2%)	4	10
1	D	411/413 (100%)	371 (90%)	36 (9%)	4 (1%)	12	25
All	All	1642/1652 (99%)	1512 (92%)	111 (7%)	19 (1%)	10	22

All (19) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	54	ASP
1	C	136	GLY
1	D	298	ASP
1	D	320	LYS
1	A	293	ILE
1	B	88	LEU
1	C	162	GLY
1	D	285	GLY
1	B	89	LYS
1	C	29	THR
1	C	137	ASP
1	C	160	ASN
1	C	411	SER
1	C	412	LYS
1	B	78	PRO
1	C	297	PRO
1	A	311	VAL
1	C	104	GLY
1	D	311	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	351/353 (99%)	300 (86%)	51 (14%)	3	6
1	B	351/353 (99%)	312 (89%)	39 (11%)	6	12
1	C	355/353 (101%)	317 (89%)	38 (11%)	6	13
1	D	353/353 (100%)	305 (86%)	48 (14%)	3	7
All	All	1410/1412 (100%)	1234 (88%)	176 (12%)	4	8

All (176) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	5	SER
1	A	7	THR
1	A	9	VAL
1	A	10	LEU
1	A	25	LYS
1	A	31	ILE
1	A	37	VAL
1	A	49	ARG
1	A	55	ARG
1	A	66	LYS
1	A	71	VAL
1	A	77	THR
1	A	80[A]	GLU
1	A	80[B]	GLU
1	A	101	THR
1	A	102	ILE
1	A	103	LEU
1	A	110	GLU
1	A	119	ARG
1	A	125	LYS
1	A	132	ARG
1	A	163	GLU
1	A	166	VAL
1	A	177	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	184	THR
1	A	187	SER
1	A	206	LEU
1	A	221	ARG
1	A	231	LYS
1	A	236	THR
1	A	240	THR
1	A	280	LEU
1	A	293	ILE
1	A	294	LEU
1	A	303	GLU
1	A	304	VAL
1	A	305	GLU
1	A	322	LYS
1	A	331	SER
1	A	337	ARG
1	A	353	GLU
1	A	356	GLN
1	A	357	ARG
1	A	358	LEU
1	A	372	THR
1	A	384	ASN
1	A	386	VAL
1	A	387	ARG
1	A	391	LEU
1	A	398	ASP
1	A	409	GLN
1	B	9	VAL
1	B	10	LEU
1	B	21	VAL
1	B	24	LYS
1	B	36	ASN
1	B	51	LYS
1	B	53	GLU
1	B	55	ARG
1	B	57	THR
1	B	58	VAL
1	B	71	VAL
1	B	78	PRO
1	B	103	LEU
1	B	110	GLU
1	B	119	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	126	LYS
1	B	138	GLN
1	B	168	LYS
1	B	177	VAL
1	B	202	ARG
1	B	206	LEU
1	B	215	LEU
1	B	216	LYS
1	B	240	THR
1	B	251	ASP
1	B	280	LEU
1	B	300	LYS
1	B	302	VAL
1	B	311	VAL
1	B	337	ARG
1	B	349	ASN
1	B	377	ILE
1	B	379	ILE
1	B	380	LYS
1	B	400	VAL
1	B	402	GLN
1	B	405	LYS
1	B	406	VAL
1	B	408	MET
1	C	3	LYS
1	C	7	THR
1	C	9	VAL
1	C	10	LEU
1	C	31	ILE
1	C	35	VAL
1	C	36	ASN
1	C	71	VAL
1	C	75	THR
1	C	84	LYS
1	C	90	LYS
1	C	96	ASN
1	C	110	GLU
1	C	115	SER
1	C	117	VAL
1	C	119	ARG
1	C	132	ARG
1	C	137	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	142	THR
1	C	168	LYS
1	C	183	ASN
1	C	206	LEU
1	C	215	LEU
1	C	228	GLU
1	C	229	MET
1	C	258	MET
1	C	303	GLU
1	C	304	VAL
1	C	311	VAL
1	C	324	THR
1	C	326	THR
1	C	337	ARG
1	C	357	ARG
1	C	392	ASN
1	C	400	VAL
1	C	406	VAL
1	C	410	LYS
1	C	413	VAL
1	D	2	ASN
1	D	9	VAL
1	D	10	LEU
1	D	26	ILE
1	D	28	GLU
1	D	35	VAL
1	D	37	VAL
1	D	40	GLU
1	D	54	ASP
1	D	56	VAL
1	D	71	VAL
1	D	80	GLU
1	D	88	LEU
1	D	93	ARG
1	D	98	THR
1	D	99	ILE
1	D	109	ARG
1	D	110	GLU
1	D	130	ILE
1	D	142	THR
1	D	145	VAL
1	D	163	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	166	VAL
1	D	168	LYS
1	D	177	VAL
1	D	179	MET
1	D	202	ARG
1	D	215	LEU
1	D	231	LYS
1	D	236	THR
1	D	241	CYS
1	D	261	GLU
1	D	280	LEU
1	D	302	VAL
1	D	305	GLU
1	D	316	ARG
1	D	319	GLN
1	D	320	LYS
1	D	323	GLU
1	D	325	SER
1	D	326	THR
1	D	350	THR
1	D	379	ILE
1	D	383	LYS
1	D	404	LEU
1	D	406	VAL
1	D	410	LYS
1	D	412	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	96	ASN
1	A	133	HIS
1	A	256	HIS
1	A	282	GLN
1	A	347	ASN
1	A	384	ASN
1	A	409	GLN
1	B	87	ASN
1	B	138	GLN
1	B	256	HIS
1	B	319	GLN
1	B	347	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	2	ASN
1	C	87	ASN
1	C	212	ASN
1	C	276	GLN
1	C	392	ASN
1	C	409	GLN
1	D	133	HIS
1	D	270	ASN
1	D	308	HIS
1	D	348	ASN
1	D	409	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 13 ligands modelled in this entry, 4 are monoatomic - leaving 9 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	AKG	D	503	3	9,9,9	1.90	1 (11%)	11,11,11	1.74	3 (27%)
4	GOL	A	504	-	5,5,5	0.58	0	5,5,5	0.52	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAP	A	501	-	50,52,52	1.22	5 (10%)	71,80,80	1.55	13 (18%)
2	NAP	D	501	-	50,52,52	1.13	6 (12%)	71,80,80	1.84	18 (25%)
2	NAP	B	501	-	50,52,52	1.29	7 (14%)	71,80,80	1.64	13 (18%)
4	GOL	A	503	-	5,5,5	0.48	0	5,5,5	0.47	0
4	GOL	C	503	-	5,5,5	0.64	0	5,5,5	0.62	0
4	GOL	C	504	-	5,5,5	0.51	0	5,5,5	0.26	0
2	NAP	C	501	-	50,52,52	1.29	5 (10%)	71,80,80	1.63	15 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	AKG	D	503	3	-	2/9/9/9	-
4	GOL	A	504	-	-	3/4/4/4	-
2	NAP	A	501	-	-	15/35/67/67	0/5/5/5
2	NAP	D	501	-	-	8/35/67/67	0/5/5/5
2	NAP	B	501	-	-	14/35/67/67	0/5/5/5
4	GOL	A	503	-	-	2/4/4/4	-
4	GOL	C	503	-	-	4/4/4/4	-
4	GOL	C	504	-	-	2/4/4/4	-
2	NAP	C	501	-	-	12/35/67/67	0/5/5/5

All (24) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	501	NAP	C5A-C4A	5.21	1.48	1.39
5	D	503	AKG	C2-C1	-4.78	1.46	1.53
2	A	501	NAP	C5A-C4A	4.61	1.47	1.39
2	B	501	NAP	C5A-C4A	4.33	1.46	1.39
2	D	501	NAP	C5A-C4A	4.09	1.46	1.39
2	A	501	NAP	C5A-N7A	-3.32	1.33	1.39
2	B	501	NAP	PA-O3	2.99	1.62	1.59
2	B	501	NAP	PN-O3	2.97	1.62	1.59
2	B	501	NAP	C5A-N7A	-2.91	1.33	1.39
2	C	501	NAP	C5A-C6A	2.78	1.48	1.41
2	A	501	NAP	C4A-N9A	-2.73	1.32	1.37
2	D	501	NAP	C5A-N7A	-2.66	1.34	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	501	NAP	PA-O3	2.66	1.62	1.59
2	A	501	NAP	C8A-N7A	2.61	1.36	1.31
2	D	501	NAP	C5A-C6A	2.56	1.48	1.41
2	C	501	NAP	C8A-N7A	2.56	1.36	1.31
2	B	501	NAP	O4D-C1D	2.51	1.44	1.40
2	B	501	NAP	C5A-C6A	2.49	1.47	1.41
2	B	501	NAP	C8A-N7A	2.45	1.36	1.31
2	C	501	NAP	C5A-N7A	-2.39	1.34	1.39
2	D	501	NAP	C8A-N7A	2.19	1.35	1.31
2	D	501	NAP	C4A-N9A	-2.11	1.33	1.37
2	A	501	NAP	O4D-C1D	2.06	1.43	1.40
2	D	501	NAP	O4D-C1D	2.00	1.43	1.40

All (62) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	501	NAP	C5A-C4A-N3A	-5.74	118.81	126.72
2	C	501	NAP	C5A-C4A-N3A	-5.51	119.14	126.72
2	D	501	NAP	C5A-C4A-N3A	-5.47	119.19	126.72
2	A	501	NAP	C5A-C4A-N3A	-4.71	120.23	126.72
2	D	501	NAP	N3A-C4A-N9A	4.54	134.89	127.17
2	D	501	NAP	N3A-C2A-N1A	-4.35	121.99	128.58
2	B	501	NAP	N3A-C4A-N9A	4.31	134.50	127.17
2	D	501	NAP	C2A-N3A-C4A	4.09	121.82	111.83
2	C	501	NAP	N3A-C4A-N9A	4.04	134.05	127.17
2	B	501	NAP	C2A-N3A-C4A	4.02	121.65	111.83
2	A	501	NAP	N3A-C4A-N9A	3.90	133.80	127.17
2	B	501	NAP	N3A-C2A-N1A	-3.90	122.68	128.58
2	C	501	NAP	N3A-C2A-N1A	-3.84	122.77	128.58
2	D	501	NAP	O2N-PN-O3	3.83	117.63	107.27
5	D	503	AKG	C3-C2-C1	3.73	122.20	115.86
2	C	501	NAP	C2A-N3A-C4A	3.68	120.83	111.83
2	A	501	NAP	N3A-C2A-N1A	-3.68	123.01	128.58
2	A	501	NAP	O3-PN-O1N	-3.61	99.83	110.70
2	C	501	NAP	C4A-C5A-N7A	-3.49	106.60	110.58
2	D	501	NAP	C4A-N9A-C8A	3.28	109.19	105.74
2	A	501	NAP	C2A-N3A-C4A	3.23	119.71	111.83
2	A	501	NAP	C3N-C7N-N7N	3.22	121.70	117.74
2	D	501	NAP	C4A-C5A-N7A	-3.21	106.91	110.58
2	B	501	NAP	C4A-C5A-N7A	-3.12	107.02	110.58
2	B	501	NAP	C6N-N1N-C2N	-3.12	119.23	121.88
2	D	501	NAP	O3-PN-O1N	-2.90	101.98	110.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	501	NAP	C2A-N1A-C6A	2.87	123.44	118.73
2	D	501	NAP	C5A-N7A-C8A	2.72	107.73	103.45
5	D	503	AKG	O5-C2-C1	-2.68	115.83	119.67
2	D	501	NAP	C4D-O4D-C1D	-2.63	107.52	109.92
2	B	501	NAP	C5A-N7A-C8A	2.62	107.57	103.45
2	D	501	NAP	O2N-PN-O1N	2.61	124.57	112.44
2	D	501	NAP	N9A-C8A-N7A	-2.59	110.26	113.94
2	C	501	NAP	C3N-C7N-N7N	2.51	120.83	117.74
2	C	501	NAP	C5A-N7A-C8A	2.50	107.38	103.45
2	A	501	NAP	O7N-C7N-N7N	-2.50	119.01	122.62
2	A	501	NAP	C6N-N1N-C1D	2.48	124.59	119.73
2	C	501	NAP	O7N-C7N-N7N	-2.44	119.09	122.62
2	B	501	NAP	C3N-C7N-N7N	2.44	120.74	117.74
2	A	501	NAP	C6N-N1N-C2N	-2.39	119.84	121.88
2	B	501	NAP	O3-PA-O1A	-2.39	103.53	110.70
2	C	501	NAP	O2N-PN-O1N	2.35	123.36	112.44
2	C	501	NAP	O3-PN-O1N	-2.34	103.67	110.70
2	C	501	NAP	O2X-P2B-O2B	-2.32	96.82	105.85
2	C	501	NAP	C6A-C5A-N7A	2.29	136.51	132.09
2	D	501	NAP	C6A-C5A-N7A	2.28	136.49	132.09
2	C	501	NAP	O2B-C2B-C3B	-2.27	103.53	111.68
2	D	501	NAP	C3N-C7N-N7N	2.23	120.49	117.74
5	D	503	AKG	O1-C1-C2	-2.21	119.07	121.81
2	D	501	NAP	O7N-C7N-N7N	-2.19	119.44	122.62
2	B	501	NAP	C6A-C5A-N7A	2.16	136.26	132.09
2	B	501	NAP	C5N-C4N-C3N	-2.15	118.25	120.36
2	B	501	NAP	C6N-N1N-C1D	2.14	123.93	119.73
2	D	501	NAP	C2B-C1B-N9A	-2.13	110.25	113.75
2	D	501	NAP	O3B-C3B-C4B	2.11	117.14	111.08
2	B	501	NAP	N9A-C8A-N7A	-2.11	110.94	113.94
2	A	501	NAP	C4A-N9A-C8A	2.09	107.93	105.74
2	A	501	NAP	N6A-C6A-N1A	2.09	123.03	118.38
2	D	501	NAP	C2A-N1A-C6A	2.07	122.12	118.73
2	C	501	NAP	C6N-N1N-C2N	-2.06	120.12	121.88
2	A	501	NAP	O2N-PN-O3	2.05	112.81	107.27
2	A	501	NAP	O2N-PN-O1N	2.05	121.97	112.44

There are no chirality outliers.

All (62) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	501	NAP	PN-O3-PA-O5B

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	A	501	NAP	C5D-O5D-PN-O3
2	A	501	NAP	C5D-O5D-PN-O2N
2	A	501	NAP	O4D-C1D-N1N-C2N
2	A	501	NAP	O4D-C1D-N1N-C6N
2	B	501	NAP	C5D-O5D-PN-O2N
2	B	501	NAP	O4D-C1D-N1N-C2N
2	B	501	NAP	O4D-C1D-N1N-C6N
2	B	501	NAP	C2D-C1D-N1N-C2N
2	B	501	NAP	C2D-C1D-N1N-C6N
2	C	501	NAP	O4B-C4B-C5B-O5B
2	C	501	NAP	O4D-C1D-N1N-C2N
2	C	501	NAP	O4D-C1D-N1N-C6N
2	C	501	NAP	C2D-C1D-N1N-C2N
2	C	501	NAP	C2D-C1D-N1N-C6N
2	D	501	NAP	C5B-O5B-PA-O3
2	D	501	NAP	O4D-C1D-N1N-C2N
2	D	501	NAP	O4D-C1D-N1N-C6N
2	D	501	NAP	C2D-C1D-N1N-C2N
2	D	501	NAP	C2D-C1D-N1N-C6N
4	A	503	GOL	O1-C1-C2-C3
4	A	504	GOL	C1-C2-C3-O3
4	C	504	GOL	O1-C1-C2-O2
5	D	503	AKG	O2-C1-C2-C3
5	D	503	AKG	C2-C3-C4-C5
2	C	501	NAP	C3B-C4B-C5B-O5B
2	B	501	NAP	O4B-C4B-C5B-O5B
2	B	501	NAP	C3B-C4B-C5B-O5B
2	D	501	NAP	O4D-C4D-C5D-O5D
2	D	501	NAP	C3D-C4D-C5D-O5D
4	C	503	GOL	O1-C1-C2-C3
4	C	503	GOL	C1-C2-C3-O3
4	C	504	GOL	O1-C1-C2-C3
4	A	503	GOL	O1-C1-C2-O2
2	A	501	NAP	O4B-C4B-C5B-O5B
4	A	504	GOL	O2-C2-C3-O3
4	C	503	GOL	O1-C1-C2-O2
2	A	501	NAP	C2N-C3N-C7N-O7N
2	A	501	NAP	C2N-C3N-C7N-N7N
2	A	501	NAP	C3B-C4B-C5B-O5B
2	A	501	NAP	PA-O3-PN-O1N
2	A	501	NAP	C4N-C3N-C7N-N7N
4	C	503	GOL	O2-C2-C3-O3

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	A	501	NAP	C4N-C3N-C7N-O7N
2	C	501	NAP	PN-O3-PA-O5B
2	D	501	NAP	PA-O3-PN-O5D
4	A	504	GOL	O1-C1-C2-C3
2	C	501	NAP	C2B-O2B-P2B-O1X
2	A	501	NAP	C5D-O5D-PN-O1N
2	B	501	NAP	C5D-O5D-PN-O3
2	B	501	NAP	C4N-C3N-C7N-O7N
2	A	501	NAP	PA-O3-PN-O2N
2	C	501	NAP	PA-O3-PN-O2N
2	B	501	NAP	C2N-C3N-C7N-O7N
2	B	501	NAP	C4N-C3N-C7N-N7N
2	A	501	NAP	C2B-O2B-P2B-O1X
2	B	501	NAP	PA-O3-PN-O1N
2	C	501	NAP	PN-O3-PA-O1A
2	B	501	NAP	C2N-C3N-C7N-N7N
2	B	501	NAP	PA-O3-PN-O2N
2	C	501	NAP	PA-O3-PN-O1N
2	C	501	NAP	C2B-O2B-P2B-O3X


There are no ring outliers.


3 monomers are involved in 3 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	D	503	AKG	1	0
2	A	501	NAP	1	0
2	D	501	NAP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	410/413 (99%)	-0.49	1 (0%) 91 91	28, 48, 71, 113	1 (0%)
1	B	411/413 (99%)	-0.40	0 100 100	34, 54, 86, 127	0
1	C	413/413 (100%)	-0.31	4 (0%) 79 74	29, 53, 90, 165	2 (0%)
1	D	413/413 (100%)	-0.28	0 100 100	33, 58, 87, 133	0
All	All	1647/1652 (99%)	-0.37	5 (0%) 90 89	28, 53, 86, 165	3 (0%)

All (5) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	161	GLY	3.2
1	C	1	SER	2.3
1	C	55[A]	ARG	2.0
1	C	4	ILE	2.0
1	C	6	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.


6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	GOL	C	503	6/6	0.81	0.17	78,82,85,86	0
4	GOL	A	504	6/6	0.84	0.07	58,60,63,65	0
3	CA	C	502	1/1	0.89	0.06	75,75,75,75	0
4	GOL	A	503	6/6	0.89	0.07	75,78,79,79	0
3	CA	A	502	1/1	0.90	0.05	86,86,86,86	0
4	GOL	C	504	6/6	0.91	0.07	59,64,64,64	0
2	NAP	B	501	48/48	0.93	0.07	45,54,71,73	0
5	AKG	D	503	10/10	0.93	0.14	75,83,90,90	0
3	CA	A	505	1/1	0.94	0.04	66,66,66,66	0
2	NAP	D	501	48/48	0.96	0.06	39,47,58,61	0
2	NAP	A	501	48/48	0.96	0.06	34,41,47,50	0
2	NAP	C	501	48/48	0.96	0.06	39,44,50,50	0
3	CA	D	502	1/1	0.98	0.05	66,66,66,66	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around NAP D 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAP A 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around NAP C 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.