



Full wwPDB EM Validation Report ⓘ

Mar 22, 2026 – 07:54 PM UTC

PDB ID : 7AJI / pdb_00007aji
EMDB ID : EMD-11435
Title : bovine ATP synthase dimer state3:state2
Authors : Spikes, T.E.; Montgomery, M.G.; Walker, J.E.
Deposited on : 2020-09-29
Resolution : 11.40 Å (reported)
Based on initial models : 6ZQN, 6ZQM

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMD archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 11.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Q-score	-	25397	91 (10.90 - 11.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	8	66	
1	A8	66	
2	A	510	
2	AA	510	
2	AB	510	














Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	AC	510	
2	B	510	
2	C	510	
3	AD	482	
3	AE	482	
3	AF	482	
3	D	482	
3	E	482	
3	F	482	
4	AG	273	
4	G	273	
5	AH	146	
5	H	146	
6	AI	50	
6	I	50	
7	AJ	66	
7	J	66	
8	AK	75	
8	AL	75	
8	AM	75	
8	AN	75	
8	AO	75	
8	AP	75	
8	AQ	75	
8	AR	75	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
8	K	75	
8	L	75	
8	M	75	
8	N	75	
8	O	75	
8	P	75	
8	Q	75	
8	R	75	
9	AS	190	
9	S	190	
10	Aa	226	
10	a	226	
11	Ab	214	
11	b	214	
12	Ad	160	
12	d	160	
13	Ae	70	
13	e	70	
14	Af	87	
14	f	87	
15	Ag	102	
15	g	102	
16	Ah	76	
16	h	76	
17	Aj	60	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
17	j	60	12%77%20%
18	Ak	57	63%37%
18	k	57	18%60%37%

2 Entry composition

There are 21 unique types of molecules in this entry. The entry contains 51407 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ATP synthase protein 8.

Mol	Chain	Residues	Atoms				AltConf	Trace
1	8	41	Total	C	N	O	0	0
			205	123	41	41		
1	A8	38	Total	C	N	O	0	0
			190	114	38	38		

- Molecule 2 is a protein called ATP synthase subunit alpha, mitochondrial.

Mol	Chain	Residues	Atoms				AltConf	Trace
2	A	501	Total	C	N	O	0	0
			2457	1455	501	501		
2	B	502	Total	C	N	O	0	0
			2462	1458	502	502		
2	C	483	Total	C	N	O	0	0
			2369	1403	483	483		
2	AA	486	Total	C	N	O	0	0
			2383	1411	486	486		
2	AB	495	Total	C	N	O	0	0
			2428	1438	495	495		
2	AC	501	Total	C	N	O	0	0
			2457	1455	501	501		

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	GLU	GLN	variant	UNP P19483
A	481	GLY	SER	conflict	UNP P19483
B	1	GLU	GLN	variant	UNP P19483
B	481	GLY	SER	conflict	UNP P19483
C	1	GLU	GLN	variant	UNP P19483
C	481	GLY	SER	conflict	UNP P19483
AA	1	GLU	GLN	variant	UNP P19483
AA	481	GLY	SER	microheterogeneity	UNP P19483
AB	1	GLU	GLN	variant	UNP P19483

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
AB	481	GLY	SER	microheterogeneity	UNP P19483
AC	1	GLU	GLN	variant	UNP P19483
AC	481	GLY	SER	microheterogeneity	UNP P19483

- Molecule 3 is a protein called ATP synthase subunit beta, mitochondrial.

Mol	Chain	Residues	Atoms				AltConf	Trace
3	D	469	Total	C	N	O	0	0
			2300	1362	469	469		
3	E	467	Total	C	N	O	0	0
			2290	1356	467	467		
3	F	467	Total	C	N	O	0	0
			2290	1356	467	467		
3	AD	469	Total	C	N	O	0	0
			2300	1362	469	469		
3	AE	467	Total	C	N	O	0	0
			2290	1356	467	467		
3	AF	467	Total	C	N	O	0	0
			2290	1356	467	467		

- Molecule 4 is a protein called ATP synthase subunit gamma, mitochondrial.

Mol	Chain	Residues	Atoms				AltConf	Trace
4	G	272	Total	C	N	O	0	0
			1347	803	272	272		
4	AG	272	Total	C	N	O	0	0
			1347	803	272	272		

- Molecule 5 is a protein called ATP synthase subunit delta, mitochondrial.

Mol	Chain	Residues	Atoms				AltConf	Trace
5	H	131	Total	C	N	O	0	0
			648	386	131	131		
5	AH	132	Total	C	N	O	0	0
			653	389	132	132		

- Molecule 6 is a protein called ATP synthase subunit epsilon, mitochondrial.

Mol	Chain	Residues	Atoms				AltConf	Trace
6	I	47	Total	C	N	O	0	0
			233	139	47	47		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf	Trace
6	AI	47	Total	C	N	O	0	0
			233	139	47	47		

- Molecule 7 is a protein called ATPase inhibitor, mitochondrial.

Mol	Chain	Residues	Atoms				AltConf	Trace
7	J	47	Total	C	N	O	0	0
			231	137	47	47		
7	AJ	47	Total	C	N	O	0	0
			231	137	47	47		

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
J	61	HIS	-	expression tag	UNP P01096
J	62	HIS	-	expression tag	UNP P01096
J	63	HIS	-	expression tag	UNP P01096
J	64	HIS	-	expression tag	UNP P01096
J	65	HIS	-	expression tag	UNP P01096
J	66	HIS	-	expression tag	UNP P01096
AJ	61	HIS	-	expression tag	UNP P01096
AJ	62	HIS	-	expression tag	UNP P01096
AJ	63	HIS	-	expression tag	UNP P01096
AJ	64	HIS	-	expression tag	UNP P01096
AJ	65	HIS	-	expression tag	UNP P01096
AJ	66	HIS	-	expression tag	UNP P01096

- Molecule 8 is a protein called ATP synthase F(0) complex subunit C2, mitochondrial.

Mol	Chain	Residues	Atoms				AltConf	Trace
8	K	74	Total	C	N	O	0	0
			359	211	74	74		
8	L	74	Total	C	N	O	0	0
			359	211	74	74		
8	M	75	Total	C	N	O	0	0
			364	214	75	75		
8	N	75	Total	C	N	O	0	0
			364	214	75	75		
8	O	75	Total	C	N	O	0	0
			364	214	75	75		
8	P	74	Total	C	N	O	0	0
			359	211	74	74		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf	Trace
8	Q	75	Total	C	N	O	0	0
			364	214	75	75		
8	R	75	Total	C	N	O	0	0
			364	214	75	75		
8	AK	74	Total	C	N	O	0	0
			359	211	74	74		
8	AL	75	Total	C	N	O	0	0
			364	214	75	75		
8	AM	74	Total	C	N	O	0	0
			359	211	74	74		
8	AN	74	Total	C	N	O	0	0
			359	211	74	74		
8	AO	74	Total	C	N	O	0	0
			359	211	74	74		
8	AP	74	Total	C	N	O	0	0
			359	211	74	74		
8	AQ	74	Total	C	N	O	0	0
			359	211	74	74		
8	AR	74	Total	C	N	O	0	0
			359	211	74	74		

- Molecule 9 is a protein called ATP synthase subunit O, mitochondrial.

Mol	Chain	Residues	Atoms				AltConf	Trace
9	S	187	Total	C	N	O	0	0
			926	552	187	187		
9	AS	188	Total	C	N	O	0	0
			931	555	188	188		

- Molecule 10 is a protein called ATP synthase subunit a.

Mol	Chain	Residues	Atoms				AltConf	Trace
10	a	226	Total	C	N	O	0	0
			1119	667	226	226		
10	Aa	226	Total	C	N	O	0	0
			1119	667	226	226		

- Molecule 11 is a protein called ATP synthase F(0) complex subunit B1, mitochondrial.

Mol	Chain	Residues	Atoms				AltConf	Trace
11	b	209	Total	C	N	O	0	0
			1035	617	209	209		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf	Trace
11	Ab	209	Total	C	N	O	0	0
			1035	617	209	209		

- Molecule 12 is a protein called ATP synthase subunit d, mitochondrial.

Mol	Chain	Residues	Atoms				AltConf	Trace
12	d	155	Total	C	N	O	0	0
			773	463	155	155		
12	Ad	154	Total	C	N	O	0	0
			768	460	154	154		

- Molecule 13 is a protein called ATP synthase subunit e, mitochondrial.

Mol	Chain	Residues	Atoms				AltConf	Trace
13	e	56	Total	C	N	O	0	0
			277	165	56	56		
13	Ae	56	Total	C	N	O	0	0
			277	165	56	56		

- Molecule 14 is a protein called ATP synthase subunit f, mitochondrial.

Mol	Chain	Residues	Atoms				AltConf	Trace
14	f	83	Total	C	N	O	0	0
			409	243	83	83		
14	Af	83	Total	C	N	O	0	0
			409	243	83	83		

- Molecule 15 is a protein called ATP synthase subunit g, mitochondrial.

Mol	Chain	Residues	Atoms				AltConf	Trace
15	g	79	Total	C	N	O	0	0
			390	232	79	79		
15	Ag	79	Total	C	N	O	0	0
			390	232	79	79		

- Molecule 16 is a protein called ATP synthase-coupling factor 6, mitochondrial.

Mol	Chain	Residues	Atoms				AltConf	Trace
16	h	62	Total	C	N	O	0	0
			306	182	62	62		
16	Ah	62	Total	C	N	O	0	0
			306	182	62	62		


- Molecule 17 is a protein called ATP synthase subunit ATP5MPL, mitochondrial.

Mol	Chain	Residues	Atoms				AltConf	Trace
17	j	48	Total	C	N	O	0	0
			238	142	48	48		
17	Aj	48	Total	C	N	O	0	0
			238	142	48	48		

- Molecule 18 is a protein called ATP synthase membrane subunit DAPIT, mitochondrial.

Mol	Chain	Residues	Atoms				AltConf	Trace
18	k	36	Total	C	N	O	0	0
			177	105	36	36		
18	Ak	36	Total	C	N	O	0	0
			177	105	36	36		

- Molecule 19 is CARDIOLIPIN (CCD ID: CDL) (formula: $C_{81}H_{156}O_{17}P_2$).




Mol	Chain	Residues	Atoms				AltConf
19	a	1	Total	C	O	P	0
			84	65	17	2	
19	b	1	Total	C	O	P	0
			83	64	17	2	
19	f	1	Total	C	O	P	0
			78	59	17	2	
19	Aa	1	Total	C	O	P	0
			84	65	17	2	
19	Af	1	Total	C	O	P	0
			83	64	17	2	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
19	Af	1	Total	C	O	P	0
			78	59	17	2	

- Molecule 20 is 1,2-DIPALMITOYL-PHOSPHATIDYL-GLYCEROLE (CCD ID: LHG) (formula: C₃₈H₇₅O₁₀P).



Mol	Chain	Residues	Atoms				AltConf
20	f	1	Total	C	O	P	0
			39	28	10	1	
20	f	1	Total	C	O	P	0
			49	38	10	1	
20	Af	1	Total	C	O	P	0
			49	38	10	1	
20	Af	1	Total	C	O	P	0
			39	28	10	1	

- Molecule 21 is water.

Mol	Chain	Residues	Atoms		AltConf
21	A	3	Total	O	0
			3	3	
21	B	4	Total	O	0
			4	4	
21	C	4	Total	O	0
			4	4	
21	D	3	Total	O	0
			3	3	

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
21	F	3	Total 3	O 3	0
21	AA	3	Total 3	O 3	0
21	AB	4	Total 4	O 4	0
21	AC	3	Total 3	O 3	0
21	AD	3	Total 3	O 3	0
21	AF	3	Total 3	O 3	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: ATP synthase protein 8




- Molecule 1: ATP synthase protein 8



- Molecule 2: ATP synthase subunit alpha, mitochondrial




- Molecule 2: ATP synthase subunit alpha, mitochondrial




- Molecule 2: ATP synthase subunit alpha, mitochondrial






• Molecule 2: ATP synthase subunit alpha, mitochondrial

Chain AA: 15% 94% 5%




• Molecule 2: ATP synthase subunit alpha, mitochondrial


Chain AB: 22% 95% 2%




• Molecule 2: ATP synthase subunit alpha, mitochondrial

Chain AC: 18% 97% 2%






- Molecule 3: ATP synthase subunit beta, mitochondrial






- Molecule 3: ATP synthase subunit beta, mitochondrial



- Molecule 3: ATP synthase subunit beta, mitochondrial




- Molecule 3: ATP synthase subunit beta, mitochondrial




- Molecule 3: ATP synthase subunit beta, mitochondrial







- Molecule 3: ATP synthase subunit beta, mitochondrial





- Molecule 4: ATP synthase subunit gamma, mitochondrial




- Molecule 4: ATP synthase subunit gamma, mitochondrial




- Molecule 5: ATP synthase subunit delta, mitochondrial





- Molecule 5: ATP synthase subunit delta, mitochondrial







- Molecule 6: ATP synthase subunit epsilon, mitochondrial




- Molecule 6: ATP synthase subunit epsilon, mitochondrial





- Molecule 7: ATPase inhibitor, mitochondrial




- Molecule 7: ATPase inhibitor, mitochondrial



- Molecule 8: ATP synthase F(0) complex subunit C2, mitochondrial




- Molecule 8: ATP synthase F(0) complex subunit C2, mitochondrial




- Molecule 8: ATP synthase F(0) complex subunit C2, mitochondrial

Chain M:  93% 7%



- Molecule 8: ATP synthase F(0) complex subunit C2, mitochondrial

Chain N:  8% 95% 5%



- Molecule 8: ATP synthase F(0) complex subunit C2, mitochondrial

Chain O:  13% 89% 11%




- Molecule 8: ATP synthase F(0) complex subunit C2, mitochondrial

Chain P:  17% 88% 9% ..




- Molecule 8: ATP synthase F(0) complex subunit C2, mitochondrial

Chain Q:  15% 95% 5%




- Molecule 8: ATP synthase F(0) complex subunit C2, mitochondrial

Chain R:  9% 97% .





- Molecule 8: ATP synthase F(0) complex subunit C2, mitochondrial


Chain AK:  20% 68% 31% .




- Molecule 8: ATP synthase F(0) complex subunit C2, mitochondrial




- Molecule 8: ATP synthase F(0) complex subunit C2, mitochondrial



- Molecule 8: ATP synthase F(0) complex subunit C2, mitochondrial



- Molecule 8: ATP synthase F(0) complex subunit C2, mitochondrial





- Molecule 8: ATP synthase F(0) complex subunit C2, mitochondrial



- Molecule 8: ATP synthase F(0) complex subunit C2, mitochondrial




- Molecule 8: ATP synthase F(0) complex subunit C2, mitochondrial




- Molecule 9: ATP synthase subunit O, mitochondrial




- Molecule 9: ATP synthase subunit O, mitochondrial




- Molecule 10: ATP synthase subunit a




- Molecule 10: ATP synthase subunit a



- Molecule 11: ATP synthase F(0) complex subunit B1, mitochondrial





- Molecule 11: ATP synthase F(0) complex subunit B1, mitochondrial








- Molecule 12: ATP synthase subunit d, mitochondrial





- Molecule 12: ATP synthase subunit d, mitochondrial





- Molecule 13: ATP synthase subunit e, mitochondrial




- Molecule 13: ATP synthase subunit e, mitochondrial




- Molecule 14: ATP synthase subunit f, mitochondrial





- Molecule 14: ATP synthase subunit f, mitochondrial





- Molecule 15: ATP synthase subunit g, mitochondrial





- Molecule 15: ATP synthase subunit g, mitochondrial





- Molecule 16: ATP synthase-coupling factor 6, mitochondrial





- Molecule 16: ATP synthase-coupling factor 6, mitochondrial



- Molecule 17: ATP synthase subunit ATP5MPL, mitochondrial




- Molecule 17: ATP synthase subunit ATP5MPL, mitochondrial




- Molecule 18: ATP synthase membrane subunit DAPIT, mitochondrial





• Molecule 18: ATP synthase membrane subunit DAPIT, mitochondrial



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	6930	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	55	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 QUANTUM (4k x 4k)	Depositor
Maximum map value	0.033	Depositor
Minimum map value	-0.011	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.002	Depositor
Recommended contour level	0.011	Depositor
Map size (Å)	524.0, 524.0, 524.0	wwPDB
Map dimensions	500, 500, 500	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.048, 1.048, 1.048	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: CDL, M3L, LHG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	8	0.77	0/204	1.13	0/284
1	A8	0.41	0/189	0.57	0/263
2	A	0.30	0/2456	0.40	0/3408
2	AA	0.35	0/2382	0.39	0/3305
2	AB	0.35	0/2426	0.38	0/3365
2	AC	0.35	0/2455	0.38	0/3405
2	B	0.30	0/2460	0.38	0/3412
2	C	0.31	0/2367	0.41	0/3283
3	AD	0.35	0/2299	0.41	0/3190
3	AE	0.33	0/2289	0.38	0/3176
3	AF	0.36	0/2289	0.41	0/3176
3	D	0.31	0/2299	0.40	0/3190
3	E	0.29	0/2289	0.38	0/3176
3	F	0.30	0/2289	0.40	0/3176
4	AG	0.33	0/1346	0.43	0/1875
4	G	0.29	0/1346	0.41	0/1875
5	AH	0.36	0/652	0.46	0/907
5	H	0.32	0/647	0.44	0/900
6	AI	0.32	0/232	0.40	0/322
6	I	0.28	0/232	0.38	0/322
7	AJ	0.31	0/230	0.46	0/318
7	J	0.27	0/230	0.50	0/318
8	AK	0.42	0/353	0.59	0/486
8	AL	0.38	0/358	0.54	0/493
8	AM	0.39	0/353	0.49	0/486
8	AN	0.39	0/353	0.50	0/486
8	AO	0.37	0/353	0.59	0/486
8	AP	0.38	0/353	0.54	0/486
8	AQ	0.39	0/353	0.61	0/486
8	AR	0.40	0/353	0.58	1/486 (0.2%)
8	K	0.34	0/353	0.48	0/486
8	L	0.35	0/353	0.54	0/486

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
8	M	0.37	0/358	0.60	1/493 (0.2%)
8	N	0.30	0/358	0.53	0/493
8	O	0.42	0/358	0.90	3/493 (0.6%)
8	P	1.01	2/353 (0.6%)	0.78	1/486 (0.2%)
8	Q	0.31	0/358	0.94	5/493 (1.0%)
8	R	0.35	0/358	0.53	0/493
9	AS	0.23	0/930	0.35	0/1295
9	S	0.22	0/925	0.37	0/1288
10	Aa	0.37	0/1118	0.48	0/1557
10	a	0.40	0/1118	0.57	0/1557
11	Ab	0.30	0/1034	0.51	0/1440
11	b	0.25	0/1034	0.43	0/1440
12	Ad	0.28	0/767	0.51	0/1071
12	d	0.22	0/772	0.41	0/1078
13	Ae	0.26	0/276	0.54	0/383
13	e	0.26	0/276	0.56	0/383
14	Af	0.34	0/408	0.49	0/566
14	f	0.30	0/408	0.41	0/566
15	Ag	0.26	0/389	0.48	0/540
15	g	0.25	0/389	0.51	0/540
16	Ah	0.19	0/305	0.41	0/423
16	h	0.20	0/305	0.52	0/423
17	Aj	0.29	0/237	0.40	0/329
17	j	0.24	0/237	0.41	0/329
18	Ak	0.19	0/176	0.29	0/243
18	k	0.19	0/176	0.32	0/243
All	All	0.33	2/50566 (0.0%)	0.45	11/70158 (0.0%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	P	47	PHE	C-O	-15.21	1.06	1.24
8	P	47	PHE	C-N	-6.76	1.25	1.33

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	Q	63	PHE	N-CA-C	-7.80	102.72	111.14
8	Q	50	ALA	N-CA-C	-7.76	102.76	111.14
8	O	38	ARG	N-CA-C	7.50	120.51	111.82
8	O	37	ALA	N-CA-C	6.76	119.51	111.33
8	O	46	LEU	N-CA-C	-6.21	104.51	111.28

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	P	47	PHE	N-CA-C	-6.14	104.28	110.97
8	Q	50	ALA	N-CA-CB	5.57	118.15	110.07
8	Q	67	VAL	N-CA-C	-5.33	105.34	110.72
8	M	37	ALA	N-CA-C	-5.15	105.66	111.28
8	AR	54	PHE	N-CA-C	5.11	117.25	111.02
8	Q	48	SER	N-CA-C	5.03	117.15	111.11

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	8	205	0	81	0	0
1	A8	190	0	76	3	0
2	A	2457	0	1173	6	0
2	AA	2383	0	1139	5	0
2	AB	2428	0	1159	5	0
2	AC	2457	0	1172	3	0
2	B	2462	0	1174	6	0
2	C	2369	0	1131	10	0
3	AD	2300	0	1094	2	0
3	AE	2290	0	1090	3	0
3	AF	2290	0	1090	1	0
3	D	2300	0	1094	5	0
3	E	2290	0	1090	1	0
3	F	2290	0	1090	3	0
4	AG	1347	0	641	1	0
4	G	1347	0	641	0	0
5	AH	653	0	326	1	0
5	H	648	0	324	1	0
6	AI	233	0	119	0	0
6	I	233	0	119	0	0
7	AJ	231	0	124	0	0
7	J	231	0	124	1	0
8	AK	359	0	199	16	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
8	AL	364	0	201	8	0
8	AM	359	0	199	7	0
8	AN	359	0	199	4	0
8	AO	359	0	199	3	0
8	AP	359	0	199	3	0
8	AQ	359	0	198	3	0
8	AR	359	0	199	6	0
8	K	359	0	198	4	0
8	L	359	0	199	5	0
8	M	364	0	201	4	0
8	N	364	0	201	4	0
8	O	364	0	201	3	0
8	P	359	0	199	4	0
8	Q	364	0	201	0	0
8	R	364	0	201	1	0
9	AS	931	0	427	0	0
9	S	926	0	425	3	0
10	Aa	1119	0	498	4	0
10	a	1119	0	498	13	0
11	Ab	1035	0	459	3	0
11	b	1035	0	459	3	0
12	Ad	768	0	340	2	0
12	d	773	0	342	9	0
13	Ae	277	0	129	2	0
13	e	277	0	129	0	0
14	Af	409	0	184	5	0
14	f	409	0	184	1	0
15	Ag	390	0	178	0	0
15	g	390	0	178	0	0
16	Ah	306	0	128	1	0
16	h	306	0	128	1	0
17	Aj	238	0	107	1	0
17	j	238	0	107	1	0
18	Ak	177	0	80	0	0
18	k	177	0	80	1	0
19	Aa	84	0	115	1	0
19	Af	161	0	216	5	0
19	a	84	0	115	1	0
19	b	83	0	113	1	0
19	f	78	0	103	0	0
20	Af	88	0	122	1	0
20	f	88	0	122	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
21	A	3	0	0	0	0
21	AA	3	0	0	0	0
21	AB	4	0	0	0	0
21	AC	3	0	0	0	0
21	AD	3	0	0	0	0
21	AF	3	0	0	0	0
21	B	4	0	0	0	0
21	C	4	0	0	0	0
21	D	3	0	0	0	0
21	F	3	0	0	0	0
All	All	51407	0	25231	176	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (176) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
19:Af:101:CDL:OA4	19:Af:101:CDL:O1	1.95	0.83
19:Aa:301:CDL:OB3	19:Aa:301:CDL:O1	1.98	0.80
19:Af:102:CDL:OA3	19:Af:102:CDL:O1	2.01	0.78
8:AN:42:LEU:O	8:AN:44:GLN:N	2.19	0.76
19:b:301:CDL:OA4	19:b:301:CDL:O1	2.03	0.76
8:O:42:LEU:O	8:O:44:GLN:N	2.18	0.75
8:K:42:LEU:O	8:K:44:GLN:N	2.20	0.75
8:P:47:PHE:O	8:P:48:SER:C	2.25	0.74
14:Af:75:TYR:O	14:Af:79:LYS:N	2.23	0.71
19:Af:102:CDL:O1	20:Af:104:LHG:O4	2.09	0.70
8:AL:42:LEU:O	8:AL:44:GLN:N	2.27	0.67
8:L:42:LEU:O	8:L:44:GLN:N	2.29	0.66
12:d:131:THR:O	12:d:134:ASP:N	2.31	0.64
18:k:13:GLY:O	18:k:17:TYR:N	2.24	0.64
19:a:301:CDL:O1	19:a:301:CDL:OB3	2.16	0.64
8:K:69:PHE:O	8:K:73:PHE:N	2.32	0.63
3:F:231:ARG:O	3:F:234:LEU:N	2.33	0.62
8:AO:42:LEU:O	8:AO:44:GLN:N	2.36	0.58
10:a:15:LEU:O	10:a:17:LEU:N	2.36	0.58
16:Ah:47:LYS:O	16:Ah:51:GLY:N	2.35	0.58
8:AP:70:LEU:O	8:AP:74:ALA:N	2.34	0.57
19:Af:101:CDL:H1O1	19:Af:101:CDL:PA1	2.25	0.57
10:Aa:15:LEU:O	10:Aa:17:LEU:N	2.35	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
8:AM:5:ALA:HB1	8:AN:6:ALA:HB2	1.87	0.55
8:AQ:5:ALA:HB1	8:AR:6:ALA:HB2	1.89	0.55
3:AE:422:GLU:O	3:AE:426:GLY:N	2.37	0.55
8:AL:12:GLY:HA2	8:AM:14:ALA:HB2	1.89	0.55
8:R:42:LEU:O	8:R:44:GLN:N	2.33	0.54
11:Ab:83:ASP:O	11:Ab:86:ASN:N	2.40	0.54
11:b:54:THR:O	11:b:57:THR:N	2.39	0.54
2:AA:406:PHE:O	2:AA:408:SER:N	2.40	0.54
8:K:70:LEU:O	8:K:74:ALA:N	2.41	0.54
14:Af:44:TYR:N	19:Af:102:CDL:OA9	2.41	0.54
1:A8:26:LEU:O	1:A8:29:SER:N	2.40	0.54
2:A:406:PHE:O	2:A:408:SER:N	2.42	0.53
3:AF:422:GLU:O	3:AF:426:GLY:N	2.38	0.52
8:AK:60:MET:O	8:AK:61:GLY:C	2.53	0.51
8:M:54:PHE:O	8:M:55:ALA:C	2.52	0.51
14:f:59:LEU:O	14:f:60:SER:C	2.54	0.51
2:A:490:SER:O	2:A:493:SER:N	2.44	0.50
3:D:170:ILE:O	3:D:174:ALA:HB3	2.11	0.50
9:S:161:GLY:HA3	9:S:173:MET:O	2.11	0.50
10:a:160:LEU:O	10:a:161:THR:C	2.54	0.50
8:AK:26:GLY:O	8:AK:30:GLY:N	2.44	0.50
8:AM:5:ALA:O	8:AN:6:ALA:HB1	2.11	0.50
10:a:166:ALA:O	10:a:167:GLY:C	2.55	0.50
14:Af:60:SER:O	14:Af:61:MET:C	2.55	0.50
10:a:158:VAL:O	10:a:159:ARG:C	2.54	0.50
12:d:111:ILE:O	12:d:114:TYR:N	2.45	0.49
2:B:330:GLN:O	2:B:331:ALA:C	2.54	0.49
8:O:2:ILE:O	8:O:6:ALA:N	2.37	0.49
10:Aa:155:ALA:O	10:Aa:156:LEU:C	2.56	0.49
12:d:111:ILE:O	12:d:112:GLN:C	2.54	0.49
11:b:174:ILE:O	11:b:175:ASN:C	2.56	0.48
2:AB:486:ASP:O	2:AB:488:LYS:N	2.46	0.48
8:N:42:LEU:O	8:N:44:GLN:N	2.47	0.48
8:AQ:42:LEU:O	8:AQ:44:GLN:N	2.38	0.48
14:Af:29:THR:O	14:Af:32:GLY:N	2.45	0.48
3:D:400:ASP:O	3:D:403:THR:N	2.46	0.47
8:AN:42:LEU:C	8:AN:44:GLN:H	2.16	0.47
8:AK:52:LEU:O	8:AK:53:GLY:C	2.57	0.47
8:AK:58:GLU:O	8:AK:59:ALA:C	2.56	0.47
8:AK:73:PHE:O	8:AK:74:ALA:HB2	2.13	0.47
2:C:397:TYR:O	2:C:401:ALA:N	2.48	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:496:LYS:O	2:B:497:LEU:C	2.57	0.47
10:a:222:LEU:O	10:a:226:THR:N	2.48	0.47
8:P:42:LEU:O	8:P:43:M3L:C	2.62	0.46
8:K:13:ALA:O	8:K:14:ALA:C	2.58	0.46
8:L:5:ALA:HB1	8:M:6:ALA:HB2	1.97	0.46
2:AA:403:PHE:O	2:AA:404:ALA:C	2.58	0.46
8:AK:51:ILE:O	8:AK:52:LEU:C	2.57	0.46
11:b:76:ALA:O	11:b:77:SER:C	2.59	0.46
8:AK:53:GLY:O	8:AK:54:PHE:C	2.59	0.46
8:AK:57:SER:O	8:AK:58:GLU:C	2.58	0.46
2:A:377:ALA:O	2:A:378:ALA:HB3	2.16	0.46
12:d:88:GLN:O	12:d:91:ALA:HB3	2.16	0.46
12:d:85:TYR:O	12:d:87:ALA:N	2.49	0.46
8:AK:6:ALA:HB2	8:AR:5:ALA:HB1	1.98	0.45
2:AA:403:PHE:O	2:AA:406:PHE:N	2.48	0.45
2:C:460:LYS:O	2:C:461:ILE:C	2.59	0.45
9:S:87:ASN:O	9:S:90:ALA:N	2.50	0.45
8:AR:58:GLU:O	8:AR:59:ALA:C	2.58	0.45
2:A:463:LYS:O	2:A:464:PHE:C	2.59	0.45
8:AK:25:ILE:O	8:AK:26:GLY:C	2.59	0.45
8:AO:47:PHE:O	8:AO:48:SER:C	2.58	0.45
4:AG:151:SER:O	4:AG:153:TYR:N	2.44	0.45
10:a:155:ALA:O	10:a:156:LEU:C	2.59	0.45
10:a:116:GLY:O	10:a:120:LYS:O	2.34	0.44
5:AH:105:LEU:O	5:AH:106:GLY:C	2.60	0.44
8:AM:73:PHE:O	8:AM:74:ALA:HB2	2.16	0.44
2:A:464:PHE:O	2:A:465:GLU:C	2.60	0.44
2:C:464:PHE:O	2:C:465:GLU:C	2.60	0.44
8:AP:42:LEU:O	8:AP:43:M3L:C	2.65	0.44
2:C:463:LYS:O	2:C:464:PHE:C	2.61	0.44
3:D:463:ILE:O	3:D:466:ALA:HB3	2.17	0.44
2:AC:105:GLY:N	2:AC:229:THR:O	2.42	0.44
8:AL:50:ALA:O	8:AL:51:ILE:C	2.60	0.44
17:j:6:ILE:O	17:j:10:TRP:N	2.46	0.44
1:A8:8:THR:O	1:A8:9:TRP:C	2.60	0.44
8:AR:42:LEU:O	8:AR:43:M3L:C	2.66	0.44
17:Aj:16:TYR:HA	17:Aj:20:ALA:HB3	1.99	0.44
2:C:504:PHE:O	2:C:508:PHE:N	2.50	0.43
8:L:5:ALA:HB1	8:M:6:ALA:CB	2.47	0.43
2:AB:117:GLY:O	2:AB:118:LYS:C	2.61	0.43
2:AC:464:PHE:O	2:AC:465:GLU:C	2.60	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
10:a:175:GLY:O	10:a:176:GLY:C	2.59	0.43
8:AK:6:ALA:O	8:AK:7:LYS:C	2.59	0.43
5:H:59:ARG:O	5:H:60:PRO:C	2.61	0.43
8:AL:5:ALA:HB1	8:AM:6:ALA:HB3	1.99	0.43
12:d:144:LEU:O	12:d:145:ASP:C	2.61	0.43
2:AB:464:PHE:O	2:AB:465:GLU:C	2.60	0.43
3:AE:347:ALA:O	3:AE:348:VAL:C	2.61	0.43
8:AK:67:VAL:O	8:AK:68:ALA:C	2.61	0.43
11:Ab:83:ASP:O	11:Ab:84:LYS:C	2.60	0.43
3:AE:256:ASP:HA	3:AE:257:ASN:HA	1.83	0.43
8:AQ:19:ALA:O	8:AR:20:GLY:HA3	2.19	0.42
12:d:91:ALA:O	12:d:92:GLU:C	2.61	0.42
3:F:347:ALA:O	3:F:348:VAL:C	2.62	0.42
9:S:60:VAL:O	9:S:61:LYS:C	2.62	0.42
8:P:73:PHE:O	8:P:74:ALA:HB2	2.20	0.42
8:L:35:GLY:O	8:L:36:TYR:C	2.59	0.42
12:Ad:100:CYS:O	12:Ad:101:ALA:C	2.60	0.42
13:Ae:34:PRO:O	13:Ae:35:ARG:C	2.61	0.42
3:D:256:ASP:HA	3:D:257:ASN:HA	1.90	0.42
10:a:164:ILE:O	10:a:165:THR:C	2.62	0.42
10:a:174:ILE:O	10:a:175:GLY:C	2.62	0.42
3:AD:347:ALA:O	3:AD:348:VAL:C	2.63	0.42
8:AK:19:ALA:O	8:AL:20:GLY:HA3	2.19	0.42
3:E:81:PRO:O	3:E:82:ILE:C	2.63	0.42
8:L:42:LEU:C	8:L:44:GLN:H	2.26	0.42
8:AK:20:GLY:HA3	8:AR:19:ALA:HB1	2.02	0.42
2:B:464:PHE:O	2:B:465:GLU:C	2.62	0.41
3:AD:386:ASP:O	3:AD:389:ALA:HB3	2.20	0.41
8:AM:70:LEU:O	8:AM:74:ALA:N	2.52	0.41
2:C:309:ALA:HB1	2:C:321:LEU:O	2.19	0.41
2:C:358:TYR:C	2:C:360:GLY:N	2.77	0.41
13:Ae:34:PRO:O	13:Ae:37:GLU:N	2.53	0.41
14:Af:63:LEU:O	14:Af:64:ALA:C	2.63	0.41
10:a:135:THR:O	10:a:137:LEU:N	2.53	0.41
10:a:156:LEU:O	10:a:157:ALA:C	2.62	0.41
12:Ad:91:ALA:O	12:Ad:92:GLU:C	2.64	0.41
7:J:46:LYS:O	7:J:47:LYS:C	2.64	0.41
8:N:42:LEU:C	8:N:44:GLN:H	2.27	0.41
2:B:505:LEU:O	2:B:506:ALA:C	2.63	0.41
8:P:47:PHE:O	8:P:49:TYR:N	2.54	0.41
8:AO:19:ALA:HA	8:AP:20:GLY:HA3	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
10:Aa:68:TRP:O	10:Aa:69:THR:C	2.63	0.41
10:Aa:184:ILE:O	10:Aa:185:SER:C	2.63	0.41
8:AL:42:LEU:C	8:AL:44:GLN:H	2.25	0.41
8:AK:65:LEU:O	8:AK:68:ALA:HB3	2.20	0.41
2:C:461:ILE:O	2:C:462:THR:C	2.61	0.41
3:D:347:ALA:O	3:D:348:VAL:C	2.63	0.41
12:d:131:THR:O	12:d:132:ILE:C	2.63	0.41
2:AA:289:PRO:O	2:AA:294:TYR:O	2.39	0.41
2:AB:463:LYS:O	2:AB:464:PHE:C	2.63	0.41
11:Ab:9:GLY:O	11:Ab:10:GLY:C	2.61	0.41
2:B:105:GLY:HA2	2:B:226:MET:O	2.21	0.41
10:a:165:THR:O	10:a:166:ALA:C	2.64	0.41
8:AL:70:LEU:O	8:AL:75:MET:N	2.54	0.41
8:M:5:ALA:HB1	8:N:6:ALA:HB2	2.03	0.40
2:AA:171:ARG:O	2:AA:172:GLN:C	2.64	0.40
3:F:256:ASP:HA	3:F:257:ASN:HA	1.88	0.40
8:O:2:ILE:O	8:O:5:ALA:N	2.55	0.40
16:h:44:PHE:O	16:h:45:LYS:C	2.63	0.40
1:A8:6:THR:O	1:A8:7:SER:C	2.64	0.40
2:AB:292:GLU:O	2:AB:293:ALA:HB3	2.22	0.40
8:AK:62:LEU:O	8:AK:63:PHE:C	2.63	0.40
2:B:292:GLU:O	2:B:293:ALA:HB3	2.22	0.40
2:C:468:PHE:O	2:C:469:LEU:C	2.64	0.40
2:A:269:ASP:HA	2:A:270:ASP:HA	1.86	0.40
20:f:102:LHG:O5	20:f:102:LHG:O2	2.25	0.40
2:AC:465:GLU:O	2:AC:466:ASN:C	2.65	0.40
2:C:105:GLY:HA2	2:C:226:MET:O	2.21	0.40
8:N:42:LEU:O	8:N:43:M3L:C	2.69	0.40
12:d:90:ASP:O	12:d:91:ALA:C	2.65	0.40
8:AL:12:GLY:CA	8:AM:14:ALA:HB2	2.52	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	8	39/66 (59%)	33 (85%)	6 (15%)	0	100	100
1	A8	36/66 (54%)	29 (81%)	7 (19%)	0	100	100
2	A	499/510 (98%)	450 (90%)	49 (10%)	0	100	100
2	AA	484/510 (95%)	444 (92%)	40 (8%)	0	100	100
2	AB	491/510 (96%)	451 (92%)	40 (8%)	0	100	100
2	AC	497/510 (98%)	461 (93%)	36 (7%)	0	100	100
2	B	498/510 (98%)	453 (91%)	45 (9%)	0	100	100
2	C	479/510 (94%)	423 (88%)	56 (12%)	0	100	100
3	AD	467/482 (97%)	419 (90%)	48 (10%)	0	100	100
3	AE	465/482 (96%)	432 (93%)	33 (7%)	0	100	100
3	AF	465/482 (96%)	422 (91%)	43 (9%)	0	100	100
3	D	467/482 (97%)	430 (92%)	37 (8%)	0	100	100
3	E	465/482 (96%)	423 (91%)	42 (9%)	0	100	100
3	F	465/482 (96%)	422 (91%)	43 (9%)	0	100	100
4	AG	270/273 (99%)	256 (95%)	14 (5%)	0	100	100
4	G	270/273 (99%)	255 (94%)	15 (6%)	0	100	100
5	AH	130/146 (89%)	115 (88%)	15 (12%)	0	100	100
5	H	129/146 (88%)	115 (89%)	14 (11%)	0	100	100
6	AI	45/50 (90%)	41 (91%)	4 (9%)	0	100	100
6	I	45/50 (90%)	45 (100%)	0	0	100	100
7	AJ	45/66 (68%)	42 (93%)	3 (7%)	0	100	100
7	J	45/66 (68%)	40 (89%)	5 (11%)	0	100	100
8	AK	71/75 (95%)	60 (84%)	11 (16%)	0	100	100
8	AL	72/75 (96%)	67 (93%)	5 (7%)	0	100	100
8	AM	71/75 (95%)	67 (94%)	4 (6%)	0	100	100
8	AN	71/75 (95%)	68 (96%)	3 (4%)	0	100	100
8	AO	71/75 (95%)	70 (99%)	1 (1%)	0	100	100
8	AP	71/75 (95%)	67 (94%)	4 (6%)	0	100	100
8	AQ	71/75 (95%)	65 (92%)	6 (8%)	0	100	100
8	AR	71/75 (95%)	66 (93%)	5 (7%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
8	K	71/75 (95%)	66 (93%)	5 (7%)	0	100	100
8	L	71/75 (95%)	70 (99%)	1 (1%)	0	100	100
8	M	72/75 (96%)	66 (92%)	6 (8%)	0	100	100
8	N	72/75 (96%)	67 (93%)	5 (7%)	0	100	100
8	O	72/75 (96%)	70 (97%)	2 (3%)	0	100	100
8	P	71/75 (95%)	67 (94%)	3 (4%)	1 (1%)	9	40
8	Q	72/75 (96%)	69 (96%)	3 (4%)	0	100	100
8	R	72/75 (96%)	66 (92%)	6 (8%)	0	100	100
9	AS	186/190 (98%)	175 (94%)	11 (6%)	0	100	100
9	S	185/190 (97%)	173 (94%)	12 (6%)	0	100	100
10	Aa	224/226 (99%)	201 (90%)	23 (10%)	0	100	100
10	a	224/226 (99%)	195 (87%)	29 (13%)	0	100	100
11	Ab	207/214 (97%)	200 (97%)	7 (3%)	0	100	100
11	b	207/214 (97%)	197 (95%)	10 (5%)	0	100	100
12	Ad	152/160 (95%)	133 (88%)	19 (12%)	0	100	100
12	d	153/160 (96%)	136 (89%)	17 (11%)	0	100	100
13	Ae	54/70 (77%)	53 (98%)	1 (2%)	0	100	100
13	e	54/70 (77%)	53 (98%)	1 (2%)	0	100	100
14	Af	81/87 (93%)	73 (90%)	8 (10%)	0	100	100
14	f	81/87 (93%)	71 (88%)	10 (12%)	0	100	100
15	Ag	77/102 (76%)	68 (88%)	9 (12%)	0	100	100
15	g	77/102 (76%)	70 (91%)	7 (9%)	0	100	100
16	Ah	60/76 (79%)	49 (82%)	11 (18%)	0	100	100
16	h	60/76 (79%)	53 (88%)	7 (12%)	0	100	100
17	Aj	46/60 (77%)	43 (94%)	3 (6%)	0	100	100
17	j	46/60 (77%)	44 (96%)	2 (4%)	0	100	100
18	Ak	34/57 (60%)	33 (97%)	1 (3%)	0	100	100
18	k	34/57 (60%)	34 (100%)	0	0	100	100
All	All	10180/10838 (94%)	9326 (92%)	853 (8%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
8	P	44	GLN

5.3.2 Protein sidechains [i](#)

There are no protein residues with a non-rotameric sidechain to report in this entry.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

16 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
8	M3L	AM	43	8	3,4,12	1.09	0	2,4,16	0.45	0
8	M3L	AO	43	8	3,4,12	0.77	0	2,4,16	0.72	0
8	M3L	AQ	43	8	3,4,12	0.90	0	2,4,16	0.34	0
8	M3L	K	43	8	3,4,12	0.90	0	2,4,16	0.20	0
8	M3L	L	43	8	3,4,12	0.83	0	2,4,16	0.77	0
8	M3L	M	43	8	3,4,12	0.99	0	2,4,16	0.24	0
8	M3L	R	43	8	3,4,12	0.92	0	2,4,16	0.36	0
8	M3L	AL	43	8	3,4,12	0.77	0	2,4,16	0.50	0
8	M3L	Q	43	8	3,4,12	0.92	0	2,4,16	0.24	0
8	M3L	AP	43	8	3,4,12	0.81	0	2,4,16	0.31	0
8	M3L	AK	43	8	3,4,12	0.93	0	2,4,16	0.28	0
8	M3L	N	43	8	3,4,12	0.71	0	2,4,16	0.19	0
8	M3L	O	43	8	3,4,12	0.69	0	2,4,16	0.73	0
8	M3L	AR	43	8	3,4,12	0.96	0	2,4,16	0.20	0
8	M3L	AN	43	8	3,4,12	0.80	0	2,4,16	0.59	0
8	M3L	P	43	8	3,4,12	0.84	0	2,4,16	0.34	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.
'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	M3L	AM	43	8	-	0/1/2/12	-
8	M3L	AO	43	8	-	0/1/2/12	-
8	M3L	AQ	43	8	-	0/1/2/12	-
8	M3L	K	43	8	-	0/1/2/12	-
8	M3L	L	43	8	-	0/1/2/12	-
8	M3L	M	43	8	-	0/1/2/12	-
8	M3L	R	43	8	-	0/1/2/12	-
8	M3L	AL	43	8	-	0/1/2/12	-
8	M3L	Q	43	8	-	1/1/2/12	-
8	M3L	AP	43	8	-	0/1/2/12	-
8	M3L	AK	43	8	-	1/1/2/12	-
8	M3L	N	43	8	-	0/1/2/12	-
8	M3L	O	43	8	-	0/1/2/12	-
8	M3L	AR	43	8	-	0/1/2/12	-
8	M3L	AN	43	8	-	1/1/2/12	-
8	M3L	P	43	8	-	0/1/2/12	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	Q	43	M3L	O-C-CA-CB
8	AK	43	M3L	O-C-CA-CB
8	AN	43	M3L	O-C-CA-CB

There are no ring outliers.

4 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	AP	43	M3L	1	0
8	N	43	M3L	1	0
8	AR	43	M3L	1	0
8	P	43	M3L	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

10 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
19	CDL	Aa	301	-	83,83,99	1.00	7 (8%)	89,95,111	1.08	4 (4%)
20	LHG	f	102	-	38,38,48	0.71	1 (2%)	41,44,54	1.35	5 (12%)
20	LHG	Af	104	-	38,38,48	0.75	1 (2%)	41,44,54	1.30	4 (9%)
19	CDL	Af	102	-	77,77,99	1.02	6 (7%)	83,89,111	1.15	5 (6%)
20	LHG	f	103	-	48,48,48	0.64	1 (2%)	51,54,54	1.24	4 (7%)
19	CDL	a	301	-	83,83,99	1.00	7 (8%)	89,95,111	1.12	4 (4%)
19	CDL	Af	101	-	82,82,99	0.99	6 (7%)	88,94,111	1.16	5 (5%)
20	LHG	Af	103	-	48,48,48	0.64	1 (2%)	51,54,54	1.26	6 (11%)
19	CDL	f	101	-	77,77,99	1.01	7 (9%)	83,89,111	1.13	4 (4%)
19	CDL	b	301	-	82,82,99	0.99	6 (7%)	88,94,111	1.17	5 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
19	CDL	Aa	301	-	-	30/94/94/110	-
20	LHG	f	102	-	-	14/43/43/53	-
20	LHG	Af	104	-	-	21/43/43/53	-
19	CDL	Af	102	-	-	35/88/88/110	-
20	LHG	f	103	-	-	18/53/53/53	-
19	CDL	a	301	-	-	38/94/94/110	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
19	CDL	Af	101	-	-	38/93/93/110	-
20	LHG	Af	103	-	-	17/53/53/53	-
19	CDL	f	101	-	-	42/88/88/110	-
19	CDL	b	301	-	-	31/93/93/110	-

All (43) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
19	Af	101	CDL	OA6-CA4	-3.06	1.39	1.46
19	f	101	CDL	OA6-CA4	-2.93	1.39	1.46
19	b	301	CDL	OA6-CA4	-2.92	1.39	1.46
19	Af	102	CDL	OA6-CA4	-2.84	1.39	1.46
19	Aa	301	CDL	OB6-CB4	-2.82	1.40	1.46
19	a	301	CDL	OB6-CB4	-2.82	1.40	1.46
19	a	301	CDL	OA6-CA4	-2.81	1.40	1.46
19	Aa	301	CDL	OA6-CA4	-2.79	1.40	1.46
20	Af	104	LHG	O7-C5	-2.76	1.40	1.46
19	Af	102	CDL	OB8-CB7	2.76	1.41	1.33
19	Af	101	CDL	OB8-CB7	2.72	1.41	1.33
19	a	301	CDL	OB8-CB7	2.71	1.41	1.33
19	b	301	CDL	OB6-CB4	-2.70	1.40	1.46
19	Aa	301	CDL	OB8-CB7	2.68	1.41	1.33
19	Af	101	CDL	OB6-CB4	-2.68	1.40	1.46
19	f	101	CDL	OB8-CB7	2.65	1.41	1.33
19	f	101	CDL	OB6-CB4	-2.63	1.40	1.46
19	Af	102	CDL	OB6-CB4	-2.62	1.40	1.46
19	b	301	CDL	OB8-CB7	2.62	1.41	1.33
20	f	102	LHG	O7-C5	-2.46	1.40	1.46
19	Af	102	CDL	OA8-CA6	-2.44	1.39	1.45
19	Af	102	CDL	OB6-CB5	2.43	1.41	1.34
19	f	101	CDL	OB6-CB5	2.43	1.41	1.34
19	Af	101	CDL	OB6-CB5	2.41	1.41	1.34
20	f	103	LHG	O7-C5	-2.41	1.40	1.46
19	b	301	CDL	OB6-CB5	2.38	1.41	1.34
19	b	301	CDL	OA8-CA7	2.37	1.40	1.33
19	Aa	301	CDL	OA8-CA6	-2.35	1.39	1.45
20	Af	103	LHG	O7-C5	-2.34	1.41	1.46
19	a	301	CDL	OB6-CB5	2.32	1.40	1.34
19	Aa	301	CDL	OB6-CB5	2.30	1.40	1.34
19	a	301	CDL	OA8-CA7	2.30	1.40	1.33
19	a	301	CDL	OA8-CA6	-2.28	1.40	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
19	Af	101	CDL	OA8-CA7	2.25	1.39	1.33
19	f	101	CDL	OA8-CA6	-2.25	1.40	1.45
19	Aa	301	CDL	OA8-CA7	2.24	1.39	1.33
19	Af	101	CDL	OA8-CA6	-2.18	1.40	1.45
19	f	101	CDL	OA8-CA7	2.16	1.39	1.33
19	Af	102	CDL	OA8-CA7	2.16	1.39	1.33
19	b	301	CDL	OA8-CA6	-2.13	1.40	1.45
19	Aa	301	CDL	OA6-CA5	2.11	1.40	1.34
19	f	101	CDL	OB8-CB6	-2.04	1.40	1.45
19	a	301	CDL	OA6-CA5	2.04	1.40	1.34

All (46) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
20	f	102	LHG	O4-P-O5	4.54	133.58	112.44
20	Af	103	LHG	O4-P-O5	4.47	133.23	112.44
20	f	103	LHG	O4-P-O5	4.45	133.15	112.44
20	Af	104	LHG	O4-P-O5	4.37	132.79	112.44
19	Af	101	CDL	OB6-CB5-C51	4.27	120.72	111.48
19	b	301	CDL	OA6-CA5-C11	4.20	120.57	111.48
19	Af	102	CDL	OA6-CA5-C11	4.16	120.49	111.48
19	b	301	CDL	OB6-CB5-C51	4.08	120.31	111.48
19	f	101	CDL	OB6-CB5-C51	4.01	120.16	111.48
19	Aa	301	CDL	OA6-CA5-C11	4.01	120.15	111.48
19	a	301	CDL	OA6-CA5-C11	4.00	120.14	111.48
19	a	301	CDL	OB6-CB5-C51	3.93	119.99	111.48
19	Af	102	CDL	OB6-CB5-C51	3.92	119.97	111.48
19	f	101	CDL	OA6-CA5-C11	3.89	119.90	111.48
19	Af	101	CDL	OA6-CA5-C11	3.74	119.57	111.48
19	Aa	301	CDL	OB6-CB5-C51	3.61	119.29	111.48
19	Af	101	CDL	OA8-CA7-C31	3.16	121.48	111.83
19	b	301	CDL	OA8-CA7-C31	2.86	120.56	111.83
20	Af	103	LHG	O8-C23-C24	2.81	120.41	111.83
19	b	301	CDL	OB8-CB7-C71	2.79	120.34	111.83
20	f	103	LHG	O8-C23-C24	2.76	120.27	111.83
20	Af	104	LHG	O8-C23-C24	2.75	120.22	111.83
19	a	301	CDL	OA8-CA7-C31	2.69	120.04	111.83
19	Af	102	CDL	OB8-CB7-C71	2.69	120.03	111.83
19	Aa	301	CDL	OA8-CA7-C31	2.68	120.00	111.83
20	f	102	LHG	O8-C23-C24	2.66	119.95	111.83
19	f	101	CDL	OA8-CA7-C31	2.66	119.94	111.83
19	Af	102	CDL	OA8-CA7-C31	2.63	119.86	111.83

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
19	a	301	CDL	OB8-CB7-C71	2.52	119.53	111.83
20	f	102	LHG	C11-C10-C9	-2.52	101.65	114.37
19	Af	101	CDL	OB8-CB7-C71	2.51	119.49	111.83
19	f	101	CDL	OB8-CB7-C71	2.48	119.40	111.83
20	Af	103	LHG	C11-C10-C9	-2.38	102.33	114.37
20	f	103	LHG	C11-C10-C9	-2.31	102.70	114.37
19	Aa	301	CDL	OB8-CB7-C71	2.29	118.81	111.83
19	b	301	CDL	CA4-OA6-CA5	-2.27	112.37	117.80
19	Af	101	CDL	CB4-OB6-CB5	-2.18	112.57	117.80
20	Af	103	LHG	C20-C19-C18	-2.18	103.36	114.37
20	Af	104	LHG	C27-C26-C25	-2.17	103.38	114.37
19	Af	102	CDL	CB4-OB6-CB5	-2.17	112.60	117.80
20	f	102	LHG	C27-C26-C25	-2.16	103.45	114.37
20	Af	104	LHG	C5-O7-C7	-2.14	112.67	117.80
20	Af	103	LHG	C18-C17-C16	-2.10	103.73	114.37
20	f	102	LHG	C18-C17-C16	-2.10	103.77	114.37
20	Af	103	LHG	C27-C26-C25	-2.06	103.96	114.37
20	f	103	LHG	C20-C19-C18	-2.02	104.14	114.37

There are no chirality outliers.

All (284) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
19	a	301	CDL	CB2-OB2-PB2-OB3
19	b	301	CDL	C1-CA2-OA2-PA1
19	b	301	CDL	CA2-OA2-PA1-OA3
19	b	301	CDL	CA2-OA2-PA1-OA4
19	b	301	CDL	CA2-OA2-PA1-OA5
19	b	301	CDL	CB2-OB2-PB2-OB3
19	b	301	CDL	CB2-OB2-PB2-OB4
19	b	301	CDL	CB2-OB2-PB2-OB5
19	b	301	CDL	CB3-OB5-PB2-OB2
19	b	301	CDL	CB3-OB5-PB2-OB3
19	b	301	CDL	CB3-OB5-PB2-OB4
19	f	101	CDL	C11-CA5-OA6-CA4
19	f	101	CDL	CB2-OB2-PB2-OB3
19	f	101	CDL	CB2-OB2-PB2-OB4
19	f	101	CDL	CB2-OB2-PB2-OB5
19	f	101	CDL	CB3-OB5-PB2-OB2
19	f	101	CDL	CB3-OB5-PB2-OB3
19	f	101	CDL	OB5-CB3-CB4-OB6
19	f	101	CDL	C51-CB5-OB6-CB4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
19	Aa	301	CDL	CA2-OA2-PA1-OA4
19	Aa	301	CDL	CA2-OA2-PA1-OA5
19	Af	101	CDL	C1-CA2-OA2-PA1
19	Af	101	CDL	CA2-OA2-PA1-OA3
19	Af	101	CDL	CA2-OA2-PA1-OA4
19	Af	101	CDL	CA2-OA2-PA1-OA5
19	Af	101	CDL	CA3-OA5-PA1-OA2
19	Af	101	CDL	CA3-OA5-PA1-OA3
19	Af	101	CDL	CB2-OB2-PB2-OB3
19	Af	101	CDL	CB2-OB2-PB2-OB5
19	Af	101	CDL	OB6-CB4-CB6-OB8
19	Af	102	CDL	C1-CA2-OA2-PA1
19	Af	102	CDL	CA2-OA2-PA1-OA4
19	Af	102	CDL	CA2-OA2-PA1-OA5
19	Af	102	CDL	CB2-OB2-PB2-OB3
19	Af	102	CDL	CB2-OB2-PB2-OB4
19	Af	102	CDL	CB2-OB2-PB2-OB5
19	Af	102	CDL	CB3-OB5-PB2-OB3
19	Af	102	CDL	C51-CB5-OB6-CB4
20	f	102	LHG	C3-O3-P-O4
20	f	102	LHG	C3-O3-P-O6
20	f	103	LHG	C1-C2-C3-O3
20	Af	103	LHG	C1-C2-C3-O3
20	Af	104	LHG	C3-O3-P-O5
20	Af	104	LHG	C4-O6-P-O3
20	Af	104	LHG	C4-O6-P-O4
20	Af	104	LHG	O10-C23-O8-C6
19	f	101	CDL	OA7-CA5-OA6-CA4
19	f	101	CDL	OB7-CB5-OB6-CB4
19	Af	102	CDL	OB7-CB5-OB6-CB4
19	Aa	301	CDL	C31-CA7-OA8-CA6
19	Af	102	CDL	C31-CA7-OA8-CA6
19	a	301	CDL	C31-CA7-OA8-CA6
20	Af	104	LHG	C24-C23-O8-C6
19	Aa	301	CDL	OA9-CA7-OA8-CA6
19	Af	102	CDL	OA9-CA7-OA8-CA6
19	f	101	CDL	O1-C1-CA2-OA2
20	f	103	LHG	O2-C2-C3-O3
20	Af	103	LHG	O2-C2-C3-O3
20	Af	104	LHG	O2-C2-C3-O3
19	a	301	CDL	OA9-CA7-OA8-CA6
19	a	301	CDL	C1-CB2-OB2-PB2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
20	Af	104	LHG	C1-C2-C3-O3
19	Aa	301	CDL	CB5-C51-C52-C53
19	f	101	CDL	C1-CA2-OA2-PA1
19	b	301	CDL	CA5-C11-C12-C13
19	f	101	CDL	CB5-C51-C52-C53
19	Aa	301	CDL	CA5-C11-C12-C13
19	Af	102	CDL	CB5-C51-C52-C53
20	f	103	LHG	C7-C8-C9-C10
20	Af	103	LHG	C7-C8-C9-C10
19	Af	101	CDL	O1-C1-CB2-OB2
20	Af	104	LHG	C8-C7-O7-C5
19	a	301	CDL	CB5-C51-C52-C53
19	a	301	CDL	CA5-C11-C12-C13
19	f	101	CDL	CB2-C1-CA2-OA2
19	Af	101	CDL	CA2-C1-CB2-OB2
19	b	301	CDL	CB4-CB3-OB5-PB2
19	Aa	301	CDL	C1-CB2-OB2-PB2
20	f	102	LHG	O1-C1-C2-C3
20	f	103	LHG	O1-C1-C2-C3
20	Af	103	LHG	O1-C1-C2-C3
19	b	301	CDL	C11-CA5-OA6-CA4
19	f	101	CDL	C19-C20-C21-C22
19	Aa	301	CDL	C52-C53-C54-C55
19	f	101	CDL	C21-C22-C23-C24
20	f	103	LHG	C28-C29-C30-C31
19	Aa	301	CDL	C11-CA5-OA6-CA4
19	a	301	CDL	C75-C76-C77-C78
19	Af	102	CDL	C40-C41-C42-C43
20	f	102	LHG	C7-C8-C9-C10
19	Af	101	CDL	CB5-C51-C52-C53
19	a	301	CDL	C73-C74-C75-C76
19	Af	101	CDL	C60-C61-C62-C63
19	f	101	CDL	C40-C41-C42-C43
19	b	301	CDL	OA7-CA5-OA6-CA4
19	Aa	301	CDL	OA7-CA5-OA6-CA4
20	Af	104	LHG	C11-C10-C9-C8
19	Aa	301	CDL	C75-C76-C77-C78
19	Af	102	CDL	C37-C38-C39-C40
19	b	301	CDL	C73-C74-C75-C76
19	a	301	CDL	C71-C72-C73-C74
19	Af	101	CDL	C33-C34-C35-C36
19	b	301	CDL	C60-C61-C62-C63

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
19	Aa	301	CDL	C57-C58-C59-C60
19	Aa	301	CDL	C12-C13-C14-C15
19	f	101	CDL	C37-C38-C39-C40
19	Aa	301	CDL	CA7-C31-C32-C33
20	Af	103	LHG	C31-C32-C33-C34
19	b	301	CDL	C13-C14-C15-C16
19	b	301	CDL	C54-C55-C56-C57
20	Af	103	LHG	C28-C29-C30-C31
19	Aa	301	CDL	C71-CB7-OB8-CB6
19	Af	102	CDL	C42-C43-C44-C45
19	Af	101	CDL	CB4-CB3-OB5-PB2
20	f	103	LHG	C5-C4-O6-P
20	Af	104	LHG	C13-C14-C15-C16
19	Af	101	CDL	C54-C55-C56-C57
20	Af	104	LHG	C12-C13-C14-C15
19	a	301	CDL	OB5-CB3-CB4-CB6
19	Af	102	CDL	OA5-CA3-CA4-CA6
20	Af	104	LHG	O9-C7-O7-C5
19	Aa	301	CDL	OB9-CB7-OB8-CB6
19	a	301	CDL	C54-C55-C56-C57
20	Af	104	LHG	C4-C5-C6-O8
20	Af	103	LHG	C23-C24-C25-C26
19	b	301	CDL	C71-C72-C73-C74
19	Aa	301	CDL	C74-C75-C76-C77
19	a	301	CDL	C12-C13-C14-C15
19	Aa	301	CDL	C54-C55-C56-C57
20	f	102	LHG	C13-C14-C15-C16
20	f	103	LHG	C31-C32-C33-C34
19	Af	101	CDL	C14-C15-C16-C17
19	a	301	CDL	C71-CB7-OB8-CB6
19	Af	102	CDL	C71-CB7-OB8-CB6
19	a	301	CDL	CA7-C31-C32-C33
19	Af	102	CDL	C12-C13-C14-C15
19	Af	102	CDL	C13-C14-C15-C16
19	f	101	CDL	C71-C72-C73-C74
19	b	301	CDL	OB6-CB4-CB6-OB8
19	Af	101	CDL	C53-C54-C55-C56
20	f	102	LHG	C27-C28-C29-C30
20	Af	104	LHG	C11-C12-C13-C14
20	Af	103	LHG	C5-C4-O6-P
19	f	101	CDL	C17-C18-C19-C20
20	Af	103	LHG	C13-C14-C15-C16

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
19	f	101	CDL	OB5-CB3-CB4-CB6
20	Af	103	LHG	O6-C4-C5-C6
19	Af	102	CDL	O1-C1-CB2-OB2
19	Af	102	CDL	C17-C18-C19-C20
19	Af	102	CDL	C32-C33-C34-C35
20	Af	103	LHG	C15-C16-C17-C18
19	Af	102	CDL	CA2-C1-CB2-OB2
20	f	102	LHG	C4-C5-C6-O8
19	Af	102	CDL	OB9-CB7-OB8-CB6
19	Af	102	CDL	OA5-CA3-CA4-OA6
20	f	103	LHG	C14-C15-C16-C17
19	b	301	CDL	C11-C12-C13-C14
19	Af	101	CDL	C73-C74-C75-C76
19	a	301	CDL	C13-C14-C15-C16
19	a	301	CDL	OB9-CB7-OB8-CB6
19	Aa	301	CDL	C14-C15-C16-C17
19	Af	102	CDL	C20-C21-C22-C23
19	b	301	CDL	C16-C17-C18-C19
19	Af	102	CDL	C52-C53-C54-C55
19	a	301	CDL	C74-C75-C76-C77
19	Aa	301	CDL	OB5-CB3-CB4-CB6
20	f	103	LHG	O6-C4-C5-C6
19	b	301	CDL	C53-C54-C55-C56
19	Af	102	CDL	C74-C75-C76-C77
20	f	103	LHG	O6-C4-C5-O7
19	Af	101	CDL	CB3-CB4-CB6-OB8
19	Aa	301	CDL	C16-C17-C18-C19
20	f	103	LHG	C15-C16-C17-C18
20	f	103	LHG	C13-C14-C15-C16
19	a	301	CDL	C52-C53-C54-C55
19	Af	102	CDL	C18-C19-C20-C21
19	Aa	301	CDL	C13-C14-C15-C16
19	Aa	301	CDL	C77-C78-C79-C80
19	Af	101	CDL	CA5-C11-C12-C13
20	f	102	LHG	O1-C1-C2-O2
19	Af	101	CDL	C71-C72-C73-C74
19	b	301	CDL	C51-C52-C53-C54
19	a	301	CDL	OB7-CB5-OB6-CB4
19	a	301	CDL	OB5-CB3-CB4-OB6
19	b	301	CDL	OB5-CB3-CB4-OB6
19	Aa	301	CDL	OB5-CB3-CB4-OB6
20	Af	103	LHG	O6-C4-C5-O7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
19	a	301	CDL	C51-CB5-OB6-CB4
19	a	301	CDL	C56-C57-C58-C59
20	f	102	LHG	O7-C5-C6-O8
20	Af	104	LHG	O7-C5-C6-O8
19	a	301	CDL	C77-C78-C79-C80
19	a	301	CDL	CA3-OA5-PA1-OA3
19	f	101	CDL	CA2-OA2-PA1-OA3
19	f	101	CDL	CA2-OA2-PA1-OA4
19	f	101	CDL	CA2-OA2-PA1-OA5
19	f	101	CDL	CA3-OA5-PA1-OA4
19	Aa	301	CDL	CA3-OA5-PA1-OA3
19	Af	101	CDL	CB2-OB2-PB2-OB4
19	Af	102	CDL	CA3-OA5-PA1-OA3
20	Af	104	LHG	C4-O6-P-O5
19	Af	102	CDL	C1-CB2-OB2-PB2
20	f	102	LHG	C2-C3-O3-P
19	Af	101	CDL	OB7-CB5-OB6-CB4
19	Af	102	CDL	CA7-C31-C32-C33
19	f	101	CDL	C73-C74-C75-C76
19	Af	101	CDL	OB9-CB7-OB8-CB6
19	Af	101	CDL	C13-C14-C15-C16
20	f	103	LHG	O10-C23-O8-C6
19	Af	101	CDL	C51-CB5-OB6-CB4
19	b	301	CDL	CB3-CB4-CB6-OB8
20	Af	103	LHG	C11-C12-C13-C14
20	f	103	LHG	C32-C33-C34-C35
19	Af	101	CDL	C71-CB7-OB8-CB6
20	f	103	LHG	C11-C12-C13-C14
20	Af	103	LHG	C34-C35-C36-C37
19	f	101	CDL	C13-C14-C15-C16
20	Af	104	LHG	C9-C10-C11-C12
19	f	101	CDL	C72-C73-C74-C75
19	f	101	CDL	C52-C53-C54-C55
20	Af	103	LHG	C27-C28-C29-C30
20	Af	103	LHG	C32-C33-C34-C35
19	f	101	CDL	CA3-CA4-CA6-OA8
19	a	301	CDL	C39-C40-C41-C42
19	a	301	CDL	CA4-CA6-OA8-CA7
19	a	301	CDL	C1-CA2-OA2-PA1
19	f	101	CDL	C1-CB2-OB2-PB2
20	Af	103	LHG	C14-C15-C16-C17
20	f	103	LHG	C34-C35-C36-C37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
19	Aa	301	CDL	C33-C34-C35-C36
19	f	101	CDL	C31-CA7-OA8-CA6
19	a	301	CDL	CA4-CA3-OA5-PA1
19	Aa	301	CDL	CA4-CA3-OA5-PA1
19	Af	101	CDL	CA4-CA3-OA5-PA1
19	f	101	CDL	CA5-C11-C12-C13
19	a	301	CDL	C14-C15-C16-C17
19	Af	101	CDL	C64-C65-C66-C67
19	Af	101	CDL	OA7-CA5-OA6-CA4
19	a	301	CDL	C53-C54-C55-C56
19	Af	101	CDL	C72-C73-C74-C75
19	Af	102	CDL	C72-C73-C74-C75
19	Af	101	CDL	C32-C31-CA7-OA8
19	f	101	CDL	OA9-CA7-OA8-CA6
19	a	301	CDL	C60-C61-C62-C63
19	b	301	CDL	OB5-CB3-CB4-CB6
20	f	102	LHG	C16-C17-C18-C19
19	b	301	CDL	C12-C11-CA5-OA6
19	a	301	CDL	C31-C32-C33-C34
19	Aa	301	CDL	C1-CA2-OA2-PA1
19	Aa	301	CDL	C55-C56-C57-C58
19	a	301	CDL	C76-C77-C78-C79
19	b	301	CDL	C59-C60-C61-C62
19	Af	101	CDL	C37-C38-C39-C40
19	f	101	CDL	CB3-CB4-CB6-OB8
19	f	101	CDL	C31-C32-C33-C34
20	Af	104	LHG	C23-C24-C25-C26
19	a	301	CDL	C16-C17-C18-C19
20	f	102	LHG	C10-C11-C12-C13
19	Af	101	CDL	C11-CA5-OA6-CA4
19	a	301	CDL	OA7-CA5-OA6-CA4
19	Af	101	CDL	C12-C13-C14-C15
20	Af	104	LHG	C25-C26-C27-C28
19	Af	102	CDL	OB5-CB3-CB4-OB6
19	Af	101	CDL	C39-C40-C41-C42
20	Af	104	LHG	C16-C17-C18-C19
19	Aa	301	CDL	C53-C54-C55-C56
19	a	301	CDL	C11-C12-C13-C14
19	b	301	CDL	C33-C34-C35-C36
19	f	101	CDL	C53-C54-C55-C56
20	f	102	LHG	C24-C25-C26-C27
19	b	301	CDL	CB6-CB4-OB6-CB5

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
19	f	101	CDL	CB4-CB6-OB8-CB7
20	Af	104	LHG	C14-C15-C16-C17
19	f	101	CDL	CA4-CA3-OA5-PA1
19	Af	102	CDL	C43-C44-C45-C46
20	f	103	LHG	C29-C30-C31-C32
20	f	103	LHG	O1-C1-C2-O2
19	f	101	CDL	OA6-CA4-CA6-OA8
20	f	102	LHG	C1-C2-C3-O3
19	a	301	CDL	C12-C11-CA5-OA6
19	Af	101	CDL	C59-C60-C61-C62
19	a	301	CDL	C11-CA5-OA6-CA4
19	f	101	CDL	C34-C35-C36-C37
19	f	101	CDL	C32-C31-CA7-OA8



There are no ring outliers.



7 monomers are involved in 9 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
19	Aa	301	CDL	1	0
20	f	102	LHG	1	0
20	Af	104	LHG	1	0
19	Af	102	CDL	3	0
19	a	301	CDL	1	0
19	Af	101	CDL	2	0
19	b	301	CDL	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-11435. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 250




Y Index: 250




Z Index: 250


6.2.2 Raw map



X Index: 250



Y Index: 250




Z Index: 250


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 370




Y Index: 251




Z Index: 269


6.3.2 Raw map



X Index: 271



Y Index: 252




Z Index: 261


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)


6.5.1 Primary map



X




Y




Z

The images above show the 3D surface view of the map at the recommended contour level 0.011. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5.2 Raw map



X



Y



Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_11435_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1323 nm³; this corresponds to an approximate mass of 1195 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.088 $\text{\AA}^{-1}$

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.088 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	11.40	-	-
Author-provided FSC curve	11.20	17.92	12.39
Unmasked-calculated*	17.27	25.06	19.08

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 17.27 differs from the reported value 11.4 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-11435 and PDB model 7AJI. Per-residue inclusion information can be found in section 3 on page 14.


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.011 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.011).

9.4 Atom inclusion [i](#)



At the recommended contour level, 86% of all backbone atoms, 86% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.011) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8570	 0.1570
8	 0.8590	 0.1790
A	 0.9230	 0.1990
A8	 0.8680	 0.1750
AA	 0.8160	 0.1170
AB	 0.7560	 0.1210
AC	 0.8090	 0.1150
AD	 0.7960	 0.0950
AE	 0.7750	 0.1460
AF	 0.8350	 0.1000
AG	 0.8800	 0.1880
AH	 0.8210	 0.1650
AI	 0.8110	 0.1870
AJ	 0.6580	 0.1480
AK	 0.7520	 0.1250
AL	 0.7800	 0.1390
AM	 0.8970	 0.1830
AN	 0.8690	 0.1060
AO	 0.7740	 0.1180
AP	 0.7970	 0.1480
AQ	 0.6180	 0.0370
AR	 0.6290	 0.0970
AS	 0.8680	 0.1450
Aa	 0.8050	 0.1870
Ab	 0.8190	 0.1590
Ad	 0.7770	 0.1450
Ae	 0.8160	 0.1730
Af	 0.6430	 0.0860
Ag	 0.8950	 0.1660
Ah	 0.6500	 0.1310
Aj	 0.7730	 0.1790
Ak	 0.9550	 0.2030
B	 0.9380	 0.1660
C	 0.9300	 0.1750
D	 0.9200	 0.1930



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
E	 0.9500	 0.1890
F	 0.9580	 0.1690
G	 0.9610	 0.2290
H	 0.9540	 0.1990
I	 0.9100	 0.2350
J	 0.8360	 0.2020
K	 0.9580	 0.1700
L	 0.9670	 0.1770
M	 0.9450	 0.1500
N	 0.8960	 0.1250
O	 0.8540	 0.1540
P	 0.8360	 0.1840
Q	 0.8460	 0.1360
R	 0.8980	 0.1200
S	 0.9480	 0.2070
a	 0.8270	 0.1860
b	 0.8960	 0.1970
d	 0.9080	 0.2000
e	 0.7870	 0.1150
f	 0.7500	 0.1190
g	 0.9690	 0.1790
h	 0.8790	 0.2070
j	 0.8320	 0.1970
k	 0.7400	 0.0660