



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 19, 2026 – 05:49 AM UTC

PDB ID : 7AJP / pdb_00007ajp
Title : Crystal Structure of Human Adenovirus 56 Fiber Knob
Authors : Strebl, M.; Mindler, K.; Stehle, T.
Deposited on : 2020-09-29
Resolution : 1.38 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 1.38 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R _{free}	180053	4403 (1.40-1.36)
Clashscore	190562	4528 (1.40-1.36)
Ramachandran outliers	187476	4459 (1.40-1.36)
Sidechain outliers	187428	4458 (1.40-1.36)
RSRZ outliers	180081	4399 (1.40-1.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	208	2% 81% 9% 11%
1	B	208	% 79% 9% 12%
1	C	208	79% 11% 11%
1	D	208	% 82% 7% 11%
1	E	208	85% • 11%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	208	
1	G	208	
1	H	208	
1	I	208	
1	J	208	
1	K	208	
1	L	208	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	GOL	A	402	-	-	X	-
2	GOL	C	402	-	-	X	-
2	GOL	I	402	-	-	X	-
2	GOL	J	402	-	-	X	-
4	EDO	A	411	-	-	X	-
4	EDO	D	404	-	-	X	-
4	EDO	G	403	-	-	X	-

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 20234 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Fiber.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	186	Total	C	N	O	S	0	7	0
			1497	966	233	291	7			
1	B	184	Total	C	N	O	S	0	9	0
			1498	964	237	291	6			
1	C	186	Total	C	N	O	S	0	12	0
			1550	993	248	303	6			
1	D	185	Total	C	N	O	S	0	7	0
			1488	961	236	285	6			
1	E	186	Total	C	N	O	S	0	7	0
			1507	969	237	295	6			
1	F	181	Total	C	N	O	S	0	9	0
			1486	958	235	287	6			
1	G	184	Total	C	N	O	S	0	5	0
			1476	953	232	285	6			
1	H	183	Total	C	N	O	S	0	9	0
			1488	961	237	284	6			
1	I	186	Total	C	N	O	S	0	9	0
			1522	979	240	297	6			
1	J	185	Total	C	N	O	S	0	1	0
			1430	921	226	278	5			
1	K	186	Total	C	N	O	S	0	0	0
			1416	916	223	271	6			
1	L	183	Total	C	N	O	S	0	3	0
			1431	923	225	277	6			

There are 144 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	155	MET	-	initiating methionine	UNP R9RU05
A	156	ARG	-	expression tag	UNP R9RU05
A	157	GLY	-	expression tag	UNP R9RU05
A	158	SER	-	expression tag	UNP R9RU05
A	159	HIS	-	expression tag	UNP R9RU05

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	160	HIS	-	expression tag	UNP R9RU05
A	161	HIS	-	expression tag	UNP R9RU05
A	162	HIS	-	expression tag	UNP R9RU05
A	163	HIS	-	expression tag	UNP R9RU05
A	164	HIS	-	expression tag	UNP R9RU05
A	165	GLY	-	expression tag	UNP R9RU05
A	166	SER	-	expression tag	UNP R9RU05
B	155	MET	-	initiating methionine	UNP R9RU05
B	156	ARG	-	expression tag	UNP R9RU05
B	157	GLY	-	expression tag	UNP R9RU05
B	158	SER	-	expression tag	UNP R9RU05
B	159	HIS	-	expression tag	UNP R9RU05
B	160	HIS	-	expression tag	UNP R9RU05
B	161	HIS	-	expression tag	UNP R9RU05
B	162	HIS	-	expression tag	UNP R9RU05
B	163	HIS	-	expression tag	UNP R9RU05
B	164	HIS	-	expression tag	UNP R9RU05
B	165	GLY	-	expression tag	UNP R9RU05
B	166	SER	-	expression tag	UNP R9RU05
C	155	MET	-	initiating methionine	UNP R9RU05
C	156	ARG	-	expression tag	UNP R9RU05
C	157	GLY	-	expression tag	UNP R9RU05
C	158	SER	-	expression tag	UNP R9RU05
C	159	HIS	-	expression tag	UNP R9RU05
C	160	HIS	-	expression tag	UNP R9RU05
C	161	HIS	-	expression tag	UNP R9RU05
C	162	HIS	-	expression tag	UNP R9RU05
C	163	HIS	-	expression tag	UNP R9RU05
C	164	HIS	-	expression tag	UNP R9RU05
C	165	GLY	-	expression tag	UNP R9RU05
C	166	SER	-	expression tag	UNP R9RU05
D	155	MET	-	initiating methionine	UNP R9RU05
D	156	ARG	-	expression tag	UNP R9RU05
D	157	GLY	-	expression tag	UNP R9RU05
D	158	SER	-	expression tag	UNP R9RU05
D	159	HIS	-	expression tag	UNP R9RU05
D	160	HIS	-	expression tag	UNP R9RU05
D	161	HIS	-	expression tag	UNP R9RU05
D	162	HIS	-	expression tag	UNP R9RU05
D	163	HIS	-	expression tag	UNP R9RU05
D	164	HIS	-	expression tag	UNP R9RU05
D	165	GLY	-	expression tag	UNP R9RU05

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	166	SER	-	expression tag	UNP R9RU05
E	155	MET	-	initiating methionine	UNP R9RU05
E	156	ARG	-	expression tag	UNP R9RU05
E	157	GLY	-	expression tag	UNP R9RU05
E	158	SER	-	expression tag	UNP R9RU05
E	159	HIS	-	expression tag	UNP R9RU05
E	160	HIS	-	expression tag	UNP R9RU05
E	161	HIS	-	expression tag	UNP R9RU05
E	162	HIS	-	expression tag	UNP R9RU05
E	163	HIS	-	expression tag	UNP R9RU05
E	164	HIS	-	expression tag	UNP R9RU05
E	165	GLY	-	expression tag	UNP R9RU05
E	166	SER	-	expression tag	UNP R9RU05
F	155	MET	-	initiating methionine	UNP R9RU05
F	156	ARG	-	expression tag	UNP R9RU05
F	157	GLY	-	expression tag	UNP R9RU05
F	158	SER	-	expression tag	UNP R9RU05
F	159	HIS	-	expression tag	UNP R9RU05
F	160	HIS	-	expression tag	UNP R9RU05
F	161	HIS	-	expression tag	UNP R9RU05
F	162	HIS	-	expression tag	UNP R9RU05
F	163	HIS	-	expression tag	UNP R9RU05
F	164	HIS	-	expression tag	UNP R9RU05
F	165	GLY	-	expression tag	UNP R9RU05
F	166	SER	-	expression tag	UNP R9RU05
G	155	MET	-	initiating methionine	UNP R9RU05
G	156	ARG	-	expression tag	UNP R9RU05
G	157	GLY	-	expression tag	UNP R9RU05
G	158	SER	-	expression tag	UNP R9RU05
G	159	HIS	-	expression tag	UNP R9RU05
G	160	HIS	-	expression tag	UNP R9RU05
G	161	HIS	-	expression tag	UNP R9RU05
G	162	HIS	-	expression tag	UNP R9RU05
G	163	HIS	-	expression tag	UNP R9RU05
G	164	HIS	-	expression tag	UNP R9RU05
G	165	GLY	-	expression tag	UNP R9RU05
G	166	SER	-	expression tag	UNP R9RU05
H	155	MET	-	initiating methionine	UNP R9RU05
H	156	ARG	-	expression tag	UNP R9RU05
H	157	GLY	-	expression tag	UNP R9RU05
H	158	SER	-	expression tag	UNP R9RU05
H	159	HIS	-	expression tag	UNP R9RU05

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
H	160	HIS	-	expression tag	UNP R9RU05
H	161	HIS	-	expression tag	UNP R9RU05
H	162	HIS	-	expression tag	UNP R9RU05
H	163	HIS	-	expression tag	UNP R9RU05
H	164	HIS	-	expression tag	UNP R9RU05
H	165	GLY	-	expression tag	UNP R9RU05
H	166	SER	-	expression tag	UNP R9RU05
I	155	MET	-	initiating methionine	UNP R9RU05
I	156	ARG	-	expression tag	UNP R9RU05
I	157	GLY	-	expression tag	UNP R9RU05
I	158	SER	-	expression tag	UNP R9RU05
I	159	HIS	-	expression tag	UNP R9RU05
I	160	HIS	-	expression tag	UNP R9RU05
I	161	HIS	-	expression tag	UNP R9RU05
I	162	HIS	-	expression tag	UNP R9RU05
I	163	HIS	-	expression tag	UNP R9RU05
I	164	HIS	-	expression tag	UNP R9RU05
I	165	GLY	-	expression tag	UNP R9RU05
I	166	SER	-	expression tag	UNP R9RU05
J	155	MET	-	initiating methionine	UNP R9RU05
J	156	ARG	-	expression tag	UNP R9RU05
J	157	GLY	-	expression tag	UNP R9RU05
J	158	SER	-	expression tag	UNP R9RU05
J	159	HIS	-	expression tag	UNP R9RU05
J	160	HIS	-	expression tag	UNP R9RU05
J	161	HIS	-	expression tag	UNP R9RU05
J	162	HIS	-	expression tag	UNP R9RU05
J	163	HIS	-	expression tag	UNP R9RU05
J	164	HIS	-	expression tag	UNP R9RU05
J	165	GLY	-	expression tag	UNP R9RU05
J	166	SER	-	expression tag	UNP R9RU05
K	155	MET	-	initiating methionine	UNP R9RU05
K	156	ARG	-	expression tag	UNP R9RU05
K	157	GLY	-	expression tag	UNP R9RU05
K	158	SER	-	expression tag	UNP R9RU05
K	159	HIS	-	expression tag	UNP R9RU05
K	160	HIS	-	expression tag	UNP R9RU05
K	161	HIS	-	expression tag	UNP R9RU05
K	162	HIS	-	expression tag	UNP R9RU05
K	163	HIS	-	expression tag	UNP R9RU05
K	164	HIS	-	expression tag	UNP R9RU05
K	165	GLY	-	expression tag	UNP R9RU05

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
K	166	SER	-	expression tag	UNP R9RU05
L	155	MET	-	initiating methionine	UNP R9RU05
L	156	ARG	-	expression tag	UNP R9RU05
L	157	GLY	-	expression tag	UNP R9RU05
L	158	SER	-	expression tag	UNP R9RU05
L	159	HIS	-	expression tag	UNP R9RU05
L	160	HIS	-	expression tag	UNP R9RU05
L	161	HIS	-	expression tag	UNP R9RU05
L	162	HIS	-	expression tag	UNP R9RU05
L	163	HIS	-	expression tag	UNP R9RU05
L	164	HIS	-	expression tag	UNP R9RU05
L	165	GLY	-	expression tag	UNP R9RU05
L	166	SER	-	expression tag	UNP R9RU05

- Molecule 2 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			6	3	3		
2	A	1	Total	C	O	0	0
			6	3	3		
2	B	1	Total	C	O	0	0
			6	3	3		
2	C	1	Total	C	O	0	0
			6	3	3		
2	C	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	D	1	Total	C	O	0	0
			6	3	3		
2	E	1	Total	C	O	0	0
			6	3	3		
2	F	1	Total	C	O	0	0
			6	3	3		
2	G	1	Total	C	O	0	0
			6	3	3		
2	G	1	Total	C	O	0	0
			6	3	3		
2	H	1	Total	C	O	0	0
			6	3	3		
2	I	1	Total	C	O	0	0
			6	3	3		
2	I	1	Total	C	O	0	0
			6	3	3		
2	I	1	Total	C	O	0	0
			6	3	3		
2	J	1	Total	C	O	0	0
			6	3	3		
2	J	1	Total	C	O	0	0
			6	3	3		
2	K	1	Total	C	O	0	0
			6	3	3		
2	L	1	Total	C	O	0	0
			6	3	3		

- Molecule 3 is NITRATE ION (CCD ID: NO3) (formula: NO₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	N	O	0	0
			4	1	3		
3	B	1	Total	N	O	0	0
			4	1	3		
3	D	1	Total	N	O	0	0
			4	1	3		
3	E	1	Total	N	O	0	0
			4	1	3		
3	E	1	Total	N	O	0	0
			4	1	3		

- Molecule 4 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	C	1	Total C O 4 2 2	0	0
4	C	1	Total C O 4 2 2	0	0
4	C	1	Total C O 4 2 2	0	0
4	D	1	Total C O 4 2 2	0	0
4	D	1	Total C O 4 2 2	0	0
4	D	1	Total C O 4 2 2	0	0
4	D	1	Total C O 4 2 2	0	0
4	E	1	Total C O 4 2 2	0	0
4	E	1	Total C O 4 2 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	E	1	Total	C	O	0	0
			4	2	2		
4	E	1	Total	C	O	0	0
			4	2	2		
4	F	1	Total	C	O	0	0
			4	2	2		
4	G	1	Total	C	O	0	0
			4	2	2		
4	H	1	Total	C	O	0	0
			4	2	2		
4	H	1	Total	C	O	0	0
			4	2	2		
4	H	1	Total	C	O	0	0
			4	2	2		
4	H	1	Total	C	O	0	0
			4	2	2		
4	I	1	Total	C	O	0	0
			4	2	2		
4	I	1	Total	C	O	0	0
			4	2	2		

- Molecule 5 is TRIETHYLENE GLYCOL (CCD ID: PGE) (formula: $C_6H_{14}O_4$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 4 2 2	0	0
5	C	1	Total C O 10 6 4	0	0
5	D	1	Total C O 4 2 2	0	0
5	E	1	Total C O 7 4 3	0	0
5	L	1	Total C O 7 4 3	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	210	Total O 210 210	0	0
6	B	221	Total O 221 221	0	0
6	C	206	Total O 206 206	0	0
6	D	248	Total O 248 248	0	0
6	E	227	Total O 227 227	0	0
6	F	175	Total O 175 175	0	0
6	G	164	Total O 164 164	0	0
6	H	187	Total O 187 187	0	0
6	I	214	Total O 214 214	0	0
6	J	117	Total O 117 117	0	0
6	K	66	Total O 66 66	0	0
6	L	118	Total O 118 118	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Fiber




• Molecule 1: Fiber



• Molecule 1: Fiber



• Molecule 1: Fiber



- Molecule 1: Fiber

Chain E:  85% 11%




- Molecule 1: Fiber

Chain F:  82% 5% 13%



- Molecule 1: Fiber

Chain G:  80% 8% 12%



- Molecule 1: Fiber

Chain H:  83% 5% 12%




- Molecule 1: Fiber

Chain I:  81% 8% 11%



- Molecule 1: Fiber


Chain J:  82% 7% 11%





- Molecule 1: Fiber

Chain K:  80% 8% 11%





● Molecule 1: Fiber



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	132.44Å 182.53Å 117.03Å 90.00° 118.54° 90.00°	Depositor
Resolution (Å)	42.64 – 1.38 42.64 – 1.38	Depositor EDS
% Data completeness (in resolution range)	99.0 (42.64-1.38) 99.0 (42.64-1.38)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.14 (at 1.38Å)	Xtriage
Refinement program	PHENIX 1.10.1_2155	Depositor
R, R_{free}	0.134 , 0.167 0.134 , 0.165	Depositor DCC
R_{free} test set	7366 reflections (1.49%)	wwPDB-VP
Wilson B-factor (Å ²)	18.5	Xtriage
Anisotropy	0.017	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 50.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.98	EDS
Total number of atoms	20234	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.28% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PGE, NO3, EDO, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.49	0/1542	0.70	0/2095
1	B	0.50	0/1543	0.67	0/2098
1	C	0.46	0/1598	0.63	0/2166
1	D	0.48	0/1530	0.67	0/2079
1	E	0.51	0/1555	0.67	0/2112
1	F	0.44	0/1530	0.61	0/2074
1	G	0.40	0/1521	0.61	0/2064
1	H	0.44	0/1530	0.65	0/2077
1	I	0.44	0/1564	0.63	0/2124
1	J	0.33	0/1463	0.55	0/1992
1	K	0.27	0/1449	0.48	0/1973
1	L	0.29	0/1470	0.51	0/1999
All	All	0.43	0/18295	0.62	0/24853

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1497	0	1480	27	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	1498	0	1487	18	0
1	C	1550	0	1537	20	0
1	D	1488	0	1476	21	0
1	E	1507	0	1496	9	0
1	F	1486	0	1473	6	0
1	G	1476	0	1471	15	0
1	H	1488	0	1472	9	0
1	I	1522	0	1506	14	0
1	J	1430	0	1369	15	0
1	K	1416	0	1331	13	0
1	L	1431	0	1388	4	0
2	A	12	0	16	9	0
2	B	6	0	8	1	0
2	C	12	0	16	6	0
2	D	6	0	8	1	0
2	E	6	0	8	1	0
2	F	6	0	8	1	0
2	G	12	0	16	1	0
2	H	6	0	8	1	0
2	I	18	0	24	4	0
2	J	12	0	16	10	0
2	K	6	0	8	1	0
2	L	6	0	8	0	0
3	A	4	0	0	0	0
3	B	4	0	0	0	0
3	D	4	0	0	0	0
3	E	8	0	0	0	0
4	A	32	0	48	13	0
4	B	20	0	30	4	0
4	C	12	0	18	0	0
4	D	16	0	24	12	0
4	E	16	0	24	4	0
4	F	4	0	6	1	0
4	G	4	0	6	4	0
4	H	20	0	30	1	0
4	I	8	0	12	2	0
5	A	4	0	4	2	0
5	C	10	0	14	3	0
5	D	4	0	4	1	0
5	E	7	0	9	1	0
5	L	7	0	9	1	0
6	A	210	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	B	221	0	0	1	0
6	C	206	0	0	3	0
6	D	248	0	0	2	0
6	E	227	0	0	1	0
6	F	175	0	0	1	0
6	G	164	0	0	2	0
6	H	187	0	0	1	0
6	I	214	0	0	0	0
6	J	117	0	0	0	0
6	K	66	0	0	1	0
6	L	118	0	0	0	0
All	All	20234	0	17868	164	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (164) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:299:TYR:HB2	2:C:402:GOL:H11	1.35	1.06
1:A:301:ARG:HH21	2:A:402:GOL:H11	1.34	0.92
1:I:299:TYR:HD2	2:I:402:GOL:H31	1.39	0.87
1:F:230[B]:ASN:ND2	1:F:346[B]:ASN:OD1	2.08	0.86
1:J:299:TYR:HB2	2:J:402:GOL:H32	1.57	0.85
1:G:191:ASN:HB3	4:G:403:EDO:H11	1.59	0.85
1:A:259:GLY:HA3	4:A:411:EDO:H21	1.58	0.84
1:A:299:TYR:HD2	2:A:402:GOL:H2	1.45	0.81
1:D:261:SER:H	4:D:404:EDO:H11	1.44	0.81
1:I:299:TYR:HB2	2:I:402:GOL:H11	1.63	0.79
1:A:234:GLN:HB3	5:A:412:PGE:H32	1.66	0.78
1:D:314:PRO:HG3	4:E:405:EDO:H22	1.70	0.73
1:K:267:ASN:HB2	1:K:272:MET:HE3	1.71	0.73
1:C:339:SER:HB2	5:C:406:PGE:H22	1.70	0.73
1:A:301:ARG:NH2	2:A:402:GOL:H11	2.05	0.71
1:D:294:ALA:HA	4:I:404:EDO:H22	1.73	0.70
1:B:185[A]:THR:O	1:B:201:LYS:NZ	2.23	0.70
1:I:327:GLU:OE2	1:I:335[B]:THR:HG21	1.91	0.70
1:B:238:LYS:HB3	4:B:404:EDO:H22	1.75	0.69
1:A:290:PRO:CD	2:A:402:GOL:H12	2.24	0.68
1:A:259:GLY:CA	4:A:411:EDO:H21	2.26	0.66
1:D:259:GLY:HA3	4:D:404:EDO:H12	1.77	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:409:EDO:H11	6:A:564:HOH:O	1.95	0.65
1:I:299:TYR:CD2	2:I:402:GOL:H31	2.28	0.65
1:A:290:PRO:HG2	2:A:402:GOL:H32	1.80	0.64
1:C:266[A]:ARG:NE	1:C:268:GLU:O	2.27	0.64
1:B:339:SER:HB2	4:B:404:EDO:H21	1.80	0.63
1:J:301:ARG:NH2	2:J:402:GOL:H31	2.14	0.63
1:B:185[B]:THR:O	1:B:201:LYS:NZ	2.30	0.63
1:J:264:ASN:HB3	1:J:271:ILE:HB	1.81	0.63
1:G:189:SER:OG	4:G:403:EDO:O1	2.15	0.62
1:E:314:PRO:HG3	4:F:402:EDO:H12	1.82	0.62
1:H:305:TYR:HB3	2:H:401:GOL:H32	1.82	0.62
1:B:235:PRO:HB2	5:L:402:PGE:H6	1.82	0.61
1:C:182[A]:LEU:HG	1:C:263:TRP:CZ2	2.35	0.61
1:I:253:MET:HA	4:I:405:EDO:H11	1.83	0.61
1:A:261:SER:H	4:A:411:EDO:H22	1.67	0.60
1:H:328:THR:HA	4:H:404:EDO:H11	1.83	0.60
1:D:261:SER:H	4:D:404:EDO:C1	2.13	0.59
4:A:404:EDO:H22	4:A:409:EDO:H21	1.84	0.59
1:D:261:SER:HB2	4:D:404:EDO:H11	1.85	0.58
1:H:269:ASN:ND2	6:H:501:HOH:O	2.32	0.58
1:I:182[B]:LEU:HG	1:I:263:TRP:CZ2	2.39	0.58
1:A:290:PRO:HD3	2:A:402:GOL:H12	1.85	0.57
1:D:266:ARG:HD3	1:E:211[A]:SER:OG	2.05	0.57
1:H:238[B]:LYS:NZ	1:H:340:TRP:O	2.38	0.57
1:A:261:SER:HB2	4:A:411:EDO:H22	1.87	0.56
1:E:305:TYR:HB3	2:E:401:GOL:H32	1.87	0.56
1:F:179:LYS:HD3	1:F:181:THR:H	1.70	0.56
1:K:220:ILE:HD13	1:K:350:GLU:HB2	1.87	0.56
1:A:177:GLU:HA	1:A:272[B]:MET:SD	2.45	0.56
1:D:254:GLU:H	4:D:403:EDO:H21	1.70	0.56
1:J:301:ARG:HH21	2:J:402:GOL:H31	1.70	0.56
1:E:305:TYR:OH	4:E:405:EDO:H21	2.04	0.56
1:B:305:TYR:HB3	2:B:401:GOL:H11	1.87	0.56
4:B:403:EDO:H12	1:C:297:LYS:NZ	2.21	0.55
1:D:239:GLY:O	4:D:406:EDO:H11	2.06	0.55
1:G:179:LYS:HD3	1:G:181:THR:H	1.71	0.55
1:A:339:SER:HB3	4:A:409:EDO:H12	1.88	0.55
1:F:305:TYR:HB3	2:F:401:GOL:H32	1.89	0.54
1:J:290:PRO:CD	2:J:402:GOL:H2	2.37	0.54
1:D:261:SER:CB	4:D:404:EDO:H11	2.37	0.54
1:I:185:THR:HG23	1:I:269:ASN:O	2.08	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:299:TYR:CD2	2:C:402:GOL:H31	2.43	0.53
1:A:261:SER:H	4:A:411:EDO:C2	2.22	0.53
1:C:299:TYR:HD2	2:C:402:GOL:H31	1.74	0.53
1:D:326:GLN:NE2	6:D:504:HOH:O	2.42	0.53
1:C:305:TYR:HB3	2:C:401:GOL:H11	1.90	0.53
1:B:179:LYS:HE2	1:B:180:ARG:H	1.74	0.53
1:G:291:LYS:NZ	6:G:501:HOH:O	2.36	0.52
1:J:299:TYR:CD2	2:J:402:GOL:H12	2.44	0.52
1:G:264:ASN:HB3	1:G:271:ILE:HB	1.90	0.52
1:J:305:TYR:HB3	2:J:401:GOL:H11	1.91	0.52
1:A:259:GLY:C	4:A:411:EDO:H21	2.34	0.52
1:G:179:LYS:HD3	1:G:180:ARG:N	2.25	0.52
1:I:198:LYS:NZ	1:I:262:TYR:OH	2.43	0.52
4:D:404:EDO:H21	6:D:680:HOH:O	2.11	0.51
1:D:254:GLU:H	4:D:403:EDO:C2	2.23	0.51
1:G:185:THR:O	1:G:201:LYS:NZ	2.38	0.51
1:B:328[B]:THR:HG23	6:B:541:HOH:O	2.11	0.50
1:D:261:SER:N	4:D:404:EDO:H11	2.22	0.50
1:J:290:PRO:HD2	2:J:402:GOL:H2	1.94	0.50
1:J:178:ASP:HB3	1:J:266:ARG:HB3	1.93	0.50
1:C:189[B]:SER:O	1:C:201:LYS:HD3	2.11	0.50
1:H:264:ASN:HB3	1:H:271:ILE:HB	1.93	0.50
1:C:238:LYS:HB3	5:C:406:PGE:H2	1.93	0.50
1:G:179:LYS:HD3	1:G:180:ARG:H	1.77	0.50
1:L:198:LYS:NZ	1:L:262:TYR:OH	2.44	0.50
1:J:299:TYR:HD2	2:J:402:GOL:H12	1.76	0.50
1:D:314:PRO:CG	4:E:405:EDO:H22	2.41	0.49
1:E:264:ASN:HB3	1:E:271:ILE:HB	1.95	0.48
1:B:346[B]:ASN:ND2	4:B:407:EDO:O1	2.39	0.48
1:A:299:TYR:CD2	2:A:402:GOL:H2	2.37	0.48
1:A:305:TYR:HB3	2:A:401:GOL:H11	1.94	0.48
1:D:266:ARG:HH11	1:E:211[A]:SER:HB3	1.79	0.48
1:E:257:ASN:O	4:E:404:EDO:H11	2.14	0.48
1:D:259:GLY:CA	4:D:404:EDO:H12	2.42	0.48
1:A:279:ALA:HA	4:A:405:EDO:H12	1.96	0.48
1:G:305:TYR:HB3	2:G:401:GOL:H32	1.94	0.48
1:K:305:TYR:HB3	2:K:401:GOL:H32	1.96	0.48
1:B:293:THR:HB	1:B:296:SER:HB2	1.95	0.47
1:K:247:ASP:HB3	1:K:253:MET:HE3	1.95	0.47
1:I:189[A]:SER:O	1:I:201:LYS:HD3	2.13	0.47
1:A:182[A]:LEU:HG	1:A:263:TRP:CZ2	2.49	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:328[A]:THR:HG22	1:B:329:GLY:N	2.29	0.47
1:E:182[B]:LEU:HG	1:E:263:TRP:CZ2	2.49	0.47
1:K:220:ILE:HD12	1:L:299:TYR:CD1	2.50	0.47
1:G:201:LYS:HZ2	4:G:403:EDO:C2	2.28	0.47
4:A:404:EDO:H21	1:C:314:PRO:HG3	1.97	0.46
1:H:266:ARG:HD3	1:I:211[A]:SER:OG	2.15	0.46
1:G:297[A]:LYS:NZ	6:G:503:HOH:O	2.39	0.46
1:D:259:GLY:C	4:D:404:EDO:H12	2.40	0.46
1:C:290:PRO:CD	2:C:402:GOL:H2	2.47	0.45
1:A:261:SER:CB	4:A:411:EDO:H22	2.46	0.45
1:D:305:TYR:HB3	2:D:401:GOL:H11	1.98	0.45
1:C:260:LYS:HB2	6:C:648:HOH:O	2.16	0.45
1:K:185:THR:HG23	1:K:269:ASN:O	2.17	0.45
1:A:311:GLY:O	4:A:408:EDO:H11	2.16	0.45
1:C:185:THR:HG21	6:C:556:HOH:O	2.16	0.45
1:C:293[B]:THR:HG21	6:C:661:HOH:O	2.16	0.45
1:H:189:SER:O	1:H:201[B]:LYS:HD3	2.16	0.45
1:I:264:ASN:HB3	1:I:271:ILE:HB	1.99	0.45
1:A:180:ARG:HG2	1:A:180:ARG:O	2.17	0.45
1:B:185[A]:THR:HG23	1:B:269:ASN:O	2.17	0.45
5:E:408:PGE:H3	5:E:408:PGE:H52	1.68	0.44
1:G:266:ARG:NE	1:G:268:GLU:O	2.44	0.44
1:G:293:THR:OG1	1:G:296:SER:HB3	2.17	0.44
1:F:249:ASN:OD1	1:F:278:LYS:HE3	2.17	0.44
1:K:207:THR:HG21	1:L:209:CYS:O	2.18	0.44
1:J:299:TYR:H	2:J:402:GOL:C1	2.31	0.44
1:D:190:PRO:HG3	1:D:222:VAL:HG21	2.00	0.44
1:D:209:CYS:O	1:F:207:THR:HG21	2.18	0.43
1:B:328[A]:THR:HG22	1:B:329:GLY:H	1.82	0.43
1:C:193:LYS:HG3	1:C:196:GLN:C	2.43	0.43
1:F:342:LYS:NZ	6:F:505:HOH:O	2.52	0.43
1:J:299:TYR:H	2:J:402:GOL:H12	1.84	0.43
1:B:179:LYS:HG3	1:B:181:THR:H	1.83	0.43
1:A:236:ALA:HB3	5:A:412:PGE:H3	1.99	0.42
1:D:180:ARG:HH21	5:D:407:PGE:H4	1.83	0.42
1:I:233:THR:HA	1:J:343:THR:OG1	2.19	0.42
1:A:181:THR:OG1	1:B:211[A]:SER:OG	2.07	0.42
1:L:264:ASN:HB3	1:L:271:ILE:HB	2.01	0.42
1:J:292:PRO:HD3	1:J:326:GLN:OE1	2.20	0.42
1:A:290:PRO:HD2	2:A:402:GOL:H12	1.99	0.42
1:B:264:ASN:HB3	1:B:271:ILE:HB	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:290:PRO:CG	2:C:402:GOL:H2	2.49	0.42
1:C:341:ALA:HB2	5:C:406:PGE:H42	2.02	0.42
1:C:248[A]:GLU:HB3	1:C:331[A]:GLU:HG3	2.01	0.41
1:K:189:SER:O	1:K:201:LYS:HD3	2.20	0.41
1:K:233:THR:HB	1:K:234:GLN:CD	2.45	0.41
1:A:181:THR:HG1	1:B:211[A]:SER:HG	1.52	0.41
1:K:283:MET:HB3	1:K:332:TYR:CD1	2.55	0.41
1:G:207:THR:HG21	1:H:209:CYS:O	2.21	0.41
1:C:291:LYS:O	1:C:293[B]:THR:HG23	2.20	0.41
1:G:189:SER:O	4:G:403:EDO:H12	2.21	0.41
1:I:189[B]:SER:O	1:I:201:LYS:HD3	2.20	0.41
1:A:207:THR:HG21	1:B:209:CYS:O	2.20	0.41
1:K:220:ILE:HD11	6:K:517:HOH:O	2.19	0.41
1:K:183:TRP:CD1	1:K:183:TRP:C	2.99	0.41
1:I:290:PRO:HD2	2:I:402:GOL:H2	2.03	0.40
1:J:183:TRP:CH2	1:J:186:PRO:HD3	2.56	0.40
1:H:238[B]:LYS:HA	1:H:238[B]:LYS:HD2	1.98	0.40
1:K:178:ASP:HB3	1:K:266:ARG:HB3	2.04	0.40
1:E:260:LYS:HB2	6:E:664:HOH:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	191/208 (92%)	183 (96%)	8 (4%)	0	100	100
1	B	191/208 (92%)	185 (97%)	6 (3%)	0	100	100
1	C	196/208 (94%)	189 (96%)	7 (4%)	0	100	100
1	D	190/208 (91%)	182 (96%)	8 (4%)	0	100	100
1	E	192/208 (92%)	184 (96%)	8 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	F	186/208 (89%)	181 (97%)	5 (3%)	0	100	100
1	G	187/208 (90%)	181 (97%)	6 (3%)	0	100	100
1	H	190/208 (91%)	184 (97%)	6 (3%)	0	100	100
1	I	193/208 (93%)	186 (96%)	7 (4%)	0	100	100
1	J	184/208 (88%)	176 (96%)	8 (4%)	0	100	100
1	K	184/208 (88%)	175 (95%)	9 (5%)	0	100	100
1	L	184/208 (88%)	176 (96%)	8 (4%)	0	100	100
All	All	2268/2496 (91%)	2182 (96%)	86 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	167/183 (91%)	167 (100%)	0	100	100
1	B	168/183 (92%)	167 (99%)	1 (1%)	78	56
1	C	175/183 (96%)	175 (100%)	0	100	100
1	D	165/183 (90%)	164 (99%)	1 (1%)	78	56
1	E	171/183 (93%)	171 (100%)	0	100	100
1	F	168/183 (92%)	166 (99%)	2 (1%)	63	33
1	G	165/183 (90%)	165 (100%)	0	100	100
1	H	164/183 (90%)	164 (100%)	0	100	100
1	I	171/183 (93%)	171 (100%)	0	100	100
1	J	152/183 (83%)	151 (99%)	1 (1%)	76	52
1	K	142/183 (78%)	140 (99%)	2 (1%)	59	27
1	L	154/183 (84%)	154 (100%)	0	100	100
All	All	1962/2196 (89%)	1955 (100%)	7 (0%)	84	68

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	179	LYS
1	D	271	ILE
1	F	238	LYS
1	F	297	LYS
1	J	237	LEU
1	K	233	THR
1	K	272	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	249	ASN
1	C	249	ASN
1	C	307	ASN
1	E	234	GLN
1	E	307	ASN
1	F	326	GLN
1	H	307	ASN
1	I	249	ASN
1	I	307	ASN
1	K	267	ASN
1	K	316	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

61 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	EDO	B	407	-	3,3,3	0.49	0	2,2,2	0.09	0
2	GOL	L	401	-	5,5,5	0.34	0	5,5,5	0.58	0
4	EDO	C	403	-	3,3,3	0.48	0	2,2,2	0.35	0
4	EDO	D	403	-	3,3,3	0.34	0	2,2,2	0.51	0
4	EDO	I	404	-	3,3,3	0.40	0	2,2,2	0.37	0
2	GOL	H	401	-	5,5,5	0.36	0	5,5,5	0.81	0
2	GOL	A	401	-	5,5,5	0.41	0	5,5,5	0.57	0
5	PGE	L	402	-	6,6,9	0.35	0	5,5,8	0.37	0
2	GOL	I	402	-	5,5,5	0.79	0	5,5,5	0.48	0
4	EDO	A	407	-	3,3,3	0.44	0	2,2,2	0.43	0
3	NO3	B	402	-	1,3,3	0.62	0	0,3,3	-	-
2	GOL	F	401	-	5,5,5	0.44	0	5,5,5	0.71	0
2	GOL	J	402	-	5,5,5	0.64	0	5,5,5	0.57	0
2	GOL	K	401	-	5,5,5	0.45	0	5,5,5	0.53	0
4	EDO	E	405	-	3,3,3	0.33	0	2,2,2	0.92	0
4	EDO	H	403	-	3,3,3	0.52	0	2,2,2	0.22	0
5	PGE	D	407	-	3,3,9	0.29	0	2,2,8	0.44	0
4	EDO	E	407	-	3,3,3	0.43	0	2,2,2	0.43	0
4	EDO	E	404	-	3,3,3	0.48	0	2,2,2	0.32	0
4	EDO	I	405	-	3,3,3	0.42	0	2,2,2	0.35	0
4	EDO	A	409	-	3,3,3	0.52	0	2,2,2	0.29	0
2	GOL	I	401	-	5,5,5	0.38	0	5,5,5	0.71	0
2	GOL	J	401	-	5,5,5	0.38	0	5,5,5	0.44	0
4	EDO	B	405	-	3,3,3	0.42	0	2,2,2	0.36	0
3	NO3	A	403	-	1,3,3	0.48	0	0,3,3	-	-
2	GOL	D	401	-	5,5,5	0.48	0	5,5,5	0.85	0
4	EDO	F	402	-	3,3,3	0.49	0	2,2,2	0.11	0
2	GOL	B	401	-	5,5,5	0.40	0	5,5,5	0.81	0
2	GOL	C	402	-	5,5,5	1.13	0	5,5,5	0.86	0
4	EDO	D	406	-	3,3,3	0.42	0	2,2,2	0.29	0
2	GOL	E	401	-	5,5,5	0.43	0	5,5,5	1.01	0
4	EDO	A	406	-	3,3,3	0.54	0	2,2,2	0.07	0
4	EDO	G	403	-	3,3,3	0.30	0	2,2,2	0.41	0
4	EDO	H	406	-	3,3,3	0.41	0	2,2,2	0.58	0
4	EDO	E	406	-	3,3,3	0.47	0	2,2,2	0.23	0
4	EDO	H	402	-	3,3,3	0.45	0	2,2,2	0.31	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	EDO	B	403	-	3,3,3	0.48	0	2,2,2	0.19	0
2	GOL	A	402	-	5,5,5	0.61	0	5,5,5	1.03	0
3	NO3	E	403	-	1,3,3	0.49	0	0,3,3	-	-
2	GOL	G	402	-	5,5,5	0.42	0	5,5,5	0.69	0
4	EDO	B	404	-	3,3,3	0.48	0	2,2,2	0.30	0
4	EDO	A	411	-	3,3,3	0.26	0	2,2,2	1.67	1 (50%)
4	EDO	C	404	-	3,3,3	0.60	0	2,2,2	0.10	0
4	EDO	C	405	-	3,3,3	0.44	0	2,2,2	0.35	0
5	PGE	E	408	-	6,6,9	0.34	0	5,5,8	0.29	0
3	NO3	D	402	-	1,3,3	0.55	0	0,3,3	-	-
4	EDO	A	408	-	3,3,3	0.41	0	2,2,2	0.49	0
4	EDO	D	405	-	3,3,3	0.42	0	2,2,2	0.34	0
4	EDO	H	405	-	3,3,3	0.46	0	2,2,2	0.27	0
4	EDO	B	406	-	3,3,3	0.38	0	2,2,2	0.51	0
5	PGE	A	412	-	3,3,9	0.31	0	2,2,8	0.42	0
4	EDO	H	404	-	3,3,3	0.47	0	2,2,2	0.24	0
3	NO3	E	402	-	1,3,3	0.69	0	0,3,3	-	-
2	GOL	G	401	-	5,5,5	0.38	0	5,5,5	0.74	0
4	EDO	A	404	-	3,3,3	0.45	0	2,2,2	0.06	0
4	EDO	A	410	-	3,3,3	0.44	0	2,2,2	0.15	0
5	PGE	C	406	-	9,9,9	0.32	0	8,8,8	0.39	0
2	GOL	C	401	-	5,5,5	0.42	0	5,5,5	0.88	0
2	GOL	I	403	-	5,5,5	0.38	0	5,5,5	0.50	0
4	EDO	A	405	-	3,3,3	0.34	0	2,2,2	0.50	0
4	EDO	D	404	-	3,3,3	0.32	0	2,2,2	0.71	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	B	407	-	-	0/1/1/1	-
2	GOL	L	401	-	-	2/4/4/4	-
4	EDO	C	403	-	-	0/1/1/1	-
4	EDO	D	403	-	-	0/1/1/1	-
4	EDO	I	404	-	-	1/1/1/1	-
2	GOL	H	401	-	-	2/4/4/4	-
2	GOL	A	401	-	-	2/4/4/4	-
5	PGE	L	402	-	-	4/4/4/7	-
2	GOL	I	402	-	-	4/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	A	407	-	-	0/1/1/1	-
2	GOL	F	401	-	-	2/4/4/4	-
2	GOL	J	402	-	-	3/4/4/4	-
2	GOL	K	401	-	-	0/4/4/4	-
4	EDO	E	405	-	-	1/1/1/1	-
4	EDO	H	403	-	-	1/1/1/1	-
5	PGE	D	407	-	-	1/1/1/7	-
4	EDO	E	407	-	-	1/1/1/1	-
4	EDO	E	404	-	-	1/1/1/1	-
4	EDO	I	405	-	-	0/1/1/1	-
4	EDO	A	409	-	-	1/1/1/1	-
2	GOL	I	401	-	-	2/4/4/4	-
2	GOL	J	401	-	-	2/4/4/4	-
4	EDO	B	405	-	-	1/1/1/1	-
2	GOL	D	401	-	-	2/4/4/4	-
4	EDO	F	402	-	-	1/1/1/1	-
2	GOL	B	401	-	-	2/4/4/4	-
2	GOL	C	402	-	-	4/4/4/4	-
4	EDO	D	406	-	-	1/1/1/1	-
2	GOL	E	401	-	-	2/4/4/4	-
4	EDO	A	406	-	-	0/1/1/1	-
4	EDO	G	403	-	-	0/1/1/1	-
4	EDO	H	406	-	-	1/1/1/1	-
4	EDO	E	406	-	-	1/1/1/1	-
4	EDO	H	402	-	-	0/1/1/1	-
4	EDO	B	403	-	-	1/1/1/1	-
2	GOL	A	402	-	-	0/4/4/4	-
2	GOL	G	402	-	-	2/4/4/4	-
4	EDO	B	404	-	-	1/1/1/1	-
4	EDO	A	411	-	-	1/1/1/1	-
4	EDO	C	404	-	-	1/1/1/1	-
4	EDO	C	405	-	-	0/1/1/1	-
5	PGE	E	408	-	-	3/4/4/7	-
4	EDO	A	408	-	-	0/1/1/1	-
4	EDO	D	405	-	-	0/1/1/1	-
4	EDO	H	405	-	-	0/1/1/1	-
4	EDO	B	406	-	-	0/1/1/1	-
5	PGE	A	412	-	-	0/1/1/7	-
4	EDO	H	404	-	-	1/1/1/1	-
2	GOL	G	401	-	-	2/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	A	404	-	-	1/1/1/1	-
4	EDO	A	410	-	-	0/1/1/1	-
5	PGE	C	406	-	-	3/7/7/7	-
2	GOL	C	401	-	-	2/4/4/4	-
2	GOL	I	403	-	-	2/4/4/4	-
4	EDO	A	405	-	-	0/1/1/1	-
4	EDO	D	404	-	-	1/1/1/1	-

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	411	EDO	O1-C1-C2	-2.14	96.05	112.39

There are no chirality outliers.

All (66) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	401	GOL	O1-C1-C2-C3
2	C	402	GOL	O1-C1-C2-O2
2	C	402	GOL	O1-C1-C2-C3
2	D	401	GOL	O1-C1-C2-O2
2	D	401	GOL	O1-C1-C2-C3
2	E	401	GOL	C1-C2-C3-O3
2	E	401	GOL	O2-C2-C3-O3
2	F	401	GOL	C1-C2-C3-O3
2	F	401	GOL	O2-C2-C3-O3
2	G	401	GOL	C1-C2-C3-O3
2	G	402	GOL	C1-C2-C3-O3
2	H	401	GOL	C1-C2-C3-O3
2	H	401	GOL	O2-C2-C3-O3
2	I	402	GOL	O1-C1-C2-O2
2	I	402	GOL	O1-C1-C2-C3
2	I	403	GOL	C1-C2-C3-O3
2	I	403	GOL	O2-C2-C3-O3
2	J	401	GOL	O1-C1-C2-O2
2	J	401	GOL	O1-C1-C2-C3
2	L	401	GOL	O1-C1-C2-O2
5	L	402	PGE	O3-C5-C6-O4
2	G	401	GOL	O2-C2-C3-O3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	G	402	GOL	O2-C2-C3-O3
5	C	406	PGE	O3-C5-C6-O4
2	B	401	GOL	O1-C1-C2-C3
2	C	401	GOL	O1-C1-C2-C3
2	C	402	GOL	C1-C2-C3-O3
2	I	401	GOL	O1-C1-C2-C3
2	I	402	GOL	C1-C2-C3-O3
2	J	402	GOL	C1-C2-C3-O3
2	L	401	GOL	O1-C1-C2-C3
2	A	401	GOL	O1-C1-C2-O2
2	B	401	GOL	O1-C1-C2-O2
2	C	401	GOL	O1-C1-C2-O2
2	J	402	GOL	O2-C2-C3-O3
4	C	404	EDO	O1-C1-C2-O2
4	E	404	EDO	O1-C1-C2-O2
2	I	401	GOL	O1-C1-C2-O2
4	A	409	EDO	O1-C1-C2-O2
4	B	403	EDO	O1-C1-C2-O2
4	B	405	EDO	O1-C1-C2-O2
4	F	402	EDO	O1-C1-C2-O2
4	H	404	EDO	O1-C1-C2-O2
4	D	406	EDO	O1-C1-C2-O2
5	E	408	PGE	C3-C4-O3-C5
2	C	402	GOL	O2-C2-C3-O3
5	E	408	PGE	O2-C3-C4-O3
5	L	402	PGE	C3-C4-O3-C5
5	L	402	PGE	O2-C3-C4-O3
4	A	411	EDO	O1-C1-C2-O2
2	I	402	GOL	O2-C2-C3-O3
5	E	408	PGE	O3-C5-C6-O4
4	H	403	EDO	O1-C1-C2-O2
2	J	402	GOL	O1-C1-C2-O2
5	C	406	PGE	C4-C3-O2-C2
5	C	406	PGE	C6-C5-O3-C4
4	A	404	EDO	O1-C1-C2-O2
4	B	404	EDO	O1-C1-C2-O2
4	H	406	EDO	O1-C1-C2-O2
5	D	407	PGE	O2-C3-C4-O3
4	E	405	EDO	O1-C1-C2-O2
4	E	407	EDO	O1-C1-C2-O2
4	D	404	EDO	O1-C1-C2-O2
4	E	406	EDO	O1-C1-C2-O2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	I	404	EDO	O1-C1-C2-O2
5	L	402	PGE	C6-C5-O3-C4

There are no ring outliers.

37 monomers are involved in 85 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	407	EDO	1	0
4	D	403	EDO	2	0
4	I	404	EDO	1	0
2	H	401	GOL	1	0
2	A	401	GOL	1	0
5	L	402	PGE	1	0
2	I	402	GOL	4	0
2	F	401	GOL	1	0
2	J	402	GOL	9	0
2	K	401	GOL	1	0
4	E	405	EDO	3	0
5	D	407	PGE	1	0
4	E	404	EDO	1	0
4	I	405	EDO	1	0
4	A	409	EDO	3	0
2	J	401	GOL	1	0
2	D	401	GOL	1	0
4	F	402	EDO	1	0
2	B	401	GOL	1	0
2	C	402	GOL	5	0
4	D	406	EDO	1	0
2	E	401	GOL	1	0
4	G	403	EDO	4	0
4	B	403	EDO	1	0
2	A	402	GOL	8	0
4	B	404	EDO	2	0
4	A	411	EDO	7	0
5	E	408	PGE	1	0
4	A	408	EDO	1	0
5	A	412	PGE	2	0
4	H	404	EDO	1	0
2	G	401	GOL	1	0
4	A	404	EDO	2	0
5	C	406	PGE	3	0
2	C	401	GOL	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	405	EDO	1	0
4	D	404	EDO	9	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2			OWAB(Å ²)	Q < 0.9
1	A	186/208 (89%)	-0.46	5 (2%)	56	61	9, 17, 28, 52	10 (5%)
1	B	184/208 (88%)	-0.34	3 (1%)	70	76	9, 18, 40, 50	9 (4%)
1	C	186/208 (89%)	-0.43	1 (0%)	87	90	9, 18, 30, 45	12 (6%)
1	D	185/208 (88%)	-0.44	2 (1%)	78	83	8, 17, 34, 62	7 (3%)
1	E	186/208 (89%)	-0.43	1 (0%)	87	90	8, 17, 30, 42	7 (3%)
1	F	181/208 (87%)	-0.26	2 (1%)	78	83	10, 21, 37, 51	9 (4%)
1	G	184/208 (88%)	-0.02	4 (2%)	62	68	11, 26, 43, 61	5 (2%)
1	H	183/208 (87%)	-0.28	7 (3%)	44	50	8, 19, 36, 57	9 (4%)
1	I	186/208 (89%)	-0.32	1 (0%)	87	90	8, 20, 35, 52	9 (4%)
1	J	185/208 (88%)	0.49	6 (3%)	50	55	11, 32, 58, 69	1 (0%)
1	K	186/208 (89%)	0.97	22 (11%)	9	11	27, 44, 61, 71	0
1	L	183/208 (87%)	0.50	6 (3%)	49	54	14, 35, 53, 78	3 (1%)
All	All	2215/2496 (88%)	-0.08	60 (2%)	56	61	8, 22, 50, 78	81 (3%)

All (60) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	K	237	LEU	5.6
1	K	293	THR	4.0
1	K	236	ALA	3.7
1	H	271	ILE	3.6
1	L	294	ALA	3.5
1	L	293	THR	3.4
1	H	273	SER	3.3
1	A	295	GLY	3.3
1	J	262	TYR	3.2
1	K	294	ALA	3.2
1	B	293	THR	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	K	251	VAL	3.1
1	K	177	GLU	3.1
1	K	228	ILE	3.0
1	K	262	TYR	3.0
1	G	262	TYR	2.9
1	J	272	MET	2.8
1	F	293	THR	2.8
1	A	294	ALA	2.8
1	A	296	SER	2.8
1	K	265	PHE	2.7
1	H	269	ASN	2.7
1	J	275	ALA	2.7
1	J	237	LEU	2.6
1	D	178	ASP	2.6
1	K	274	THR	2.6
1	E	293	THR	2.5
1	J	274	THR	2.5
1	H	275	ALA	2.5
1	K	292	PRO	2.5
1	H	262	TYR	2.5
1	K	220	ILE	2.4
1	A	293	THR	2.4
1	K	233	THR	2.4
1	D	272	MET	2.4
1	B	294	ALA	2.4
1	K	185	THR	2.4
1	L	295	GLY	2.4
1	G	272	MET	2.3
1	K	197	ASP	2.3
1	K	245	LEU	2.3
1	K	275	ALA	2.3
1	A	177	GLU	2.2
1	H	274	THR	2.2
1	K	273	SER	2.2
1	L	296	SER	2.2
1	K	276	TYR	2.2
1	I	197	ASP	2.2
1	C	185	THR	2.1
1	H	276	TYR	2.1
1	K	184	THR	2.1
1	K	244	LEU	2.1
1	L	292	PRO	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	J	197	ASP	2.1
1	F	292	PRO	2.1
1	G	179	LYS	2.1
1	G	295	GLY	2.0
1	K	295	GLY	2.0
1	L	288	ALA	2.0
1	B	273	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	PGE	E	408	7/10	0.77	0.24	73,74,75,75	0
4	EDO	H	403	4/4	0.80	0.18	58,60,61,61	0
5	PGE	C	406	10/10	0.80	0.19	58,63,64,64	0
4	EDO	G	403	4/4	0.80	0.23	77,77,77,77	0
4	EDO	H	406	4/4	0.81	0.20	59,60,60,60	0
4	EDO	A	407	4/4	0.81	0.17	57,57,57,57	0
4	EDO	E	404	4/4	0.81	0.16	46,47,48,49	0
4	EDO	B	404	4/4	0.82	0.18	59,61,62,64	0
4	EDO	E	407	4/4	0.83	0.18	67,68,69,70	0
4	EDO	B	406	4/4	0.83	0.16	64,65,66,67	0
4	EDO	C	404	4/4	0.84	0.18	48,50,52,54	0
4	EDO	A	406	4/4	0.84	0.18	62,63,63,63	0
4	EDO	A	408	4/4	0.85	0.17	48,50,51,53	0
2	GOL	I	403	6/6	0.86	0.16	49,53,55,57	0
4	EDO	A	409	4/4	0.86	0.18	53,54,55,55	0
4	EDO	B	405	4/4	0.87	0.16	58,59,60,61	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	EDO	D	406	4/4	0.87	0.17	63,65,66,66	0
4	EDO	B	403	4/4	0.87	0.16	60,61,61,62	0
4	EDO	E	406	4/4	0.88	0.14	49,50,51,51	0
3	NO3	B	402	4/4	0.88	0.16	51,52,53,53	4
2	GOL	K	401	6/6	0.88	0.12	50,51,52,53	0
4	EDO	H	402	4/4	0.88	0.17	62,62,62,63	0
5	PGE	L	402	7/10	0.88	0.15	42,50,53,53	0
4	EDO	H	405	4/4	0.89	0.14	66,67,68,68	0
4	EDO	C	403	4/4	0.89	0.13	46,47,47,47	0
5	PGE	A	412	4/10	0.89	0.15	45,48,51,52	0
3	NO3	A	403	4/4	0.89	0.13	73,74,75,75	0
4	EDO	A	404	4/4	0.89	0.14	54,56,57,58	0
4	EDO	H	404	4/4	0.89	0.15	57,58,59,60	0
2	GOL	A	402	6/6	0.90	0.13	45,48,51,54	0
4	EDO	A	405	4/4	0.90	0.14	46,47,47,48	0
4	EDO	B	407	4/4	0.90	0.15	74,75,75,75	0
2	GOL	B	401	6/6	0.90	0.14	31,35,37,40	0
3	NO3	E	402	4/4	0.90	0.11	56,56,57,59	0
4	EDO	C	405	4/4	0.90	0.17	71,72,73,73	0
4	EDO	D	405	4/4	0.90	0.13	59,59,59,60	0
4	EDO	D	404	4/4	0.91	0.13	28,36,39,43	0
2	GOL	J	402	6/6	0.91	0.13	38,41,42,46	0
5	PGE	D	407	4/10	0.91	0.13	52,54,56,56	0
4	EDO	I	404	4/4	0.91	0.15	56,59,61,63	0
4	EDO	I	405	4/4	0.91	0.14	56,57,58,58	0
2	GOL	G	401	6/6	0.92	0.12	38,39,40,43	0
2	GOL	G	402	6/6	0.92	0.10	41,47,48,50	0
2	GOL	H	401	6/6	0.92	0.11	33,36,37,38	0
3	NO3	D	402	4/4	0.92	0.12	73,73,74,74	0
4	EDO	A	410	4/4	0.92	0.12	28,34,38,40	0
2	GOL	I	402	6/6	0.92	0.12	28,33,34,35	6
2	GOL	C	402	6/6	0.92	0.13	22,25,28,30	6
2	GOL	D	401	6/6	0.92	0.10	34,35,37,39	0
4	EDO	F	402	4/4	0.93	0.12	53,56,57,58	0
4	EDO	A	411	4/4	0.93	0.12	21,30,31,37	0
2	GOL	L	401	6/6	0.93	0.10	44,45,47,48	0
2	GOL	J	401	6/6	0.93	0.10	42,43,44,47	0
4	EDO	E	405	4/4	0.93	0.10	33,34,38,39	0
2	GOL	F	401	6/6	0.93	0.10	35,35,36,39	0
2	GOL	E	401	6/6	0.93	0.10	30,32,36,38	0
2	GOL	C	401	6/6	0.94	0.10	29,32,34,36	0
2	GOL	A	401	6/6	0.94	0.10	31,33,34,37	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	EDO	D	403	4/4	0.94	0.11	49,50,51,53	0
2	GOL	I	401	6/6	0.94	0.10	36,38,39,42	0
3	NO3	E	403	4/4	0.98	0.07	16,23,24,25	4

6.5 Other polymers [i](#)

There are no such residues in this entry.