



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 06:15 AM UTC

PDB ID : 8AJ6 / pdb_00008aj6
Title : cyanide-bound [FeFe]-hydrogenase I from Clostridium pasteurianum (CpI)
Authors : Duan, J.; Hofmann, E.; Happe, T.
Deposited on : 2022-07-27
Resolution : 1.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4037 (1.50-1.50)
Clashscore	190562	4235 (1.50-1.50)
Ramachandran outliers	187476	4153 (1.50-1.50)
Sidechain outliers	187428	4150 (1.50-1.50)
RSRZ outliers	180081	4039 (1.50-1.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	584	2% 93% 6%
1	B	584	7% 92% 7%

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 10393 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Iron hydrogenase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	580	Total	C	N	O	S	0	7	0
			4564	2859	784	879	42			
1	B	578	Total	C	N	O	S	0	5	0
			4530	2838	780	871	41			

There are 20 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	575	SER	-	expression tag	UNP P29166
A	576	ALA	-	expression tag	UNP P29166
A	577	TRP	-	expression tag	UNP P29166
A	578	SER	-	expression tag	UNP P29166
A	579	HIS	-	expression tag	UNP P29166
A	580	PRO	-	expression tag	UNP P29166
A	581	GLN	-	expression tag	UNP P29166
A	582	PHE	-	expression tag	UNP P29166
A	583	GLU	-	expression tag	UNP P29166
A	584	LYS	-	expression tag	UNP P29166
B	575	SER	-	expression tag	UNP P29166
B	576	ALA	-	expression tag	UNP P29166
B	577	TRP	-	expression tag	UNP P29166
B	578	SER	-	expression tag	UNP P29166
B	579	HIS	-	expression tag	UNP P29166
B	580	PRO	-	expression tag	UNP P29166
B	581	GLN	-	expression tag	UNP P29166
B	582	PHE	-	expression tag	UNP P29166
B	583	GLU	-	expression tag	UNP P29166
B	584	LYS	-	expression tag	UNP P29166

- Molecule 2 is IRON/SULFUR CLUSTER (CCD ID: SF4) (formula: Fe₄S₄).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	Fe	S	0	0
			8	4	4		
2	A	1	Total	Fe	S	0	0
			8	4	4		
2	A	1	Total	Fe	S	0	0
			8	4	4		
2	A	1	Total	Fe	S	0	0
			8	4	4		
2	B	1	Total	Fe	S	0	0
			8	4	4		
2	B	1	Total	Fe	S	0	0
			8	4	4		
2	B	1	Total	Fe	S	0	0
			8	4	4		

- Molecule 3 is FE2/S2 (INORGANIC) CLUSTER (CCD ID: FES) (formula: Fe_2S_2) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	Fe	S	0	0
			4	2	2		
3	B	1	Total	Fe	S	0	0
			4	2	2		

- Molecule 4 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	2	Total	Mg	0	0
			2	2		
4	B	2	Total	Mg	0	0
			2	2		

- Molecule 5 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			6	3	3		
5	B	1	Total	C	O	0	0
			6	3	3		

- Molecule 6 is Binuclear [FeFe], di(thiomethyl)amine, carbon monoxide, cyanide cluster (-CN form) (CCD ID: VHR) (formula: C₈H₅Fe₂N₄O₃S₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	A	1	Total	C	Fe	N	O	0	0
			19	8	2	4	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
6	B	1	Total	C	Fe	N	O	S	0	0
			19	8	2	4	3	2		

- Molecule 7 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	B	1	Total 1	Cl 1	0	0


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	606	Total 606	O 606	0	0
8	B	566	Total 566	O 566	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Iron hydrogenase 1



• Molecule 1: Iron hydrogenase 1



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	90.18Å 72.48Å 103.71Å 90.00° 98.01° 90.00°	Depositor
Resolution (Å)	47.62 – 1.50 47.62 – 1.50	Depositor EDS
% Data completeness (in resolution range)	99.8 (47.62-1.50) 99.9 (47.62-1.50)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.13 (at 1.50Å)	Xtriage
Refinement program	PHENIX 1.19.1_4122	Depositor
R, R_{free}	0.175 , 0.199 0.175 , 0.199	Depositor DCC
R_{free} test set	10564 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	18.0	Xtriage
Anisotropy	0.678	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 33.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	10393	wwPDB-VP
Average B, all atoms (Å ²)	29.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.93% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CL, FES, SF4, VHR, GOL, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.37	0/4641	0.57	0/6251
1	B	0.40	0/4606	0.57	0/6202
All	All	0.38	0/9247	0.57	0/12453

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4564	0	4515	29	0
1	B	4530	0	4487	26	0
2	A	32	0	0	1	0
2	B	32	0	0	1	0
3	A	4	0	0	0	0
3	B	4	0	0	0	0
4	A	2	0	0	0	0
4	B	2	0	0	0	0
5	A	6	0	7	2	0
5	B	6	0	8	1	0
6	A	19	0	0	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	B	19	0	0	2	0
7	B	1	0	0	0	0
8	A	606	0	0	5	1
8	B	566	0	0	4	1
All	All	10393	0	9017	55	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (55) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:556:PHE:HE1	1:A:567:ILE:HD11	1.47	0.79
1:B:285:GLN:NE2	1:B:288:GLU:OE1	2.17	0.77
1:B:483[A]:SER:OG	1:B:485:MET:HG3	1.86	0.76
1:A:432:LYS:HE3	1:A:445:TYR:OH	1.88	0.74
1:A:171:LYS:HD2	1:A:182:GLU:OE2	1.98	0.63
1:A:353[B]:MET:HE1	6:A:609:VHR:O5	2.00	0.62
1:A:345:LYS:HE3	5:A:607:GOL:O2	2.00	0.62
1:B:479:LYS:NZ	8:B:705:HOH:O	2.35	0.60
1:B:353[B]:MET:HE1	6:B:610:VHR:O5	2.03	0.59
1:A:485:MET:HG2	1:B:43:ILE:CD1	2.35	0.57
5:B:607:GOL:H2	8:B:774:HOH:O	2.04	0.57
1:A:404:ASP:OD2	8:A:701:HOH:O	2.18	0.56
1:B:369:LYS:NZ	8:B:707:HOH:O	2.38	0.56
1:A:485:MET:HG2	1:B:43:ILE:HD13	1.90	0.54
1:B:277:MET:HG3	1:B:548:LEU:HD21	1.90	0.54
1:A:171:LYS:HD2	1:A:182:GLU:CD	2.32	0.53
1:B:53:VAL:HG22	1:B:72:ILE:HG12	1.95	0.49
1:A:226:ILE:HD11	1:A:336:TYR:CD2	2.48	0.48
1:A:456:GLU:HG2	1:A:457:ALA:N	2.29	0.47
1:A:39:CYS:SG	1:A:159:LYS:HE3	2.55	0.47
1:B:556:PHE:HE1	1:B:567:ILE:HD11	1.79	0.46
1:A:171:LYS:HD3	1:A:176:ILE:HD13	1.98	0.46
1:B:107:CYS:O	1:B:111:LYS:HG3	2.16	0.46
1:A:556:PHE:CE1	1:A:567:ILE:HD11	2.38	0.45
1:B:301:PRO:HD2	2:B:601:SF4:S2	2.56	0.45
1:A:392:LYS:HE3	1:A:392:LYS:HA	1.98	0.45
1:B:573:LYS:HB3	1:B:573:LYS:HE2	1.84	0.45
1:A:316:ASN:HB3	8:A:703:HOH:O	2.17	0.45
1:B:521:ASP:CG	1:B:524:LYS:HG3	2.42	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:5:ILE:HA	1:B:9:VAL:O	2.17	0.44
1:A:483:SER:OG	1:A:485:MET:HG3	2.18	0.43
1:B:296:PHE:HB2	1:B:318:LEU:HD12	2.00	0.43
1:A:215:LYS:NZ	8:A:719:HOH:O	2.49	0.43
1:A:21:LYS:NZ	8:A:726:HOH:O	2.51	0.43
1:A:129:LYS:HG2	1:A:145:THR:HG21	2.01	0.42
6:A:609:VHR:C	6:A:609:VHR:N1	2.82	0.42
1:B:514:PRO:O	1:B:518:GLU:HG3	2.19	0.42
1:B:38:ASN:ND2	8:B:725:HOH:O	2.52	0.42
1:B:86:ARG:HA	1:B:86:ARG:HD2	1.86	0.42
1:B:503:CYS:CB	6:B:610:VHR:C4	2.97	0.42
1:A:519:LYS:HE3	1:A:519:LYS:HB2	1.75	0.42
1:B:80:ASN:O	1:B:84:LYS:HB2	2.20	0.42
1:A:558:LYS:HA	1:A:558:LYS:HD2	1.58	0.42
1:A:485:MET:HG2	1:B:43:ILE:HD11	2.02	0.41
5:A:607:GOL:H2	8:A:770:HOH:O	2.19	0.41
1:A:324:PRO:HA	1:A:327:ILE:HG22	2.01	0.41
1:B:387:MET:HB2	1:B:387:MET:HE3	1.76	0.41
1:B:226:ILE:HD11	1:B:336:TYR:CD2	2.56	0.41
1:B:279:GLU:OE1	1:B:319:SER:OG	2.28	0.41
1:A:301:PRO:HD2	2:A:601:SF4:S2	2.61	0.41
1:A:456:GLU:OE1	1:A:489:LYS:NZ	2.46	0.41
1:A:369:LYS:HE3	1:A:369:LYS:HB3	1.89	0.41
1:B:137:SER:HB3	1:B:140:LEU:O	2.21	0.40
1:A:448:VAL:HB	1:A:470:VAL:HG21	2.02	0.40
1:A:268:ILE:HD13	1:A:268:ILE:HA	1.95	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
8:A:1173:HOH:O	8:B:1142:HOH:O[2_445]	2.19	0.01

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	585/584 (100%)	571 (98%)	14 (2%)	0	100	100
1	B	581/584 (100%)	564 (97%)	17 (3%)	0	100	100
All	All	1166/1168 (100%)	1135 (97%)	31 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	502/499 (101%)	502 (100%)	0	100	100
1	B	498/499 (100%)	498 (100%)	0	100	100
All	All	1000/998 (100%)	1000 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	12	ASN
1	A	44	ASN
1	A	73	ASN
1	A	75	ASN
1	A	80	ASN
1	A	325	GLN
1	A	565	HIS
1	B	89	GLN
1	B	285	GLN
1	B	289	ASN
1	B	325	GLN
1	B	490	GLN
1	B	505	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	532	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 19 ligands modelled in this entry, 5 are monoatomic - leaving 14 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	SF4	B	603	1	0,12,12	-	-	-		
2	SF4	A	604	1	0,12,12	-	-	-		
5	GOL	B	607	-	5,5,5	1.05	0	5,5,5	1.21	0
5	GOL	A	607	-	5,5,5	1.48	1 (20%)	5,5,5	1.25	0
2	SF4	A	601	1	0,12,12	-	-	-		
6	VHR	A	609	1	15,21,21	2.42	8 (53%)	1,42,42	1.45	0
2	SF4	B	601	1	0,12,12	-	-	-		
2	SF4	A	603	1	0,12,12	-	-	-		
6	VHR	B	610	1	15,21,21	1.99	5 (33%)	1,42,42	3.33	1 (100%)
2	SF4	A	602	1	0,12,12	-	-	-		
3	FES	A	605	1	0,4,4	-	-	-		
2	SF4	B	604	1	0,12,12	-	-	-		

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	FES	B	605	1	0,4,4	-	-	-		
2	SF4	B	602	1	0,12,12	-	-	-		

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SF4	B	603	1	-	-	0/6/5/5
5	GOL	B	607	-	-	2/4/4/4	-
2	SF4	A	604	1	-	-	0/6/5/5
5	GOL	A	607	-	-	2/4/4/4	-
2	SF4	A	601	1	-	-	0/6/5/5
6	VHR	A	609	1	-	-	0/5/3/3
2	SF4	B	601	1	-	-	0/6/5/5
2	SF4	A	603	1	-	-	0/6/5/5
6	VHR	B	610	1	-	-	0/5/3/3
2	SF4	A	602	1	-	-	0/6/5/5
3	FES	A	605	1	-	-	0/1/1/1
2	SF4	B	604	1	-	-	0/6/5/5
3	FES	B	605	1	-	-	0/1/1/1
2	SF4	B	602	1	-	-	0/6/5/5

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	609	VHR	C4-N4	4.80	1.22	1.15
6	B	610	VHR	O3-C3	3.92	1.24	1.15
6	A	609	VHR	C1-N1	3.43	1.50	1.40
6	B	610	VHR	C4-N4	3.39	1.20	1.15
6	A	609	VHR	O3-C3	3.24	1.23	1.15
6	B	610	VHR	C2-N1	3.22	1.49	1.40
6	A	609	VHR	C2-N1	3.18	1.49	1.40
6	A	609	VHR	C2-S2	3.08	1.90	1.85
5	A	607	GOL	O2-C2	-2.96	1.34	1.43
6	A	609	VHR	S2-FE1	2.49	2.29	2.26
6	B	610	VHR	S2-FE1	2.37	2.29	2.26
6	B	610	VHR	C1-N1	2.34	1.47	1.40
6	A	609	VHR	C3-FE1	-2.12	1.72	1.79
6	A	609	VHR	C-FE2	-2.05	1.89	1.94

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	B	610	VHR	C2-N1-C1	3.33	123.36	114.31

There are no chirality outliers.

All (4) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
5	A	607	GOL	C1-C2-C3-O3
5	B	607	GOL	C1-C2-C3-O3
5	A	607	GOL	O2-C2-C3-O3
5	B	607	GOL	O2-C2-C3-O3


There are no ring outliers.


6 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	B	607	GOL	1	0
5	A	607	GOL	2	0
2	A	601	SF4	1	0
6	A	609	VHR	2	0
2	B	601	SF4	1	0
6	B	610	VHR	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	580/584 (99%)	0.26	14 (2%) 59 63	10, 26, 44, 57	7 (1%)
1	B	578/584 (98%)	0.33	38 (6%) 24 26	9, 24, 60, 84	5 (0%)
All	All	1158/1168 (99%)	0.30	52 (4%) 38 42	9, 25, 49, 84	12 (1%)

All (52) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	4	ILE	4.5
1	B	577	TRP	4.5
1	B	5	ILE	4.4
1	B	578	SER	4.2
1	A	4[A]	ILE	3.9
1	B	8	GLY	3.8
1	B	71	ILE	3.7
1	B	579	HIS	3.7
1	B	55	GLY	3.5
1	B	3	THR	3.3
1	B	72	ILE	3.2
1	B	65	LEU	3.0
1	B	9	VAL	2.9
1	A	538	SER	2.9
1	A	172	ASN	2.9
1	B	66	ILE	2.8
1	B	11	PHE	2.8
1	B	53	VAL	2.7
1	B	79	VAL	2.6
1	B	56	THR	2.6
1	B	57	GLY	2.6
1	A	1	MET	2.6
1	A	290	ASN	2.5
1	A	14	ASP	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	576	ALA	2.5
1	B	22	PHE	2.5
1	B	13	THR	2.5
1	B	17	THR	2.4
1	B	59	VAL	2.4
1	B	6	ILE	2.4
1	B	16	ASP	2.4
1	A	173	GLY	2.4
1	B	78	ALA	2.3
1	B	119	ARG	2.3
1	B	28	ILE	2.3
1	A	170	ASN	2.3
1	B	12	ASN	2.3
1	A	287	ILE	2.3
1	B	513	ASN	2.2
1	B	58	LEU	2.2
1	B	573	LYS	2.2
1	A	55	GLY	2.1
1	A	392	LYS	2.1
1	A	291	GLY	2.1
1	B	51	VAL	2.1
1	B	75	ASN	2.1
1	B	117	LYS	2.1
1	A	522	ILE	2.0
1	B	463	ASN	2.0
1	B	131	GLU	2.0
1	B	125	LEU	2.0
1	A	16	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,




median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	GOL	A	607	6/6	0.93	0.10	24,28,29,32	0
5	GOL	B	607	6/6	0.95	0.07	23,25,28,34	0
2	SF4	B	604	8/8	0.97	0.06	23,26,27,27	0
2	SF4	A	604	8/8	0.98	0.05	25,26,27,29	0
7	CL	B	609	1/1	0.98	0.09	29,29,29,29	0
2	SF4	B	602	8/8	0.99	0.03	17,18,18,19	0
2	SF4	B	603	8/8	0.99	0.04	18,20,20,20	0
2	SF4	A	602	8/8	0.99	0.03	17,18,18,20	0
3	FES	A	605	4/4	0.99	0.04	21,21,21,21	0
3	FES	B	605	4/4	0.99	0.04	25,26,26,28	0
4	MG	A	606	1/1	0.99	0.04	25,25,25,25	0
4	MG	A	608	1/1	0.99	0.05	23,23,23,23	0
4	MG	B	606	1/1	0.99	0.04	25,25,25,25	0
4	MG	B	608	1/1	0.99	0.07	30,30,30,30	0
2	SF4	A	603	8/8	0.99	0.04	18,19,20,20	0
2	SF4	A	601	8/8	0.99	0.03	17,18,18,19	0
6	VHR	A	609	19/19	0.99	0.04	17,20,22,22	0
6	VHR	B	610	19/19	0.99	0.05	15,17,20,20	0
2	SF4	B	601	8/8	0.99	0.03	16,17,17,17	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around FES A 605:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FES B 605:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around VHR A 609:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around VHR B 610:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.