



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 11:34 AM UTC

PDB ID : 8AJJ / pdb_00008ajj
Title : Crystal structure of the disulfide reductase MerA from *Staphylococcus aureus*
Authors : Weiland, P.; Altegoer, F.; Bange, G.
Deposited on : 2022-07-28
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4912 (2.40-2.40)
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)
RSRZ outliers	180081	4916 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	446	2% 87% 11% ..
1	B	446	9% 71% 16% 12%
1	C	446	3% 87% 12%
1	D	446	8% 76% 13% 11%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 13403 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Dihydrolipoamide dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	C	444	Total	C	N	O	S	0	0	0
			3460	2179	600	674	7			
1	A	442	Total	C	N	O	S	0	0	0
			3440	2167	594	672	7			
1	B	391	Total	C	N	O	S	0	0	0
			3047	1922	526	595	4			
1	D	397	Total	C	N	O	S	0	0	0
			3102	1957	535	606	4			

There are 32 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
C	1	MET	-	initiating methionine	UNP A0A266CGC0
C	2	GLY	-	expression tag	UNP A0A266CGC0
C	441	HIS	-	expression tag	UNP A0A266CGC0
C	442	HIS	-	expression tag	UNP A0A266CGC0
C	443	HIS	-	expression tag	UNP A0A266CGC0
C	444	HIS	-	expression tag	UNP A0A266CGC0
C	445	HIS	-	expression tag	UNP A0A266CGC0
C	446	HIS	-	expression tag	UNP A0A266CGC0
A	1	MET	-	initiating methionine	UNP A0A266CGC0
A	2	GLY	-	expression tag	UNP A0A266CGC0
A	441	HIS	-	expression tag	UNP A0A266CGC0
A	442	HIS	-	expression tag	UNP A0A266CGC0
A	443	HIS	-	expression tag	UNP A0A266CGC0
A	444	HIS	-	expression tag	UNP A0A266CGC0
A	445	HIS	-	expression tag	UNP A0A266CGC0
A	446	HIS	-	expression tag	UNP A0A266CGC0
B	1	MET	-	initiating methionine	UNP A0A266CGC0
B	2	GLY	-	expression tag	UNP A0A266CGC0
B	441	HIS	-	expression tag	UNP A0A266CGC0
B	442	HIS	-	expression tag	UNP A0A266CGC0
B	443	HIS	-	expression tag	UNP A0A266CGC0


Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	444	HIS	-	expression tag	UNP A0A266CGC0
B	445	HIS	-	expression tag	UNP A0A266CGC0
B	446	HIS	-	expression tag	UNP A0A266CGC0
D	1	MET	-	initiating methionine	UNP A0A266CGC0
D	2	GLY	-	expression tag	UNP A0A266CGC0
D	441	HIS	-	expression tag	UNP A0A266CGC0
D	442	HIS	-	expression tag	UNP A0A266CGC0
D	443	HIS	-	expression tag	UNP A0A266CGC0
D	444	HIS	-	expression tag	UNP A0A266CGC0
D	445	HIS	-	expression tag	UNP A0A266CGC0
D	446	HIS	-	expression tag	UNP A0A266CGC0

- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (CCD ID: FAD) (formula: $C_{27}H_{33}N_9O_{15}P_2$) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			10	6	3	1		
3	A	1	Total	C	N	O	0	0
			10	6	3	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	C	44	Total	O	0	0
			44	44		
4	A	24	Total	O	0	0
			24	24		
4	B	35	Total	O	0	0
			35	35		
4	D	19	Total	O	0	0
			19	19		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Dihydrolipoamide dehydrogenase




- Molecule 1: Dihydrolipoamide dehydrogenase





- Molecule 1: Dihydrolipoamide dehydrogenase





● Molecule 1: Dihydrolipoamide dehydrogenase



4 Data and refinement statistics

Property	Value	Source
Space group	P 63 2 2	Depositor
Cell constants a, b, c, α , β , γ	250.63Å 250.63Å 141.14Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	49.80 – 2.40 49.80 – 2.40	Depositor EDS
% Data completeness (in resolution range)	100.0 (49.80-2.40) 100.0 (49.80-2.40)	Depositor EDS
R_{merge}	0.25	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.39 (at 2.39Å)	Xtriage
Refinement program	PHENIX 1.20.1_4487	Depositor
R, R_{free}	0.209 , 0.238 0.209 , 0.238	Depositor DCC
R_{free} test set	5055 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	61.1	Xtriage
Anisotropy	0.177	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 40.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	13403	wwPDB-VP
Average B, all atoms (Å ²)	75.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.87% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.13	0/3508	0.34	1/4770 (0.0%)
1	B	0.17	0/3106	0.39	0/4225
1	C	0.15	0/3530	0.33	0/4800
1	D	0.14	0/3164	0.35	0/4305
All	All	0.15	0/13308	0.35	1/18100 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	229	SER	CB-CA-C	-5.28	108.84	116.54

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3440	0	3374	33	0
1	B	3047	0	2991	53	1
1	C	3460	0	3388	34	1
1	D	3102	0	3032	30	0
2	A	53	0	31	0	0
2	B	53	0	31	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	C	53	0	31	2	0
2	D	53	0	31	1	0
3	A	20	0	13	1	0
4	A	24	0	0	4	0
4	B	35	0	0	2	1
4	C	44	0	0	5	1
4	D	19	0	0	1	0
All	All	13403	0	12922	151	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (151) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:200:ASP:OD2	4:C:601:HOH:O	1.84	0.95
1:A:92:ILE:O	4:A:601:HOH:O	1.90	0.88
1:B:402:GLU:OE2	4:B:601:HOH:O	1.93	0.86
1:A:199:GLU:OE1	4:A:602:HOH:O	1.92	0.85
1:D:34:GLN:HG2	1:D:98:LYS:HG3	1.63	0.81
1:B:363:VAL:HA	1:B:366:ILE:HD12	1.63	0.80
1:B:146:HIS:NE2	1:B:231:ASN:O	2.18	0.76
1:A:139:LYS:HG2	1:A:226:GLU:HG3	1.68	0.74
1:B:307:ASP:OD1	1:B:326:ARG:NH2	2.21	0.73
1:A:162:HIS:N	1:A:246:ASP:OD1	2.18	0.72
1:A:232:HIS:O	1:A:232:HIS:ND1	2.23	0.71
1:D:164:VAL:HG11	1:D:236:VAL:HG21	1.71	0.71
1:C:368:ARG:HE	1:C:372:ASN:HD21	1.36	0.71
1:C:307:ASP:OD1	1:C:326:ARG:NH2	2.19	0.70
1:A:238:THR:HG22	1:A:240:VAL:H	1.56	0.70
1:A:258:THR:OG1	4:A:603:HOH:O	2.10	0.69
1:B:190:GLU:OE1	4:B:602:HOH:O	2.10	0.69
1:D:280:HIS:HD2	4:D:603:HOH:O	1.76	0.68
1:C:306:ASP:OD1	1:C:321:ARG:NH2	2.25	0.68
1:D:241:ASP:OD1	1:D:242:ASN:N	2.26	0.68
1:C:65:GLU:O	1:C:69:ASN:ND2	2.27	0.66
1:C:3:THR:N	4:C:603:HOH:O	2.30	0.64
1:C:306:ASP:CG	1:C:321:ARG:HH22	2.06	0.63
1:B:230:ASP:O	1:B:231:ASN:HB2	1.98	0.62
1:D:138:ILE:HD13	1:D:227:LEU:HD13	1.81	0.62
1:A:149:ASP:HB3	1:A:152:GLY:H	1.66	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:345:THR:HG23	1:D:348:GLU:H	1.65	0.60
1:A:333:VAL:HG22	1:A:339:LEU:HB3	1.82	0.60
1:A:307:ASP:OD1	1:A:326:ARG:NH2	2.32	0.60
1:C:368:ARG:HE	1:C:372:ASN:ND2	1.98	0.60
2:C:501:FAD:O1A	4:C:602:HOH:O	2.16	0.59
1:B:112:GLN:O	1:B:112:GLN:NE2	2.30	0.59
1:A:427:HIS:ND1	1:A:432:GLU:OE1	2.33	0.58
1:B:441:HIS:HB3	1:B:444:HIS:HB2	1.85	0.58
1:D:170:TYR:CE1	1:D:196:MET:HG2	2.39	0.57
1:D:262:LEU:HD12	1:D:267:ILE:HB	1.86	0.56
1:B:269:LEU:C	1:B:276:LYS:HE2	2.30	0.56
1:D:285:VAL:HG13	1:D:288:ILE:HB	1.87	0.55
1:C:196:MET:HE3	1:C:204:VAL:HG22	1.89	0.54
1:A:170:TYR:HE1	1:A:196:MET:HG2	1.73	0.54
1:D:32:ILE:HG21	1:D:99:ALA:HB2	1.89	0.54
1:D:203:VAL:HG22	1:D:378:LEU:HD23	1.90	0.54
1:B:18:LEU:HD13	1:B:126:ILE:HG13	1.89	0.54
1:B:7:ILE:HB	1:B:125:ILE:HD12	1.90	0.53
1:B:8:VAL:HG22	1:B:31:VAL:HG12	1.91	0.53
1:B:125:ILE:HG22	1:B:288:ILE:HG12	1.92	0.52
1:D:255:LYS:HG3	1:D:256:PRO:HD2	1.92	0.52
1:B:7:ILE:HB	1:B:125:ILE:CD1	2.41	0.51
1:A:52:LYS:HE2	1:A:334:PHE:CD1	2.46	0.51
1:B:285:VAL:HG11	1:B:288:ILE:HD12	1.90	0.51
1:D:127:ILE:HG22	1:D:294:VAL:HG11	1.92	0.51
1:C:11:PHE:CZ	1:C:86:LEU:HD22	2.46	0.51
1:B:125:ILE:O	1:B:126:ILE:HD13	2.11	0.51
1:D:125:ILE:HB	1:D:288:ILE:HG12	1.93	0.51
1:C:406:ILE:HG12	1:D:406:ILE:HG12	1.92	0.50
1:B:11:PHE:HD2	1:B:33:GLU:HG2	1.76	0.50
1:C:170:TYR:CE1	1:C:196:MET:HG2	2.46	0.50
1:B:268:GLU:HB3	1:B:276:LYS:HE3	1.92	0.50
1:B:6:LEU:O	1:B:29:VAL:HA	2.12	0.50
1:B:87:ALA:HA	1:B:92:ILE:HD11	1.94	0.49
1:B:89:ASP:O	1:B:92:ILE:HG13	2.13	0.49
1:B:262:LEU:HD13	1:B:269:LEU:HD11	1.94	0.49
1:D:161:LYS:N	1:D:246:ASP:OD2	2.45	0.49
1:C:44:ILE:HD13	1:C:49:ILE:HG13	1.95	0.49
1:B:33:GLU:OE1	2:B:501:FAD:H1B	2.12	0.49
1:B:6:LEU:HB3	1:B:29:VAL:HG22	1.95	0.49
1:D:145:LYS:HE3	1:D:146:HIS:H	1.77	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:170:TYR:HE1	1:D:196:MET:HG2	1.76	0.49
1:A:102:LYS:HD3	1:A:106:GLU:OE2	2.13	0.48
1:B:285:VAL:HG13	1:B:288:ILE:HB	1.95	0.48
1:B:32:ILE:HG21	1:B:99:ALA:HB2	1.94	0.48
1:C:230:ASP:OD1	1:C:231:ASN:N	2.47	0.48
1:D:138:ILE:HD11	1:D:141:LEU:HD13	1.95	0.48
1:A:229:SER:HA	1:A:234:THR:HA	1.96	0.48
1:B:25:THR:OG1	1:B:27:GLN:HG3	2.14	0.47
1:A:277:VAL:HB	1:A:281:LEU:HA	1.96	0.47
1:C:42:THR:HG23	1:C:46:ILE:HG13	1.96	0.47
1:D:204:VAL:O	1:D:208:ILE:HG12	2.15	0.47
1:A:189:LEU:HB3	1:A:222:VAL:HG11	1.95	0.47
1:B:298:LEU:HB3	1:B:300:PHE:CE2	2.50	0.47
1:C:81:LYS:HB2	1:C:81:LYS:HE2	1.79	0.47
1:C:52:LYS:HE2	1:C:334:PHE:CD2	2.50	0.46
1:A:11:PHE:CZ	1:A:86:LEU:HD22	2.50	0.46
1:A:145:LYS:O	1:A:234:THR:OG1	2.25	0.46
1:B:129:THR:HB	2:B:501:FAD:C8A	2.46	0.46
1:B:202:ASP:OD2	1:B:380:LYS:NZ	2.44	0.46
1:C:159:GLN:NE2	1:C:182:LEU:O	2.41	0.45
1:B:117:VAL:HG12	1:B:118:ASP:OD2	2.16	0.45
1:A:327:GLY:O	4:A:604:HOH:O	2.21	0.45
1:D:241:ASP:HB3	1:D:243:PHE:CZ	2.52	0.45
1:B:360:GLN:HB2	1:B:378:LEU:HD11	1.98	0.45
1:D:200:ASP:O	1:D:204:VAL:HG13	2.16	0.45
1:B:89:ASP:HB3	1:B:92:ILE:HG12	1.98	0.45
1:C:170:TYR:HE1	1:C:196:MET:HG2	1.82	0.45
1:A:346:SER:OG	1:A:358:GLU:OE1	2.33	0.44
1:A:170:TYR:CE1	1:A:196:MET:HG2	2.51	0.44
1:A:202:ASP:OD2	1:A:380:LYS:NZ	2.50	0.44
1:B:125:ILE:CG2	1:B:288:ILE:HG12	2.47	0.44
1:C:204:VAL:O	1:C:208:ILE:HG12	2.17	0.44
1:B:331:TYR:CZ	1:B:341:ARG:HG2	2.52	0.44
1:B:219:HIS:HB3	1:B:222:VAL:HG21	2.00	0.44
1:B:200:ASP:HB3	1:B:202:ASP:OD1	2.18	0.44
1:A:279:ALA:HB1	1:A:322:THR:HB	1.98	0.43
1:D:102:LYS:NZ	1:D:106:GLU:OE1	2.48	0.43
1:D:427:HIS:ND1	1:D:432:GLU:OE1	2.50	0.43
1:C:32:ILE:HG21	1:C:99:ALA:HB2	2.00	0.43
1:D:185:LYS:HD2	1:D:185:LYS:HA	1.83	0.43
1:C:3:THR:N	4:C:608:HOH:O	2.51	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:71:LYS:HE3	1:A:71:LYS:HB3	1.86	0.43
1:B:11:PHE:HB2	1:B:33:GLU:HG2	2.00	0.43
1:A:57:ASP:OD1	1:A:70:ARG:NH1	2.52	0.43
1:C:105:THR:O	1:C:121:THR:OG1	2.30	0.43
1:B:120:ILE:HD12	1:B:120:ILE:HA	1.89	0.43
1:B:299:GLN:H	1:B:299:GLN:CD	2.26	0.43
1:A:159:GLN:NE2	1:A:182:LEU:O	2.52	0.43
1:C:212:GLU:HG3	1:C:218:LEU:HD12	2.00	0.42
1:B:206:TYR:N	1:B:206:TYR:CD1	2.87	0.42
1:D:133:SER:OG	1:D:254:ARG:NH2	2.49	0.42
1:B:279:ALA:HB1	1:B:322:THR:HB	2.01	0.42
1:B:125:ILE:HD12	1:B:125:ILE:HA	1.90	0.42
1:D:82:ASN:HD22	1:D:82:ASN:C	2.28	0.42
1:C:46:ILE:HD12	1:C:151:THR:HG21	2.01	0.42
1:C:277:VAL:HA	1:C:282:GLN:O	2.20	0.42
3:A:501:HIS:N	3:A:501:HIS:CD2	2.86	0.42
1:D:120:ILE:HD12	1:D:120:ILE:HA	1.78	0.42
1:C:279:ALA:HB1	1:C:322:THR:HB	2.01	0.42
1:C:363:VAL:HA	1:C:366:ILE:HD12	2.02	0.42
1:A:214:LYS:HZ2	1:A:336:ASP:HB3	1.85	0.42
1:B:135:ILE:H	1:B:135:ILE:HG13	1.47	0.42
1:D:11:PHE:HB2	1:D:33:GLU:OE1	2.20	0.41
1:C:197:PRO:O	1:C:198:ARG:HB2	2.20	0.41
1:B:31:VAL:HG22	1:B:94:VAL:HA	2.03	0.41
1:C:129:THR:HG21	1:C:260:LEU:HD21	2.02	0.41
1:C:214:LYS:HZ1	1:C:336:ASP:HB3	1.85	0.41
1:A:222:VAL:HG13	1:A:238:THR:HG23	2.03	0.41
1:B:162:HIS:CD2	1:B:185:LYS:HD3	2.55	0.41
2:C:501:FAD:O4'	4:C:602:HOH:O	2.11	0.41
1:D:33:GLU:OE1	2:D:501:FAD:H1B	2.21	0.41
1:C:214:LYS:NZ	1:C:336:ASP:HB3	2.36	0.41
1:B:267:ILE:HD11	1:B:288:ILE:HD13	2.01	0.41
1:C:96:ASP:HB2	1:A:157:SER:HB2	2.03	0.41
1:C:200:ASP:HB3	1:C:202:ASP:OD1	2.21	0.41
1:B:277:VAL:HB	1:B:281:LEU:HA	2.03	0.41
1:A:229:SER:O	1:A:230:ASP:HB2	2.21	0.40
1:B:11:PHE:CD2	1:B:33:GLU:HG2	2.56	0.40
1:B:125:ILE:C	1:B:126:ILE:HD13	2.45	0.40
1:B:226:GLU:HB3	1:B:237:HIS:HB2	2.02	0.40
1:A:238:THR:HG22	1:A:240:VAL:N	2.30	0.40
1:B:104:ASN:ND2	1:B:266:ASP:OD2	2.49	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:428:PRO:HA	1:B:432:GLU:OE2	2.20	0.40
1:A:105:THR:O	1:A:121:THR:OG1	2.28	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:206:TYR:OH	1:B:206:TYR:OH[11_554]	2.07	0.13
4:C:636:HOH:O	4:B:619:HOH:O[11_554]	2.19	0.01

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	440/446 (99%)	432 (98%)	8 (2%)	0	100	100
1	B	387/446 (87%)	376 (97%)	10 (3%)	1 (0%)	36	50
1	C	442/446 (99%)	432 (98%)	9 (2%)	1 (0%)	43	58
1	D	393/446 (88%)	382 (97%)	10 (2%)	1 (0%)	36	50
All	All	1662/1784 (93%)	1622 (98%)	37 (2%)	3 (0%)	43	58

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	231	ASN
1	C	230	ASP
1	D	231	ASN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	379/382 (99%)	374 (99%)	5 (1%)	61	80
1	B	335/382 (88%)	326 (97%)	9 (3%)	39	62
1	C	381/382 (100%)	376 (99%)	5 (1%)	61	80
1	D	341/382 (89%)	332 (97%)	9 (3%)	40	63
All	All	1436/1528 (94%)	1408 (98%)	28 (2%)	50	71

All (28) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	25	THR
1	C	48	CYS
1	C	149	ASP
1	C	188	VAL
1	C	295	LYS
1	A	48	CYS
1	A	240	VAL
1	A	246	ASP
1	A	295	LYS
1	A	333	VAL
1	B	128	ASN
1	B	132	THR
1	B	135	ILE
1	B	149	ASP
1	B	188	VAL
1	B	227	LEU
1	B	285	VAL
1	B	302	TYR
1	B	382	VAL
1	D	83	TYR
1	D	119	SER
1	D	151	THR
1	D	166	VAL
1	D	188	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	189	LEU
1	D	239	ASN
1	D	295	LYS
1	D	403	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	201	GLN
1	C	360	GLN
1	C	372	ASN
1	C	441	HIS
1	A	69	ASN
1	A	219	HIS
1	A	264	ASN
1	B	91	ASN
1	B	124	HIS
1	B	137	ASN
1	B	201	GLN
1	B	435	ASN
1	D	162	HIS
1	D	221	ASN
1	D	414	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	FAD	C	501	-	58,58,58	0.29	0	85,89,89	0.35	0
3	HIS	A	502	-	9,10,11	0.41	0	8,12,14	0.98	0
2	FAD	A	503	-	58,58,58	0.29	0	85,89,89	0.35	0
3	HIS	A	501	-	9,10,11	0.47	0	8,12,14	1.04	0
2	FAD	B	501	-	58,58,58	0.30	0	85,89,89	0.35	0
2	FAD	D	501	1	58,58,58	0.32	0	85,89,89	0.32	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FAD	C	501	-	-	7/34/50/50	0/6/6/6
3	HIS	A	502	-	-	0/5/6/8	0/1/1/1
2	FAD	A	503	-	-	6/34/50/50	0/6/6/6
3	HIS	A	501	-	-	2/5/6/8	0/1/1/1
2	FAD	B	501	-	-	9/34/50/50	0/6/6/6
2	FAD	D	501	1	-	11/34/50/50	0/6/6/6

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (35) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	501	FAD	C5'-O5'-P-O1P
2	C	501	FAD	C5'-O5'-P-O2P
2	C	501	FAD	C5'-O5'-P-O3P
2	A	503	FAD	C5'-O5'-P-O2P
2	A	503	FAD	C5'-O5'-P-O3P
2	B	501	FAD	C3'-C4'-C5'-O5'

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	B	501	FAD	O4'-C4'-C5'-O5'
2	B	501	FAD	PA-O3P-P-O5'
2	D	501	FAD	O4'-C4'-C5'-O5'
2	D	501	FAD	C5'-O5'-P-O1P
2	D	501	FAD	C5'-O5'-P-O2P
2	D	501	FAD	C5'-O5'-P-O3P
3	A	501	HIS	CA-CB-CG-CD2
3	A	501	HIS	CA-CB-CG-ND1
2	B	501	FAD	O2'-C2'-C3'-O3'
2	C	501	FAD	PA-O3P-P-O5'
2	A	503	FAD	PA-O3P-P-O5'
2	D	501	FAD	PA-O3P-P-O5'
2	B	501	FAD	O2'-C2'-C3'-C4'
2	B	501	FAD	C1'-C2'-C3'-O3'
2	B	501	FAD	C1'-C2'-C3'-C4'
2	D	501	FAD	O2'-C2'-C3'-O3'
2	A	503	FAD	C5'-O5'-P-O1P
2	C	501	FAD	O4B-C4B-C5B-O5B
2	D	501	FAD	O2'-C2'-C3'-C4'
2	C	501	FAD	C1'-C2'-C3'-O3'
2	D	501	FAD	C1'-C2'-C3'-O3'
2	A	503	FAD	O4B-C4B-C5B-O5B
2	D	501	FAD	C3'-C4'-C5'-O5'
2	B	501	FAD	O4B-C4B-C5B-O5B
2	A	503	FAD	PA-O3P-P-O1P
2	B	501	FAD	PA-O3P-P-O2P
2	D	501	FAD	PA-O3P-P-O1P
2	D	501	FAD	O4B-C4B-C5B-O5B
2	C	501	FAD	O4'-C4'-C5'-O5'


There are no ring outliers.


4 monomers are involved in 6 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	501	FAD	2	0
3	A	501	HIS	1	0
2	B	501	FAD	2	0
2	D	501	FAD	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will

also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	442/446 (99%)	0.10	10 (2%) 61 57	49, 70, 100, 131	0
1	B	391/446 (87%)	0.57	40 (10%) 12 9	44, 73, 133, 153	0
1	C	444/446 (99%)	0.01	12 (2%) 56 52	40, 61, 86, 116	0
1	D	397/446 (89%)	0.56	36 (9%) 15 12	43, 86, 132, 150	0
All	All	1674/1784 (93%)	0.29	98 (5%) 28 24	40, 70, 125, 153	0

All (98) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	85	LEU	6.8
1	D	83	TYR	5.7
1	B	86	LEU	5.3
1	D	85	LEU	4.5
1	A	232	HIS	4.3
1	B	135	ILE	4.1
1	B	110	LEU	3.9
1	B	445	HIS	3.8
1	B	94	VAL	3.7
1	B	120	ILE	3.7
1	B	302	TYR	3.7
1	C	206	TYR	3.5
1	B	444	HIS	3.5
1	D	3	THR	3.5
1	B	119	SER	3.4
1	B	95	LEU	3.4
1	B	116	ILE	3.4
1	D	120	ILE	3.4
1	D	155	ASN	3.3
1	D	116	ILE	3.3
1	B	87	ALA	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	97	PHE	3.2
1	B	206	TYR	3.2
1	D	84	HIS	3.2
1	B	11	PHE	3.1
1	B	118	ASP	3.1
1	B	443	HIS	3.1
1	B	121	THR	3.0
1	D	82	ASN	3.0
1	B	109	LEU	3.0
1	B	201	GLN	3.0
1	A	135	ILE	2.9
1	C	58	GLY	2.9
1	D	254	ARG	2.9
1	D	11	PHE	2.9
1	B	298	LEU	2.9
1	B	113	HIS	2.8
1	D	135	ILE	2.8
1	D	445	HIS	2.8
1	B	101	PHE	2.8
1	B	89	ASP	2.8
1	A	142	ASP	2.8
1	D	159	GLN	2.7
1	B	20	LYS	2.6
1	B	117	VAL	2.6
1	C	232	HIS	2.6
1	D	302	TYR	2.6
1	B	29	VAL	2.6
1	D	35	SER	2.6
1	D	220	THR	2.6
1	D	232	HIS	2.6
1	D	107	VAL	2.5
1	D	301	THR	2.5
1	D	248	VAL	2.5
1	D	178	MET	2.5
1	D	271	ASP	2.5
1	B	105	THR	2.5
1	B	301	THR	2.5
1	D	258	THR	2.5
1	C	59	LEU	2.4
1	D	101	PHE	2.4
1	C	61	GLY	2.4
1	A	386	GLU	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	240	VAL	2.4
1	D	112	GLN	2.3
1	D	88	ASP	2.3
1	D	179	PHE	2.3
1	C	51	SER	2.3
1	B	23	ALA	2.3
1	B	28	HIS	2.3
1	C	60	GLU	2.3
1	A	296	GLY	2.3
1	D	191	ARG	2.3
1	B	98	LYS	2.2
1	D	298	LEU	2.2
1	C	44	ILE	2.2
1	B	125	ILE	2.2
1	B	34	GLN	2.2
1	B	232	HIS	2.2
1	D	110	LEU	2.2
1	C	230	ASP	2.2
1	D	102	LYS	2.2
1	A	69	ASN	2.1
1	B	299	GLN	2.1
1	D	154	LEU	2.1
1	D	224	THR	2.1
1	A	387	ASN	2.1
1	B	88	ASP	2.1
1	B	107	VAL	2.1
1	C	231	ASN	2.1
1	B	25	THR	2.1
1	C	56	HIS	2.1
1	D	300	PHE	2.0
1	A	251	ALA	2.0
1	A	231	ASN	2.0
1	A	441	HIS	2.0
1	C	81	LYS	2.0
1	D	138	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	HIS	A	502	10/11	0.47	0.25	112,128,137,137	0
3	HIS	A	501	10/11	0.71	0.19	99,103,111,115	0
2	FAD	B	501	53/53	0.81	0.19	95,122,141,187	27
2	FAD	D	501	53/53	0.86	0.17	86,114,134,159	25
2	FAD	C	501	53/53	0.95	0.09	49,61,71,77	0
2	FAD	A	503	53/53	0.97	0.08	52,65,73,78	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around FAD B 501:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around FAD D 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around FAD C 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.