



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 11:00 PM UTC

PDB ID : 8AJZ / pdb_00008ajz
Title : Serial femtosecond crystallography structure of CO bound ba3- type cytochrome c oxidase at 2 milliseconds after irradiation by a 532 nm laser
Authors : Safari, C.; Ghosh, S.; Andersson, R.; Johannesson, J.; Donoso, A.V.; Bath, P.; Bosman, R.; Dahl, P.; Nango, E.; Tanaka, R.; Zoric, D.; Svensson, E.; Nakane, T.; Iwata, S.; Neutze, R.; Branden, G.
Deposited on : 2022-07-29
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	569	4% 91% 7% .
2	B	168	4% 87% 12% ..
3	C	34	3% 88% 9% .

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	HAS	A	603[A]	X	-	-	-
6	HAS	A	603[B]	X	-	-	-

2 Entry composition

There are 10 unique types of molecules in this entry. The entry contains 6575 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cytochrome c oxidase subunit 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	554	Total	C	N	O	S	0	6	0
			4417	3000	707	694	16			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-6	MET	-	initiating methionine	UNP Q5SJ79
A	-5	HIS	-	expression tag	UNP Q5SJ79
A	-4	HIS	-	expression tag	UNP Q5SJ79
A	-3	HIS	-	expression tag	UNP Q5SJ79
A	-2	HIS	-	expression tag	UNP Q5SJ79
A	-1	HIS	-	expression tag	UNP Q5SJ79
A	0	HIS	-	expression tag	UNP Q5SJ79
A	1	HIS	-	expression tag	UNP Q5SJ79

- Molecule 2 is a protein called Cytochrome c oxidase subunit 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	167	Total	C	N	O	S	0	0	0
			1301	846	216	235	4			


- Molecule 3 is a protein called Cytochrome c oxidase polypeptide IIA.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	C	31	Total	C	N	O	0	0	0
			241	169	37	35			

- Molecule 4 is COPPER (II) ION (CCD ID: CU) (formula: Cu) (labeled as "Ligand of Interest" by depositor).


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	Cu			0	1
			2	2				

- Molecule 5 is PROTOPORPHYRIN IX CONTAINING FE (CCD ID: HEM) (formula: C₃₄H₃₂FeN₄O₄) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 6 is HEME-AS (CCD ID: HAS) (formula: C₅₄H₆₄FeN₄O₆) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	1	Total	C	Fe	N	O	
			110	88	2	8	12	

- Molecule 7 is (2R)-2,3-dihydroxypropyl (9Z)-octadec-9-enoate (CCD ID: OLC) (formula: C₂₁H₄₀O₄) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			23	19	4		
7	A	1	Total	C	O	0	0
			18	14	4		
7	A	1	Total	C	O	0	0
			17	13	4		
7	A	1	Total	C	O	0	0
			15	11	4		
7	A	1	Total	C	O	0	0
			18	14	4		
7	A	1	Total	C	O	0	0
			15	11	4		
7	A	1	Total	C	O	0	0
			20	16	4		
7	A	1	Total	C	O	0	0
			21	17	4		
7	A	1	Total	C		0	0
			9	9			
7	A	1	Total	C		0	0
			9	9			

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	B	1	Total	C	O	0	0
			20	18	2		
7	B	1	Total	C	O	0	0
			25	21	4		
7	C	1	Total	C	O	0	0
			24	20	4		
7	C	1	Total	C	O	0	0
			15	11	4		
7	C	1	Total	C	O	0	0
			24	20	4		

- Molecule 8 is CARBON MONOXIDE (CCD ID: CMO) (formula: CO) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	A	1	Total	C	O	0	1
			4	2	2		

- Molecule 9 is DINUCLEAR COPPER ION (CCD ID: CUA) (formula: Cu₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	B	1	Total	Cu	0	0
			2	2		


- Molecule 10 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	A	99	Total	O	0	1
			99	99		
10	B	80	Total	O	0	0
			80	80		
10	C	3	Total	O	0	0
			3	3		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Cytochrome c oxidase subunit 1



• Molecule 2: Cytochrome c oxidase subunit 2



• Molecule 3: Cytochrome c oxidase polypeptide IIA



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	145.85Å 100.32Å 96.62Å 90.00° 126.76° 90.00°	Depositor
Resolution (Å)	38.70 – 2.00 38.70 – 2.00	Depositor EDS
% Data completeness (in resolution range)	99.9 (38.70-2.00) 100.0 (38.70-2.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.10 (at 2.00Å)	Xtriage
Refinement program	PHENIX 1.17.1_3660	Depositor
R, R_{free}	0.190 , 0.210 0.189 , 0.215	Depositor DCC
R_{free} test set	3773 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	40.0	Xtriage
Anisotropy	0.107	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 72.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	6575	wwPDB-VP
Average B, all atoms (Å ²)	43.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.17% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CMO, HAS, HEM, CUA, OLC, CU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.07	0/4595	1.39	11/6310 (0.2%)
2	B	1.08	0/1338	1.34	4/1828 (0.2%)
3	C	1.06	0/247	1.40	0/335
All	All	1.08	0/6180	1.38	15/8473 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
2	B	0	1
All	All	0	2

There are no bond length outliers.

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	3	ASP	O-C-N	-10.77	110.98	122.07
1	A	10	ARG	CA-C-N	6.62	128.90	120.56
1	A	10	ARG	C-N-CA	6.62	128.90	120.56
1	A	149	ALA	CA-C-N	6.30	128.63	120.44
1	A	149	ALA	C-N-CA	6.30	128.63	120.44
1	A	233[A]	HIS	N-CA-CB	6.23	121.47	110.37
1	A	233[B]	HIS	N-CA-CB	6.23	121.47	110.37
1	A	108	LEU	CA-C-N	6.17	128.87	120.54
1	A	108	LEU	C-N-CA	6.17	128.87	120.54
2	B	133	SER	O-C-N	5.57	129.56	123.27
1	A	250	ILE	CA-C-O	-5.24	116.14	120.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	233[A]	HIS	CA-CB-CG	-5.20	108.60	113.80
1	A	233[B]	HIS	CA-CB-CG	-5.20	108.60	113.80
2	B	21	PHE	CA-C-N	5.04	127.34	120.54
2	B	21	PHE	C-N-CA	5.04	127.34	120.54

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	516	GLU	Peptide
2	B	3	ASP	Mainchain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4417	0	4511	28	0
2	B	1301	0	1278	18	0
3	C	241	0	267	1	0
4	A	2	0	0	0	0
5	A	43	0	30	2	0
6	A	110	0	62	2	0
7	A	165	0	229	0	0
7	B	45	0	68	0	0
7	C	63	0	89	1	0
8	A	4	0	0	0	0
9	B	2	0	0	0	0
10	A	99	0	0	2	0
10	B	80	0	0	5	0
10	C	3	0	0	0	0
All	All	6575	0	6534	48	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (48) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:254:GLN:HE22	1:A:403:TRP:CD1	2.02	0.77
5:A:602:HEM:HBC2	5:A:602:HEM:HMC1	1.66	0.76
2:B:140:LYS:HE3	2:B:140:LYS:HA	1.66	0.76
1:A:332:LEU:HD23	1:A:333:PHE:CE2	2.28	0.69
2:B:49:LYS:O	2:B:49:LYS:HD2	1.97	0.65
1:A:519:ARG:HD3	1:A:519:ARG:C	2.21	0.64
2:B:140:LYS:HA	2:B:140:LYS:CE	2.27	0.64
1:A:387:LEU:HD22	1:A:433:MET:HE1	1.81	0.63
1:A:519:ARG:HD3	1:A:519:ARG:O	1.99	0.62
2:B:141:ARG:HD3	10:B:361:HOH:O	1.98	0.62
2:B:2:VAL:HG22	2:B:3:ASP:H	1.64	0.62
2:B:47:ALA:HB3	2:B:49:LYS:HE3	1.85	0.56
1:A:332:LEU:HD23	1:A:333:PHE:CZ	2.42	0.54
2:B:47:ALA:HB1	2:B:49:LYS:HG3	1.90	0.53
5:A:602:HEM:HBC2	5:A:602:HEM:CMC	2.37	0.52
1:A:411:LYS:HE2	1:A:494:SER:O	2.11	0.50
1:A:282[B]:HIS:CD2	6:A:603[B]:HAS:OMD	2.65	0.49
1:A:33:ILE:O	1:A:37:LEU:HG	2.13	0.49
1:A:400:SER:HB3	10:A:740:HOH:O	2.13	0.47
2:B:95:ILE:HG23	10:B:376:HOH:O	2.15	0.47
1:A:516:GLU:OE2	10:A:701:HOH:O	2.20	0.47
1:A:337:ARG:HB3	1:A:337:ARG:CZ	2.45	0.46
1:A:387:LEU:CD2	1:A:433:MET:HE1	2.44	0.46
1:A:400:SER:HA	1:A:403:TRP:NE1	2.31	0.46
2:B:144:GLU:HG2	2:B:165:VAL:HG22	1.97	0.45
1:A:37:LEU:HD23	1:A:481:LEU:HD21	1.98	0.45
1:A:321:GLU:HA	1:A:335:TRP:CE3	2.51	0.45
3:C:13:LEU:HD13	7:C:103:OLC:H12	1.98	0.45
2:B:47:ALA:CB	2:B:49:LYS:HE3	2.47	0.45
2:B:104:VAL:HG22	2:B:136:ARG:HG2	1.99	0.45
2:B:15:GLU:O	2:B:19:LEU:HG	2.17	0.44
1:A:307:VAL:N	1:A:308:PRO:HD2	2.33	0.43
1:A:282[B]:HIS:CG	6:A:603[B]:HAS:OMD	2.71	0.43
1:A:411:LYS:CE	1:A:494:SER:O	2.67	0.43
1:A:411:LYS:HZ2	1:A:497:ARG:CZ	2.31	0.43
1:A:52:TYR:N	1:A:53:PRO:CD	2.82	0.42
1:A:223:VAL:HG21	1:A:553:LEU:CD2	2.50	0.42
2:B:59:ARG:NH1	10:B:307:HOH:O	2.53	0.42
2:B:49:LYS:NZ	2:B:51:GLU:OE2	2.50	0.41
1:A:241:LEU:HD12	1:A:241:LEU:HA	1.84	0.41
1:A:562:TRP:HA	2:B:155:LEU:HG	2.02	0.41
2:B:103:ILE:O	2:B:136:ARG:HA	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:29:PHE:CE2	1:A:401:LEU:HD21	2.55	0.41
1:A:348:ALA:HB3	1:A:349:PRO:HD3	2.03	0.41
1:A:387:LEU:CD2	1:A:433:MET:CE	3.00	0.41
1:A:302:THR:O	1:A:305:VAL:HG12	2.20	0.40
2:B:159:ASN:ND2	10:B:301:HOH:O	2.23	0.40
2:B:52:ARG:NH2	10:B:303:HOH:O	2.44	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	558/569 (98%)	539 (97%)	18 (3%)	1 (0%)	43	42
2	B	165/168 (98%)	163 (99%)	2 (1%)	0	100	100
3	C	29/34 (85%)	29 (100%)	0	0	100	100
All	All	752/771 (98%)	731 (97%)	20 (3%)	1 (0%)	48	46

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	369	PHE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	453/463 (98%)	452 (100%)	1 (0%)	87	92
2	B	136/138 (99%)	136 (100%)	0	100	100
3	C	24/27 (89%)	24 (100%)	0	100	100
All	All	613/628 (98%)	612 (100%)	1 (0%)	87	92

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	241	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	548	GLN
2	B	91	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 23 ligands modelled in this entry, 2 are monoatomic - leaving 21 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
8	CMO	A	614[B]	4	0,1,1	-	-	-		
7	OLC	A	607	-	14,14,24	0.22	0	15,15,25	0.27	0
8	CMO	A	614[A]	4	0,1,1	-	-	-		
7	OLC	A	609	-	14,14,24	0.25	0	15,15,25	0.28	0
7	OLC	A	608	-	17,17,24	0.40	0	18,18,25	0.38	0
7	OLC	C	102	-	14,14,24	0.27	0	15,15,25	0.39	0
7	OLC	B	201	-	19,19,24	0.23	0	19,19,25	0.19	0
5	HEM	A	602	1	50,50,50	1.59	7 (14%)	67,82,82	1.63	14 (20%)
7	OLC	A	606	-	16,16,24	0.33	0	17,17,25	0.30	0
7	OLC	A	605	-	17,17,24	0.26	0	18,18,25	0.32	0
7	OLC	A	612	-	8,8,24	0.17	0	7,7,25	0.17	0
7	OLC	B	202	-	24,24,24	0.30	0	25,25,25	0.25	0
9	CUA	B	203	2	0,1,1	-	-	-		
7	OLC	C	103	-	23,23,24	0.34	0	24,24,25	0.21	0
7	OLC	A	611	-	20,20,24	0.27	0	21,21,25	0.22	0
7	OLC	A	604	-	22,22,24	0.23	0	23,23,25	0.43	0
7	OLC	A	613	-	8,8,24	0.17	0	7,7,25	0.19	0
7	OLC	A	610	-	19,19,24	0.26	0	20,20,25	0.29	0
6	HAS	A	603[B]	1	72,72,72	3.24	34 (47%)	87,109,109	2.80	30 (34%)
6	HAS	A	603[A]	1	72,72,72	2.22	27 (37%)	87,109,109	2.24	25 (28%)
7	OLC	C	101	-	23,23,24	0.21	0	24,24,25	0.25	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	OLC	A	610	-	-	8/19/19/24	-
7	OLC	A	605	-	-	5/17/17/24	-
7	OLC	A	612	-	-	4/6/6/24	-
7	OLC	A	607	-	-	8/14/14/24	-
7	OLC	B	201	-	-	10/18/18/24	-
6	HAS	A	603[B]	1	1/1/8/18	8/42/82/82	-
7	OLC	B	202	-	-	9/24/24/24	-
5	HEM	A	602	1	-	0/14/54/54	-
7	OLC	A	609	-	-	5/14/14/24	-
7	OLC	A	606	-	-	7/16/16/24	-
7	OLC	C	103	-	-	9/23/23/24	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	HAS	A	603[A]	1	1/1/8/18	6/42/82/82	-
7	OLC	A	608	-	-	5/17/17/24	-
7	OLC	C	101	-	-	11/23/23/24	-
7	OLC	C	102	-	-	9/14/14/24	-
7	OLC	A	611	-	-	7/20/20/24	-
7	OLC	A	604	-	-	5/22/22/24	-
7	OLC	A	613	-	-	2/6/6/24	-

All (68) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	603[B]	HAS	CBA-CGA	10.27	1.74	1.50
6	A	603[B]	HAS	FE-NA	8.11	2.21	1.95
6	A	603[B]	HAS	FE-ND	7.12	2.16	1.94
6	A	603[B]	HAS	FE-NB	6.00	2.13	1.94
6	A	603[B]	HAS	C3B-C2B	5.67	1.47	1.34
6	A	603[B]	HAS	FE-NC	5.54	2.13	1.95
6	A	603[B]	HAS	CHB-C1D	5.47	1.49	1.38
6	A	603[B]	HAS	CHC-C4B	5.39	1.49	1.38
6	A	603[B]	HAS	CHC-C1C	5.38	1.51	1.39
5	A	602	HEM	FE-NB	5.23	2.11	1.94
6	A	603[B]	HAS	C12-C11	5.18	1.61	1.53
6	A	603[B]	HAS	C4D-C3D	5.12	1.53	1.45
6	A	603[A]	HAS	FE-NB	4.91	2.10	1.94
6	A	603[A]	HAS	FE-NC	4.87	2.11	1.95
6	A	603[B]	HAS	CHA-C1A	4.82	1.47	1.38
6	A	603[A]	HAS	C3B-C2B	4.80	1.45	1.34
5	A	602	HEM	C1B-NB	-4.73	1.32	1.40
6	A	603[B]	HAS	C4B-C3B	4.65	1.52	1.44
6	A	603[A]	HAS	FE-ND	4.52	2.08	1.94
6	A	603[A]	HAS	C1D-ND	-4.21	1.33	1.40
6	A	603[B]	HAS	CHD-C4A	4.21	1.46	1.38
6	A	603[B]	HAS	C2A-C3A	4.12	1.45	1.36
6	A	603[A]	HAS	FE-NA	4.11	2.08	1.95
6	A	603[B]	HAS	CHB-C1B	3.97	1.48	1.39
6	A	603[A]	HAS	CHC-C4B	3.95	1.46	1.38
6	A	603[A]	HAS	CHD-C4A	3.94	1.46	1.38
6	A	603[B]	HAS	CHA-C4D	3.93	1.48	1.39
6	A	603[A]	HAS	C2A-C3A	3.91	1.45	1.36
6	A	603[B]	HAS	C4C-NC	-3.80	1.32	1.39
6	A	603[B]	HAS	C1B-C2B	3.70	1.52	1.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	602	HEM	C4D-ND	-3.66	1.33	1.40
5	A	602	HEM	FE-NC	3.65	2.07	1.95
6	A	603[A]	HAS	CHB-C1D	3.57	1.45	1.38
6	A	603[B]	HAS	O1A-CGA	3.53	1.33	1.22
6	A	603[A]	HAS	CHC-C1C	3.52	1.47	1.39
6	A	603[A]	HAS	C4B-NB	-3.45	1.34	1.40
6	A	603[A]	HAS	CHA-C1A	3.42	1.45	1.38
6	A	603[A]	HAS	C1B-NB	-3.38	1.32	1.38
6	A	603[B]	HAS	C1A-C2A	3.30	1.51	1.45
6	A	603[A]	HAS	C4A-NA	-3.28	1.33	1.39
6	A	603[B]	HAS	C1D-ND	-3.23	1.34	1.40
6	A	603[B]	HAS	C4A-NA	-3.13	1.33	1.39
6	A	603[B]	HAS	C4B-NB	-3.08	1.34	1.40
6	A	603[B]	HAS	CBD-CGD	3.04	1.57	1.50
6	A	603[A]	HAS	C4C-NC	-3.00	1.34	1.39
6	A	603[B]	HAS	C1C-C2C	2.93	1.50	1.43
6	A	603[B]	HAS	C4A-C3A	2.92	1.51	1.45
6	A	603[A]	HAS	CHA-C4D	2.86	1.45	1.39
6	A	603[A]	HAS	CHD-C4C	2.84	1.45	1.39
6	A	603[B]	HAS	C1B-NB	-2.78	1.33	1.38
6	A	603[A]	HAS	CHB-C1B	2.70	1.45	1.39
6	A	603[A]	HAS	C1C-C2C	2.54	1.49	1.43
6	A	603[B]	HAS	C11-C3B	-2.48	1.48	1.51
5	A	602	HEM	C1C-NC	-2.37	1.35	1.39
6	A	603[A]	HAS	C1C-NC	-2.33	1.35	1.39
6	A	603[B]	HAS	C1A-NA	-2.32	1.35	1.39
6	A	603[A]	HAS	C4A-C3A	2.30	1.49	1.45
6	A	603[A]	HAS	C4D-C3D	2.28	1.48	1.45
6	A	603[A]	HAS	C1A-NA	-2.28	1.35	1.39
5	A	602	HEM	C4B-NB	-2.27	1.34	1.38
6	A	603[B]	HAS	C2D-C1D	2.26	1.49	1.44
6	A	603[A]	HAS	C2D-C3D	2.24	1.42	1.37
6	A	603[A]	HAS	C11-C3B	-2.21	1.48	1.51
6	A	603[B]	HAS	CBD-CAD	2.13	1.59	1.51
6	A	603[B]	HAS	C3C-C4C	2.11	1.48	1.42
6	A	603[B]	HAS	C3C-C2C	2.04	1.48	1.41
5	A	602	HEM	CHB-C1B	2.02	1.42	1.38
6	A	603[A]	HAS	C4D-ND	-2.02	1.34	1.38

All (69) bond angle outliers are listed below:

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	603[B]	HAS	C2D-C3D-C4D	-10.36	98.93	106.43
6	A	603[B]	HAS	CAD-C3D-C4D	9.66	141.53	124.70
6	A	603[A]	HAS	C2D-C3D-C4D	-7.43	101.05	106.43
6	A	603[B]	HAS	C3C-C2C-C1C	-6.57	99.42	107.17
6	A	603[B]	HAS	CAA-CBA-CGA	-5.73	98.46	113.67
5	A	602	HEM	CHC-C4B-NB	5.71	130.57	124.42
6	A	603[B]	HAS	C2A-C1A-NA	5.52	115.65	110.32
6	A	603[B]	HAS	OMD-CMD-C2D	-5.50	113.19	125.62
6	A	603[B]	HAS	C2B-C1B-NB	5.49	116.25	109.90
6	A	603[A]	HAS	C3C-C2C-C1C	-5.32	100.90	107.17
6	A	603[A]	HAS	C3C-C4C-NC	5.17	114.15	109.80
6	A	603[A]	HAS	C3B-C4B-NB	5.10	115.70	109.84
6	A	603[A]	HAS	C2A-C1A-NA	5.03	115.17	110.32
6	A	603[A]	HAS	C3D-C4D-ND	4.92	115.11	110.35
6	A	603[B]	HAS	CBD-CAD-C3D	-4.84	99.15	112.53
6	A	603[A]	HAS	C2B-C1B-NB	4.70	115.34	109.90
6	A	603[A]	HAS	CAD-C3D-C4D	4.66	132.82	124.70
6	A	603[B]	HAS	C1B-C2B-C3B	-4.52	101.57	106.80
6	A	603[B]	HAS	C3D-C4D-ND	4.44	114.64	110.35
5	A	602	HEM	CHD-C1D-ND	4.16	128.91	124.42
6	A	603[B]	HAS	C3B-C4B-NB	4.03	114.47	109.84
6	A	603[B]	HAS	O11-C11-C12	3.87	119.41	109.14
6	A	603[B]	HAS	C12-C11-C3B	-3.87	106.08	112.12
6	A	603[B]	HAS	C3A-C4A-NA	3.87	116.79	109.64
5	A	602	HEM	C1B-NB-C4B	3.77	109.67	105.21
6	A	603[A]	HAS	CAA-CBA-CGA	-3.61	104.09	113.67
6	A	603[B]	HAS	C13-C12-C11	-3.55	108.73	114.39
5	A	602	HEM	CHD-C4C-NC	3.54	128.31	124.45
6	A	603[B]	HAS	CHA-C4D-ND	-3.47	120.69	124.42
6	A	603[B]	HAS	C4A-C3A-C2A	-3.45	101.85	106.97
6	A	603[B]	HAS	C1A-C2A-C3A	-3.42	102.60	107.11
6	A	603[B]	HAS	C1D-C2D-C3D	3.28	110.29	107.28
6	A	603[A]	HAS	C4B-C3B-C2B	-3.27	101.95	107.44
6	A	603[A]	HAS	C1B-C2B-C3B	-3.20	103.09	106.80
6	A	603[A]	HAS	C2C-C1C-NC	3.15	115.19	110.14
6	A	603[A]	HAS	C13-C12-C11	-3.13	109.39	114.39
6	A	603[A]	HAS	OMD-CMD-C2D	-3.13	118.56	125.62
6	A	603[A]	HAS	C1A-C2A-C3A	-3.02	103.13	107.11
5	A	602	HEM	CHD-C1D-C2D	-2.95	120.37	125.03
6	A	603[B]	HAS	O1A-CGA-CBA	-2.93	113.79	123.09
6	A	603[A]	HAS	CMA-C3A-C4A	2.91	129.86	124.73

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	603[A]	HAS	C4A-C3A-C2A	-2.77	102.87	106.97
6	A	603[B]	HAS	C4B-C3B-C2B	-2.73	102.84	107.44
6	A	603[A]	HAS	CMC-C2C-C3C	2.72	132.96	126.55
5	A	602	HEM	O2A-CGA-CBA	2.69	122.50	114.00
5	A	602	HEM	CHC-C4B-C3B	-2.68	119.72	125.07
6	A	603[A]	HAS	C3A-C4A-NA	2.66	114.56	109.64
6	A	603[B]	HAS	O2D-CGD-CBD	2.66	122.41	114.00
6	A	603[B]	HAS	CHD-C4A-C3A	-2.60	120.07	125.49
6	A	603[A]	HAS	CMB-C2B-C1B	2.60	129.10	125.03
6	A	603[B]	HAS	C2C-C1C-NC	2.59	114.30	110.14
6	A	603[A]	HAS	CAA-C2A-C1A	2.55	130.03	124.85
6	A	603[A]	HAS	O1D-CGD-CBD	-2.50	115.16	123.09
5	A	602	HEM	CHA-C4D-C3D	-2.50	120.63	125.23
6	A	603[B]	HAS	CHA-C1A-C2A	-2.47	120.97	124.86
6	A	603[B]	HAS	CHB-C1B-C2B	-2.46	121.14	125.03
5	A	602	HEM	O2D-CGD-O1D	-2.44	117.05	123.33
5	A	602	HEM	C1A-CHA-C4D	-2.44	120.51	126.25
6	A	603[B]	HAS	CMC-C2C-C1C	2.44	129.13	125.42
6	A	603[B]	HAS	O2D-CGD-O1D	-2.43	117.07	123.33
5	A	602	HEM	C4C-NC-C1C	2.42	109.77	105.82
6	A	603[A]	HAS	CHA-C1A-C2A	-2.38	121.10	124.86
6	A	603[B]	HAS	O2A-CGA-CBA	2.35	121.43	114.00
6	A	603[A]	HAS	CHB-C1B-C2B	-2.33	121.34	125.03
5	A	602	HEM	CHA-C4D-ND	2.17	127.05	124.37
5	A	602	HEM	CAB-C3B-C2B	2.16	135.44	128.43
6	A	603[B]	HAS	CMC-C2C-C3C	2.02	131.31	126.55
5	A	602	HEM	C4C-CHD-C1D	-2.02	121.72	126.02
6	A	603[A]	HAS	C4C-C3C-C2C	-2.01	104.81	107.30

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
6	A	603[A]	HAS	NA
6	A	603[B]	HAS	NA

All (118) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	A	603[B]	HAS	C1D-C2D-CMD-OMD
6	A	603[B]	HAS	C3D-C2D-CMD-OMD
7	A	607	OLC	C21-C22-C24-O25
7	A	610	OLC	O20-C21-C22-C24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
7	C	102	OLC	C21-C22-C24-O25
7	C	102	OLC	O23-C22-C24-O25
7	C	101	OLC	C2-C1-O20-C21
7	C	101	OLC	O19-C1-O20-C21
7	C	102	OLC	C2-C1-O20-C21
7	A	606	OLC	O20-C21-C22-O23
7	A	610	OLC	O20-C21-C22-O23
7	C	102	OLC	O19-C1-O20-C21
7	A	608	OLC	C2-C1-O20-C21
7	B	202	OLC	O20-C21-C22-C24
7	A	608	OLC	O19-C1-O20-C21
7	C	103	OLC	O20-C21-C22-O23
7	A	607	OLC	O23-C22-C24-O25
7	C	102	OLC	C1-C2-C3-C4
7	B	202	OLC	O20-C21-C22-O23
7	C	102	OLC	O20-C21-C22-O23
7	C	103	OLC	C2-C1-O20-C21
7	C	103	OLC	O20-C21-C22-C24
7	A	605	OLC	C21-C22-C24-O25
7	A	609	OLC	C21-C22-C24-O25
7	A	611	OLC	C21-C22-C24-O25
7	C	103	OLC	O19-C1-O20-C21
7	A	610	OLC	C5-C6-C7-C8
7	A	610	OLC	C2-C3-C4-C5
7	C	103	OLC	C11-C12-C13-C14
7	C	101	OLC	C3-C4-C5-C6
7	C	103	OLC	C2-C3-C4-C5
7	A	607	OLC	C2-C3-C4-C5
7	A	605	OLC	O23-C22-C24-O25
7	A	606	OLC	O20-C21-C22-C24
7	B	201	OLC	C6-C7-C8-C9
7	B	202	OLC	C5-C6-C7-C8
7	A	612	OLC	C12-C13-C14-C15
7	B	201	OLC	C3-C4-C5-C6
7	A	610	OLC	C3-C4-C5-C6
7	A	607	OLC	C2-C1-O20-C21
7	A	606	OLC	C5-C6-C7-C8
7	A	608	OLC	C2-C3-C4-C5
7	C	101	OLC	C13-C14-C15-C16
7	A	604	OLC	C11-C12-C13-C14
7	A	609	OLC	C4-C5-C6-C7
7	B	202	OLC	C3-C4-C5-C6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
7	A	612	OLC	C10-C11-C12-C13
7	A	612	OLC	C14-C15-C16-C17
7	A	607	OLC	C5-C6-C7-C8
7	B	201	OLC	C2-C1-O20-C21
7	A	607	OLC	O19-C1-O20-C21
7	A	611	OLC	C3-C4-C5-C6
7	B	201	OLC	C11-C12-C13-C14
7	A	606	OLC	C3-C4-C5-C6
7	B	201	OLC	C1-C2-C3-C4
7	A	611	OLC	O20-C21-C22-C24
7	C	102	OLC	O20-C21-C22-C24
7	C	101	OLC	C6-C7-C8-C9
7	B	202	OLC	C13-C14-C15-C16
7	C	102	OLC	C4-C5-C6-C7
7	C	103	OLC	C12-C13-C14-C15
7	B	202	OLC	C11-C12-C13-C14
7	B	202	OLC	C4-C5-C6-C7
7	B	201	OLC	C2-C3-C4-C5
7	C	102	OLC	C2-C3-C4-C5
7	B	201	OLC	C14-C15-C16-C17
7	A	610	OLC	C4-C5-C6-C7
7	A	606	OLC	C7-C8-C9-C10
7	A	611	OLC	C9-C10-C11-C12
7	B	202	OLC	C9-C10-C11-C12
7	A	605	OLC	C2-C3-C4-C5
7	A	604	OLC	C6-C7-C8-C9
7	A	608	OLC	C7-C8-C9-C10
7	B	201	OLC	O19-C1-O20-C21
7	A	613	OLC	C11-C12-C13-C14
7	B	202	OLC	C10-C11-C12-C13
7	A	605	OLC	C4-C5-C6-C7
7	A	608	OLC	C3-C4-C5-C6
7	C	101	OLC	C9-C10-C11-C12
7	A	609	OLC	C5-C6-C7-C8
7	C	101	OLC	C11-C12-C13-C14
7	A	604	OLC	C12-C13-C14-C15
7	B	201	OLC	C10-C11-C12-C13
6	A	603[B]	HAS	CAA-CBA-CGA-O1A
6	A	603[A]	HAS	C23-C24-C28-C29
6	A	603[B]	HAS	C23-C24-C28-C29
7	B	201	OLC	C12-C13-C14-C15
7	A	609	OLC	O23-C22-C24-O25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	A	603[A]	HAS	CAA-CBA-CGA-O1A
6	A	603[B]	HAS	CAD-CBD-CGD-O1D
6	A	603[A]	HAS	CAA-CBA-CGA-O2A
6	A	603[A]	HAS	CAD-CBD-CGD-O1D
6	A	603[B]	HAS	CAA-CBA-CGA-O2A
6	A	603[B]	HAS	CAD-CBD-CGD-O2D
7	C	101	OLC	C5-C6-C7-C8
7	C	103	OLC	C7-C8-C9-C10
6	A	603[B]	HAS	C11-C12-C13-C14
7	A	610	OLC	C9-C10-C11-C12
7	C	101	OLC	C1-C2-C3-C4
7	A	604	OLC	C7-C8-C9-C10
6	A	603[A]	HAS	CAD-CBD-CGD-O2D
7	A	604	OLC	C10-C11-C12-C13
7	A	607	OLC	O20-C1-C2-C3
7	C	101	OLC	C7-C8-C9-C10
7	A	606	OLC	O20-C1-C2-C3
6	A	603[A]	HAS	C2C-C3C-CAC-CBC
7	A	610	OLC	C7-C8-C9-C10
7	A	611	OLC	C7-C8-C9-C10
7	A	611	OLC	O20-C21-C22-O23
7	A	611	OLC	O23-C22-C24-O25
7	A	609	OLC	C1-C2-C3-C4
7	C	103	OLC	C3-C4-C5-C6
7	A	613	OLC	C14-C15-C16-C17
7	A	612	OLC	C15-C16-C17-C18
7	C	101	OLC	O20-C21-C22-C24
7	A	605	OLC	C5-C6-C7-C8
7	A	606	OLC	O19-C1-C2-C3
7	A	607	OLC	O19-C1-C2-C3


There are no ring outliers.


3 monomers are involved in 5 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	602	HEM	2	0
7	C	103	OLC	1	0
6	A	603[B]	HAS	2	0




The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will


also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




















Ligand HAS A 603 (B)



Ligand HAS A 603 (A)





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	554/569 (97%)	0.41	21 (3%) 44 43	17, 39, 65, 105	6 (1%)
2	B	167/168 (99%)	0.42	6 (3%) 46 45	28, 39, 64, 109	0
3	C	31/34 (91%)	0.43	1 (3%) 50 49	33, 39, 49, 72	0
All	All	752/771 (97%)	0.41	28 (3%) 45 44	17, 39, 65, 109	6 (0%)

All (28) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	2	VAL	4.5
1	A	11	VAL	3.7
2	B	3	ASP	3.4
1	A	494	SER	3.1
1	A	519	ARG	3.0
2	B	5	HIS	2.9
1	A	523	ALA	2.9
1	A	175	PRO	2.9
1	A	520	LEU	2.9
1	A	264	MET	2.7
2	B	49	LYS	2.6
2	B	153	CYS	2.6
1	A	58	LEU	2.6
1	A	491	VAL	2.5
1	A	518	ARG	2.5
1	A	9	SER	2.4
1	A	332	LEU	2.4
1	A	174	ASN	2.3
1	A	486	TYR	2.3
3	C	7	GLY	2.3
1	A	462	HIS	2.2
1	A	521	VAL	2.2
2	B	72	VAL	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	172	ALA	2.1
1	A	492	LEU	2.1
1	A	14	ALA	2.1
1	A	322	PHE	2.1
1	A	54	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
7	OLC	C	102	15/25	0.77	0.21	66,88,97,99	0
7	OLC	A	610	20/25	0.79	0.22	71,81,90,101	0
7	OLC	A	605	18/25	0.80	0.20	60,77,91,106	0
7	OLC	A	606	17/25	0.80	0.19	67,76,87,96	0
7	OLC	A	611	21/25	0.81	0.19	60,82,94,108	0
7	OLC	C	103	24/25	0.82	0.20	67,80,103,110	0
7	OLC	B	201	20/25	0.84	0.20	77,85,95,102	0
7	OLC	C	101	24/25	0.84	0.18	58,67,97,100	0
7	OLC	A	607	15/25	0.84	0.20	76,92,106,110	0
7	OLC	A	609	15/25	0.84	0.17	78,85,90,91	0
7	OLC	A	608	18/25	0.85	0.20	57,71,93,93	0
7	OLC	A	612	9/25	0.85	0.19	67,71,82,84	0
7	OLC	A	604	23/25	0.86	0.17	49,58,92,94	0
7	OLC	A	613	9/25	0.86	0.20	66,70,75,76	0
7	OLC	B	202	25/25	0.88	0.15	66,70,94,101	0
8	CMO	A	614[A]	2/2	0.92	0.10	26,26,26,28	2
8	CMO	A	614[B]	2/2	0.92	0.10	35,35,35,43	2
6	HAS	A	603[B]	65/65	0.96	0.08	27,45,52,62	45

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
6	HAS	A	603[A]	65/65	0.96	0.08	26,31,45,52	45
5	HEM	A	602	43/43	0.98	0.07	27,29,32,41	0
9	CUA	B	203	2/2	0.99	0.04	33,33,33,34	0
4	CU	A	601[B]	1/1	1.00	0.02	46,46,46,46	1
4	CU	A	601[A]	1/1	1.00	0.02	30,30,30,30	1

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around OLC A 610:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLC A 605:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLC A 606:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLC A 611:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLC C 103:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLC B 201:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLC C 101:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



**Electron density around OLC A 607:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLC A 609:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLC A 608:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLC A 612:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLC A 604:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLC A 613:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLC B 202:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CMO A 614 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CMO A 614 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HAS A 603 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around HAS A 603 (A):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM A 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CUA B 203:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CU A 601 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around CU A 601 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.